



ON TARGET
Conversion Set

AIR-GRAPHICS
CS-32





S-2G Tracker

1:72
Scale

Grumman









AIR-GRAPHIC MODELS





1

Fuselage Modifications and cockpit





2

Wing Modifications

Note the S-2G has
Extended Wing tips

Cut kit wingtip on both wings
(Shown Red)
Replace with resin parts.
Blend in as required with
Filler.
Part Nos 21 and 22




Replace tailplanes
With new resin ones.
Part Nos 23 and 24

3

Engine Modifications


Cut rear of engine nacelle as shown in Red
To both engines and fit
new resin sonobuoy
Ejector plates



Part No 16
& 17

Fit fuel dump pipe
from plastic rod or sprue
to both engines.

Replace kit part
Engines with new resin
Items Part Nos 18 & 19



New smoke marker
Ejector unit. Part No 20
Starboard side outer
Engine only.


Add small auxiliary
intake cover to both
outer engine cowlings
Part Nos 27 and 28




4

Final Fuselage Modifications


New auxiliary intake
Cover Part 29.
2.5mm down from wing route
And 4mm from panel line



Add extended tail
Boonf required.
Part No 25



Note window
position







INSTRUCTIONS

- Remove any flash by gently snapping off, or cutting with a scalpel and then lightly sanding.
- Only use Super-glue or a two-part epoxy glue to fix parts.
- Gluing is easier if mating surfaces are slightly sanded to roughen the resin before gluing. Also clean off any dust before gluing.
- Before painting, thoroughly wash all parts in warm water with detergent.
- We recommend the application of a base coat in a light colour to show any blemishes prior to final painting.

WARNING & SAFETY!

- These parts are moulded in polyurethane resin.
- Please take care when sanding and cleaning up the resin by wearing a dust mask or other protective breathing device to avoid inhalation of the dust particles.
- Wash hands, resin parts and the work surface after sanding resin.
- When using Super-glue or two-part epoxy glue, please take precautions to avoid contact with skin and eyes.
- It is also advisable to wear a mask to avoid breathing in any fumes from the glue or work in a ventilated room.
- The use of barrier creams on hands or wearing disposable gloves, and working in a well ventilated area, is strongly recommended.
- Not suitable to children under 14 years of age.

Thank you for purchasing this Air-Graphics product which forms part of a range of accessories, conversion sets, decals & kits all to 1/72 Scale.