






Range Rover

1:72 Scale

TACR2

AIR-GRAPHIC MODELS **





Range Rover TACR2 Fire and Rescue Vehicle


C Copyright Gary Madgwick Air-Graphic Models 2022 Drg No: GSE-033-01

Drawn: Gary Madgwick

1/72 Scale @ A5 20/12/2022


Cabin Assembly







Cockpit Continued















Note* Early model Interior colour of Beige. Late model interior Colour is Medium Grey


Chassis

It is important you detail and paint this area and the internal surfaces Of the body before putting together.



Fit windscreen part 13 before fixing to the chassis. Use clear fix or similar and this needs to be fixed one side at a time. Fill any gaps with Squadron White Stuff or PVA glue.





Range Rover TACR2

Fire and Rescue

1/72 Scale



Range Rover TACR2 Royal Air Force Fire and Rescue RAF Leeming 1996 Overall BS381C 537 Gloss Signal Red

Range Rover TACR2 Royal Air Force Fire and Rescue RAF Ascension Island 1998 NATO Green with Yellow stripes






Range Rover TACR2 Royal Navy Fire Rescue Service RNAS Culdrose 1996 Overall BS381C 537 Gloss Signal Red

Range Rover TACR2 Royal Air Force Fire and Rescue Desert Pink FS30279 Dhahran during Op Granby 1990





Range Rover TACR2 Royal Air Force Fire and Rescue Queens Flight RAF Benson 1995 Overall BS381C 105 Gloss Oxford Blue







INSTRUCTIONS

- Remove any flash by gently snapping off, or cutting with a scalpel and then lightly sanding.
 Only use Super-glue or a two-part epoxy glue to fix
- Only use Super-glue or a two-part epoxy glue to fix parts.
 Gluing is easier if mating surfaces are slightly sanded to roughen the resin before gluing. Also clean off any dust before gluing.
 Before paining, thoroughly wash all parts in warm water with delergent.
 We recommend the application of a base coat in a light colour to show any blemishes prior to final painting.

WARNING & SAFETY!

- *YAKNING & JAFETY!

 These parts are moulded in polyurethane resin.

 Please take care when sanding and cleaning up the resin by wearing a dusk mask or other protective breathing device to avoid inhalation of the dust particles.

 Wash hands, resin parts and the work surface after sanding resin

- Wash hands, resin parts and the work surface after sanding resin.
 When using Stuper-glue or two-part epoxy glue, please take precautions to avoid contact with skin and eyes.
 It is also advisable to wear a mask to avoid breathing in any furnes from the glue or work in a ventilated room.
 The use of barrier creams on hands or waring area, is strongly recommended.
 Not suitable to children under 14 years of age.

Thank you for purchasing this Air-Graphics product which forms part of a range of accessories, conversion sets, decals & kits all to 1/72 Scale.

Air-Graphics: 24 Fyfield Close, Wantage, Oxfordshire, OX12 8HN, UK. E: gary.madgwick@air-graphics.co.uk

