

## Covered Deck PBI Specifications

Box 517 Stn. Main  
White City, SK S4L5B1  
Ph: 306-536-1799  
Fax: 306-781-2112

### Project Information


<b>Municipality:</b> _____ <b>Job Site Address:</b> _____ <b>Building Owner:</b> _____	<b>PBI Number:</b> 25- _____ <b>Project Type:</b> _____ <b>Cell Phone:</b> _____
--	--

#### 1) Provide a **SITE PLAN** sketch on a separate sheet and note the following:

- ☐ Draw the **property (lot) shape** (rectangular, pie-shape, etc.)
- ☐ Indicate the **North** direction.
- ☐ Note the **lot dimensions** (indicate ft or m): Front/Rear (width) / Side Yard (length)
- ☐ Label the **street/road name** in the front yard.
- ☐ Note what **borders the property** on each side (lane, neighbour, street, park, etc.)
- ☐ Draw the **house** on the lot (to scale)
- ☐ Draw the **size, shape & location of deck** on the lot (to scale), **including stairs**.
- ☐ Note the **deck dimensions** (ft or m) - (A) Width (rear facing) / (B) Length (side facing)
- ☐ Note the **distance** of the deck to the side (C) and rear (D) **property lines** (ft or m)
- ☐ Draw any **other buildings** on the same lot (e.g. detached garage, shed, etc.)
- ☐ Note the closest **distance** of the deck to **other buildings** (E) on the same property.
- ☐ Show the **direction of decking material** (horizontal, diagonal, etc.)

#### My Site Plan

#### Site Plan Example




Contact PBI at (306) 536-1799 if you have any questions.


**2) Provide a SKETCH of the deck plan on a separate sheet, indicating:**

- ☐ Dimensions of deck (**length, width, and height** above ground)
- ☐ Label **ledger** board location
- ☐ Direction of **joists** (note joist size, spacing and span)
- ☐ Size of **joist cantilever** (length of joist overhang past beam)
- ☐ Location of **columns** (note column size and spacing)
- ☐ **Foundation** type supporting columns (note type, size, and depth)
- ☐ Direction of **beams** (note beam size and number of plies)
- ☐ Location and width of **stairs** (minimum stair width must be 36")
- ☐ Number of stair **risers** and riser height (rise must be between 5" to 7-7/8" high and be of uniform size for all steps)
- ☐ Width ("run") of stair **treads** (tread must be between 10" - 14" wide and be of uniform size for all steps)
- ☐ Height of **guards** (minimum guard height is 36" with no openings larger than 4". Guards may be required on both sides of stairs.)
- ☐ Direction of **decking** (note decking type and thickness)

**Summary of Terms:**



**How to Measure Distances:**




**\* Note:** Wall and/or guards are required on both sides of the stairs if there are 4 or more risers.

Below is an example of how to draw and label your deck plan.

☐ Include all information requested above.

\*\*\* Also complete the checklist on page 3 and submit with your deck plan.



**3) Complete ALL information below and submit with your deck plan:****Support:**

- ☐ Attached to dwelling or other building (ledger board)  
☐ Detached

**Walking Surface Height Above Grade/Ground:**

- ☐ 24" or less (No guards or stair handrails required)  
☐ 24.1" - 72" (36" high guards and stair handrails required)  
☐ Over 72" (42" high guards, stair handrails and piles required)  
☐ Over 13'-9"

**Clearance from Deck to Overhead Wires:**

- ☐ \_\_\_\_\_ feet (from walking surface to wires)

**Joist Size:**

- ☐ 2" x 6"  
☐ 2" x 8"  
☐ 2" x 10"  
☐ 2" x 12"

**Joist Spacing:**

- ☐ @ 12" o.c.  
☐ @ 16" o.c.  
☐ @ 24" o.c.

**Joist Span: (Beam Spacing)**

(Distance between beams or house to beam)

- ☐ Up to 8 ft. ☐ 14' - 16'  
☐ 8' - 10' ☐ 16' - 18'  
☐ 10' - 12' ☐ 18' - 20'  
☐ 12' - 14' ☐ Over 20 ft - see Span Table

**Deck Joist - Sizing Table**

Joist Span	12" oc	16" oc	24" oc
Up to 8'	2" x 6"	2" x 6"	2" x 6"
8'-10'	2" x 6"	2" x 6"	2" x 8"
10'-12'	2" x 8"	2" x 8"	2" x 8"
12'-14'	2" x 8"	2" x 10"	2" x 10"
14'-16'	2" x 10"	2" x 10"	2" x 12"
16'-18'	2" x 12"	2" x 12"	
18'-20'	2" x 12"		
Over 20' see span tables in National Building Code			

**Joist Cantilever: (joist overhang distance past beam)**

- ☐ \_\_\_\_\_ inches

**Column (Post) Size (Minimum 6"X6"):**

- ☐ 2" x 6" ☐ 2 ply  
☐ 2" x 8" ☐ 3 ply  
☐ 2" x 10" ☐ 4 ply  
☐ 2" x 12" ☐ 5 ply  
☐ 6" x 6"  
☐ Steel telepost  
☐ Other: \_\_\_\_\_

**Column (Post) Height:**

- ☐ Less than 24"  
☐ 24" - 48"  
☐ 48" - 72"  
☐ Over 72" (requires piles for foundation support)

**Foundation Support:**

- ☐ Site specific concrete pile engineered foundation  
☐ Site specific screw pile engineered foundation

**Beam Size:**

- ☐ 2" x 6"  
☐ 2" x 8"  
☐ 2" x 10"  
☐ 2" x 12"  
☐ Other: \_\_\_\_\_

**No. of Plies**

- ☐ 2 ply  
☐ 3 ply  
☐ 4 ply  
☐ 5 ply

**Beam Span: (Column Spacing)**

(Distance between columns supporting beams)

- ☐ Less than 6' ☐ 10' - 11'  
☐ 6' - 8' span ☐ 11' - 12'  
☐ 8' - 9' ☐ 12' - 13'  
☐ 9' - 10' ☐ 13' - 14'  
☐ Other: \_\_\_\_\_

**Beam Cantilever: (beam overhang distance past column)**

- ☐ \_\_\_\_\_ inches

**Decking Material Type:**

- ☐ Wooden Deck Boards (Treated or Cedar)  
☐ Composite  
☐ Vinyl  
☐ Other: \_\_\_\_\_

**Stair Stringers Made of:**

- ☐ Pressure Treated Lumber  
☐ Metal  
☐ Other: \_\_\_\_\_

**Number of Stair Risers:**

- ☐ 0 - 3 ☐ 4 - 9 ☐ 10 or more

**Building Roof Over Deck**

- ☐ Yes-Trusses (Engineer foundation & roof truss designs req'd.)  
☐ Yes-Rafters (Engineer foundation designs are required.)

**Roofing material**

- ☐ Plywood ☐ Chip board ☐ Strapped  
☐ Shingles ☐ Tin  
☐ Other: \_\_\_\_\_

**Deck Enclosure? (If yes, indicate if insulated or not)**

- ☐ No  
☐ Yes - Wood frame enclosure  
☐ Yes - Manufactured sunroom enclosure  
☐ Not insulated  
☐ Insulated (requires energy code compliance)