

TRADITIONAL


Vantage

Steel | Thickness: 2"
Polystyrene insulation


MODEL PATTERNS AND LAYOUTS

Shaker-Flat (19" x 15" and 40" x 15")













CONTEMPORARY

Vantage

MODEL PATTERNS AND LAYOUTS

Moderno (1/4" continuous lines)








Moderno SSG





Flush



9' x 7'



16' x 7'



Flush

ADD A WINDOW LAYOUT





Available for Moderno SSG, Flush, Shaker-Flat Long and Classic Short designs.



Window Layouts







Flush, 10' x 8' and 16' x 8', White, window layout: Left-side Harmony

CARRIAGE HOUSE

Vantage

MODEL PATTERNS AND LAYOUTS

Shaker-Flat (41" x 13" group of 4 rectangles)



9' x 7'

пппп	ппппп

Shaker-Flat XSmall

16' x 7'

0000 0000 0000 0000
0000 0000 0000 0000
0000 0000 0000 0000
0000 0000 0000 0000

Shaker-Flat XSmall

Shaker-CS (19" x 15" and 40" x 15")



9' x 7'

Shaker-CS Short

Shaker-CS Long

16' x 7'

Shaker-CS Short

Shaker-CS Long

DECORATIVE HARDWARE













Standard



Cottage



Shaker-Flat XSmall, 9' x 7', Terrastone, windows with Richmond Arch Long Inserts



Shaker-CS Short, 9' x 7', White, windows with Double Stockton Arch Long Inserts

COLORS

Standard



Brown



Terrastone

CONSTRUCTION

Triple-layer: steel + insulation + steel

- 1 26-gauge pre-painted galvanized steel for high durability
- 2 2" tongue-and-groove meeting rail to provide a weathertight seal between sections, and rails are hemmed the entire length of the section for added strength and safety
- 3 Polystyrene insulation pressure bonded between two layers of steel for energy efficiency
- 4 20-gauge white baked-on paint finish end stiles for a nice clean look
- 5 Full-length reinforcing plates to solidly attach hinges and struts




Option —

WINDLOAD The Garaga Wind Load Option is only available for specific regions. Talk to your local garage door dealer for more information.

8' high door layouts construction

The 8' high doors are built with 5 sections, except for the Moderno SSG design (4 sections).



IMPORTANT - Exterior face: light woodgrain finish. Interior face: stucco finish. Door interior: regardless of the color chosen, the inside is always White (door, window frames and inserts).

WINDOWS (20" x 13" or 41" x 16")1

Types of Glass








Clear

1 Double-pane glass available

Decorative inserts²













Double Stockton Arch Long

SIZES

Standard widths from 8' to 22', in 1" increments. Heights from 6'6" to 8', in 3" increments. See your garage door dealer for more details on oversized doors available.

WARRANTY

Door: limited lifetime Bolted Hardware: 1 year

Weatherstripping: 1 year Windows: 10 years against seal defects 1 year for thermal break



IN-GARAGE DELIVERY READY with a reliable Garaga garage door!

Find out the must-haves and the steps to get started. Keep your online deliveries safe, visit garaga.com/ingaragedelivery or scan the QR code.







² To know what size decorative inserts are available for each door design, visit garaga.com/designcentre



LiftMaster Quiet and reliable garage door openers





- Ultra quiet
- Belt or chain drive
- ¾ HP, AC or DC power
- Integrated camera for some models



- Ultra quiet
- Jackshaft
- DC power

PREMIUM SERIES®



- Quiet
- Belt or chain drive
- 1/2 HP, AC or DC power

CONTRACTOR **SERIES®**



- Quiet
- Belt or chain drive
- ½ HP, AC or DC power



Consult garaga.com/res-openers or scan the QR code to view all available openers and accessories.



US Head Office 1 844 918-2828 Ponca City OK

Canadian Head Office 1800 464-2724 St-Georges QC



info@garaga.com garaga.com

YOUR

















logo FSC

DISTRIBUTOR