

## Group Therapy-Infused

Sample ID: BIA251114S0493  
 Strain: White Runtz-Trash Panda  
 Harvest Lot: HL-CLTV0364-0014-04  
 Matrix: Plant  
 Type: Enhanced/Infused Preroll  
 Sample Size: 4 units  
 Lot#: ML-MANU0026-36416-3640017

Produced:  
 Collected:  
 Received: 11/14/2025  
 Completed: 12/01/2025  
 Batch#: ML-MANU0026-36416-3640017 South Burlington, VT 05403

Client  
**Mr Tree**  
 Lic. # CLTV0364  
 57 Commerce AVE



### Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	11/20/2025	Complete
Moisture	11/18/2025	6.80% - Complete
Water Activity	11/18/2025	0.225 aw - Complete
Terpenes	11/19/2025	Complete

### Cannabinoids

Completed

53.37%

Total THC

0.18%

Total CBD

63.51%

Total Cannabinoids

Analyte	LOQ	Mass	Analyte	LOQ	Mass	Mass
	%	%		mg/g	%	mg/g
CBDVa	0.0000	<LOQ	<LOQ	CBCVa	0.0000	<LOQ
CBDV	0.0000	<LOQ	<LOQ	CBNa	0.0000	0.26
CBDa	0.0001	0.21	2.1	Δ9-THC	0.0001	8.86
CBGa	0.0001	1.65	16.5	Δ8-THC	0.0000	0.09
CBG	0.0001	0.31	3.1	Δ10-THC*	0.0000	0.43
CBD	0.0001	<LOQ	<LOQ	CBL	0.0001	<LOQ
THCV	0.0000	<LOQ	<LOQ	CBC	0.0000	<LOQ
CBLV	0.0000	0.15	1.5	THCa	0.0001	50.76
CBCV	0.0000	<LOQ	<LOQ	CBCa	0.0001	0.50
THCVA	0.0000	0.31	3.1	CBLa	0.0001	<LOQ
CBN	0.0001	<LOQ	<LOQ	<b>Total THC</b>	<b>53.37</b>	<b>533.70</b>
				<b>Total CBD</b>	<b>0.18</b>	<b>1.81</b>
				<b>Total</b>	<b>63.51</b>	<b>635.08</b>

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

TotalTHC=(THCAx0.877)+Δ9-THC

Total CBD = (CBDA x 0.877) + CBD Reagent

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

\*The result is the sum of delta-10 isomers.




 Luke Emerson-Mason  
 Laboratory Director  
 12/01/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## Group Therapy-Infused

Sample ID: BIA251114S0493  
 Strain: White Runtz-Trash Panda  
 Harvest Lot: HL-CLTV0364-0014-04  
 Matrix: Plant  
 Type: Enhanced/Infused Preroll  
 Sample Size: 4 units  
 Lot#: ML-MANU0026-36416-3640017

Produced: **11/14/2025**  
 Collected: **11/14/2025**  
 Received: **11/14/2025**  
 Completed: **12/01/2025**  
 Batch#: **ML-MANU0026-36416-3640017** South Burlington, VT 05403

Client  
**Mr Tree**  
 Lic. # CLTV0364  
 57 Commerce AVE

### Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	3.234	0.323
β-Myrcene	0.010	3.106	0.311
Ocimene	0.010	2.614	0.261
β-Caryophyllene	0.010	2.577	0.258
Linalool	0.010	1.670	0.167
β-Pinene	0.010	1.544	0.154
α-Pinene	0.010	1.158	0.116
α-Humulene	0.010	0.839	0.084
Terpinolene	0.010	0.312	0.031
Camphene	0.010	0.151	0.015
α-Bisabolol	0.010	0.052	0.005
Caryophyllene Oxide	0.010	0.044	0.004
γ-Terpinene	0.010	0.036	0.004
3-Carene	0.010	0.030	0.003
α-Terpinene	0.010	0.024	0.002
Eucalyptol	0.010	0.017	0.002
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>17.407</b>	<b>1.741</b>

### Primary Aromas



Analyst: 048


LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS  
 Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.



  
 Luke Emerson-Mason  
 Laboratory Director  
 12/01/2025

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

