

**JD**
**Sample ID: BIA250321S0002**  
 Strain: Jelly Donutz

 Matrix: Plant  
 Type: Flower - Cured  
 Sample Size: 7.28 g  
 Lot#:


 Produced:  
 Collected:  
 Received: 03/21/2025  
 Completed: 03/27/2025  
 Batch#: LOT 13

 Client  
**Mr Tree**  
 Lic. # CLTV0364  
 57 Commerce AVE  
 South Burlington, VT 05403

**Terpenes**
**Completed**

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	4.830	0.483
β-Caryophyllene	0.010	4.083	0.408
Limonene	0.010	2.310	0.231
α-Humulene	0.010	1.937	0.194
Linalool	0.010	1.594	0.159
Ocimene	0.010	1.135	0.113
β-Pinene	0.010	0.679	0.068
α-Pinene	0.010	0.397	0.040
Terpinolene	0.010	0.185	0.018
cis-Nerolidol	0.010	0.126	0.013
α-Bisabolol	0.010	0.054	0.005
Camphene	0.010	0.032	0.003
Caryophyllene Oxide	0.010	0.032	0.003
Eucalyptol	0.010	0.018	0.002
3-Carene	0.010	0.017	0.002
γ-Terpinene	0.010	0.015	0.002
α-Terpinene	0.010	0.011	0.001
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
<b>Total</b>		<b>17.455</b>	<b>1.746</b>

**Primary Aromas**

 Hops	 Cinnamon	 Orange	 Lavender	 Earthy
---------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------

Analyst: 045

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: &lt; LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 03/27/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)
