

FactoryDirect

SERIES
7-4-00

8888 Keystone Crossing, Suite 1300
Indianapolis, IN 46240
www.FactoryDirect4Homes.com

• OFFICE •
317-228-3300

• TOLL FREE •
800-380-4522




SERIES 7400 • VINYL REPLACEMENT WINDOWS



Supreme ² Stainless & Foam DOUBLE PANE	
7400 Double Hung	
U	.27
S	.30
V	.54
C	59

*Ask How

energySMART[®]
Supreme 2*



DOUBLE HUNG

- Patented Roller Tilt[®] Constant Force Balance System operates quietly and easily
- Top & bottom sash tilt inside for safe cleaning with recessed tilt latches see sash limit lock photo
- Double sash locks on windows 26" wide and over
- Standard half screen, optional full screen
- Sloped one piece sill positive water drain off
- No water leaks at sill

Intercept[®] Stainless The Strongest Choice[™]

Sealant Effectiveness & Gas Retention
The sealant provides the moisture vapor barrier for the I.G. unit. The longer the transmission path, the slower the rate that moisture will travel into the unit through the seal. STAINLESS Steel is Impervious to gas transmission, improving gas retention and Maximizing the insulation value of your window over time. Intercept[®] Stainless offers one of the best transmission paths to maximize window performance.



Dual Pane Glass
Black Desiccant-
This prevents moisture between the panes
Intercept[®]
Stainless Steel
warm-edge spacer

Energy Efficient & Maintenance Free

DOUBLE HUNG & GLIDERS



Sash Limit Locks allow secure partial opening

Heavy Duty Sash Lock & Keeper for secure, air tight lock



Multi-Chamber Extrusions
Extrusions are welded at every corner to create seamless and strong windows. These walls and air chambers between further improve insulating properties.




Welded Frame & Sash Corners
Solid and free from gaps.

Virgin Vinyl maintains its color & even surface

Integrated Extruded Pull Rails are part of sash extrusions, not snapped on later

Continuous Over / Under Interlock & Weather-Stripping



prevent air infiltration across entire meeting rail

Strong, Extruded Aluminum Screen Frame
standard fiberglass mesh
optional aluminum or pet mesh

*options

EXTERIOR PAINTED VINYL*



Vinyl Colors



Interior Wood Grain Laminate

Paint • 20 Year Warranty against fading • peeling • blistering

Exterior coated with unique, high-performance coating specially formulated for PVC. Factory application process does not harm the atmosphere.

Color matched internal grids, caulk & coil† options
Painted screen frames • Semi gloss finish • Crack and impact resistant


†Not exact match due to texture and gloss of coil. Colors are reproduced by mechanical process and may vary from actual colors of products. Please refer to actual color selectors.

Window & Patio Door Warranty & Service

We stand behind our products with a Transferable Lifetime Limited Warranty. Ask about our glass breakage warranty.

Grid Options*

Colonial and Prairies available in all styles. Diamond available in Flat and View only. Bronze or Gray tint available. View Glass 3/8" V-groove, interior surface of IG unit



Textured Glass*


Plated Lock Finishes *




Ask about energy efficient glass upgrades. Low-E film fixed between glass panes reduces ultra violet light damage & heat gain. Argon filling in both air spaces resists temperature transfer.

Gliders

Our glider windows operate smoothly with brass rollers. Sash lift out for safe and easy cleaning inside the home. Standard operable panel screen[s]
Optional full screen



Series 7040
3 Lite End Vent 1/4 • 1/2 • 1/4



Series 7041
3 Lite End Vent 1/3 • 1/3 • 1/3




2 + 3 Lite Glider
Sash lift out from inside for easy cleaning.
2 lite - half screen
3 lite - active panel screen[s]

SERIES 7400 • VINYL REPLACEMENT PATIO DOORS


CUSTOM SIZES

two panel widths - 36" to 94 7/8"
 three panel widths - 95" to 142 7/8"
 max height - 84"


STANDARD SIZES




5'0" x 6'8"




6'0" x 6'8"



8'0" x 6'8"




9'0" x 6'8"



12'0" x 6'8"


2 panel - L or R panel glides
 3 panel - center panel glides L or R

SCREEN OPTIONS



BetterVUE® Screen Mesh

- Better Insect Screen
- 10% Better Insect Protection
- 20% Better Airflow
- 20% Clearer View



Standard Screen Mesh

- Sight more obstructed
- Less Airflow than UltraVue & BetterVue Screens
- Proven and Reliable
- *Also available in Pet Screen*



sample size doors
 bronze exterior, antique brass hardware options
 white vinyl, satin nickel hardware option

FEATURES & BENEFITS

Fusion welded 4 3/4" frame and sash corners
 Interlock stiles and lock stile reinforced with aluminum rebar.

Stainless steel roller track

Kick lock has additional lock point for secure partial opening.

Foam filled main frame extrusions*

Door panels join with interlock & weatherstripping.

Door panels meet main frame with weatherstripping.

1" insulating glass panes.

Ask about ENERGY STAR® qualified glass package upgrades.

Also available in
**11 Exterior
 Paint Colors**

Kick Lock




standard kick lock
 secure 3" vent

MAINTENANCE FREE VINYL

Our virgin vinyl formulation stays smooth and color fast. Vinyl performs as well or better than framing materials like wood or aluminum when measuring the rate of heat flow through the door.

WINDOW & MUNTIN COLORS

Vinyl



White
 standard




Tan*


Interior Woodgrains



Medium
 Oak



Cherry



Vintage
 Pecan

Handle Sets with exterior key lock



Aged Bronze*
 Antique Brass*
 Polished Brass*
 Satin Nickel*



Tan, White or Coppertone
 brown /woodgrains



Coppertone
 hardware
 woodgrains

Mortised Hook Locks



Standard
 Single Point




Two Point*

Screen Handles



1350*
 Heavy Extrusion
 Standard



1580*
 Heaviest Extrusion
 Mortised with Lock