


Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru. door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With a complete door system engineered with craftsman precision and backed by more than 55 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.



Uncompromising quality, inside and out.

Your favorite doors – reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.


Table of Contents

Introduction	2–31
2021 Trends	
NEW Products	
Curb Appeal	
Door Selections	
Door System Components	
Tru-Defense	
Decorative & Specialty Glass	
Impact Products	
impact i roducts	00-01
Classic Craft.	32–117
Artíssa Collection™	40–63
Founders Collection™	64–95
Visionary Collection _™	96–107
Sidelites	.108–115
Transoms	.116–117
Files of Oles and the	01
Fiber-Classic. & Smooth-	
D	
Decorative & Specialty Glass	
Accessories	132
Steel	212-237
Profiles _™	
Traditions 214,	
Decorative & Specialty Glass	
Fire Doors	
Pulse.	244–257
Hinged Patio	258–265
Finish Options	266–270
PrismaGuard Stain & Paint	
Same-Day _® Stain Kit	
Door System Component	
	271–283
Door Surrounds	284–287
Special Quote Program	288
3'6" Width Options Chart	
	289
7'0" & 6'6" Height Option	
Charts	290–291
Product Details	202_203
	202-23 0
Index	294-306
Tuede Decessor	
Trade Resources	307


Welcome to the New Classic Craft

The premium doors you love – with a new focus on style.

The new Classic Craft, series aims to deliver the on-trend entryways your customers seek to enhance their homes. We worked with style and trend experts to curate three unique collections – Artíssa, Founders and Visionary – and have reorganized the catalog accordingly. Within each of the design style collections, doors will be shown in order by glass shape, then glass design, then texture.









Fir Grain

- Formerly known as Classic-Craft American Style Collection.
- · Same part numbers.
- Same style numbers.



Walnut Grain

- NEW premium wood grain exclusively for Classic Craft.
- NEW part numbers and style numbers will begin with "CCW."



Mahogany Grain

- Formerly known as Classic-Craft Mahogany Collection. Also includes doors in the former Classic-Craft Rustic Collection.
- NEW buff skin part numbers beginning with "CCR" will replace rose skin part numbers (CCM).
- Same style numbers.



Oak Grain

- Formerly known as Classic-Craft Oak Collection.
- · Same part numbers.
- Same style numbers.



Canvas

- Formerly known as Classic-Craft Canvas Collection.
- Same part numbers.
- Same style numbers.



Classic Craft products purchased on or after January 1, 2021, will be backed by a 1x transferable lifetime limited warranty. This provides the homeowner with a lifetime limited warranty that will also transfer to the new homeowner upon sale of the home.



Classic Craft products purchased on or after January 1, 2021, with a PrismaGuard premium finish will be backed by a transferable 10-year limited finish warranty. The balance of the 10-year limited finish warranty will transfer to the new homeowner upon sale of the home.

2021 Trends

Home design trends will continue to blend together in 2021 as we unlock our imaginations to create a variety of unique looks for the front entry. Therma-Tru's exciting new products bring together form, function and lifestyle trends that allow today's design-savvy homeowners to create exteriors that reflect their personal style while ultimately making them feel more at home.

Explore the 2021 Trends and the Therma-Tru. products that bring them to life at thermatru.com/trends.







REFINED SIMPLICITY

TRANQUIL STREAMLINED PURPOSEFUL





A simplified aesthetic that is streamlined, yet comfortable.





MODERN VIEW

SEAMLESS LIVABLE LUXE RETRO REVIVAL





A retro revival with a livable edge.





Linear Design Elements

Softer Statements

Textural Interest

EASED elegance

CLASSICAL TAILORED INVITING





Classical design with an inviting warmth.



Grand Arches

Relaxed Design Cues

Historic Origins







Minimalist details on a premium scale.

Classic Craft₀ Visionary Collection™ Walnut-grained flush doors feature a striking combination of natural elements and linear engravings for geometric appeal. Available with a variety of engraving patterns with modern design influences, starting on page 106.





Classic Craft Elevated 10" Bottom Rail Options*

PrismaGuard Premium Stain: Acorn

An updated take on light and medium brown tones, this fresh neutral balances between warm and cool palettes making it the perfect complement to a wide range of home interior and exterior styles.



NEW

Direct Set Sidelites

For Therma-Tru_® Doors

Simplistic design for maximum natural light.

Maximize the natural light coming into the home with a simplistic design that adds subtle contemporary appeal. Direct set sidelites can be paired with any Therma-Tru door and are included in the door's comprehensive warranty. Available in Low-E glass, starting on page 108.

Left: Classic Craft Walnut Grain Door - CCW8901R, Low-E Direct Set Sidelite - DRS82131SL, Finish - Acorn

^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.









Graceful curves with timeless appeal.

Classic Craft. Founders Collection. Mahogany-grained common arch doors accentuate historic roots while bringing in fresh details to create the perfect statement-making entry for homes with traditional design. Available with a variety of glass options, starting on page 83.



Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions.

Left: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest

Top Right: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM8303L, CCM8303R, Finish - Raven

NEW Shaker-Style Doors & Sidelites

For Fiber-Classic. Mahogany Collection...



Simple, historic style.

Rooted in Americana with recognizable ties to Craftsman design, 6'8" Shaker-style doors are now available in a rich Mahogany grain. Choose from a variety of flush-glazed glass options, starting on page 182.

Available SDL Patterns



Available GBG Patterns









12"x 6'8" 14"x 6'8"





NEW Reeded Privacy & Textured Glass

For Classic Craft₀, Fiber-Classic₀, Smooth-Star₀, Profiles_™, Traditions & Pulse₀



Refined, transitional style.

With clean lines and a vertical linear texture, Reeded glass brings a modern look to the home while providing ample natural light and moderate privacy.

Available for Classic Craft, starting on page 102; Fiber-Classic and Smooth-Star, starting on page 138; Profiles and Traditions, starting on page 218, and Pulse, starting on page 248.















^{*}Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details. WBDR and HVHZ options available for Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse only.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Smooth-Star_® Entry Door Options








NEW Black Grilles Between Glass

For Smooth-Star_® Entry Doors

Designed with today's home trends in mind, black grilles between glass (GBGs) are made to coordinate with black window grid patterns commonly seen on homes with Modern Farmhouse and Modern Tudor architectural influences. Choose from contour or flat bars in flush-glazed and Lip-lite doors and sidelites.

Available in Smooth-Star, starting on page 141, and Profiles and Traditions, starting on page 218.

GBG Bar Options



Available Grid Patterns



^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. **Select grid patterns available with Low-E glass only.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.



NEW 8'0" Doors with Elevated Bottom Rail

Ideal for both single- and multi-family new construction and remodeling, the 8'0" Smooth-Star 2-panel square top door has been redesigned with an elevated bottom rail to meet ADA requirements. The redesign also accommodates 22" x 47" glass inserts to create the half-lite over 1-panel door style, starting on page 159.





Fire-Rated Options*

Doors with an elevated bottom rail feature a minimum 10" net smooth surface as measured from the bottom of the slab to the beginning of the panel detail. Look for the (**E**) symbol.

Glass Options:

Decorative, Privacy & Textured, Specialty, Low-E, Clear

NEW EnLiten™ Flush-Glazed Design Options

For 3/4-Lite Smooth-Star Entry Doors & Sidelites

Create a timeless look perfect for the front entry with the 6'8" flush-glazed 3/4-lite 1-panel door and sidelite. Door now available with privacy and textured glass, starting on page 152, as well as privacy and textured glass with divided lites, starting on page 151. Also available with clear glass, starting on page 155, as well as clear glass with divided lites, starting on page 153. Sidelite now features sticking that is identical to the flush-glazed door, starting on page 203.

Book / Hybrid: 10-7/16"



Available Glass Designs



Available Grid Patterns**



EnLiten™ Flush-Glazed Warranty Riders

The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at thermatru.com/curbappeal.



Perceived Value

A smart investment, a new Therma-Tru, entry door can increase a home's perceived value by 4.2% or \$18,750 on average.*



Return On Investment

Homeowners who choose a stylish new Therma-Tru. entry door can see more than 2 times the return on their investment.*



A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.

Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.

Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.







*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–19.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 24–29.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 20–23.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard premium finish and Same-Day stain on pages 266–270.







Door Surrounds

Add a beautiful, finished look to the entry with a stylish, low-maintenance door surround from Therma-Tru. More on pages 285–287.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft_® Series Pages 32-117

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.





Artíssa Collection





Traditional | Time-Honored | Decorative

Founders Collection

Pages 64-95





Modern | Confident | Minimal

Visionary Collection


Pages 96-107



Fiber-Classic. Collections Pages 118-211

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.











Smooth-Star® Pages 118-211

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel Pages 212-237

Bring style and affordability together to create very attractive results with our steel doors.








Pulse_{® Pages 244-257}

A contemporary series of door styles and glass designs that can be combined to make a bold statement.














Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame. In addition, a rot-free Therma-Tru composite door frame* delivers extra protection from the damaging effects of moisture.




Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



4 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



(recommended) engages the door and frame at three points from top to bottom, helping to preserve the weatherstrip's seal even under wind pressure.



Cip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.



Composite Door Frame* featuring Tru-Guard Composite Technology

Therma-Tru₀ composite door frame featuring Tru-Guard_™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense Warranty Rider



A Therma-True door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-True genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the (icon.



^{*}The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

^{**}Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame •

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads •

(Inswina Only) Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill -

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip *

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep ♣ (Inswing Only) A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Astragal • (Double Doors)

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Hinges **!**

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard ♣ (Outswing Only) Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System 💠

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan 💠

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement		
System Components	Reimbursement Eligibility	NEW Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250 New for 2021	\$2,500 New for 2021

Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products. Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.









Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

From small to large, Therma-Tru offers various glass sizes and shapes. Explore options to meet homeowners' needs for natural light without compromising their privacy.

Special Quote Program

Don't sacrifice the look you want. Talk to your Therma-Tru seller about additional glass options available in your market through our special quote program.

EnLiten™ Flush-Glazed Designs

For Classic Craft, Fiber-Classic, & Smooth-Star, Doors & Sidelites



See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking ▲



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.







Lip-Lite Frame

Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSL, Transom – 19220T, Finish – Acorn, Door Surrounds – TDS-FLTFLT

^{*}Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E class

^{**}Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600







Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten_™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Therma-Tru_® Doors


Convenient choices for more light.

Privacy & Textured Glass

Therma-Tru_{*} doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulsedoors and sidelites.





Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (**) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven
Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262

Right Page Top: Smooth-Star, Internal Blinds, Door - S82600



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten_m flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic, Smooth-Star, Profiles, and Traditions doors and sidelites.

Divided Lites


Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see pages 45, 71 and 101. For Fiber-Classic & Smooth-Star, see pages 130–131.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.











Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru₀ product options in this catalog.



6—

WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.


The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

^{*}Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

Fire Doors

See pages 238-243.

Noise Reduction Doors
See page 188.

E Elevated 10" Bottom Rail Look for the (E) symbol.




An unrivaled entry experience.


Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.







Industry-leading warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuardopremium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at www.thermatru.com/warranty.






Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can





Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.



Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru_o Door Frame


Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. **Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelite - DRS82131SL, Finish - Acorn Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door - CCR30020; Provincial Glass, Sidelites - CCR3408SL;

Low-E Glass, Transom - 19220T, Finish - Driftwood

Right Page Bottom: Classic Craft Canvas Door - CCV220, Low-E Glass, Sidelites - CCV100SL, Finish - Indigo





Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and **Security**

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**




True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain, technology.



Fir Grain Formerly Classic-Craft American Style Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.







Canvas Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.











ARTÍSSA Collection

Rooted in simple nostalgia, the Artíssa
Collection pays homage to the handmade
culture of the American Arts and Crafts
movement. Highlighting the beauty of
straight-forward design, this selection of
premium Classic Craft. doors features clean
lines, Shaker styling and Craftsman-inspired
glass for a casual and welcoming approach
to the entryway.

CASUAL
RELAXED
SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL, Finish – Raven




Decorative & Specialty Glass Designs

Villager™


Villager beautifully interprets the Craftsman chevron design with 1 bronze waterglass, 2 seeded glass, 3 clear bevels, 4 gray artique glass and caming. Artistically authentic in every detail.

Glass Shapes












Brushed Nickel

Homeward_{TM}

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes



Glass Privacy Rating





Black Nickel



Brushed Nicke

Arborwatch_®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

1 narrow reeded glass, 2 M seedy glass,
3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and
6 clear bevels.

Glass Shapes



Glass Privacy Rating



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 40 to see an example on a home.





Brushed Nickel

Privacy & Textured Glass



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating





Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating



Privacy & Textured Glass continued



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating





Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating





Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating



Also Available:

Low-E











Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (▶) icon.



Fir Grain Canvas



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.

Flush-Glazed Sticking Profiles

EnLiten $_{\text{m}}$ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the ($\stackrel{\blacktriangle}{\bullet}$) and ($\stackrel{\blacktriangle}{\bullet}$) icons.



Detailed Sticking Look for the (▲) icon.



Square Sticking
Look for the (▲) icon.

^{*}Pairs with 3'6" wide doors.



Full Lites



For sidelites and transoms, see pages 108–117.



Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic



Canvas

Homeward →



Mahogany* CCR9925 3'0"x 6'8"



CC9925 3'0"x 6'8"



CCV9925 3'0"x 6'8"





CCR1423 3'0"x 6'8"



CC1423 3'0"x 6'8"



CCV1423 3'0"x 6'8"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- 3 Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XE = Satin Etch XI
XC = Chord XI

XR = Rainglass XN = Granite

XJ = Chinchilla

Privacy & Textured

CCA82350__ CCA82350__ SE 3'0"x 8'0"



3'0"x 8'0"



CCA2370__ \$ [4] 3'0"x 6'8"

Right Page: Classic Craft Oak Grain, Homeward Glass, Door – CC9925, Sidelites – CC9925SL, Transom – HWRT, Finish – Driftwood

3'0"x 6'8"

^{*}Formerly Classic-Craft Rustic.

^{**}Formerly Classic-Craft American Style.

Note: See page 293 for important product details that may help with your purchase decision.





CCA4900__ 3'0"x 6'8" 

CCA4910L__ 3'0"x 6'8"







Full Lites continued



For sidelites and transoms, see pages 108–117.



Mahogany Grain Formerly Classic-Craft Mahogany & Rustic



Ca<u>nvas</u>

Key

- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- **■** Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XE = Satin Etch
XC = Chord

XR = Rainglass XN = Granite

XJ = Chinchilla

Privacy & Textured











CCA84920R_ **♦ 5 E** 3'0" x 8'0"



CCA4940__ 3'0"x 6'8"



 CCA82350 ♦ * ► E 3'0"x 8'0"







 CCA84900 ♦ ※ ③ E 3'0"x 8'0"

CCA82360

♦ * 5 E


3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL, Door Surround – TDS-FLTFLT

^{*}Formerly Classic-Craft American Style.





CCA84910L ♦ ★ ② E 3'0"x 8'0"

CCA84910R ♦ ★ ② E 3'0"x 8'0"




CCA4920L ♦ ₩ 🗐 3'0"x 6'8" | CCA4920R ♦ ₩ 🗐 3'0"x 6'8"



CCA84920L ♦ ★ ⑤ E 3'0"x 8'0"

CCA84920R ♦ ★ ⑤ E 3'0"x 8'0"



CCA4930 ♦ ***** 5 3'0"x 6'8"

CCA84930 ♦ ※ ⑤ E 3'0"x 8'0"



CCA4940 • * 5 3'0"x 6'8"

CCA84940 ♦ * ⑤ E 3'0"x 8'0"



3/4 Lites



For sidelites and transoms, see pages 108-117.







Canvas

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43-44.

XC = ChordXN = Granite



CCM9923 3'0"x 6'8"



CCM89922 3'0"x 8'0"

Arborwatch®



CC9922 3'0"x 6'8"

CC89922 3'0"x 8'0"



CCV9922 CCV89922 3'0"x 6'8" 3'0"x 8'0"



CCM1419 3'0"x 6'8"



CCM81418 3'0"x 8'0"



CC1418 3'0"x 6'8" CC81418 3'0"x 8'0"



CCV1418 3'0"x 6'8"

CCV81418 3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision. Right Page: Classic Craft Canvas, Chord Glass, Door - CCV05020XC, Sidelites - CCV100XCSL





CCV05012__ > 3'0"x 6'8"



CCV05020__ 3'0"x 6'8"





CCV05012 | CCV805015 *> 3'0"x 6'8" | 3'0"x 8'0"



CCM891 ** 3'0"x 8'0"



CC90 ** 3'0"x 6'8" | CC890 ** 3'0"x 8'0"






2/3 Lites



For sidelites and transoms, see pages 108–117.







Canvas

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43–44.

XC = Chord XN = Granite





Mahogany*
CCR9921 | CCR8993

3'0"x 6'8"

CCR89921 3'0" x 8'0" 3'6" x 8'0"



Mahogany*

CCR9919 3'0"x 6'8" CCR89919 3'0"x 8'0" 3'6"x 8'0"



CCV9919 | CCV89919 3'0"x 6'8" | 3'0"x 8'0"



Mahogany*

CCR9918 3'0"x 6'8" CCR89918 3'0"x 8'0"



200000010

CCR822218 3'0"x 8'0" 3'6"x 8'0"



CCV9918 3'0"x 6'8"

" | CCV89918 " | 3'0"x 8'0"

Arborwatch.



CCR1417 3'0"x 6'8" CCR81417 3'0"x 8'0" 3'6"x 8'0"



CCR1415 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



CCV1415 3'0"x 6'8" CCV81415 3'0"x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 293 for important product details that may help with your purchase decision. Right Page: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR20520



Mahogany*

CCR1414 3'0"x 6'8"

CCR81414 3'0"x 8'0"



Mahogany*

CCR822214 3'0"x 8'0" 3'6"x 8'0"



Canvas

CCV81414 3'0"x 8'0" CCV1414 3'0"x 6'8"





Canvas

CCV820512_

3'0"x 8'0"



Mahogany*

CCR20520__ | CCR820520__ 3'0"x 6'8" | 3'0"x 8'0"



CCV20520_ 3'0"x 6'8"

CCV820520_ 3'0"x 8'0"



CCR822220_ 3'0"x 8'0"





CCV820512

* > 3'0"x 8'0"



CCR20520

3'0"x 6'8"

CCR820520

3'0"x 8'0" 3'6"x 8'0"



CCV20520

CCV820520

3'0"x 6'8" 3'0"x 8'0"



1/2 Lites



For sidelites and transoms, see pages 108–117.







Canvas

Homeward™



CCM9926 3'0"x 6'8"



CC9926 3'0"x 6'8"



CCV9926 | CCV89921 3'0"x 6'8" | 3'0"x 8'0"

Arborwatch..◆.



CCM1424 3'0"x 6'8"



CC1424 3'0"x 6'8"



CCV1424 3'0"x 6'8" | CCV81417 3'0"x 8'0"



- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)



^{*}Pairs with 3'6" wide doors.

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Transom – 19220T, Dentil Shelf

^{**}Formerly Classic-Craft American Style.

Craftsman Lites



Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



4-Block Dentil Shelf



4-Block Dentil Shelf*

4-Block Dentil Shelf












∆ 3'0"x 6'8"



Canvas
CCV932





Craftsman Lites continued



For sidelites and transoms, see pages 108-117.



Mahogany Grain Formerly Classic-Craft Mahogany & Rustic



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43-44.

XC = ChordXR = RainglassXJ = Chinchilla XN = Granite



CCA221 CCA8221 3'0"x 6'8" 3'0"x 8'0"



CCA87122 3'6"x 8'0"



CCA231 CCA8231 3'0"x 8'0" 3'0"x 6'8"



CCA87132 3'6"x 8'0"



CCV911 3'0"x 6'8"



CCV921 **3**'0"x 6'8"



CCV931





3'0"x 8'0"

3'0"x 6'8"







^{*}Formerly Classic-Craft American Style. Note: See page 293 for important product details that may help with your purchase decision.









CCA87131 3'6"x 8'0"



CCV4100 3'0"x 6'8"





CCV4300 3'0"x 6'8"



CCA8210__ CCA210__ 3'0"x 6'8" 3'0"x 8'0"



CCA87100XR 3'6"x 8'0"













CCA87300XR **3**'6"x 8'0"



CCA240__ CCA8240__ 3'0"x 8'0" 3'0"x 6'8"

Craftsman Lites continued



For sidelites and transoms, see pages 108-117.





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 43-44.

XC = ChordXR = RainglassXJ = Chinchilla XN = Granite





















CCV920_ 3'0"x 6'8"



3'0"x 6'8"





































CCV910 • ** 3'0"x 6'8"

Solid Panels



For sidelites and transoms, see pages 108-117.







Canvas

Key

Door Divider Bars (DDBF3)

Door Divider Bars (DDBF4)

Door Divider Bars (DDBF5)

6 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options



CCA81125 **⑤ E** CCA1125 3'0"x 8'0" 3'0"x 6'8"



CCA1149 CCA81149 **E** E 3'0"x 8'0" 3'0"x 6'8"



CCA1127 CCA81127 3'0"x 8'0" 3'0"x 6'8"



CCA84905 **■ E** CCA4905 3'0"x 8'0" 3'0"x 6'8"



CCA4915L 3'0"x 6'8"



CCA4915R 3'0"x 6'8"













CCA4925L | CCA4925R 3'0"x 6'8" 3'0"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision.

^{*}Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.









CCA4945 3'0"x 6'8"

CCA84945 E 3'0"x 8'0"





CCA81166 E 3'0"x 8'0"



CCA81158 E 3'0"x 8'0" CCA1158 3'0"x 6'8"



CCA1147 5 3'0"x 6'8" CCA81147 E 3'0"x 8'0"



CCR100 3'0"x 6'8" 3'6"x 6'8" CCR8100 3'0"x 8'0" 3'6"x 8'0"



Mahogany CCM890 6 3'0"x 8'0"



CC91 6 3'0"x 6'8"



CCV200 5 3'0"x 6'8"



CCR8222 5 3'0"x 8'0" 3'6"x 8'0"









FOUNDERS

Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design.

Taking a more decorative approach to the entryway, this selection of premium

Classic Craft. doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.

TRADITIONAL

TIME-HONORED

DECORATIVE

Left Page: Classic Craft Mahogany Grain, Augustine Glass, Doors – CCR804037, Finish – Bark Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – New Earth




Decorative & Specialty Glass Designs

Arcadia_{TM}


With its timeless petal design, Arcadia combines 1 gray baroque glass, 2 seeded glass, 3 clear curved bevels and caming for a distinctive display that evokes a simpler time.

Glass Shapes



Glass Privacy Rating









Augustine_®

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 10 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes



Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 64 to see an example on a home.

Bella_™

As its name suggests, Bella's design is delicate and appealing, bringing together 1 clear bevels, 2 clear baroque glass, 3 rainglass, 4 seeded glass, 5 bronze waterglass and caming.

Glass Shapes



Glass Privacy Rating





Black Nickel

Borrassa


A statement of strength and beauty,
Borrassa combines linear and curved
wrought iron with 1 hammered glass
for the ultimate in privacy. Wrought iron
decorative accents add an authentic Old
World feel to this stately design.

Glass Shapes



Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 24 to see an example on a home.

Provincial_{TM}

A unique diamond-based motif features 1 double waterglass, 2 clear bevels and caming surrounded by a 3 gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes





Glass Privacy Rating









Brass*

Longford_{TM}

The traditional design of Longford integrates a hint of a Celtic knot with


- 1 seeded glass, 2 clear bevels,
- 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating









Brushed Nickel

^{*}Only available in Classic Craft Oak grain.

Cambridge_™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using


- 1 glue chip glass, 2 clear curved bevels,
- 3 double waterglass and caming.

Glass Shapes



Glass Privacy Rating







Brushed Nickel



Brass

Lucerna_®

Named for the beauty of light it reflects,
Lucerna glass presents an elegant,
updated fleur-de-lis pattern in a spectrum
of 1 curved, 2 diamond and
3 rectangular bevels surrounded by
smooth, swirling 4 barn wood and
heavily textured 5 diamond border glass.

Glass Shapes



Glass Privacy Rating









Brushed Nickel

Privacy & Textured Glass



Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating





Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating





Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating





Granite

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating



Glass Shapes



Also Available:

Low-E

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.



Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor. Look for the (>) icon.



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Full Lites



For sidelites and transoms, see pages 108–117.





Canvas

Arcadia...



Mahogany* CCR30029** 3'0"x 6'8"



CC109 3'0"x 6'8"



CCV10029** 3'0"x 6'8"



Augustine.*

CCR30027 3'0"x 6'8"

Key

- 🌟 Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (A)
- X Wrought Iron (W)
- Removable Wood Grilles (RG)




CCV10027 3'0"x 6'8"



Mahogany* CCR30024B 3'0"x 6'8"



CC111B 3'0"x 6'8"



CCV10024B 3'0"x 6'8"



Mahogany*
CCR1528
3'0" x 6'8"



CCV1528 3'0"x 6'8"



Mahogany* CCR30028** 3'0" x 6'8"



CC107 3'0"x 6'8"

^{*}Formerly Classic-Craft Rustic.

^{**}Not available in brass caming.
















Lucerna®





CCV10026 3'0"x 6'8"

CCR10022 3'0"x 6'8"

CC10022 3'0"x 6'8"

CCV10022 3'0"x 6'8"









3'0"x 6'8"



3/4 Lites



For sidelites and transoms, see pages 108–117.



Canvas

Arcadia

⋄

Mahogany CCM209* 3'0" x 6'8"



Mahogany CCM894* 3'0"x 8'0"



CC99 | CC899 3'0"x 6'8" | 3'0"x 8'0"

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)



CCV05029* | CCV805029* 3'0"x 6'8" | 3'0"x 8'0"



CCM309* 3'0"x 6'8"



Bellam



CCM1485 3'0"x 6'8"



CCM805027 3'0"x 8'0"



CCV05027 3'0"x 6'8"

CCV805027 3'0"x 8'0"



CCM1495 3'0"x 6'8"



Mahogany CCM210B 3'0"x 6'8"



CCM895B 3'0"x 8'0"



CC114B

CC901B 3'0"x 8'0" 3'0"x 6'8"



CCV05024B 3'0"x 6'8"

CCV805024B 3'0"x 8'0"



CCM310B 3'0"x 6'8"

Borrassa.*



Mahogany CCM1475 3'0"x 6'8"



CCM81519 3'0"x 8'0"



CCV1519 3'0"x 6'8"

CCV81519 3'0"x 8'0"



Mahogany CCM1465 3'0"x 6'8"

::

Lucerna®

Longford™ ◆ ::



CCM203 3'0"x 6'8"



CCM892 3'0"x 8'0"



CCV805023 3'0"x 8'0"

3'0"x 6'8"



Mahogany CCM303 3'0"x 6'8"




Mahogany CCM204 3'0"x 6'8"



CCM898 3'0"x 8'0"



Oak CC922 3'0"x 6'8" CC898 3'0"x 8'0"



CCV05022 3'0"x 6'8" CCV805022 3'0"x 8'0"

3/4 Lites continued



For sidelites and transoms, see pages 108–117.





Key

- 🌟 Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XC = Chord XN = Granite

Optional Accessories







Lucerna.



Provincial[™] ♦::•



CC97 3'0"x 6'8" | CC897 3'0"x 8'0"



CCV05028* | CCV805028* 3'0"x 6'8" | 3'0"x 8'0"





CC96 3'0"x 6'8" CC896 3'0"x 8'0"

ow-E



CCV05026 | CCV805026 3'0"x 6'8" | 3'0"x 8'0"





CCM200__ 3'0"x 6'8"



CCM300__ 3'0"x 6'8"



Mahogany CCM200

3'0"x 6'8"



Mahoga CCM300 ** 3'0"x 6'8"

- *Not available in brass caming.
- **Formerly Classic-Craft Rustic.





CCR804029 3'0"x 8'0"



CCR820529 3'0"x 8'0"



CCV820529 3'0"x 8'0"



CCR820029 3'0"x 8'0"



CCR822229 3'0"x 8'0"



CCV822029 3'0"x 8'0"

Augustine。



CCR04027 CCR804027 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"





CCR20527 3'0"x 6'8"

Mahogany** CCR820527 3'0"x 8'0" 3'6"x 8'0"



CCV20527 3'0"x 6'8"

CCV820527 3'0"x 8'0"



CCR20027

CCR820027 3'0"x 6'8" 3'0"x 8'0"



CCR822227 3'0" x 8'0" 3'6" x 8'0"



CCV22027 3'0" x 6'8"

CCV822027 3'0"x 8'0"



CCR04037

CCR804037 3'0"x 8'0" 3'6"x 8'0" 3'0"x 6'8"


2/3 Lites continued



For sidelites and transoms, see pages 108–117.







CCR20537 3'0"x 6'8" | CCR820537 3'0"x 8'0" 3'6"x 8'0"



CCV20537 | CCV820537 3'0"x 6'8" | 3'0"x 8'0"



CCR20037 | CCR820037 3'0"x 6'8" | 3'0"x 8'0"

Borrassa



Black Nickel Caming (1D)

X Wrought Iron (W)

Optional Accessories







CCR20537A 3'0"x 6'8" | CCR820537A 3'0"x 8'0" 3'6"x 8'0"



Mahogany*
CCR20037A
3'0"x 6'8"

CCR820037A
3'0"x 8'0"



CCR1518 | CCR81518 3'0" x 6'8" | 3'0" x 8'0" 3'6" x 8'0"



CCR1516 3'0"x 6'8" | CCR81516 3'0"x 8'0" 3'6"x 8'0"



CCV1516 | CCV81516 3'0"x 6'8" | 3'0"x 8'0"



CCR1515 3'0"x 6'8" | CCR81515 3'0"x 8'0"



CCR822215 3'0"x 8'0" 3'6"x 8'0"



CCV1515 | CCV81515 3'0"x 6'8" | 3'0"x 8'0"



CCR1514 | CCR81514 3'0"x 6'8" | 3'0"x 8'0" 3'6"x 8'0"



Mahogany*

CCR1512
3'0"x 6'8"

CCR81512
3'0"x 8'0"
3'6"x 8'0"



CCV1512 3'0"x 6'8"

Canvas 2 | CCV81512 3" | 3'0"x 8'0"



CCR1511 | CCR81511 3'0"x 6'8" | 3'0"x 8'0"



CCR1512A 3'0"x 6'8" | CCR81512A 3'0"x 8'0" 3'6"x 8'0"



CCR1511A | CCR81511A 3'0"x 6'8" | 3'0"x 8'0"





Mahogany* CCR804024B 3'0"x 8'0"



Mahogany* CCR820524B 3'0"x 8'0"



CCV820524B 3'0"x 8'0"



Mahogany*
CCR820024B



Mahogany* CCR822224B 3'0"x 8'0"



CCV822024B 3'0"x 8'0"

2/3 Lites continued



For sidelites and transoms, see pages 108–117.





Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)

Optional Accessories





Provincial™ **♦**:



CCR804028 3'0"x 8'0"



CCR820528 3'0"x 8'0"



CCV820528 3'0"x 8'0"



CCR820028 3'0"x 8'0"



CCR822228 3'0"x 8'0"



CCV822028 3'0"x 8'0"




CCR04023 | CCR804023 3'0"x 6'8" | 3'0"x 8'0"



CCR20523 3'0"x 6'8"

CCR820523 3'0" x 8'0"



CCV20523 3'0"x 6'8"





CCR20023 | CCR820023 3'0"x 6'8" | 3'0"x 8'0"

*Formerly Classic-Craft Rustic.







3'0"x 8'0"

CCV22023 3'0"x 6'8"



CCR804026 3'0"x 8'0"

Lucerna®



CCR820526 3'0"x 8'0"



CCV820526 3'0"x 8'0"



CCR820026 3'0"x 8'0"



CCR822226 3'0"x 8'0"



CCV822026 3'0"x 8'0"



CCR04022 3'0"x 6'8"

Mahogany* CCR804022 3'0"x 8'0" 3'6"x 8'0"



CCR20522 3'0"x 6'8"

CCR820522 3'0"x 8'0" 3'6"x 8'0"



CCV20522 3'0"x 6'8"

CCV820522 3'0"x 8'0"



Mahogany*

CCR20022 3'0"x 6'8"

CCR820022 3'0"x 8'0"



CCR822222 3'0" x 8'0" 3'6" x 8'0"




CCV22022 3'0"x 6'8" CCV822022 3'0"x 8'0"



Mahogany* CCR804032 3'0"x 8'0"



For sidelites and transoms, see pages 108-117.





Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF6)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Optional Accessories





Lucerna®



CCR820532 3'0"x 8'0"



CCV820532 3'0"x 8'0"



Mahogany* CCR820032 3'0"x 8'0"



CCR820532A 3'0"x 8'0"



Mahogany* CCR820032A 3'0"x 8'0"



CCV822012XC CCV822012XN 3'0" x 8'0"



CCR04020XC | CCR804020XC CCR04020XN CCR804020XN 3'0"x 6'8" 3'0"x 8'0"



Mahogany* $\texttt{CCR20020}\underline{\texttt{XC}} \ | \ \texttt{CCR820020}\underline{\texttt{XC}}$ CCR20020XN

3'0"x 6'8"

CCR820020XN 3'0"x 8'0"



CCV22020XC CCV822020XC CCV22020XN CCV822020XN 3'0"x 6'8" 3'0"x 8'0"



CCR804030XC CCR804030XN 3'0"x 8'0"

*Formerly Classic-Craft Rustic.



CCR820530<u>XC</u> CCR820530<u>XN</u> 3'0"x 8'0"



CCV820530<u>XC</u> CCV820530<u>XN</u> 3'0"x 8'0"



CCR820030<u>XC</u> CCR820030<u>XN</u> 3'0"x 8'0"



CCR820530AXC CCR820530AXN 3'0"x 8'0"



CCM302L_ CCM302R_ 3'0"x 6'8" 3'0"x 6'8"



∆ 3'0"x 8'0"



CCM304R_ **▲ 6** 3'0"x 6'8" **▲ 6** 3'0"x 6'8"









2/3 Lites continued



For sidelites and transoms, see pages 108-117.





Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)
 - Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

Optional Accessories



Straps Hinge







3'0"x 6'8" 3'0"x 6'8"



3'0"x 8'0"

3'0"x 8'0"





^{*}Formerly Classic-Craft Rustic.







2/3 Lites continued









- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)











Note: See page 293 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8305CALXN, CCM8305CARXN, Finish – Driftwood



CCM305CAR • * • 3'0" x 6'8"



Mahogany





Mahogany



1/2 Lites



For sidelites and transoms, see pages 108-117.



Canvas

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 70.

XE = Satin Etch XN = Granite XC = Chord





CCM609* 3'0"x 6'8"



CC45 2'8"x 6'8" 3'0"x 6'8"



CCV06029* 3'0" x 6'8"

CCV806029* 3'0"x 8'0"

Augustine.*



3'0"x 8'0"





CCM610B 3'0"x 6'8"



CC110B 3'0"x 6'8"



CCV806024B 3'0"x 8'0" CCV06024B 3'0"x 6'8"





CCV81518 3'0"x 8'0'



CC47 2'8"x 6'8" 3'0"x 6'8"



















3'0"x 6'8"









1/2 Lites continued



For sidelites and transoms, see pages 108-117.





- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Removable Wood Grilles (RG)







CC49 *> 2'8"x 6'8" 3'0"x 6'8"

CCV0609 CCV806012 *> 3'0"x 8'0" * > 3'0"x 6'8"

CCM600 3'0"x 6'8"



CC48

2'8"x 6'8" 3'0"x 6'8"



CCV06020

CCV806020 3'0"x 6'8" 3'0"x 8'0"



*Not available in brass caming.

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028

Right Page: Classic Craft Mahogany Grain, Lucerna Glass, Door - CCM702, Sidelites - CCM3412SL, Finish - Mulberry

Oval Lites





Mahogany CCM709* 3'0"x 6'8"



CC79 3'0"x 6'8"





CCM710B 3'0"x 6'8"



CC113B 3'0"x 6'8"



CC77 3'0"x 6'8"





CCM703 3'0"x 6'8"



***** Cambridge™



CC76 3'0"x 6'8"





CCM702 3'0"x 6'8"



CC78 3'0"x 6'8"






CCM700 *3'0"x 6'8"



CC70





Center Lites



For sidelites and transoms, see pages 108-117.



Canvas

Key

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

WBDR Options

WBDR / HVHZ Options

Arcadia...



CCM809

3'0"x 6'8"

Bellam



CCM810B 3'0"x 6'8"

Longford™ ♦:



CCM803 3'0"x 6'8"

Lucerna

**



CCM822 3'0"x 6'8"

Low-E



CCM800 3'0"x 6'8"

Solid Panels



CCR100R CCR8100R 3'0"x 6'8" 3'6"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



CCR8040R 6 3'0"x 8'0" CCR040R 3'0"x 6'8" 3'6"x 8'0"



CCR8225R 5 3'0"x 8'0" 3'6"x 8'0"



CCR8220R 9 3'0"x 8'0"



CCR8005A 3'0"x 8'0"



CCR205A 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



CCR200A 3'0"x 6'8" | CCR8200A 3'0"x 8'0"



Mahogany*
CCR8225
6
3'0"x 8'0"
3'6"x 8'0"



CCR8220 5 3'0"x 8'0"



CCR8005 6 3'0"x 8'0"



CCR040 | CCR8040 | 3'0"x 8'0" | 3'6"x 8'0" | 3'6"x 8'0"



CCR205 3'0" x 6'8" | CCR8205 3'0" x 8'0" 3'6" x 8'0"



CCV205 6 3'0"x 6'8" | CCV8205 6 3'0"x 8'0"



CCR200 5 3'0"x 6'8"

Mahogany*
| CCR8200 | 6 | 3'0"x 8'0"



CCV220 5 3'0"x 6'8"

Canvas | CCV8220 | 6 | 3'0"x 8'0"



CC831 6 3'0"x 8'0"



CCV831 6 3'0"x 8'0"

Solid Panels continued



For sidelites and transoms, see pages 108-117.



Key

WBDR / HVHZ Options











CCM701 3'0"x 6'8"




CCV050 5 3'0"x 6'8"



CC40 3'6"x 6'8"









VISIONARY Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft. doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.

MODERN

CONFIDENT

MINIMAL

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven, Surround – TDS-CRSFLT Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx



Decorative & Specialty Glass Designs

Zaha_®


Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating









Brushed Nickel



Privacy & Textured Glass



Reeded

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating





Geometric

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

Glass Privacy Rating





Satin Etch

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating





Chord

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating



Privacy & Textured Glass



Chinchilla

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating





Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating





Granite


A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating



Also Available:

Low-E





Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (►) icon.






Full Lites



For sidelites and transoms, see pages 108-117.





Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- 3 Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99-100.

XK = NEW Reeded XG = Geometric

XJ = Chinchilla XR = Rainglass

XE = Satin Etch

XN = Granite

XC = Chord

aha



Mahogany* CCR1851 3'0"x 6'8"



CCV1851 3'0"x 6'8"

extured d) \sim Privad Fir**

CCA2400_ 3'0"x 6'8"

CCA82400_ **♦ E** 3'0"x 8'0"



CCA2300_ **▲ 4** 3'0"x 6'8"

CCA82300_ **▲** 🗿 E 3'0"x 8'0"



CCA2310_ **▲** 4 3'0"x 6'8"

CCA82310__ 3'0"x 8'0"



CCA2320_ **▲ ③** 3'0"x 6'8"

CCA82320_ **▲ ③ E** 3'0"x 8'0"



CCA2330__ CCA82330_ **▲③ E** 3'0"x 8'0" **▲ ③** 3'0"x 6'8"



CCA82340_ CCA2340_ **▲ ③** 3'0"x 6'8" **▲ ③ E** 3'0"x 8'0"



♦ 5 E 3'0"x 8'0"

**Formerly Classic-Craft American Style.

^{*}Formerly Classic-Craft Rustic.















3/4 Lites












2/3 Lites



For sidelites and transoms, see pages 108–117.





Canvas

Key◆ Black Nickel Caming (1D) ■ Brushed Nickel Caming (1C)



CCR1841 | CCR81841 3'0"x 6'8" | 3'0"x 8'0"



CCR1839 | CCR81839 3'0"x 6'8" | 3'0"x 8'0"



CCV1839 3'0"x 6'8" | CCV81839 3'0"x 8'0"



CCR1838 | CCR81838 3'0"x 6'8" | 3'0"x 8'0"



Mahogai CCR822238 3'0"x 8'0"



CCV1838 3'0"x 6'8" | CCV81838 3'0"x 8'0"



Mahogany* CCR81847 3'0"x 8'0"



Mahogany*
CCR81846



CCV81846



CCR81845 3'0"x 8'0"

Note: See page 293 for important product details that may help with your purchase decision. Right Page: Classic Craft Canvas, Zaha Glass, Door – CCV1839; Clear Glass, Transom – 19200T











CCV81840 3'0"x 8'0"




Solid Panels



For sidelites and transoms, see pages 108-117.





Canvas

Key

Door Divider Bars (DDBF3)


Door Divider Bars (DDBF4)

7'0" Height Available

E Elevated 10" Bottom Rail Options







NEW

CCW900R 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡







CCW1000 CCW81000 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0" 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡



Walnut	
CCW901L	CCW8901L
2'6" x 6'8"‡	2'6" x 8'0"
2'8" x 6'8"‡	2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0"
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



4 E 3'0"x 6'8" 3'0"x 8'0"



Walnut	
CCW900L	CCW8900L
2'6" x 6'8"‡ 2'8" x 6'8"‡	2'6" x 8'0" 2'8" x 8'0"
2'10" x 6'8"‡	2'10" x 8'0'
3'0" x 6'8"‡	3'0" x 8'0"
3'6" x 6'8"‡	3'6" x 8'0"



Walnut		
CCW901R 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡	CCW8901R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

3'6" x 8'0" *Formerly Classic-Craft American Style.

CCW8900R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Walnut

CCW902L 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8902L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW902R 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8902R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW903 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8903 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW904L 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8904L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW904R 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8904R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW905

2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8905 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW906L 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8906L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Walnut

CCW906R 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8906R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



CCW907L 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡ 3'6" x 6'8"‡

CCW8907L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



CCW907R 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡

3'6" x 6'8"‡

CCW8907R 2'6" x 8'0" 2'8" x 8'0" 3'6" x 8'0"

2'10" x 8'0" 3'0" x 8'0"

Sidelites





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)



^{*}Formerly Classic-Craft American Style.

^{**}Formerly Classic-Craft Rustic.

^{***}Not available in brass caming.



Sidelites continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99-100.

XK = NEW Reeded XJ = Chinchilla XG = Geometric XR = Rainglass XE = Satin Etch XN = Granite

XC = Chord

Borrassa Mahogany

CCR3400XHSL | CCR8000XHSL 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



CCV100XHSL CCV8100XHSL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



Provincial

CCR8008SL* CCR3408SL* 12"x 8'0" 12"x 6'8" 14"x 6'8" 14" x 8'0"



CC2040SL CC8007SL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"



CCV108SL* CCV8108SL* 12"x 6'8" 12"x 8'0" 14" x 6'8' 14"x 8'0"

•

Cambridge™



CCR3407SL CCR8007SL 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



CCV103SL CCV8103SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Mahogany CCR3406SL CCR8006SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"




CC2044SL CC8006SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14" x 8'0"

*Not available in brass caming.

**Not available with Reeded (XK) or Satin Etch (XE) glass.

Note: See page 293 for important product details that may help with your purchase decision.



Sidelites continued



Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Removable Wood Grilles (RG)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XK = NEW Reeded XJ = Chinchilla XN = Granite


XG = Geometric XR = Rainglass XE = Satin Etch XC = Chord



^{*}Not available with Reeded (XK) glass.

Note: See page 293 for important product details that may help with your purchase decision.

^{**}Not available with Reeded (XK) or Satin Etch (XE) glass.



Sidelites continued





Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 99–100.

XC = Chord XR = Rainglass XJ = Chinchilla XN = Granite





Mahogany CCM1843SL

10"x 6'8"

12"x 6'8"

14"x 6'8"

Low-E

Mahogany CCM3300SL ** 10"x 6'8" 12"x 6'8" 14"x 6'8"



CC2279SL 12"x 6'8" 14"x 6'8"

Oak



Oak CC2277SL 12"x 6'8" 14"x 6'8"

Cambridge™ **♦:: ♦**



CC2276SL 12"x 6'8" 14"x 6'8"



Oak CC2272SL 12"x 6'8" 14"x 6'8"



Oak
CC2270SL

**
12"x 6'8"
14"x 6'8"



Mahogany CCM3509SL 12"x 6'8" 14"x 6'8"

-WO

Bella™◆



Mahogany CCM3510BSL 12"x 6'8" 14"x 6'8"



Mahogany
CCM3503SL

12"x 6'8"
14"x 6'8"

Lucerna。

Mahogany
CCM3502SL
12"x 6'8"
14"x 6'8"

Mahogany

CCM3500SL ** 12"x 6'8" 14"x 6'8"



Transoms

Homeward_™ ◆ ::



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T 3'0" Door Only

Arborwatch.



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T 3'0" Door Only

Arcadia_™ ◆ :: ❖



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





CC620T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

CC600T 3'0" Door Only

Bella_{TM} •



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



BERT-B

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Provincial_™ ◆ **::** ❖



CC420T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites

Continuous Sill Systems Only





CC400T

3'0" Door Only

Longford™◆∷



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





LFRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

LF30T 3'0" Door Only

Cambridge_™ ◆ **::** ❖



CC090T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Continuous Sill Systems Only







CC900T 3'0" Door Only

Lucerna...



LCET

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





Continuous Sill Systems Only



I C30T 3'0" Door Only

Zaha₀◆∷



ZHRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Low-E



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied




19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied









19210T

12" & 14" Sidelite Only

Key




Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)



Fiber-Classic. & Smooth-Star. Fiberglass Doors



Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Smooth-Star, Clear Glass with GBGs, Doors - S82103, Finish - Onyx Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door - FC678, Finish - Barley Right Page: Fiber-Classic Oak Collection, Wellesley Glass, Door - FC796, Sidelites – FC104SL, Finish – Barley

Fiber-Classic. & Smooth-Star.















Fiber-Classic_®
Mahogany Collection_™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic

Oak Collection

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Fiber-Classic entry doors are rated a *Consumers*Digest Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuardapremium finish and Same-Daya Stain color options on pages 266–270.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 124.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass starting on page 138.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic, and Smooth-Star, doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security


An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

A R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.





Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white - are designed for worry-free use.



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

■ = Available • = Not Applicable S = Stain P = Paint	Fiber-Classic。 Mahogany Collection。	Fiber-Classic。 Oak Collection。	Smooth-Star.
Door Widths			
2'0"			
2'4"			
2'6"			
2'8"			
2'10"	-		
3'0"			
3'6"	•	•	
Door Heights			
6'6"	•		
6'8"			
7'0"			
8'0"			
Glass Options			
Decorative	15	15	15
Privacy & Textured	7	7	7
Internal Blinds			
Flush-Glazed			
Screen Vented	•	•	
Simulated Divided Lites			
Grilles Between Glass			
Removable Wood Grilles			
Fixed Grilles			
Low-E		_	
Clear			
Additional Options			
Finish	S/P	S/P	Р
Vented Sidelites			

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 258–265. 5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door - S8140

Additional Options

- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-Rated Options: Available on solid-panel doors. See pages 238–243.
- ♠ ► Flush-Glazed Options: Look for this icon to find door styles with flush-glazed glass.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 293 for more information.

- ▲ Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners. See page 27 for more information.
- Fiber-Classic, and Smooth-Star, door systems are eligible for the Tru-Defense, Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 22–23 for details.



^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Decorative & Specialty Glass Designs


Blackstone_®

Traditional English design meets
1 clear curved bevels, 2 rainglass and caming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.









Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel


Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

- 1 slump glass, 2 clear bevels,
- 3 clear artique glass and caming.









Brushed Nickel

Black Nickel

Salinas_®

Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Glass Privacy Rating



Wrought Iron

Maple Park

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Glass Privacy Rating





Brushed Nickel

Black Nickel

Avonlea

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel caming.



Glass Privacy Rating

Black Nickel

Saratoga™


Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels,

2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.









Brushed Nickel


Texas Star

Beautifully crafted with 1 clear bevels, 2 curved bevels, 3 clear waterglass, 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong,



independent and all-American.

Glass Privacy Rating






Brushed Nickel


Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.



Glass Privacy Rating





Brushed Nickel



Brass

Black Nickel

Riserva_®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.






Glass Privacy Rating

Wrought Iron

Concorde_M

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.







Brushed Nickel



Brass

Kensington_™

Kensington speaks European elegance while offering modest privacy with its

- 1 clear bevels, 2 glue chip glass,
- 3 granite glass and caming.









Brushed Nickel

Black Nickel

Pembridge_M

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nickel





Brushed Nickel



Brass

Axis_®

Simple and smart, Axis combines

• narrow reeded glass in horizontal
and vertical arrangements to create
contrast and modest privacy. A vertical
band of • clear glass bevels completes
this linear design, ideal for Modern
home styles.



Black Nickel



Frosted Images

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of 1 white-frosted glass.





Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



2 Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded



Glass Privacy Rating



Geometric



Glass Privacy Rating



Satin Etch



Glass Privacy Rating



Chord



Glass Privacy Rating



Glass Privacy Rating



Rainglass



Glass Privacy Rating



Granite



Glass Privacy Rating






Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface. Look for the (* * * * * *) icon.









SDL Bar Options









Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

Bronze

Stone*

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.







Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*





*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Dentil Shelf, Finish – Acorn Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Barley



Sidelite Configurations

For sidelites and transoms, see pages 191-211.



Blackstone. • ::



FCM108 2'8"x 6'8" 2'10"x 6'8"

FCM871 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM310 9 E 2'6"x 6'8"‡

2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



FCM816

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC108 **9 E** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡

3'0"x 6'8" ‡

81918P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC310

6 E
2'6"x 6'8" \$\dapprox \frac{1}{2}\$
2'8"x 6'8" \$\dapprox \frac{1}{2}\$
2'10"x 6'8" \$\dapprox \frac{1}{2}\$ FC816 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 🕹 ‡ 3'0"x 8'0"



S6002 **9 E** 2'6" x 6'8"

2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

\$85892 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Crystalline_™ ◆ ::



\$310 ■ **9 E** 3'0"x 6'8" ₺‡ 3'6"x 6'8'

S816 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

3'6"x 8'0"



Mahogany FCM16 FCM8114

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM814

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FCM668 ■9E

2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



FC16

6 E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



81800P

Oak

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC668

FC814 ■ **6** E 3'0"x 6'8" 🕹 ‡

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Crystalline Continues on next page.

Key

No Stile Lines





Å 6'6" Height Available

‡ 7'0" Height Available

Crystalline_™ ◆ **::** Continued



S916

9 E 2'8"x 6'8" ‡ 2'10"x 6'8"‡ 3'0"x 6'8" ‡



3'0"x 8'0"



S668 S815 **=**6 2'8"x 8'0" 2'10"x 6'8" \(\Delta \pm \)
3'0"x 6'8" \(\Delta \pm \)
3'6"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"

Sedona + ::



FCM100 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM872 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM241

■ E 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡

FCM822

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC100 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

81968P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Oak

FC241

3'0"x 6'8" 1 ±

FC822

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth S139

2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Smooth S241

3'6"x 6'8"

Salinas_® x



FCM113

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM873 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"



FCM369 ■ 9 E 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡

FCM817 9 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"‡



FC113

9E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

81919P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC369 ■ 9 E 2'6" x 6'8" \$\ddot \ddot \ddot

FC817

3'0"x 6'8" 🛕‡ | 3'0"x 8'0"

S6008

9Е 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Smooth

S85893

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"

Smooth S369

3'0"x 6'8" 🛕‡ 3'6"x 6'8"

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0" 3'6"x 8'0"

Maple Park. • ::



Mahogany

FCM900 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1006 ■ 9 E 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



FC900

9 E2'8" x 6'8" ‡
2'10" x 6'8" ‡ 3'0"x 6'8" ‡



FC1006 6 E 2'8" x 6'8" \$\ddot\delta\delt

3'0"x 6'8" & ‡



\$6100 **6** E 2'8" x 6'8" ‡ 2'10" x 6'8"‡

3'0"x 6'8" ‡



Smooth

Avonlea. •



Mahogany
FCM758
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1027

6 E
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC758 **6** E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



7 7 7

\$962 **6** E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



\$1027 **9 E**2'8" x 6'8" \$\dag{\pm}\$ \$\da



FCM905 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6093 • 5 E 2'6" x 6'8"‡ 2'8" x 6'8"‡ 2'10" x 6'8"‡ 3'0" x 6'8"‡



FC905 **5** E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FC6093 **6** E 2'6" x 6'8" \$\delta\$ ‡ 2'8" x 6'8" \$\delta\$ ‡ 2'10" x 6'8" \$\delta\$ ‡ 3'0" x 6'8" \$\delta\$ ‡



\$154 **6** E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Texas Star ♦ ::



Smooth

S6093 5 E 2'6"x 6'8



FCM142 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1029 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FC142 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡





S6070 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



Smooth \$1029

Key





- **Brushed Nickel Caming (1C)**
- Wrought Iron (1W)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- **Å** 6'6" Height Available
- ‡ 7'0" Height Available

Wellesley_™ ♦ **::** ❖



Mahogany

FCM874

6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6094 ■ 9 E 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



FC104 81921P **5E** 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡



FC6094

■ **6 E**2'6" x 6'8" Ň
2'8" x 6'8" Ň 2'10"x 6'8" \$\ddot* 3'0"x 6'8" & ‡



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

\$155 **9 E** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S85896 2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Riserva_® X

FCM821

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



Smooth

S6094 ■ 9E

S821

2'6"x 8'0"



FCM574

5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8574

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

■ **9 E** 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡

FCM571

FCM8571 2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC574

9E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

FC8574 2'8"x 8'0"

2'10"x 8'0"



FC571

9 E2'6"x 6'8" Ň
2'8"x 6'8" Ň 3'0"x 6'8" \$ \$ 3'0"x 8'0"

2'6"x 8'0"

FC8571

Smooth

S574 **6E** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S8574 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8571

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" 🕹‡ 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"

Concorde_™ ◆ **!!** ❖



Mahogany

FCM910 6 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"

FCM890 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6095

■ 9E 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡

FCM820 **9**

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC910 **6E**2'6" x 6'8"
2'8" x 6'8" ‡ 3'0"x 6'8" ‡

81928P 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0"



Oak

FC6095 **6 E** 2'6" x 6'8" Ň 2'8"x 6'8" 🕹 ‡ 2'10"x 6'8" 🕹 ‡ 3'0"x 6'8" & ‡



6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6090 **9E** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

S6095 ■ 9E

3'6"x 6'8"



Kensington_™ ◆ ::



Mahogany FCM148

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM626 ■ 9E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Oak

FC148 9 E 2'8"x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



FC626 **■ 6 E** 2'8" x 6'8" Ň 2'10"x 6'8" \$ ‡ 3'0"x 6'8" Ň



Smooth S160

6E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Smooth

S626 2'10"x 6'8" 1 ‡ 3'0"x 6'8" 🕹‡

3'6"x 6'8"

Pembridge_™ ◆ **!!** ❖



Mahogany

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM6550 FCM86550 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"



FCM6500 ■ 9 E 2'4"x 6'8" 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡

FCM86500 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC6550 9E 2'6"x 6'8" 2'8"x 6'8"‡ 2'10"x 6'8"‡

3'0"x 6'8"±

FC86550 2'6"x 8'0" 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FC6500 ■ 9 E

2'4"x 6'8" A 2'6"x 6'8" \(\Delta \); 2'8"x 6'8" \(\Delta \); 2'10"x 6'8" \(\Delta \); 3'0"x 6'8" \$ ‡

FC86500

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S6550 9 E 2'6"x 6'8" 2'8"x 6'8"‡

S86550 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8"‡ 3'0"x 8'0" 3'0"x 6'8"‡



Smooth

■ 9E 2'4"x 6'8" A 2'6"x 6'8" \(\bar{\Delta} \) 2'8"x 6'8" 🕹‡ 2'10"x 6'8" 🕹 ‡ 3'0"x 6'8" 1 ‡ 3'6" x 6'8"

S6500

S86500 **•** 6

2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"





Mahogany FCM1652

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM81652 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Axis Continues on next page.

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Wrought Iron (1W)

WBDR / HVHZ Options

Elevated 10" Bottom **Rail Options**

♣ 6'6" Height Available

‡ 7'0" Height Available

Fiber-Classic. & Smooth-Star.

Axis • Continued



FCM1651

9 E 2'4" x 6'8" 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



9E

FC81652 FC1652 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡



FC1651 ■ 9 E 2'4"x 6'8" Å 2'6"x 6'8" 🕹 ‡ 2'8"x 6'8" Ň 2'10"x 6'8" 🗘 ‡

3'0"x 6'8" \$ ‡

FC81651 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$1652 **5** E 2'6"x 6'8"

S81652 2'6"x 8'0" 2'8"x 6'8" ‡ 2'8"x 8'0" 2'10"x 6'8"‡ 2'10"x 8'0" 3'0"x 6'8"‡ 3'0"x 8'0"



S1651

6 E 2'4"x 6'8" Δ 2'6"x 6'8" Δ 2'8"x 6'8" Δ‡ 2'10"x 6'8" Δ‡ 3'6" x 6'8"

S81651 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"

EnLiten_™ Flush-Glazed Privacy & Textured

Glass with Divided Lites

FCM81651

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FC1205_

2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1205_ A NI BY E

3'0"x 6'8" \$



2'8"x 8'0"

2'10"x 8'0"

FC1207_

1 ≥ 2'6" x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1207_ **A**NE

2'6"x 6'8" \(\frac{1}{2} \) 2'10"x 6'8" A 3'0"x 6'8" 🕸



2010_

2'6" x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S2010_ A N E 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" \$ 3'0"x 6'8" 🕸



2050_ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S2050

A N E 2'6"x 6'8" Å 2'8"x 6'8" 🗘 2'10"x 6'8" & 3'0"x 6'8" 🕸



S5705

& NE 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" \$ 3'0"x 6'8" \$

S85705_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S5715_ A RIE

2'6"x 6'8" 🕸 2'8"x 6'8" Å 2'10"x 6'8" \$ 3'0"x 6'8" 🕸

Smooth S85715_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



A RIE 2'6"x 6'8" A 2'8"x 6'8" 🕸 2'10"x 6'8" \$ 3'0"x 6'8" A

S5725

S85725_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5700_

2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC85700_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Reeded XK = XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



S5700 **▲ 2 E** 2'10"x 6'8" \$ 3'0"x 6'8" A

S85700_ **2** 2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5710_

FC85710_ **2 2** 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Smooth

S5710_ 2'6" x 6'8" \$\frac{1}{2} \text{2'8" x 6'8" \$\frac{1}{2} \text{2'10" x 6'8" \$\text{2'10" x 6'8" \$\text{2'10" x 6'8" \$\text{2'10 3'0"x 6'8" Å

S85710_ **2** 2'6" x 8'0" 2'8" x 8'0"

2'10"x 8'0' 3'0"x 8'0"



FC5720_

4 2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC85720_ 12 2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'6"x 6'8" Å 2'8" x 6'8" \$\frac{1}{2}\$ 3'0"x 6'8" Å

S85720_ **2** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



FC691_

2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC8691_ **2**

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$691_ **△ 2 E** 3'0"x 6'8" 1

S8691_ **2**

2'6"x 8'0' 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Privacy & Textured Glass with Divided Lites

FC685L_

△ 2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC8685L_ **2** 2'6"x 8'0" 2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"



S685L_ **△** ② E

3'0"x 6'8" A

S8685L_ **2**

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



FC685R

2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC8685R 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"



Smooth

S685R_ **▲** 🛂 E 2'6"x 6'8" 1 2'8"x 6'8" ً 2'10"x 6'8" \$ 3'0"x 6'8" \$

S8685R_ **2** 2'6"x 8'0" 2'8" x 8'0' 2'10"x 8'0"

3'0" x 8'0'



Mahogany

FCM138_ 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"

Mahogany FCM1285_

2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡

Oak

FC138_

2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1285_ ■ NE

2'8"x 6'8" \$‡ 2'10"x 6'8" & ‡ 3'0"x 6'8" 1 ‡



S128_

2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Privacy & Textured Glass with Divided Lites Continues on next page.

Key

No Stile Lines



Black Nickel Caming (1D)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- E Elevated 10" Bottom Rail Options
- WBDR / HVHZ Options
- \$ 6'6" Height Available
- ‡ 7'0" Height Available

Privacy & Textured Glass with Divided Lites Continued



S141

■ NE



Mahogany FCM18

2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM1284 ■ NE 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



FC18

≈E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1284

■ NE 2'8" x 6'8" 🕹 ‡ 2'10"x 6'8" 1 + 3'0"x 6'8" \$ ‡



Smooth

S108 N E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Smooth

S6063

EnLiten_™ Flush-Glazed **Privacy & Textured Glass**



2000_

8000 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S2000 ۵E

2'10"x 6'8" \$ 3'0"x 6'8" 🛕

Smooth S8000

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



Mahogany

FCM10_ 9 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

FCM870_ 9 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM1283_

6 E 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



3'0"x 8'0"



FC10_ **6E** 2'8" x 6'8" ‡ 2'10"x 6'8" ‡

81200P 9 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"

1283_ ■ 9 E

81200_ 2'6"x 8'0" 2'10"x 8'0" 3'0"x 6'8" Ň 3'0"x 8'0"

Oak



\$118_ **6 E** 2'8" x 6'8" ‡

2'10"x 6'8" ‡ 3'0"x 6'8" ‡





\$140_ **5 E** 2'8" x 6'8" \$\ddot\delta\delta\delta\delta\delta 3'0"x 6'8" Ň 3'6"x 6'8"

S8140_ 2'6"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"

EnLiten_™ Flush-Glazed **Internal Blinds**



S2600 **▲** * E

2'10"x 6'8" \$ 3'0"x 6'8" Å

S82600 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Reeded XK = XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass

XN = Granite

Internal Blinds



FCM141 FCM8115

* **6**2'8" x 6'8"
2'10" x 6'8" * **6**2'8"x 8'0"
2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8'



FCM81225

FCM1286 * **6** E 2'4"x 6'8" 2'6"x 6'8"‡ 2'8"x 6'8"± 2'10"x 6'8"‡ 3'0"x 6'8"‡



FC141

81225P

* **6** 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

* **6 E** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



81225

* **6** 2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

1286

2'4"x 6'8" \(\Delta \)
2'6"x 6'8" \(\Delta \)
2'8"x 6'8" \(\Delta \)
2'10"x 6'8" \(\Delta \)
2'10"x 6'8" \(\Delta \) 3'0"x 6'8" 🕹 ‡



S130 * **6** E 2'6"x 6'8" 2'8"x 6'8" ‡

S829 * **6** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" ‡ 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" ±



Smooth

S6061 2'8"x 6'8" \(\Delta \psi \)
2'10"x 6'8" \(\Delta \psi \) 3'0"x 6'8" \(\(\) \(\

S81225 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0' 3'6"x 8'0"

EnLiten_™ Flush-Glazed Clear

Glass with Divided Lites



* **6** 2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC1205 **♦ * * * † † †** 2'6"x 6'8" 2'8"x 6'8"

3'0"x 6'8"



S1205 **▲*■□++++**E 2'10"x 6'8" \$ 3'0"x 6'8" 1



FC1206 **♦ * ↑ ↑** ↑ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1206 **△*** † † † **E** 2'10"x 6'8" \$ 3'0"x 6'8" A



FC1207 **♦ * ■ • • •** 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8'



S1207

2'6"x 6'8" A 2'8"x 6'8" Å 2'10"x 6'8" \$ 3'0"x 6'8" A



2'6" x 6'8" 2'8"x 6'8" 3'0"x 6'8"




S2010 **△* ■** † † † † † **>** E 2'6"x 6'8" A 2'8"x 6'8" 🕹

2'10"x 6'8" A

3'0"x 6'8" 🕸



FC1204 **▲** * • • • 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1204 **△** * * * * * E 2'10"x 6'8" \$ 3'0"x 6'8" A



2050 2'6"x 6'8" 2'8" x 6'8" 3'0" x 6'8'



S2050 **△ * № ♦ • • • > E** 2'10"x 6'8" \$

3'0"x 6'8" 1

EnLiten Flush-Glazed Clear Glass with Divided Lites Continues on next page.


Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available
- ‡ 7'0" Height Available

EnLiten Flush-Glazed Clear Glass with Divided Lites continued




8000-12 **△ * ♦ ♦ ♦ >** 2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8000-12 • * • • • • > 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



8000-18 **△ ** ♦ ♦ ♦ >** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8000-18 ▲ * • • • • 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2009 **△ * ♦ ♦ ♦ >** 8000-9 **△ ** ♦ ♦ ♦ >** 2'0"x 6'8" 2'0"x 8'0" 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



\$8000-9 • * • • • • > S2009 **▲** * ♦ ♦ ♦ ♦ **>** E 2'0"x 8'0" 2'0"x 6'8" \$ 2'6"x 8'0" 2'6"x 6'8" Å 2'8"x 8'0" 2'8"x 6'8" Å 2'10"x 8'0" 2'10"x 6'8" A 3'0"x 8'0" 3'0"x 6'8" \$



S85705

≜ # ₽

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0'

3'0"x 8'0"

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0'

3'0"x 8'0"

S5705 **▲ * □ E** 2'6"x 6'8" 🕸 2'8"x 6'8" 🕸 2'10"x 6'8" & 3'0"x 6'8" Å



S85715

***** * *

2'6" x 8'0"

2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"

2'6"x 6'8" 🕸 2'8"x 6'8" \$ 2'10"x 6'8" Å 3'0"x 6'8" Å



S5725 ▲ * 🛍 E S85725 **▲ * □** 2'6"x 6'8" 🕸 2'6"x 8'0" 2'8"x 6'8" 🗘 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" \$ 3'0"x 6'8" Å 3'0"x 8'0"



FC5700 FC85700 2'6"x 6'8" 2'8"x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S5700

▲ * 2 E

2'6"x 6'8" 🕸

S85700 **🌢 *** 🛛 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 1 2'10"x 6'8" \$ 3'0"x 6'8" Å



FC5710 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8'



S5710 **▲ * 2** E 2'6"x 6'8" \$ 2'8"x 6'8" Å 2'10"x 6'8" \$ 3'0"x 6'8" 🕸



S85710 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC5720 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

2'6"x 8'0"

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"



S5720 **▲ * 2** E 2'6"x 6'8" \$ 2'8"x 6'8" 🗴 2'10"x 6'8" A 3'0"x 6'8" 🕸



S85720 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC691 FC8691 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'8"x 8'0" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S691 **♦** * □ E 2'10"x 6'8" A

3'0"x 6'8" A

S8691 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC685L

2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC8685L 2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"



S685L

♦ * □ E 2'10"x 6'8" A 3'0"x 6'8" A

S8685L 2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

FC685R



2'10"x 8'0"

3'0"x 8'0"





2'10"x 8'0" 3'0"x 6'8" A 3'0"x 8'0"

S8685R 2'6"x 8'0" 2'8"x 8'0"

Clear Glass with Divided Lites



FCM1209

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM1201

2'6"x 6'8" ‡ 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC1209 * † † † E

2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC1201

■ * • • • E 3'0"x 6'8" 1 ‡

Oak



S1209

Smooth

* * * * * E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8"‡ 3'0"x 6'8" ‡



Smooth S1201

■* * * * * E 3'6"x 6'8'



FCM1211

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1202

2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC1211 * † † † E

2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC1202

■ * † † † E 3'0"x 6'8" \$‡



S1211 * * * * * E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8"‡ 3'0"x 6'8" ±



S1202 ■ * † † † E 3'6"x 6'8"



FCM1212

* • • 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



FCM1203 ■ * † † † E 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ±

Clear Glass with Divided Lites Continues on next page.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC) Removable Wood Grilles (RG)
- E Elevated 10" Bottom **Rail Options**
- ♣ 6'6" Height Available
- ‡ 7'0" Height Available



FC1212

* • • • E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡

3'0"x 6'8" ‡





\$1212 * • • • • • E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡















3'6"x 6'8"





FCM1200

* * * * * * 6 E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



FC1208

* • • • • • • E
2'6" x 6'8"
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡







S1200 ■ * ↑ ↑ ↑ ↑ ↑ ↑ ► E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å 3'0" x 6'8" Å 3'6" x 6'8"



FCM18

* ■ ↑ ↑ ↑ > 6

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"









\$108 **E** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



Smooth

S6063

3'0"x 6'8" Ň 3'6"x 6'8"



FCM828

* † † † 6 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM81828 ***** * † † 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

FC828 * * * * 6 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81828 ***** * † † 6 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Smooth

S828 * + + + + **+ 6** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S81828 * * * * * * * 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0' 3'6"x 8'0'



FCM81208P * • • • • 6 2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM81829 = * + + + 6

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"




2'10"x 8'0" 3'0"x 8'0"



81208 * * • • • • •

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

3'6"x 8'0"



Mahogany

2'10" x 6'8" 3'0" x 6'8"



FCM1289 ■ * * * * 6 E

2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC198 * + + + 6 E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡

3'0"x 6'8" ‡



1289 ■ * + + + 9 E 2'6"x 6'8" \$\ddot\d\dag{\pma}\$ 2'8"x 6'8" \$\ddot\d\dag{\pma}\$ 2'10"x 6'8" \$\ddot\d\dag{\pma}\$ 3'0"x 6'8" 1 ‡



S198 * * * * * 6 E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡

3'0"x 6'8" ‡



S6062

= * * * * * 6 E



No Stile Lines

Low-E Glass (LE) Simulated Divided Lites (SDL)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)



6 WBDR / HVHZ Options Ţ 6'6" Height Available

‡ 7'0" Height Available



EnLiten™ Flush-Glazed Clear Glass



2000 2'0"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

8000 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8"x 6'8" Å 2'10"x 6'8" \$

3'0"x 6'8" 🕸



2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Clear Glass



FCM10 * **5** 2'8"x 6'8"

FCM870 * **± 5** 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM1283

* * 5 E
2'0"x 6'8" 2'4"x 6'8" 2'6"x 6'8"‡ 2'8"x 6'8"‡

FCM81200 * **\$ 5** 2'0" x 8'0" **?** 2'4"x 8'0" F 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8"‡ 3'0"x 6'8"‡ 3'0"x 8'0"



81200P

* **5** 5 2'8"x 8'0"

3'0"x 8'0"

2'10" x 8'0"

FC10 * **\$ 5** E 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



1283 * \$ 5 E 2'4"x 6'8" Å 2'6"x 6'8" \(\bar{\Delta} \) \(\pm \) 2'8"x 6'8" 🕹 ‡ 2'10"x 6'8" \$\ddot\d\ddot\d\ddot\d\ddot\d\ddot\d\ddot\d\ddot\





S118 **±**6E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8"‡

3'0"x 6'8"‡





S140 S8140 2'0"x 6'8" 2'0"x 8'0" 2'4"x 6'8" 🗴 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



^{*}Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight. Note: See page 293 for important product details that may help with your purchase decision.



Sidelite Configurations

For sidelites and transoms, see pages 191-211.



Blackstone. • ::



FCM765 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC765 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S975 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81952P 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" FC770 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$894 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S979

Crystalline ♦ ::



FCM38 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC38 5 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S977 **9** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81953P FC772 6 2'8"x 6'8" 6 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S981 S888 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key





Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

WBDR Options



WBDR / HVHZ Options Elevated 10" Bottom **Rail Options**

Å 6'6" Height Available



FCM131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S95 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC773 81954P 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S887 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"

S91

Salinas_® x



Mahogany FCM115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6009 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC775 81955P 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S6010

Smooth S895 2'8"x 6'8" 6 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Maple Park_∞ ♦



Mahogany FCM902 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC902 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6102 **9** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC777 81957P 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"



\$6103 \$85898 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany

FCM764 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC764

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$976 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC769 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

81967P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$980 **6**

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

\$85900 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Saratoga_™ ♦



Mahogany

FCM907 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC907

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6092 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC776 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81956P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S982 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S891 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Texas Star ♦



FCM143 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC143

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S6071 9 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC778 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

81958P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6072

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S85901 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key



Brushed Nickel Caming (1C)





WBDR Options

Wellesley_™ ♦ **::** ❖



Mahogany

FCM147 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC147

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6091 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81959P

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC779 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S983

S892 5 2'8"x 8'0" 2'8"x 6'8 2'10"x 6'8" | 2'10"x 8 0 3'0"x 8'0" 2'10"x 8'0"

Riserva_® x



Mahogany

FCM543 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC543 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S543 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FC529

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



S529

S8529 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"





Mahogany

FCM912 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC912 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



Smooth

S912 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC780 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

81960P **5** 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth

\$97 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$85902 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Kensington_™ ♦ ::



Mahogany

FCM156 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC156 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S156 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Reeded XK = XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

FC20042

81961P 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S20042 5 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S902 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Pembridge_™ ◆ **::** ❖



Mahogany

FCM6582 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC6582

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6582 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6580 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC86580 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

S6580

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth \$86580

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Axis.



FCM1647

5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC1647

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$1647 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC1646 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC81646 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$1646

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$81646 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



S2103_

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82103_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S2104_ 2'6"x 6'8" 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



S82105_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S82106_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S2250_

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S82107_

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key



- Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)

WBDR / HVHZ Options



FCM82 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC82_

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S82_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

FC92 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S92_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81945P_

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Smooth

S881_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



81946P_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S822_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

NEW

S2200

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82200_

2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



FCM32_

9 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC32_

9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S80_ 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Internal Blinds



FC766_ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

81943P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S90_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





Mahogany FCM5425

* **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC5425

* **6**2'8" x 6'8"
2'10" x 6'8" 3'0"x 6'8"



Smooth S5425

* **6**2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1964P * **6** 2'8"x 6'8" 2'10"x 6'8"

81964P * **6** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Reeded XK = XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

EnLiten™ Flush-Glazed Clear Glass with Divided Lites









S2103 ** • † 100 to 1

2'10" x 6'8"

3'0"x 6'8"

| \$82103 | * * | * | * | | • • • | | 2'6"x 8'0" | 2'8"x 8'0" | 2'10"x 8'0" | 3'0"x 8'0"



\$2104 \$\bigstyle=\bigstyl

3'0"x 6'8"



S2105

** * * * * * * *

2'6" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

\$82105 ** • † 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$82250 ** * * * * 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites



3'0"x 8'0"



\$82107 \$\blue{\text{*}} \blue{\text{*}} \blue



\$1401 \$\bigsep\$ * \$\bigsep\$ \$\bigse





FCM2106 * • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC2106

* • • •

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



\$2106 * • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"







\$2107 * † † † 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM2108 ** ♦ ↑ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC2108

* • • •

2'8"x 6'8"

2'10" x 6'8"

3'0"x 6'8"




\$2108 ★ ↑ ↑ ↑ ↑ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Clear Glass with Divided Lites Continues on next page.

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)









FCM1402 ** • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC1402 ** ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1402 * • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC1089

* • • • •
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 6'8"

2'10" x 8'0"
3'0" x 8'0"



\$1089 | \$8311 | \$\ \bigsim \bi





\$2101 ************
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

\$8313 ********
2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





\$2102 **********
2'8"x 6'8"
2'10"x 6'8"
2'10"x 6'8"
3'0"x 8'0"
3'0"x 8'0"







FC92

FC8310

2'8"x 6'8"
2'10"x 6'8"
2'10"x 8'0"
3'0"x 6'8"

3'0"x 6'8"





\$8310 * † † † † 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





EnLiten_™ Flush-Glazed **Clear** Glass



FC1400 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"

81944P 2'10"x 8'0" 3'0"x 8'0"



S1400 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S898 * * * * * 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth S2200 S82200 2'6" x 6'8" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



FCM32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC32 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

\$80 *** 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"






FC766 81943P *** 6** * 🛊 6 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0"

3'0"x 8'0"

\$90 *** 6** 2'8"x 6'8" 2'10"x 6'8"

\$880 * **t 6** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Key

3'0"x 6'8"



Low-E Glass (LE) Turtle Glass

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)




WBDR / HVHZ Options



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Blackstone. • ::



FCM110 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC714 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S771 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM164 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6085 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC794 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Avonlea.



Smooth S997 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$988 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM788 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC788 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$991 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC792 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$995 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley™ ◆ **::** ❖



FCM106 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC713 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$774 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM163 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC163 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6082 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC796 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S999 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ **::** ❖



FCM916 2'8" x 6'8" 2'10" x 6'8"



FC916 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$773 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM915 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FC915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6084 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC797 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$1000 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Kensington_™ ◆ ::



FCM151 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC709 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$709 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Kensington Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)



FCM789 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC151 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S163 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC798 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S1001 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Pembridge_™ ◆ **::** ❖

FCM6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6575 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC06575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6576 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6576 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Frosted Images.



Mahogany FCM784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC784 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Oak



S989 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC787 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6081 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC791 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S994 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Clear Glass



Mahogany FCM80

2'8"x 6'8" 2'10"x 6'8"



FC710 2'8"x 6'8" 2'10"x 6'8"



Smooth S770 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



FCM160 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC160 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S6080 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"







S992

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Note: See page 293 for important product details that may help with your purchase decision. Right Page: Fiber-Classic Mahogany Collection, Axis Glass, Door - FCM1656, Finish - Autumn Harvest



Sidelite Configurations

For sidelites and transoms, see pages 191-211.



Blackstone. • ::



FCM109 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

FCM863 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC109 **9 E** 2'6"x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



81933P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6000 **5 E** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S81933P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6032 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6032 9 E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

\$86032 **9 E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6052 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Smooth S6052 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



81975P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S972 S85905 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"

Crystalline_™ ◆ ::



FCM45 FCM898 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



81935P

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC45 **9E** 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



\$926 **6** E 2'8" x 6'8" ‡ S81935P 6 2'8"x 8'0" 2'10" x 6'8" ‡ 2'10"x 8'0" 3'0" x 6'8" ‡

Crystalline Continues on next page.

Key

Low-E Glass (LE)



Brass Caming (1A) WBDR / HVHZ Options Elevated 10" Bottom Rail Options



Mahogany FCM6027

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6027 **5 E**2'8" x 6'8" ‡
2'10" x 6'8" ‡ 3'0"x 6'8" ‡



Mahogany

FCM6047 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6047 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

81977P 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S38 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S85907

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Sedona + ::



FCM101 FCM864 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S86027

9 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC101

2'6"x 6'8" 2'8"x 6'8"‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



81936P 2'8"x 8'0"

2'10" x 8'0" 3'0"x 8'0"



S211

2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



S81936P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6025 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6025 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S86025 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM6045 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Smooth

S6045 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81978P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S35

S833 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Salinas_® x



Mahogany

FCM114 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10" x 8'0"

3'0"x 8'0"



9E 2'6"x 6'8" 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8" ‡

81937P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S81937P S6006 **9E** 2'6"x 6'8"

2'8"x 8'0" 2'8"x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡



Mahogany

FCM6031 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S86031

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

9E

S6031 6E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Mahogany

FCM6051 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6051

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81980P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S973 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S893 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Maple Park_∞ ♦ ::



FCM901

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM886

3'0"x 8'0"

2'8"x 8'0" 2'10"x 8'0"



9E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



3'0"x 8'0"



S6101 9Ε 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

2'10"x 8'0"

S81939P 2'8"x 8'0"

3'0"x 8'0"



FCM6107 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Avonlea.



S6107 **5E**2'8" x 6'8" ‡
2'10" x 6'8" ‡ 3'0"x 6'8" ‡

S86107 **6E**2'8"x 8'0"
2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6108 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6108

2'8'x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81982P

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Smooth

S6106 S85897 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FCM761

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Mahogany

FCM896 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC761 **9**E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

81932P 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



Smooth

S964 9E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S81932P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Avonlea Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available



FCM968 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



\$8968 **9 E**

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

S968 **9**E

2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Mahogany

FCM966 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S966

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81974P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$970 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$85906 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Saratoga_™ ♦ ::



FCM888

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM906

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC906

9E 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

81938P



S213 9E

2'6"x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



S81938P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FCM6029 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Texas Star ♦ ::



S6029 9E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡





FCM6049

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

\$6049 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81981P

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S41

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

S85908 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM144 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM899 2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"



FC144

9E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

81940P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6073 S81940P

2'8"x 6'8" ‡

3'0"x 6'8" ‡

2'10"x 6'8" ‡



FCM6074

3'0"x 6'8"



Smooth S6074 S86074 **9**Е 9E 2'8"x 6'8"‡ 2'8" x 8'0"

2'10"x 6'8" ‡

3'0"x 6'8" ‡



FCM6075 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



S6075 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81983P 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S6076 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S81983 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Wellesley™ ◆ ## ❖

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM105 FCM866 9 2'8"x 6'8" 9 2'8"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 2'10"x 8'0"

3'0"x 8'0"



FC105 81941P **9E** 2'6"x 6'8" 6 2'8" x 8'0" 2'8"x 6'8" ‡ 2'10"x 6'8"‡ 2'10"x 8'0" 3'0"x 8'0"

3'0"x 6'8" ‡



2'10"x 8'0"

3'0"x 8'0"

S214 **9 E** S81941P 2'8"x 8'0" 2'6"x 6'8" 2'8"x 6'8" ‡ | 2'10"x 8'0" 2'10"x 6'8" ‡ | 3'0"x 8'0" 2'10"x 8'0" 3'0"x 6'8" ‡



FCM6030 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6030 S86030 **6 E**2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0" **5E**2'8" x 6'8" ‡
2'10" x 6'8" ‡ 3'0"x 6'8" ‡



FCM6050 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth S6050 9 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



81984P 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S42 S85909 2'8"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Riserva_® x



FCM8581 FCM581 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC581 FC8581 9Е 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡



S581 **6E** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S8581 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Riserva Continues on next page.

Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) X Wrought Iron (1W)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available



Mahogany

FCM575 6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S8575

9E

S575 **6**Е

2'8" x 6'8" ‡ 2'8"x 8'0" 2'10"x 6'8" ‡ 2'10"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"



Mahogany FCM577

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S577

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8579

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S579 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8579

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Concorde_™ ◆ **::** ❖



Mahogany

FCM911 5 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FCM891 9 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC911

6E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



81942P

5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S426 **9 E** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S81942P 6 2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM6026 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S6026 9E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S86026 **6**E 2[']8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



Mahogany

FCM6046 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

S6046 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81985P 5 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



3'0"x 6'8"



S37 2'8"x 6'8" 2'10" x 6'8"

S837 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Kensington_™ ◆ **::**



FCM149

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FC149 **9** E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8"‡

FC8149 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

\$161 **9** E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S8149 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6036

2'8" x 6'8"

2'10"x 6'8"

3'0"x 6'8"



\$6036 **9 E** 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0"x 6'8" ‡



FCM6056 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6056 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC89701 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$43 S89701 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Pembridge_™ ♦ **::** ❖



FCM86560

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM6560 2'8"x 6'8' 2'10"x 6'8"

3'0"x 6'8"



S86036

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

9E

FC6560 **9** E 2'6" x 6'8" 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



FC86560 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6560 **9 E** \$86560 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8"‡ 2'10"x 8'0" 2'10"x 6'8"‡ 3'0"x 8'0" 3'0"x 6'8"‡



FCM6565 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$86565 **9 E** \$6565 **9 E** 2'8"x 6'8"‡ 2'8"x 8'0" 2'10"x 6'8"‡ 2'10"x 8'0" 3'0"x 6'8"‡ 3'0"x 8'0"

Mahogany

FCM6568 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6568 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86536 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6536 \$86536 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"





FCM81654

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM1654 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC1654 **9 E** 2'6" x 6'8" 2'8" x 6'8" ‡ 3'0"x 6'8" ‡

FC81654 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8"‡ 3'0"x 8'0"

Axis Continues on next page.

Key



Brushed Nickel Caming (1C)

Brass Caming (1A) X Wrought Iron (1W)

WBDR / HVHZ Options Elevated 10" Bottom Rail Options

‡ 7'0" Height Available



Smooth

\$1654 **6** E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FCM1656 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



\$1656 **6** E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S81656 **9E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM1658 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S1658 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC81653 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$1653 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S81653 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Frosted Images.

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"



Mahogany

FCM66 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Oak FC66 2'8"x 6'8" ‡

2'10"x 6'8" ‡

3'0"x 6'8" ‡



Smooth S206E **9**Е 2'8"x 6'8" ‡ 2'10"x 6'8" ‡

3'0"x 6'8" ‡



Mahogany FCM6023 5 2'8"x 6'8" 2'10"x 6'8"



3'0"x 6'8" ‡ 3'0"x 6'8"



Smooth S6023 **6E**2'8"x 6'8" ‡
2'10"x 6'8" ‡



FCM6043 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6043 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S34 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



FCM65_

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC65_ **■**E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



S262_ **■**E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Smooth



FCM6022_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6022_ N E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FCM6042_ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



S6042_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S32_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Reeded XK = XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



FCM8321_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'



FC8321_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8321_

2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"



S86022_

≈E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832_

2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S832_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



FCM62_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 8'0" 2'10"x 8'0"

FCM862_

3'0"x 8'0"



2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S206_ 6E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡

S81929P_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6021_

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6021_ **6** E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡

S86021_ **6E**2'8" x 8'0"
2'10" x 8'0" 3'0"x 8'0"



FCM6041_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6041

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM104_

6 E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC104

6 E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



S104

6 E 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



81971P_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"




S30_

6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"

S830 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key

No Stile Lines



WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

‡ 7'0" Height Available

Internal Blinds



FCM678 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM8678

* 6
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"



FC678

* 6 E
2'6"x 6'8"
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡





FCM6035 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6035 * 6 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

* **6 E** 2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FCM6055 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6055 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM116

* 6 E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



* **6**2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC116

* 6 E
2'6"x 6'8" ‡
2'8"x 6'8" ‡
2'10"x 6'8" ‡
3'0"x 6'8" ‡



\$131 * 6 E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FC8971 * 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$971 * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 6'8" 3'0"x 8'0" 3'0"x 8'0"

Screen Vented Lites*



S243 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



\$6034 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



\$6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$137 E 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

EnLiten_™ Flush-Glazed Clear

Glass with Divided Lites



FC1350 ** = 2'6"x 6'8" 2'8"x 6'8"

3'0"x 6'8"



\$1350 \$\bigset* \bigset\$ \bigset\$ \bigset\$ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



Clear Glass with Divided Lites



3'0"x 6'8"



FC1409 * * * * * 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



\$1409 \$\left\text{*} \phi \phi \phi \right\text{*} \right\text{*} \phi \right\text{*} \right\te



\$115 ** • E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FCM63

*>
2'8"x 6'8"
2'10"x 6'8"

3'0"x 6'8"



FC63

* > E

2'8" x 6'8" ‡

2'10" x 6'8" ‡

3'0" x 6'8" ‡



\$63 *> E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FCM6097

*>
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



\$6097 *> E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FCM811

*>
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



\$811 *> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM8322 * • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





\$8322 * • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8326 * • • • • • E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"











Mahogany FCM8324 * ♦ ↑ ♦ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8324

* • • •
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



\$8324 * • • • • 2'8"x8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key









Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
 Fixed Grilles (FXG)
- WBDR / HVHZ Options
 E Elevated 10" Bottom
 Rail Options
- ‡ 7'0" Height Available



Smooth

\$8328

* ↑ ↑ ↑ E

2'8"x8'0"

2'10"x 8'0"

3'0"x 8'0"























\$8325 **E**2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"





FC1408

* ♦ • ► E
2'6"x 6'8"
2'10"x 8'0"
2'10"x 8'0"
3'0"x 8'0"
3'0"x 8'0"



Smooth

\$1408

* ♦ ↑ ♦ ♦ E
2'6" x 6'8" ‡
2'8" x 8'0"
2'8" x 8'0"
2'10" x 6'8" ‡
3'0" x 6'8" ‡









FCM1406

* • • • •
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



Smooth

\$1406

* • • • •
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC8318 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8318 * • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC8319 *** ↑ ↑ ↑ 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8319 *** * * * 6 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8320 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8320 * • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC832 *** ≥** † † † > 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S832

> 6 2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"


S32 > **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8144 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$1407 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



EnLiten_™ Flush-Glazed **Clear Glass**



2100 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S2100 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

Clear Glass



FCM62 **#6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC62 * 6 E 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



81929P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$206 *** 6 E** S81929P ***6** 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" ‡



FCM6021 * **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6021 * 9 E 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FCM6041 * **6**2'8"x 6'8"
2'10"x 6'8" 3'0"x 6'8"

Clear Glass Continues on next page.

Key



- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)

FCM862

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

***6**

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

S86021

* 6 E

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ‡ 7'0" Height Available



\$6041 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM670 * 6 E 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FC670

* 6 E
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



\$104 * 6 E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



\$105 * E 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



81971P * 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$30 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$300 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"

Twin 1/2 Lites



Blackstone. • ::



FC129 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Crystaline_s ♦ ::



FC43 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$930 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Sedona • ::



FC128 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S294 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Salinas X



FC130 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S6014 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Maple Park₃ ♦



FC903 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Avonlea.



FC782 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S985 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga_™ ♦



FC908 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"




S291 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley_™ ♦ :: ❖



Oak

FC127 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S292 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Riserva_® x



FC585 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S585 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ **::** ❖



FC913 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"




S430 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Kensington_™ ♦ ::



FC152 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S162 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6572 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6572 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key



Low-E Glass (LE)

 Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**

- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Axis.



FC1661 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1661 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Frosted Images.



FC44 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S289E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & TexturedGlass with Divided Lites



FC807_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$807_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & TexturedGlass



FC48_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$289_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



FC807

* • • • • • • >
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak





FC1411 * • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1411 * • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



FC48

**
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



\$289 ** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.


XK = NEW Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Center Lites



Sidelite Configurations

For sidelites and transoms, see pages 191–211.



Blackstone. • ::



FCM760 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6111 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Crystalline_™ ◆ ::



FCM124 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6113 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Sedona + ::



FCM126 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S12 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Salinas_® x



Mahogany

FCM118 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



0010

\$6012 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park₃ ◆ ::



Mahogany

FCM904 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

S6105 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Avonlea.



Mahogany

FCM800 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth

\$6121 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

Saratoga_™ ♦



Mahogany

FCM909 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S20 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Wellesley[™] ♦ **::** ❖



Mahogany

FCM125 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S6117 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Riserva_® x



FCM506 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S506 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ **::** ❖



Mahogany

FCM914 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S17 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Kensington_™ ♦ ::



Mahogany FCM150 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



S6119 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Pembridge_™ ♦ :: ❖



FCM6532 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



S6532 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



FCM132

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S10

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Blackstone. • ::



FC80943 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86243

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9343

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83143

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Crystalline_™ ♦ ::



FC80941 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86241 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9341 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83141 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Sedona ♦ ::



FC80952 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9352 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth \$83152 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"


Salinas_® x



FC80953 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86253 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9353 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83153 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Maple Park₃ ♦ ::



FC80955 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86255 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Avonlea.



\$9355 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



\$83155 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80956 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86256 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9356 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83156 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key





Brushed Nickel Caming (1C)

Brass Caming (1A)

6 WBDR / HVHZ Options

Saratoga_™ ♦ ::



FC80954 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC86254 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9354 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83154 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Wellesley_™ ♦ **::** ❖



FC80949 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86249 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth \$9349 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Riserva_® x



\$83149 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC507 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC549 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$507 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$549 **6** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Concorde_™ ◆ :: ❖



FC80947 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86247 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Kensington_™ ♦ ::



\$9347 **6** 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



\$83147 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC80942 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86242 **5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9342 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83142 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = NEW Reede XG = Geometric

Reeded XE = Satin Etch netric XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

Pembridge_™ ♦ :: ❖



FC6534 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC86533 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6534 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S86533 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Axis.



FC1655 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC81649 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1655 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Frosted Images.



\$81649 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80945 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86245 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9345 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83145 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Privacy & Textured Glass with Divided Lites



FC809203_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862203_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



S93203_

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S831203_

2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC80920_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86220_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S9320_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83120_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key



Brushed Nickel Caming (1C)





Simulated Divided Lites (SDL)



Internal Blinds

FC925 * **6**2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8972 * **6**2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S925 * **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S8972 * **6**2'8" x 8'0"
2'10" x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites



FC809203 * **■ † † † > 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862203 * • • • • • • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



*** № † † † † > ♦ 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth S831203 * ***** † † † † > 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1404 * • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC8141 ***** ♦ ♦ ♦ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1404 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



FC80920 * 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86220 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S9320 * **6**2'8" x 6'8"
2'10" x 6'8" 3'0"x 6'8"



S83120 * **6**2'8"x 8'0"
2'10"x 8'0" 3'0"x 8'0"

^{*}Available with flat lite frame only.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 293 for important product details that may help with your purchase decision.

Craftsman Lites



Sidelite Configurations

For sidelites and transoms, see pages 191-211.

Optional Dentil Shelves**

4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Sedona ::



S2650* J € 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82650*

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM604 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S604 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8604 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Maple Park • • ::



S2630* **16 E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

16

S82630* 2'8"x 8'0" 2'10"x 8'0"



FCM609

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S609 2'8"x 6'8" 2'10"x 6'8"

S8609 2'8"x 8'0" 2'10"x 8'0"

Saratoga_™ ◆



S2660* 19E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82660* 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM602 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



S602 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S8602 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Riserva_® x



S2670* 16E

16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

S82670*



Mahogany FCM508

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S508 2'8" x 6'8" 2'10"x 6'8"

S8508 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

Key



Black Nickel Caming (1D)

- **Brushed Nickel Caming (1C)**
- Wrought Iron (W)
 - Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG) Fixed Grilles (FXG)
- Flat Lite Frame
- **WBDR Options**
- 6 WBDR / HVHZ Options

Pembridge_™ ◆ **::** ❖



S2640* 49E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82640* 16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"




Mahogany FCM6520 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



S6520 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Axis.



\$2620* **19 E** 2'8"x 6'8' 2'10"x 6'8" 3'0"x 6'8"

\$82620* 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM1650 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1650 S81650 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

EnLiten_™ Flush-Glazed Privacy & Textured

Glass with Divided Lites



FCM4812_ **♦ 1 1 1 2** '8" x 6'8" 2'10"x 6'8"

3'0"x 6'8"



S4812 **▲ | E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S84812_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM4813_ **▲ | | | | | | |** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4813_ A RIJE 2'8"x 6'8" 2'10"x 6'8"



FCM4814 **▲ ■ E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$4814_ **♦ € ■ E** 2'8"x 6'8" 2'10"x 6'8"

S84814 **▲ 1** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass with Divided Lites

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FCM4816 **♦ 1 1 1 2** '8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4816_ **♦ E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FCM605_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S605_ S8605_ 2'8"x 8'0" 2'8" x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FCM606 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S606 2'8"x 6'8"

XN = Granite

S8606 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass 2'10" x 6'8" 3'0"x 6'8"

Mahogany

FCM607_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S607_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM608_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S608_

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

S8608_

2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

EnLiten Flush-Glazed **Privacy & Textured Glass**



Mahogany

FCM4810 **♦**E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4810_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S84810_

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass



S2610_* 16 E 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

S82610_* 16 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FCM601_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S601_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8600_ 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

EnLiten_™ Flush-Glazed **Clear** Glass with Divided Lites



Mahogany

FCM4812 **♦ * N** E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4812 **♦ * N** E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0"

3'0"x 8'0"

Mahogany

FCM4813 **♦ * 📦 E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4813 **♦ * N** E 2'8"x 6'8"

S84813 ***** * 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8"



FCM4814

♦ * □ E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4814

♦ * □ E 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM4816

♦ * № E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4816

♦ * N E 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"

S84816

♦ * □ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Key







Brushed Nickel Caming (1C)

Brass Caming (1A)



S84814

♦ * □ 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Simulated Divided Lites (SDL)





WBDR / HVHZ Options E Elevated 10" Bottom Rail Options



Mahogany

FCM605 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S8605

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

S605

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM606 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S8606

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S606

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM607

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S607

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM608 * **■**2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

EnLiten_™ Flush-Glazed Clear Glass



S8608

Smooth S608

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



NEW

FCM4810

♦ * E2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



S4810

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S84810 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



\$2610* *** 4 5 E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0'



Mahogany

FCM601 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S601

* **6**2'8" x 6'8"
2'10" x 6'8" 3'0"x 6'8"

S8601 * **6**2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



^{*}Available with flat lite frame only.

Note: See page 293 for important product details that may help with your purchase decision.

Minimal Lites



Sidelite Configurations

For sidelites and transoms, see pages 191-211.



Maple Park_∞ ♦ ::



FCM736 FCM8736 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8"



FC736 FC8736 2'8"x 6'8"‡ 2'8"x 8'0" 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ 3'0"x 8'0"



S736 S8736 E 2'8"x 6'8" ‡ 2'10"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" ‡

FCM707 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga_™ ♦ #

Mahogany FCM8707 FC707 2'8"x 8'0" 2'10"x 8'0"


3'0"x 8'0"



FC8707 2'8" x 6'8"‡ 2'10" x 6'8"‡ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8"‡ 3'0"x 8'0"

Wellesley_™ ♦ :: ❖







FCM721 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC721 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



FC8721 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S721 2'8"x 6'8" ‡

S8721 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

2'8"x 8'0"

2'10"x 8'0'

3'0"x 8'0"

- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
- WBDR Options
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- **‡** 7'0" Height Available

Concorde_™ ♦ :: ❖



FCM735 FCM8735 2'8" x 8'0" 2'10" x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



FC735 FC8735 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 2'10" x 8'0" 3'0"x 6'8" ‡ | 3'0"x 8'0"



S735 2'8"x 6'8" ‡

S8735 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡

Pembridge_™ ♦ **::** ❖



Mahogany

FCM745 FCM8745 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC745 FC8745 2'8"x 8'0" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 2'10"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"

Clear Glass with Divided Lites



S745 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM752 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8752 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC752 ***** ♦ ♦ ♦ ◆ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

FC8752 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S752 * ♦ ♦ ♦ **E** 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S8752 * • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM704 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8704 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

FC704

FC8704 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 2'8" x 8'0" 2'10" x 8'0' 3'0"x 6'8" ‡ | 3'0"x 8'0"



S704

2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S8704 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Clear Glass



FCM708

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8708 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC708

2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8"‡

FC8708 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S708

S8708 2'8" x 6'8" ‡ 2'8" x 8'0" 2'10" x 6'8" ‡ 2'10" x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"

Crystalline_™ ◆ ::



FC21 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



S6123 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™ ◆ :: ❖



FC917 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S454 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



FC23 * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



* • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

Clear Glass



FC803 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



S256 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



S236 2'8"x 6'8"

S8317 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S237 2'8"x 6'8"

2'10"x 6'8" 3'0"x 6'8" (Scalloped Lite Frame)

Pembridge_™ ◆ **::** ❖



FCM6570 2'8"x 6'8' 2'10"x 6'8"

3'0" x 6'8"

FCM86570 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC6570 2'6"x 6'8"‡ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC86570 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6570 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S86570 2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"

Axis.



FCM1645 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM81645 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1645 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

FC81645 2'8" x 8'0" 2'10" x 8'0' 3'0"x 8'0"



S1645 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S81645 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





- **Brushed Nickel Caming (1C)**
- Brass Caming (A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass



FCM861

FCM61 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC861

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC61_ 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ±



S296_ S896 2'6"x 8'0" 2'8"x 8'0" 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡

Clear Glass



FCM61

FCM861

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC61 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ±





S296 S896 2'6"x 6'8" 2'6" x 8'0" 2'8"x 6'8" ‡ 2'8" x 8'0" 2'10"x 6'8" ‡ 2'10"x 8'0' 3'0"x 6'8" ‡ 3'0" x 8'0"



Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" ‡

S8140STC 2'6" x 8'0" 2'8" x 8'0" 3'0"x 8'0"



S141STC 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8" ‡



S6063STC

2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XG = Geometric


XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



Sidelite Configurations

For sidelites and transoms, see pages 191–211.





FCM31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC31 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC809 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$93 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM220 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$220 **6 E** 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'0" x 6'8" ‡



\$1100 **5 E** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



\$120 **6** E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$8120 6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



\$200 \$2'6" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FCM205 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



\$205 \$2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



FCM755 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key







WBDR Options

WBDR / HVHZ Options

7'0" Height Available

E Elevated 10" Bottom Rail Options



S755 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FC862 5 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S31 S831 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC808 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S960 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S4800 S84800 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

9E



FCM600 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S600 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM134 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S11 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM60 FCM860 6 2'8"x 8'0" 5 2'8" x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC60 FC860 6E 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" ‡



\$210 **6** E S810 6 2'6"x 8'0" 2'6"x 6'8" 2'8"x 6'8" ‡ 2'8" x 8'0" 2'10"x 6'8" ‡ 2'10"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"



6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM1000 FCM81000 **6 E** 2'0" x 6'8" 2'0"x 8'0" 2'4"x 6'8" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'6"x 6'8"‡ 2'8"x 6'8"‡ 2'10"x 6'8"‡ 3'0"x 6'8"‡



1000 81000 **6 E** 2'0"x 6'8" 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" \(\Delta \); 3'0"x 6'8" \(\Delta \); 3'0"x 8'0"



Smooth S100 S81000 ■ **5 E** 2'0"x 6'8" Å 2'0"x 8'0" 2'4"x 6'8" Å 2'4"x 8'0" 2'4" x 6'8" \$\frac{\lambda}{\lambda}\$
2'6" x 6'8" \$\frac{\lambda}{\lambda}\$
2'8" x 6'8" \$\frac{\lambda}{\lambda}\$
2'10" x 6'8" \$\frac{\lambda}{\lambda}\$
3'0" x 6'8" \$\frac{\lambda}{\lambda}\$ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"

Sidelites

Clear Glass



DRS2131SL | DRS82131SL | **
12" x 6'8" ‡ | 12" x 8'0"
14" x 6'8" ‡ | 14" x 8'0"

Blackstone. • ::



FCM871SL 5 12"x 8'0" 14"x 8'0"




FCM808SL FCM81918SL 10"x 6'8" 12"x 8'0" 14"x 8'0"



FC108SL | 81918PSL | 6 | 12"x 8'0" | 14"x 8'0" | 14"x 6'8"



FC808SL 81918SL 2"x 6'8" \$\ddot \ddot \ddo



\$6002\$L | \$85892\$L | 12" x 6'8" | 12"x 8'0" | 14"x 8'0"



Mahogany FCM8114SL 6 12"x 8'0" 14"x 8'0"





Oak

FC46SL | 81800PSL | 6 | 12" x 6'8" | 14" x 8'0" | 14" x 8'0"



18101SL ■ 15 | 81800SL 12"x 6'8" Δ‡ | 12"x 8'0" 14"x 6'8" Δ‡ | 14"x 8'0"





Smooth

\$6130\$L

\$84586\$L

10"x 6'8"

12"x 6'8" \(\(\) \(





FCM872SL 12"x 8'0" 14"x 8'0"



FCM816SL
10"x 6'8"
12"x 6'8"
14"x 6'8"
14"x 8'0"



FC100SL | 81968PSL 10" x 6'8" | 12"x 8'0" | 14"x 8'0" | 14"x 6'8"



Oak

FC816SL 81968SL
12"x 6'8" ‡ 12"x 8'0"
14"x 6'8" ‡ 14"x 8'0"

Key

No Stile Lines

* Low-E Glass (LE)

Black Nickel Caming (1D)
Brushed Nickel Caming (1C)

Flat Lite Frame

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

6 WBDR Options



₹ 6'6" Height Available

7'0" Height Available
 Elevated 10" Bottom Rail Options



10"x 6'8"

12"x 6'8" \(\dag{\pm} \) \\ 14"x 6'8" \(\dag{\pm} \) \\ \\ \dag{\pm} \\ \dag{\pm}

12"x 6'8"

14"x 6'8"

10"x 6'8"

12"x 6'8"‡

14" x 6'8"‡

12"x 8'0"

14"x 8'0'

9 12"x 8'0"

14"x 8'0"

10"x 6'8"

12"x 6'8"‡

14"x 6'8"‡

9 10"x 6'8"

12"x 6'8"

14" x 6'8"

12"x 6'8"‡

14" x 6'8"‡








FC815SL 81986SL 81986SL 12"x 6'8" Ň 12"x 8'0" 14"x 6'8" Ň 14"x 8'0"



\$154\$L | \$8602\$L | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



\$602\$L 10"x 6'8" 12"x 6'8" \$\Delta \text{1} 14"x 8'0" 14"x 6'8" \$\Delta \text{1} 14"x 8'0"








12"x 6'8" \(\bar{4} \\ 14"x 6'8" \(\bar{4} \\ \ar{4} \)







FCM874SL 5 12"x 8'0" 14"x 8'0"



FC104SL 81921PSL 6 10"x6'8" 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC818SL 81921SL 12"x 6'8" Ň 12"x 8'0" 14"x 6'8" Ň 14"x 8'0"



\$155\$L \$85896\$L 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"



\$5870\$L \$85934\$L \$0" \$12"x 6'8" \$14"x 8'0" \$14"x 6'8" \$\$\$\$\$

Riserva_® x



FCM572SL FCM8572SL 0"x 6'8" 12"x 8'0" 14"x 8'0"

14"x 6'8" Ň



FCM8573SL 5 12"x 8'0" 14"x 8'0"





FC572SL FC8572SL 12"x 6'8" \$\delta + 14"x 8'0" 14"x 8'0"

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

X Wrought Iron (1W)

Flat Lite Frame


Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")



WBDR / HVHZ Options

\$\frac{1}{4}\$ 6'6" Height Available

‡ 7'0" Height Available





Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Reeded XG = Geometric

--46

12"x 6'8" Ň

14"x 6'8" Ň

-4

12"x 8'0"

14" x 8'0"

XE = Satin Etch XC = Chord

S6550SL

12"x 6'8"

14"x 6'8"

XJ = Chinchilla

12"x 8'0"

14"x 8'0'

12"x 8'0" 12"x 6'8" Ň 14"x 8'0" 14"x 6'8" Ň

-016

-016

XR = Rainglass

XN = Granite

10"x 6'8"

10"x 6'8"

12"x 6'8"

14"x 6'8"

12"x 8'0"

14" x 8'0"

Axis.



FCM1651SL FCM81651SL 10"x6'8" **- - - - - - -**12"x 8'0" 12"x 6'8" 🕹 ‡ 14"x 8'0"

14"x 6'8" Å ‡



FCM81652SL 12"x 8'0' 14"x 8'0"



FC81652SL FC1652SL 10"x6'8" 12"x 8'0" 12"x 6'8" 14" x 8'0' 14"x 6'8"



FC1651SL FC81651SL **- - - - - -- - - - - -**12"x 8'0" 12"x 6'8" 1 ± 14"x 6'8" **Å**‡ 14"x 8'0'



S1652SL S81652SL 46 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"

Smooth

S81651SL **- -**16 12"x 8'0" 14"x 8'0" 14"x 6'8" Ň

S1651SL

■ ●⊿6

10"x 6'8"





FCM13101SL 10"x 6'8" 12"x 6'8" \$ ‡



FC11SL 10"x 6'8" 12"x 6'8" 14"x 6'8"




13101SL 14"x 6'8" Ň



S2070SL **• • 6** 12"x 6'8" 10"x 6'8" 14"x 6'8" 12"x 6'8" 12 ‡ 14"x 6'8" Ň

EnLiten_™ Flush-Glazed Privacy & Textured Glass with Divided Lites





S2000_SL-2C* 10"x 6'8" Å 12"x 6'8" 🗘 14"x 6'8" 🗘



S2000_SL-4C* 10"x 6'8" Å 12"x 6'8" 🛕 14"x 6'8" 🛕



FC5700_SL 12"x 6'8" 14"x 6'8"



S5700_SL S85700_SL **A 2** 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0"

14"x 6'8"



FC5710_SL 12"x 6'8" 14"x 6'8"



S5710_SL S85710_SL 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0"

14"x 6'8"



FC5720_SL 12"x 6'8" 14"x 6'8"



S5720_SL S85720_SL **A 2** 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (A) Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1) Simulated Divided Lites (SDLF2)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **Å** 6'6" Height Available
- **WBDR Options** WBDR / HVHZ Options
- **‡** 7'0" Height Available

Privacy & Textured Glass with Divided Lites




10"x 6'8"

12"x 6'8" 14"x 6'8"

12"x 6'8" \$ ‡

14"x 6'8" Ň



10"x 6'8"

14"x 6'8" Ň



12"x 6'8"

14"x 6'8'

i i

10"x 6'8"

14"x 6'8" Ň

10"x 6'8"

12"x 6'8" \(\bar{4} \) \(\ba

ii 📦 👨

12"x 6'8"

14"x 6'8"


14"x 6'8"

10"x 6'8"


14"x 6'8" Ň

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

Privacy & Textured Glass



Internal Blinds



EnLiten Flush-Glazed Clear Glass with Divided Lites



EnLiten Flush-Glazed Clear Glass with Divided Lites Continues on next page.



- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- ♣ 6'6" Height Available♣ 7'0" Height Available



Clear Glass with Divided Lites





Clear Glass with Divided Lites Continues on next page.

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- ★ 6'6" Height Available
- ‡ 7'0" Height Available









Blackstone. • ::



FCM765SL | FCM882SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC765SL 81952PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



0001	
S975SL	S894SL
9 12"x 6'8" 14"x 6'8"	5 12"x 8'0" 14"x 8'0"

Crystalline_™ ♦ ::



FCM38SL | FCM8105SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 6'8" | 14"x 8'0"



FC38SL 81953PSL 6 5 12"x 6'8" 12"x 8'0" 14"x 8'0"



S758SL	\$888SL
12"x 6'8"	12"x 8'0
14"x 6'8"	14"x 8'0

Sedona ◆ ::



FCM131SL | FCM883SL 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"



FC131SL | 81954PSL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



\$91\$L | \$887\$L 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Salinas_® x





FC115SL 81955PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



\$6009\$L | \$895\$L | \$6009\$L | \$6009\$L

Maple Park₅ ♦ ::





FC902SL | 81957PSL 6 | 6 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"



Avonlea. •



FCM764SL | FCM8104SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



Oak

FC764SL 81967PSL
6 6
12"x 6'8" 12"x 8'0"
14"x 6'8" 14"x 8'0"



Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Flat Lite Frame

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **6** WBDR Options

‡ 7'0" Height Available

Saratoga_™ ◆ **::**



FCM907SL 9 12"x 8'0" 14"x 8'0" 9 12"x 6'8" 14"x 6'8"



FC907SL 81956PSL **9** 12"x 6'8" 9 12"x 8'0" 14"x 8'0" 14"x 6'8"



S6092SL S891SL 9 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Texas Star ♦



FCM143SL FCM8103SL 9 12"x 8'0" 14"x 8'0" **9** 12"x 6'8" 14"x 6'8"



FC143SL 81958PSL 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



S6071SL 85901SL 6 12"x 6'8" | 6 12"x 8'0" 14"x 8'0"

Wellesley_™ ♦ **!!** ❖

FCM889SL



FCM147SL FCM885SL 9 12"x 6'8" 14"x 6'8" 14"x 8'0"



81959PSL 9 12"x 8'0" FC147SL **9** 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6091SL S892SL 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Riserva_® x



ivialiogally	
FCM545SL	FCM8545S
9	9
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



FC545SL FC8545SL 9 12"x 6'8" **9** 12"x 8'0" 14"x 6'8" 14"x 8'0"



S545SL	\$8545SL
12"x 6'8"	12"x 8'0
14"x 6'8"	14"x 8'0

Concorde_™ ♦ :: ❖



FCM912SL | FCM892SL **9** 12"x 6'8" **9** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



81960PSL FC912SL 9 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



S85902SL S757SL 12"x 8'0" 12" x 6'8" 14"x 6'8" | 14"x 8'0"

Kensington_™ ♦ ::



ividilogally	
FCM1442SL	FCM8107SL
9 12"x 6'8"	9 12"x 8'0"
14"x 6'8"	14"x 8'0"



FC1442SL	81961PSL
9	9
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



S1442SL S902SL 6 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XG = Geometric

Reeded XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite







FC6580SL FC86580SL 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



S6580SL S86580SL 9 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



FCM1646SL FCM81646SL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC1646SL FC81646SL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14" x 8'0"



S81646SL \$1646SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"











12"x 8'0"

14"x 8'0"









S881_SL 12"x 8'0" 14"x 8'0"

EnLiten_™ Flush-Glazed **Privacy & Textured Glass**



Key









Wrought Iron (1W)

Simulated Divided Lites (SDL)




Privacy & Textured Glass



Internal Blinds











14"x 6'8" | 14"x 8'0"







Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XK = XG = Geometric

14"x 8'0"

14"x 6'8"

Reeded XE = Satin Etch XC = Chord

12"x 6'8"

14"x 6'8"

14"x 8'0"

XJ = Chinchilla XR = Rainglass

14"x 6'8"

XN = Granite

14"x 8'0"



FCM8101SL ********** 12"x 8'0" 14"x 8'0"



Oak 81946PSL

* **■** † † † 12"x 8'0" 14"x 8'0"



Smooth

S881SL * • 1 1 1 1> • 6 12"x 8'0" 14"x 8'0"



Mahogany

FCM81900SL 12"x 8'0" 14"x 8'0"



Oak

81900PSL ***** ■ 12"x 8'0" 14"x 8'0"



Smooth

S8207SL 12"x 8'0" 14"x 8'0"



Mahogany

FCM81947SL 12"x 8'0" 14"x 8'0"



81947PSL

* 12"x 8'0" 14"x 8'0"



Smooth

S8202SL 12"x 8'0" 14"x 8'0"



Mahogany

***** ■ 12"x 8'0" 14" x 8'0"



FCM81949SL



Oak 81949PSL

12"x 8'0" 14"x 8'0"



S8204SL 12"x 8'0" 14"x 8'0"



Mahogany

FCM1400SL| FCM81944SL ***** • • • 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC1400SL | 81944PSL ***** ♦ ♦ ♦ 12"x 8'0" * • • 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S898SL S1400SL * • • • * • • • • 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

EnLiten_™ Flush-Glazed Clear Glass



S90SL

Clear Glass



FCM32SL | FCM881SL

* **6** 12"x 6'8" * **9** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



FC32SL * 6 12"x 6'8" 81943PSL * 6 12"x 8'0" 14"x 6'8" 14"x 8'0"



\$751\$L * 6 12"x 6'8"

\$880\$L * **6** 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Smooth

12"x 6'8" 14"x 6'8"

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- **Flat or Contour White Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC) Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR Options


Blackstone. • ::







FC109SL 81933PSL 9 9 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



\$6000\$L \$85912\$L \$9 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Crystalline_™ ♦ ::





FC43SL 81935PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



\$930\$L | \$85914\$L | \$6\$ | 12"x 8'0" | 14"x 8'0"

Sedona ♦ ::



FCM101SL | FCM864SL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



FC101SL | 81936PSL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



\$294\$L | \$85915\$L 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"

Salinas_® x



FCM114SL	FCM865SL
9 12"x 6'8"	9 12"x 8'0"
14"x 6'8"	14"x 8'0"



FC114SL 81937PSL 6 12" x 6'8" 12" x 8'0" 14" x 8'0"



S6006SL	S85916S
9	9
12"x 6'8"	12"x 8'0
14"x 6'8"	14"x 8'0

Maple Park₃ ♦ ::



FCM901SL | FCM886SL | 5 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC901SL 81939PSL 9 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Smooth

S6101SL | S85918SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"

Avonlea.





FC761SL 81932PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



Sillootii	
S964SL	S85911SL
12"x 6'8" 14"x 6'8"	12"x 8'0" 14"x 8'0"
11 X O O	111 700

Saratoga_™ ♦



FCM906SL | FCM888SL | 5 | 12"x 6'8" | 12"x 8'0" | 14"x 6'8" | 14"x 8'0"



FC906SL | 81938PSL | 6 | 12"x 8'0" | 14"x 8'0" | 14"x 8'0"



S291SL	S85917SL
9 12"x 6'8"	9 12"x 8'0"
14"x 6'8"	14"x 8'0"

Texas Star ♦



Mahogany

FCM899SL

5
12"x 8'0"
14"x 8'0"



81940PSL 6 12"x 8'0" 14"x 8'0"



85919SL **5** 12"x 8'0" 14"x 8'0"

Wellesley_™ ♦ **::** ❖



Mahogany

FCM105SL | FCM866SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC105SL 81941PSL 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



\$292\$L | \$85922\$L | **6** | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"

Riserva_® x



FCM583SL | FCM8583SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"





\$583\$L \$8583\$L \$6 \$12"x 6'8" 12"x 8'0" 14"x 8'0"

Concorde_™ ♦ :: ❖



FCM911SL | FCM891SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



Оак	
FC911SL	81942PSL
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



\$430\$L \$85920\$L \$6 \$12"x 6'8" 12"x 8'0" 14"x 8'0"

Kensington_™ ◆ ::



Manogany	
FCM149SL	FCM867S
9 12"x 6'8"	9 12"x 8'0"
14"x 6'8"	14"x 8'0"



FC8867SL
12"x 8'0" 14"x 8'0"



\$161SL	\$867SL		
9 12"x 6'8"	9 12"x 8'0		
14" x 6'8"	14" x 8'0		

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (A)
- X Wrought Iron (1W)
- **6** WBDR Options











9 12" x 6'8"


14" x 6'8"











Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



14"x 6'8" | 14"x 8'0"





12"x 8'0"

14"x 8'0"



12"x 8'0"

14" x 8'0"



12"x 8'0"

14" x 8'0"



FC7125SL FC63SL ** • • • 6 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"





***** ♦ ♦ ♦ 12"x 8'0"

14" x 8'0"



14"x 8'0"



12"x 8'0"

14"x 8'0"





12"x 6'8"

14"x 6'8"

12"x 8'0"



14"x 6'8"

Clear Glass

12"x 6'8"

14"x 6'8"

12"x 8'0"

14"x 8'0"





14"x 6'8" | 14"x 8'0'

14"x 8'0"



EnLiten™ Flush-Glazed Privacy & **Textured** Glass with Divided Lites

12"x 8'0"

14"x 8'0"



12"x 6'8"

14"x 6'8"

- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- **NEW Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)



EnLiten™ Flush-Glazed Privacy & Textured Glass



EnLiten_™ **Flush-Glazed Clear** Glass with Divided Lites



EnLiten™ Flush-Glazed Clear Glass



Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 129.

XE = Satin Etch
XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Note: See page 293 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Sedona Glass with Flat Lite Frame, Door - S2650, Sidelites - S139SL; Clear Glass, Transom - 19220T, Surround - TDS-CRSFLT



Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone. • ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Crystalline_™ ◆ ::



19080T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



19820T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





19800T 3'0" Door Only

19810T 12" & 14" Sidelite Only

Sedona ♦



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Salinas_® x



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Maple Park₃ ♦



FWRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Avonlea.



AVRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Saratoga_™ ♦ ::



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

Wellesley_™ ◆ **::** ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

Riserva. x



RSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Concorde_™ ♦ :: ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Kensington_™ ◆ ::



KNR

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Pembridge_™ ♦ **::** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Axis.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T

3'0" Door Only

12" & 14" Sidelite Only



- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDLF1)

Profiles_™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210 Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles Mark & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 238-243.

	Ī		
	Ш	h	
	Ш		
	Ш	ш	
	Ш		
	Ш		

Profiles, Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.







Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.







Traditions Profiles • = Not Applicable P = Paint **Door Widths** 2'0" П 2'4" 2'6" 2'8" П 2'10" 3'0" 3'6" 0 **Door Heights** 6'6" П 6'8" П 7'0" 8'0" П **Glass Options** 15 15 Decorative Privacy & Textured 7 Internal Blinds П Screen Vented Lites П Simulated Divided Lites Grilles Between Glass Removable Wood Grilles П **Fixed Grilles** П Low-E П Clear П **Additional Options** Ρ Ρ

■ = Available

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 258-265.


5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

^{*}Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

^{**}Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Blackstone. Glass Privacy Rating: 7



Crystalline

Glass Privacy Rating: 7



Sedona

Brushed Nickel



NEW



Salinas. Glass Privacy Rating: 10



Brushed Nickel



Avonlea.



Glass Privacy Rating: 7

Maple Park Glass Privacy Rating: 6

Glass Privacy Rating: 4


Saratoga...

Glass Privacy Rating: 7

Texas Star

Black Nickel

Glass Privacy Rating: 5



Wellesley... Glass Privacy Rating: 6



Riserva.



Brushed Nicke

Glass Privacy Rating: 10

Concorde Glass Privacy Rating: 8

Kensington... Glass Privacy Rating: 8



Pembridge... Glass Privacy Rating: 7



Axis. Glass Privacy Rating: 7



Frosted Images. Glass Privacy Rating: 8

Also Available: **Internal Blinds**

Screen Vented

Glass Privacy Rating Scale

3 4 5 6 7 8 9 10

Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: 7



Geometric (XG)Glass Privacy Rating: **7**



Satin Etch (XE) Glass Privacy Rating: 10




Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ)
Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites Clear Glass



Note: See page 293 for important product details that may help with your purchase decision. Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Full Lites

Blackstone.

+ :::



::



916 5 2'8" x 6'8" ‡ 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8" ‡

Sedona

+ :::



Salinas.

X



369 5 2'6"x 6'8" \$\frac{1}{2}\$; x 6'8" \$\frac{1}{2}\$; 2'10"x 6'8" \$\frac{1}{2}\$; 3'0"x 6'8" \$\frac{1}{2}\$; 3'6"x 6'8" \$\frac{1}{2}\$;

Maple Park

+ :::



1006 5 2'8" x 6'8" ‡ 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8" ‡

Avonlea_®



1027 5 2'8" x 6'8" ‡ 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8" ‡

Saratoga_™

+ ::



610 6 2'6" x 6'8" \$\frac{1}{2}\$ 2'8" x 6'8" \$\frac{1}{2}\$ 2'10" x 6'8" \$\frac{1}{2}\$ 3'0" x 6'8" \$\frac{1}{2}\$ 3'6" x 6'8" \$\frac{1}{2}\$

Texas Star

+ ::



1029 5 2'8" x 6'8" ‡ 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8" ‡

Wellesley™

♦ :: ❖



620 5 2'6" x 6'8" \$\frac{1}{2}\$ 2'8" x 6'8" \$\frac{1}{2}\$ 2'10" x 6'8" \$\frac{1}{2}\$ 3'0" x 6'8" \$\frac{1}{2}\$ 3'6" x 6'8" \$\frac{1}{2}\$

Riserva_®

X



Concorde_M

♦ ∷ ♦



Kensington_™

+ :::



626 5 2'8" x 6'8" ‡ 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8" ‡

Pembridge

• :: •



Axis_®

•



Key



Brushed Nickel Caming (1C)

Brass Caming (1A)Wrought Iron (1W)

6 w

WBDR / HVHZ Options

Å 6'6" Height Available

‡ 7'0" Height Available

Privacy & Textured Glass



128 2'8"x 6'8" \$ ‡ 2'10"x 6'8" \$ ‡

3'0"x 6'8" \$ ‡

3'6"x 6'8" ‡



108 2'8"x 6'8" \$ ‡ 2'10"x 6'8" \$\ddot\d\ddot\d\ddot\d\ddot\d\ddot\d\ddot\d\ddot\

3'6"x 6'8" ‡



118 2'8"x 6'8" \$‡ 2'10"x 6'8" \(\Delta \pm \) 3'6"x 6'8" ‡

Internal Blinds



130 ***6** 2'10"x 6'8" \(\Delta \pm \)
3'0"x 6'8" \(\Delta \pm \) 3'6"x 6'8" ‡

Clear Glass with Divided Lites



* • • • • 2'6"x 6'8" \$‡



1202 * • • • • 2'6"x 6'8" \$‡ 2'8" x 6'8" \$\frac{1}{2} \displays{2} \displ



1203 * • • • • 3'0"x 6'8" 🕹‡ 3'6"x 6'8" ‡



128 * N + + + + > **+6** 2'6"x 6'8" 1 ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" 1 ‡ 3'0"x 6'8" 🛕‡

3'6"x 6'8" ‡



1200 * † † † † 5 2'6"x 6'8" \$ ‡ 2'8"x 6'8" \$ ‡ 2'10"x 6'8" 1 ‡ 3'0"x 6'8" 🕹‡ 3'6"x 6'8" ‡



2'6"x 6'8" 1 ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" \$\pm\$ 3'0"x 6'8" 🛕‡ 3'6"x 6'8" ‡



198 * † † † **6** 2'6"x 6'8" \(\(\bar{4} \);
2'8"x 6'8" \(\bar{4} \); 2'10"x 6'8" 1 ‡ 3'0"x 6'8" 🕹‡ 3'6"x 6'8" ‡

Clear Glass



118 * **1** 6 2'0" x 6'8" 2'4" x 6'8" 2'4" x 6'8" 100" 10 2'6"x 6'8" Ň 2'8"x 6'8" ‡ 2'10"x 6'8" \$ ‡ 3'0"x 6'8" 🕹‡ 3'6"x 6'8" ‡

3/4 Lites

Blackstone.



1037HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Crystalline_™



1042HD 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"

Sedona

+ ::



965HD 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Salinas.



968HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Maple Park



1009HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = Reeded XG = Geometric

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass







1038HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga_™





1039HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Texas Star





1040HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley_™





1041HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Riserva_®



544HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_M





967HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Kensington_™





03142HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge_M





6582HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Axis.




1644HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



961HD_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



959HD_ 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Internal Blinds



5425 * 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



2109HD * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2110HD * + + + + 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2111HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



961HD ***≈**+++>6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





1403HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



959HD *** 6** 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Key





- Black Nickel Caming (1D) **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour, Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- **NEW Flat or Contour, Black Grilles** Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

WBDR / HVHZ Options

- Fixed Grilles (FXG) 6
- **Å** 6'6" Height Available

Blackstone.



1025HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Avonlea_®



1047HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley™ **♦ :: ♦**





1022HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Concorde_™

* ** **



1024HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Kensington_™

+ :::



630HD 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Pembridge_™





6578HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Frosted Images.



1021HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



1020HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

1/2 Lites

Blackstone_®

+ ::



309HD **6** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1001HD **5** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1117HD **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Crystalline_™

+ :::



926HD 9 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



991HD 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1119HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Sedona

+ :::



211HD 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



996HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1114HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Salinas. X



374HD **5** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



1002HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1115HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park. 🔷 👯



1007HD 5 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1011HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1116HD **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Avonlea.



1031HD 5 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1034HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1107HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Saratoga_™ ♦ **::**



613HD 62'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



988HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1112HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Texas Star ♦ ::



1032HD 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



1035HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1111HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Wellesley_™ ♦ **::** ❖



623HD 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



989HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1120HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key



Brushed Nickel Caming (1C)

Brass Caming (1A)



WBDR / HVHZ Options

‡ 7'0" Height Available

Riserva. X



582HD 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



576HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



578HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Concorde_™ ♦ # ❖



426HD 5 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



999HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1118HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Kensington_™ ♦



627HD 6 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



631HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1113HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge_™ ♦ ## ❖



6560HD 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



6565HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6568HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Axis.



1660HD 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Frosted Images.



1657HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1659HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



206EHD 6 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



985HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1110HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass

with Divided Lites



2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



982HD__ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XG = Geometric

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass



1123HD_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



206HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



980HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101_HD 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



104 **9E** 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Internal Blinds



132HD *** 6** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



984HD *** 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

1121HD * 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



131 * **9** E 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Screen Vented Lites*



243HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1004HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1102HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



137 € 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass with Divided Lites



6023HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1122HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



262HD ***M**++++> 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



982HD ***≥**1111> 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



************ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



115HD *** ♦ E** 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



1408HD * • • • 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ±

Clear Glass with Divided Lites Continues on next page.

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
 - Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG) Fixed Grilles (FXG)
- WBDR / HVHZ Options Elevated 10" Bottom
 - Rail Options



1405HD ★ ♦ ♦ ♦ ♦ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1406HD * • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



206HD * 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



980HD * **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101HD * 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



104 * **5** E 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



105 * E 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Twin 1/2 Lites

Blackstone_®





311HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Crystalline_™

+ ::



930HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Sedona





294HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Salinas.





371HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Maple Park





1008HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Avonlea_®





1044HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Saratoga_™

+ ::



615HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Wellesley™





625HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Riserva.

3



588HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Concorde_M

**



430HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = **NEW** Reeded

XG = Geometric

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

Kensington_™

+ :::



628HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Pembridge_™

♦ ∷ ❖



6572HD 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Axis.

~



1662HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Frosted Images.



289EHD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Privacy & Textured Glass



263HD__ 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



289HD_ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Clear Glass with Divided Lites





1411HD * • • • • • 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass



289HD * 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Craftsman Lites

Sedona

+ :::



604HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Maple Park

+ :::



609HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Saratoga_™

+ :::



602HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Riserva.

X



508HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge™

* :: **



6520HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
 Fixed Grilles (FXG)
- WBDR / HVHZ Options
 E Elevated 10" Bottom
- Rail Options
- ‡ 7'0" Height Available





1650HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass with Divided Lites



605HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



606HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



607HD__*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



608HD__*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Privacy & Textured Glass



601_HD* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



605HD * == 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



606HD

* = 2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



* N 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



608HD

* • 2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

Clear Glass



601HD * 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Minimal Lites

Maple Park.



736HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Saratoga_™



707HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Wellesley_™



721HD2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡

Concorde_™



735HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Pembridge_M



745HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = ChinchillaXR = Rainglass

Clear Glass with Divided Lites



752HD * ♦ ♦ ♦
2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



704HD * ****2'8" x 6'8" ‡
2'10" x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass



708HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Crystalline_™





1055HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Concorde_M





454HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Clear Glass with Divided Lites



255HD * • • • • 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass



256HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass with Divided Lites



236HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



237HD * • 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡ (Scalloped Lite Frame)

Pembridge_M





6570HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Axis.





1643HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Privacy & Textured Glass



296HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass



296HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Key



Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

WBDR / HVHZ Options

Simulated Divided Lites (SDL)

Fixed Grilles (FXG)

‡ 7'0" Height Available



969HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



978HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1005HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



205HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



203HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



210HD 6 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Sidelites





310SL 5 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Crystalline...



916SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Sedona



139SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Salinas₉



369SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Maple



1006SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Avonlea_®



1027SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Saratoga_™



610SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Texas



1029SL 5 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Wellesley™



620SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Riserva_®



TS572SL 5 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Concorde_™



416SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Kensington_™



626SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Pembridge_™



6500SL 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XG = Geometric

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass



1651SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡





138SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡





100 SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Internal **Blinds**



130SL *** 6** 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Clear Glass with **Divided Lites**



1201SL * • • • • 10"x 6'8" 12"x 6'8" ‡

14"x 6'8" ‡



1200SL **** * • • • • 10"x 6'8" 10"x 6'8" 12"x 6'8" ‡ 12"x 6'8" ‡ 14" x 6'8" ‡ 14"x 6'8" ‡



632SL ************** 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡



10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡



6185SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡



6186SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡



198SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Clear Glass



100SL 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡

Blackstone.



1037SLHD **9** 12"x 6'8" 14"x 6'8"

Crystalline_™



956SLHD 12"x 6'8" 14"x 6'8"





965SLHD 12" x 6'8" 14" x 6'8"

Salinas_®

X



971SLHD 12"x 6'8" 14" x 6'8"

Maple Park. •



1009SLHD 12"x 6'8" 14" x 6'8'

Avonlea_®



1038SLHD 12"x 6'8" 14"x 6'8"

Saratoga_™





1039SLHD 12"x 6'8" 14"x 6'8"

Texas





1040SLHD 12"x 6'8" 14"x 6'8'

Wellesley_™





1041SLHD 12"x 6'8" 14" x 6'8"

Riserva.

X



546SLHD 12"x 6'8" 14"x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG) Fixed Grilles (FXG)
- WBDR / HVHZ Options Elevated 10" Bottom
 - Rail Options 6'6" Height Available
- ‡ 7'0" Height Available



































Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.





Concorde_M











14"x 6'8" ‡









14"x 6'8" ‡













Brushed Nickel Caming (1C)

Brass Caming (1A)



Simulated Divided Lites (SDL)

Flat or Contour, White Grilles Between Glass (GBGF / GBGC)

Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)

Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC) NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG) Fixed Grilles (FXG)



Full Lites

Privacy & Textured

Glass with Divided Lites



TS128_ 2'8" x 6'8" 2'10" x 6'8" \$\delta\$ 3'0" x 6'8"



Privacy & Textured Glass



818_ 6 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Internal Blinds



829 * 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Clear Glass with Divided Lites











TS1200

* • • • • • • •
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





828


* * * * * * * * * * * 5

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"





Clear Glass



TS118

**

2'0"x 6'8"

2'4"x 6'8" \$\(\)
2'6"x 6'8"

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"

\$\(\)
\$\(\)

818 * • • 6 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reeded
XG = Geometric

Reeded XE = Satin Etch
netric XC = Chord

XJ = Chinchilla XR = Rainglass

^{*}Features a gliding operation and sash locking system.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Privacy & Textured

Glass with Divided Lites



TS262

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 8'0"

3'0"x 8'0"

2'10" x 8'0"

Privacy & Textured Glass



TS206_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS104_ 9E 2'8" x 6'8" 2'10"x 6'8" 🕸 3'0" x 6'8"

Internal Blinds



TS132 * 6 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

8132 * 6 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

TS131 * **6 E** 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" \$ 3'0"x 6'8"

Screen Vented Lites*



TS243 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS137 2'8"x 6'8" 2'10"x 6'8" \$ 3'0"x 6'8"

Clear Glass with Divided Lites

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



8322 ***** ♦ ♦ ♦ ♦ 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



8323 * • • • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



8324 ***** ♦ ♦ ♦ ♦ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



* *** * * * * * * *** * *** 6** 2'6"x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



8321 *** № ↑ ↑ ↑ > 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



TS1408 2'6"x 6'8"

2'8"x 6'8"

3'0"x 6'8"

2'10"x 6'8"

* • • • 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



TS115 *** ◆ E** 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" \$ 3'0"x 6'8"

Clear Glass



TS206 * **6** 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



TS104 * 6 E 2'6"x 6'8" 2'8"x 6'8"

2'10"x 6'8" \$

3'0"x 6'8"



TS105 * E 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 🗴 3'0"x 6'8"

Key

Low-E Glass (LE)



- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)

3'0"x 8'0"

NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)





Privacy & Textured Glass with Divided Lites



TS263_ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Privacy & Textured Glass



TS289_ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



TS263 * ■ ↑ ↑ ↑ > ◆ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS1411 * • • • • 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Minimal Lites

Clear Glass with Divided Lites



TS752 * • • • * • • • 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

TS704 8704 2'8"x 8'0"

2'10" x 8'0" 3'0"x 8'0"

Clear Glass



2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"

Clear Glass with Divided Lites



TS255 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass



TS256 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites



TS236

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS237

* • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" (Scalloped Lite Frame)

Privacy & Textured Glass



TS296 2'6"x 6'8' 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass



TS296

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

896

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Solid Panels

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



TS214

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS210

6 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

810

6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

TS100

9 E 2'0"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 🛕 3'0"x 6'8"

800

6 E 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG) Fixed Grilles (FXG)



Privacy & Textured Glass with Divided Lites 6184_SL* 6185_SL* 6186_SL* 632_SL 10"x 6'8" 10"x 6'8" 10"x 6'8" 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡ 12"x 6'8" ‡ 14"x 6'8" ‡ 12"x 6'8" ‡ 12"x 6'8" ‡ 14"x 6'8" ‡ 14"x 6'8" ‡









12"x 6'8" ‡

14"x 6'8" ‡

14"x 6'8" ‡

14"x 6'8"





















Privacy & Textured Glass Options

14"x 6'8'

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 216.

XK = NEW Reede XG = Geometric

Reeded XE = Satin Etch netric XC = Chord XJ = Chinchilla XR = Rainglass

^{*}Not available with Reeded (XK) or Geometric (XG) glass.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 293 for important product details that may help with your purchase decision.

Transoms

Blackstone. • ::



BSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Crystalline_™ ♦



190801

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



19820T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





19800T 3'0" Door Only

19810T 12" & 14" Sidelite Only

Sedona ♦



19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



105201

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Salinas. X



SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Maple Park. • ::



FWRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Avonlea.



AVRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Saratoga_™ ♦



19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

Wellesley_™ ◆ **!!** ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

Riserva. X



RSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Concorde_™ ◆ **!!** ❖



CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Kensington_™ ◆



KNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Pembridge_™ ◆ **::** ❖



PBRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Axis.



AXRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T

* 3'0" Door Only 12

12" & 14" Sidelite Only





- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
 - Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
 Fixed Grilles (FXG)



Fire Doors


Fiber-Classic, Smooth-Star, & Steel



Therma-Tru_® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles. A selection of 90-minute Fire-rated steel doors is also available, starting on page 242.

■ Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



^{*}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Top: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 242.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

Adjusta-Fit_® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru. Adjusta-Fit. 2 frames also feature these key benefits:

- 90-Minute positive-pressure
 Fire-rating, third-party certified by
 Intertek, Warnock-Hersey.
- Standard 4-%" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-½" deep.

Additional Options

■ Therma-Tru_{*} composite door frame also 20-minute Fire-rated, starting on page 272.

20-Minute Fire-Rated Wood Edge - Fiberglass



FMF31 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCF31 2'8"x 6'8"



FCF809 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF93 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FMF220 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF220 SSF8220 **9 E** 9E 2'8"x 6'8" ‡ 2'8"x 8'0" 2'10"x 6'8" ‡ 2'10"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"



SSF81100 SSF1100 **9 E** 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



SSF120 **9 E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

SSF8120 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



SSF200 2'6"x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FMF205 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



SSF205 SSF8205 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FMF755 2'10"x 6'8" 3'0"x 6'8"



FCF755 2'10"x 6'8" 3'0"x 6'8"



SSF755 2'10"x 6'8" 3'0"x 6'8"



FCF862 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

SSF831 SSF31 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



FCF808 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF960 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF84800 **9** SSF4800 9 E 2'8"x 8'0" 2'8" x 6'8" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 8'0" 3'0"x 6'8"



FMF600 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

SSF8600 SSF600 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0"



FMF134 9 2'10"x 6'8" 3'0"x 6'8"



Smooth

SSF11 2'10"x 6'8" 3'0"x 6'8"



FMF60 5 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



Oak

FCF8160 **5** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" ‡





SSF160 **9 E** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ SSF8160 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"



Mahogany

FMF100 FMF8100



Oak

FCF8100 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"

SSF100 9 E 2'0"x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SSF8100

Key



‡ 7'0" Height Available

E Elevated 10" Bottom Rail Options

20-Minute Fire-Rated Wood Edge - Steel

Profiles_™



969HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1005HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



205HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



203HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



210HD 5 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



100 • **5** E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"

Traditions



TS214 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS210 • 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS100 • 5 E 2'0"x 6'8" 2'4"x 6'8" \$\frac{1}{2}\$ 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" \$\frac{1}{2}\$ 3'0"x 6'8" \$\frac{1}{2}\$

90-Minute Fire-Rated Steel Edge

- Tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit.
- Constructed with 24-gauge steel edges.
- Suitable for a minimum4" wall depth or greater.
- Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.



SE969HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



SE978HD 6 2'8"x 6'8" ‡ 2'10"x 6'8" 3'0"x 6'8" ‡



SE1005HD

6
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



SE514

5
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



SE210HD

6
2'8" x 6'8" ‡
2'10" x 6'8" ‡
3'0" x 6'8" ‡



SE100 • SE 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" 3'0" x 6'8" ‡ 3'6" x 6'8" ‡





E Elevated 10" Bottom Rail Options





Modern design. Upbeat living.











Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.


It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.















The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.








1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



Choose a MATERIAL.

Each style is available in any of these material choices.



Mahogany or Oak (Shown in Driftwood stain.)

Fiberglass

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E Also Available.

Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone_®
- 2 Crystalline™
- 3 Sedona 4 Salinas.
- 5 Avonlea_®
- 6 Saratoga™
- 7 Riserva_®
- 8 Pembridge™
- 9 Axis.

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame





Scrolled Profile Lite Frame

| Pulse _® Size Options | | | | | | |
|---------------------------------|--|--|--|--|--|--|
| | Wood-Grained Fiberglass | | Smooth Fiberglass | | Steel | |
| | 6'8" | 8'0" | 6'8" | 8'0" | 6'8" | 8'0" |
| Doors | 2'6" x 6'8" °
2'8" x 6'8"
2'10" x 6'8" | 2'6" x 8'0" °
2'8" x 8'0"
2'10" x 8'0" | 2'6" x 6'8" °
2'8" x 6'8"
2'10" x 6'8" | 2'6" x 8'0" °
2'8" x 8'0"
2'10" x 8'0" | 2'6" x 6'8" °
2'8" x 6'8"
2'10" x 6'8" | 2'6" x 8'0" °
2'8" x 8'0"
2'10" x 8'0" |
| | 3'0" x 6'8" | 3'0" x 8'0" | 3'0" x 6'8"
3'6" x 6'8" | 3'0" x 8'0"
3'6" x 8'0" | 3'0" x 6'8"
3'6" x 6'8" | 3'0" x 8'0" |
| Sidelites | 10" x 6'8" • 12" x 6'8" 14" x 6'8" | 12" x 8'0"
14" x 8'0" | 10" x 6'8" • 12" x 6'8" 14" x 6'8" | 12" x 8'0"
14" x 8'0" | 10" x 6'8" • 12" x 6'8" 14" x 6'8" | 12" x 8'0"
14" x 8'0" |

- Available in full-lite sidelites only.Available in Línea and Echo only.















6




Línea


Note: Product images show exterior side of door.













the

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Steel

































Línea Continues on next page.


Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = NEW Reeded XE = Satin Etch XG = Geometric XC = Chord XJ = Chinchilla XR = Rainglass $\mathbf{XN} = \mathbf{Granite}$

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
 Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- WBDR / HVHZ Options





















Echo

Note: Product images show exterior side of door.












It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.





































Echo Continues on next page.


Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246. XK = NEW Reeded XE = Satin Etch XJ = Chinchilla XN = Granite XG = Geometric XC = Chord XR = Rainglass


- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- WBDR / HVHZ Options
- **■** Elevated 10" Bottom Rail Options





































It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Steel



Echo Continues on next page.

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246. XK = NEW Reeded XE = Satin Etch XJ = Chinchilla XN = Granite XG = Geometric XC = Chord XR = Rainglass

Key

- * Low-E Glass (LE)
- Black Nickel Caming (1D)
- WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options






Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Sidelites

Note: Product images show exterior side of door.



Sidelites Continue on next page.



Key





Black Nickel Caming (1D)

■■ Brushed Nickel Caming (1C)❖ Brass Caming (1A)

WBDR / HVHZ Options

X Wrought Iron (1W)





Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.







Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru_® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors - S2600 Bottom: Smooth-Star, Clear Glass, Doors - S118

Door Selections



Classic Craft. Fir Grain



Classic Craft. Mahogany Grain



Classic Craft. Oak Grain



Classic Craft. Canvas



Fiber-Classic. Mahogany Collection_™



Fiber-Classic. Oak Collection™



Smooth-Star.



Profiles_™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten_™ Flush-Glazed Warranty Riders

See page 27 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Glass Selections






Internal Blinds

Low-E / Clear

Divided Lites

For details on divided lite options, see pages 130-131.



| | | | | | 4.4 |
|---|-----------------------------|---|---|-----------------------|------------------------------------|
| ■ = Available | Classic Craft | Fiber-Classic. | Smooth-Star ₀ | Profiles _™ | Traditions |
| Door Selections | | | | | |
| Material | Fiberglass | Fiberglass | Fiberglass | Steel | Steel |
| Warranty | 1x Transferable
Lifetime | Lifetime | Lifetime | 10 Years | Door: 5 Years /
Glass: 10 Years |
| Finish Options | Stain or Paint | Stain or Paint | Paint | Paint | Paint |
| Flush-Glazed Glass Selections | | | | | |
| Internal Blinds 6 | | • | • | | |
| Low-E Glass
with and without Divided Lites | • | • | • | | |
| Clear Glass with and without Divided Lites | | • | • | | |
| Privacy & Textured Glass with and without Divided Lites | • | • | • | | |
| Lip-Lite Glass Selections | | | | | |
| Internal Blinds | | • | • | • | • |
| Low-E Glass
with and without Divided Lites | • | • | - | • | • |
| Clear Glass
with and without Divided Lites | | • | • | • | • |
| Privacy & Textured Glass with and without Divided Lites | • | • | • | • | • |
| Available Sizes | | | | | |
| Heights | 6'8", 8'0" | 6'6", 6'8", 7'0", 8'0" | 6'6", 6'8", 7'0", 8'0" | 6'6", 6'8", 7'0" | 6'6", 6'8", 8'0" |
| Single Widths | 3'0" | 2'0"-3'0" | 2'0"-3'0" | 2'0"-3'0" | 2'0"-3'0" |
| Double Widths | 6'0" | 4'0"-6'0" | 4'0"-6'0" | 4'0"-6'0" | 4'0"-6'0" |
| Triple Widths | 9'0" | 6'0"-9'0" | 6'0"-9'0" | 6'0"-9'0" | 6'0"-9'0" |
| Retrofit Openings | | 5'0", 6'0" | 5'0", 6'0" | 5'0", 6'0" | 5'0", 6'0" |
| Additional Options | | | | | |
| Vented Sidelites
(Single / Double Widths) | | 6'6", 6'8", 8'0" Heights
in 2'4"–6'0" Widths | 6'6", 6'8", 8'0" Heights
in 2'4"–6'0" Widths | | |
| Screens & Screen Accessories Available
Colors: Bronze, White | 2" Frame, 3" Frame | 2" Frame, 3" Frame | 2" Frame, 3" Frame | 2" Frame, 3" Frame | 2" Frame, 3" Frame |
| Impact-Rated Options | | | | | |
| Tru-Defense Eligible | | | | | |

Hinged Patio Door Systems



- Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- G Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- Multi-Point Locking System (Included)
- Removable Screens

A Therma-Tru_® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.






Vented Sidelites

Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

EnLiten_™ Flush-Glazed Internal Blinds




Available Collections

Smooth-Star

Available Door Styles



Available Configurations




Internal Blinds




Available Collections

- Fiber-Classic, Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles





EnLiten_™ Flush-Glazed Low-E / Clear

Glass with Divided Lites

Colonial Style



Available Collections

- Fiber-Classic. Oak
- Smooth-Star.


Available Door Styles




Available Configurations











Prairie Style




Available Collections


- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles














EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Collections

- Classic Craft. Fir Grain
- Fiber-Classic, Oak
- Smooth-Star.

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections

- Classic Craft, Oak Grain
- Classic Craft_® Canvas
- Fiber-Classic_® Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles






Prairie Style




Available Collections


- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles_™
- Traditions


Available Door Styles




Available Configurations









Low-E / Clear Glass





Available Collections


- Classic Craft, Mahogany Grain
- Classic Craft, Oak Grain
- Classic Craft, Canvas
- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles_™
- Traditions

Available Door Styles




















Finishing Options













Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard_® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru_® fiberglass doors, composite door frames and door surrounds.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft_® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.









Durable Topcoat

Professional Application



Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.







PrismaGuard Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru_® fiberglass doors, composite door frames and door surrounds.

- It starts with the realistic wood grains and deep embossments of a Therma-Tru_® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- **5** A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



PrismaGuard_® Premium Paint

Add a pop of color to Therma-Tru_® doors, composite door frames and door surrounds, and tailor the look of the entry to make a beautiful lasting impression.

- 1 It starts with the smooth or wood-grained surface of a Therma-Tru₀ door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.





Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

SAME-DAY. **STAIN**

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru_® fiberglass doors, composite door frames and door surrounds.



Shown on Classic Craft. Fir Grain.
















All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*


Watch easy-to-follow instructions at samedaystain.com.





For complete details on the Same-Day Stain and topcoat limited warranty, go to samedaystain.com or ask your seller for more details.

Door System Components





Engineered to work together.

A Therma-Tru_® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology



Composite door frame featuring Tru-Guard_™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Available Textures





Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
 no sanding or priming required.





White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required.
 Or finish with stain or paint to complement the entry – no sanding or priming required.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded (A) LVL core to provide additional structural support and stability and feature a (B) composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.



NEW Storm Door-Ready Mullion & Adaptor

Innovative design helps reduce time, labor and inventory complexity while simplifying the storm door installation process.

- Storm door-ready mullion is available for common depths of 4-9/16" and 6-9/16".
- A storm door-ready mullion adaptor is also available for unique depths up to 7-9/16".

| Therma-Tru Products & Applications | Warranty
For First Homeowner | Warranty Riders Transferable 1x to Second Homeowner |
|--|--|--|
| Composite Door Frame
+ Classic Craft₀ Door
+ Components | LIFETIME WARRANTY TRANSFERABLE Frame + Door + Components | Lifetime 1x Transferable
Full-System Rider Frame + Door + Components |
| Composite Door Frame
+ Fiber-Classic _° , Smooth-Star _° ,
Pulse _° Fiberglass Door + Components | LIFETIME WARRANTY Frame + Door + Components | 10-Year Transferable Full-System Rider Frame + Door + Components |
| Composite Door Frame Only | LIFETIME WARRANTY Frame Only | |

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




Mullions






■ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim







Mull Casing







NEW Storm Door-Ready Mullion Adaptor



Storm Door Adaptor







Screen Track Cap



Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

NEW Storm Door-Ready Mullions





7/16" x 5/16" Cove Mould

Transom Sills



Pre-Inserted Weatherstrip Option



Select white smooth composite jambs and mullions, pre-machined for hinges and locks, are available with a convenient pre-inserted weatherstrip option for a quicker install. Look for the () icon.

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.*



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.*



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.*

Protection From the Elements



Resists Moisture & Humidity

Composite door frames feature completely composite exteriors that resist humidity and moisture to help eliminate the risk of swelling and cracking.



Resists Mold & Rot

A composite door frame does not absorb or retain moisture helping to eliminate the risk of mold and rot.



Resists Insects

With no exposed wood, Therma-Trucomposite door frames help protect from wood-ingesting insects.

^{*}To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options

Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- · Adjustable flush screws.

Basic Composite Adjustable Sill (Economy)



- · Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.

Basic Fixed Sill (Economy)

Inswing Sill Extenders

· Slanted cap and nosing mates with the single-bulb bottom sweep.

Outswing Options

Composite Outswing Sill (Premium)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Aluminum Sill with Thermal Break



- Integrated weatherstrip.
- Also available without thermal break.

Coastal Sill (For Coastal Regions)



- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Sizes:

3/4"

Outswing Sill Extender



Public Access Sill

1-3/811

Public Access Sill with Thermal Break** (For ADA Applications)



Also available without thermal break.

Key


Tru-Defense Eligible

- *See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
- **Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.
- ***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.
- Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 293 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors




Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)




Hardwood

| ■ = Available
• = Not Applicable | Inswing Options | Composite Adjustable | Hardwood Adjustable | Basic Composite Adjustable | Basic Fixed | Outswing Options | Composite Outswing | Aluminum with Thermal Break | Aluminum without Thermal Break | Coastal | Public Access (Inswing / Outswing) | Public Access (ADA)** |
|-------------------------------------|-----------------|----------------------|---------------------|----------------------------|-------------|------------------|--------------------|-----------------------------|--------------------------------|---------|------------------------------------|-----------------------|
| Not Applicable | Ins | Co | Har | Bas | Bas | Out | Co | Alur | Alur | Cos | Puk | Pub |
| Sill Finishes | | | | | | | | | | | | |
| Mill | | | | | | | | | | | | П |
| Bronze | | | | | | | | | | • | | |
| Cap Colors | | | | | | | | | | | | |
| Lightwood | | П | • | | • | | | • | • | • | | • |
| Darkwood | | | • | | | | | • | • | • | | • |
| Hardwood | | • | | • | • | | • | • | • | • | | • |
| Sill Configurations | | | | | | | | | | | | |
| Single | | П | | | | | т | | | | | П |
| French | | | | • | | | Ŧ | | | | | |
| Double Patio | | | | • | • | | | • | • | • | | • |
| Triple Patio | | | • | • | • | | | • | • | • | | • |
| Lineal | | | | • | • | | • | • | • | • | | • |
| Sidelite Configurations | | | | | | | | | | | | |
| Boxed Sidelites | | | • | • | • | | • | • | • | • | | • |
| Single with Sidelites | | | | • | • | | | • | • | • | | • |
| French with Sidelites | | | • | • | • | | • | • | • | • | | • |
| Single Vented Sidelites | | | • | • | • | | • | • | • | • | | • |
| French Vented Sidelites | | | • | • | • | | • | • | • | • | | • |
| Depths | | | | | | | | | | | | |
| 4-9/16" | | | • | | | | | • | | | | |
| 5-3/4" | | | | | | | | | • | • | | • |
| 6-9/16" | | • | • | • | • | | • | • | • | • | | |
| 7-3/4" | | | | | | | • | | • | • | | • |
| Substrates | | | | | | | | | | | | |
| Composite Extruded | | | • | • | • | | | • | • | • | | • |
| Composite Injection Molded | | | • | | • | | • | • | • | • | | • |
| Treated Pine | | • | | • | | | 0 | | | | | • |
| Other Options | | | | | | | | | | | | |
| Integrated Thermal Break | | П | | | | | | | • | • | | П |
| Screen Rail Available | | | | • | • | | | • | • | • | | • |
| Sill Extenders Available | | | | | • | | | • | • | • | | • |
| Sill Covers Available | | | | | | | | • | • | • | | • |
| Tru-Defense Eligible*** | | | • | • | • | | | • | • | • | | • |
| With Anchor Holes | | • | • | • | • | | • | | | • | | |
| Without Anchor Holes | | | | | | | | | • | | | • |

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



Outswing Options







ADA / Replacement

drain moisture away.



Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 277 for availability.



Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)




Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.



Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

Grip-Style MPLS 💠

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)





Tongue Heights:

Height 6'8" 7'0" 8'0" Configurations: Inswing Outswing

1 Self-lubricating locks.

2 1" premium stainless steel deadbolt.

3 Integrated mishandling device.

Key







Lever-Style MPLS *

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue Heights:

6'8" 7'0"

8'0"

Configurations: Inswing Outswing



Shootbolt

(For door systems with an astragal.) Heights: Configurations:

6'6" 6'8" 7'0" 8'0" Inswing Outswing



Vented Sidelite MPLS







Tongue (Included in vented sidelite units.) Heights: 6'6" 6'8" 8'0"

Exterior view of door.


Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru_® door styles from traditional to contemporary.









Latch & Deadbolt Strike Plate

Finish Options:

Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Brushed Nickel Black Nickel Polished Chrome Oil Rubbed Bronze Stainless Steel Zinc Dichomate A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry. Our adjustable security strike plates are tested to withstand up to three times the force of standard strike plates.*

- Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate

Hinges

Adjustable Hinge 💠

(Recommended for Classic-Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Classic-Craft_® Ball-Bearing •

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Classic-Craft_® Ball-Bearing – Staggered Hole Pattern *

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Self-Aligning Ball-Bearing 💠

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Self-Aligning *

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab 💠

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded *

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



Hinge Finsh Options



Bright

Brass







Black

Nickel

Polished Chrome



Oil-Rubbed Bronze



Stainless

Steel

| Zinc |
|------------|
| Dichromate |

| = Available= Not ApplicableHinge Finish Options | Adjustable | Classic Craft。
Ball-Bearing | Classic Craft。
Ball-Bearing –
Staggered Hole Pattern | Classic Craft。
Ball-Bearing –
Staggered Hole Pattern
(Non-Removable Pin) | Self-Aligning Ball-
Bearing | Self-Aligning | Self-Aligning NRP
(Non-Removable Pin) | Security Tab | Spring-Loaded |
|---|------------|--------------------------------|--|---|--------------------------------|---------------|--|--------------|---------------|
| Bright Brass | | | - | • | | • | • | • | • |
| Brushed Nickel | | | | • | | | | | |
| Black Nickel | | | - | • | | • | | • | |
| Polished Chrome | | | - | | | • | | • | |
| Oil-Rubbed Bronze | | | | | | | | • | |
| Stainless Steel | • | | | | | • | | | |
| Zinc Dichromate | • | | | | | | | | |

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.









Configurations: Inswing Outswing Multi-Point Lock Double Bore Left-Handed Right-Handed

Finish Colors: Bronze White

Weatherstrip: Bronze

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-½" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Textures Available

Stainable (Shown in Rustic Clay stain.)



Oak Grain M



Mahogany Grain



Fir Grain



Aluminum

Bronze



White



Door Surrounds

Add a beautiful, finished look to the entry with stylish, low-maintenance door surrounds from Therma-Tru. Discover a hand-selected assortment designed to complement the architectural details of virtually any home style. Create a cohesive look in the entry with authentic details for enhanced curb appeal.



Durable style built to last.

■ Features a low-maintenance, durable and trimmable polyurethane construction that resists moisture and insects, and won't rot, warp, crack or split like wood. And, it won't expand or contract in extreme temperatures.










- Available in smooth, paintable styles, as well as wood-grained options that can be painted or stained to complement the entry.
- Designed as part of Therma-Tru's complete fiberglass door system and backed by the industry's most comprehensive lifetime limited warranty.





Door Surrounds Style Options

Traditional Crosshead



Traditional Header with End Cap Plain Pilaster Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-TRDPLN-5S6H | 5" | 6" |
| В | TDS-TRDPLN-7S9H | 7" | 9" |



Traditional Header with End Cap & Keystone Plain Pilaster Side

| | Style Option | Side Trim Width | Header Height |
|---|-------------------|-----------------|---------------|
| Α | TDS-TRDPLN-K-5S6H | 5" | 6" |
| В | TDS-TRDPLN-K-7S9H | 7" | 9" |



Traditional Header with End Cap Fluted Pilaster Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-TRDFLU-5S6H | 5" | 6" |
| В | TDS-TRDFLU-7S9H | 7" | 9" |



Traditional Header with End Cap & Keystone Fluted Pilaster Side

| | Style Option | Side Trim Width | Header Height |
|---|-------------------|-----------------|---------------|
| Α | TDS-TRDFLU-K-5S6H | 5" | 6" |
| В | TDS-TRDFLU-K-7S9H | 7" | 9" |



Traditional Header with End Cap Smooth Flat Trim Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-TRDFLT-6S6H | 6" | 6" |
| В | TDS-TRDFLT-6S9H | 6" | 9" |



Traditional Header with End Cap & Keystone Smooth Flat Trim Side

| | Style Option | Side Trim Width | Header Height |
|---|-------------------|-----------------|---------------|
| Α | TDS-TRDFLT-K-6S6H | 6" | 6" |
| В | TDS-TRDFLT-K-6S9H | 6" | 9" |

Available Sizes & Configurations



$6^{\rm l}8^{\rm ll}$ Configurations - Use 90" Sides

| 55" Header Leng | th |
|--|---------|
| Widths | Heights |
| 3'0" & Smaller | 6'8" |
| | 6'6" |
| Multiple Units & 3'6" Singles - 6'8" and sma | |
| 90" Header Leng | th |
| Widths | Heights |
| 3'6" Single | 6'8" |
| 6'0" Double & Smaller | 6'6" |
| Single-1 Sidelite (all STD Size options)* | |
| | |



8'0" Configurations - Use 108" Sides

| | 55" Header Len | ath | |
|----------|--|-------------------------|--|
| H | | yuı | |
| | Widths | Heights | |
| | 3'0" & Smaller | 8'0" | |
| 5 | | 7'0" | |
| religill | | 6'8" w/ 13-1/2" Transom | |
| 13 | Multiple Units & 3'6" Singles - 8'0" and smaller | | |
| | 90" Header Length | | |
| 3 | Widths | Heights | |
| | 3'6" Single | 8'0" | |
| | 6'0" Double & Smaller | 7'0" | |
| | Single-1 Sidelite (all STD Size options)* | 6'8" w/ 13-1/2" Transom | |
| | | | |

Craftsman Cove Crosshead



Craftsman Cove Header with End Cap Plain Pilaster Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-CCCPLN-5S9H | 5" | 9" |



Craftsman Cove Header Plain Pilaster Side

| Style Option | | Side Trim Width | Header Height |
|--------------|-----------------|-----------------|---------------|
| Α | TDS-CRCPLN-5S9H | 5" | 9" |



Craftsman Cove Header with End Cap Smooth Flat Trim Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-CCCFLT-4S9H | 4" | 9" |
| В | TDS-CCCFLT-6S9H | 6" | 9" |

Craftsman Cove Crosshead



Craftsman Cove Header Smooth Flat Trim Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-CRCFLT-4S9H | 4" | 9" |
| В | TDS-CRCFLT-6S9H | 6" | 9" |


Craftsman Step Crosshead



Craftsman Step Header Smooth Flat Trim Side

| | Style Option | Side Trim Width | Header Height |
|---|-----------------|-----------------|---------------|
| Α | TDS-CRSFLT-4S6H | 4" | 6" |
| В | TDS-CRSFLT-4S8H | 4" | 8" |
| С | TDS-CRSFLT-6S6H | 6" | 6" |
| D | TDS-CRSFLT-6S8H | 6" | 8" |

Smooth & Woodgrain Flat Trim



Smooth (TDS) / Woodgrain (TDG) Flat Trim Header Smooth / Woodgrain Flat Trim Side

| | Style Option | Side Trim Width | Header Height |
|---|--------------|-----------------|---------------|
| Α | FLTFLT-4S4H | 4" | 4" |
| В | FLTFLT-4S6H | 4" | 6" |
| С | FLTFLT-6S4H | 6" | 4" |
| D | -FLTFLT-6S6H | 6" | 6" |





^{*}Door surrounds will support sidelite spread mull units up to 3" per mull (3'0 door / 14" sidelite maximum).

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, dimensional data or additional configurations. Dimensions listed are nominal and not actual.

Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options

Divided Lites

Match various window patterns and home styles with additional grid patterns and color options.

Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.





Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options


Classic Craft®




Key

- Classic Craft_® Artíssa Collection_™
- ◆ Classic Craft。
 Founders Collection™
- ▲ Classic Craft。 Visionary Collection™
- * Smooth-Star.
- ▶ Profiles™ & Traditions
- Steel Edge

6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star_®, Profiles_™, Traditions & Pulse_®



7'0" Height Door Style Options

| Door Styles | | | | | | | | | | | | |
|--------------------------|----------------------|-------------|---|--------------|---|----|-------------|---|-------------|---|---|--|
| Blackstone | VA * D | A *) | * | | • | | | | | | | |
| Crystalline _™ | VA * D | A *) | * | | • | | | • | | | | |
| Sedona | VA * D | A*) | * | | • | | | | | | | |
| Salinas _® | VA * D | A *) | * | | • | | | | | | | |
| Maple Park | VA * D | A *) | * | | • | | A *D | | | | | |
| Avonlea | VA * D | A *) | * | | • | | | | | | | |
| Saratoga _™ | VA * D | A *) | * | | • | | A *) | | | | | |
| Texas Star | VA * D | A *) | * | | • | | | | | | | |
| Wellesley™ | VA * D | A *) | * | | • | | A *D | | | | | |
| Riserva | VA * D | A *) | * | | • | | | | | | | |
| Concorde™ | VA * D | A *) | * | | • | | A *D | • | | | | |
| Kensington™ | VA * D | A *) | * | | • | | | | | | | |
| Pembridge™ | VA * D | A *) | * | | • | | • | | A D | | | |
| Axis. | VA * D | A *) | * | | • | | | | A* | | | |
| Frosted Images | | A *) | * | | • | | | | | | | |
| Privacy & Textured Glass | VA * D | A *) | * | VA *) | • | | | | A *D | | | |
| Internal Blinds | VA * D | A *) | * | VA *) | | | | | | | | |
| Screen Vented | | *) | * | *) | | | | | | | | |
| Divided Lites | VA *) | A *) | * | | • | *) | A *) | • | | • | • | |
| Clear | VA *) | A *) | * | VA *) | • | *) | A* | • | A *) | | | |
| Solid Panel | | | | | | | | | | | | |

6'6" Height Door Style Options

| 9 | | | , | | |
|---------------------------|-------------|---|---|------------|-----|
| Door Styles Glass Designs | 5 | | | | |
| Blackstone _® | A* | | | * | |
| Crystalline _™ | * * | | | ▲ * | |
| Sedona | * * | | | * | |
| Salinas _• | A *D | | | * | |
| Maple Park | * * | | | * | |
| Avonlea | A *D | | | * | |
| Saratoga™ | * * | | | * | |
| Texas Star | A *D | | | * | |
| Wellesley™ | A *D | | | * | |
| Riserva. | A *D | | | * | |
| Concorde™ | * * | | | * | |
| Kensington™ | A *D | | | * | |
| Pembridge™ | A *D | | | * | |
| Axis. | A* | | | * | |
| Frosted Images. | | | | * | |
| Privacy & Textured Glass | A *D | • | | * | |
| Internal Blinds | A *D | • | | * | |
| Screen Vented | | • | | | |
| Divided Lites | A *) | | • | * | |
| Clear | A* | • | • | * | |
| Solid Panel | | | | | *) |

Key

- ▲ Classic Craft_® Visionary Collection_™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star.
- ▶ Profiles_™ & Traditions
- Steel Edge

| | | | * | ▲ *)■ | ▲▼▲* ▶■ |
|----------------------|---|---|---|--------------|----------------|
| VA * D | • | • | | | |
| VA * D | • | | | | |
| | | | | | |
| VA * D | • | | | | |
| VA * D | • | • | | | |
| VA * D | • | | | | |
| VA * D | • |) | | | |
| VA* | • | • | | | |
| VA*) | , | | | | |
| VA*) |) | | | | |
| VA *) |) | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| VA * D | • | | | | |
| | | | | | |
| | | | | | |





Top: Smooth-Star Door – SSF220 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

| Feature | Classic Craft₅ | Fiber-Classic。
& Pulse。
Wood-Grained | Smooth-Star. &
Pulse. Smooth | Profiles _™ &
Pulse₅ Steel (6'8") | Traditions &
Pulse. Steel (8'0") |
|--|---|---|---|---|---|
| Skin Material | Fiberglass | Fiberglass | Fiberglass | 24-Gauge Steel | 6'8": 25-Gauge Steel
/ 8'0": 24-Gauge
Steel |
| Skin Texture | Fir, Walnut,
Mahogany, Oak
Grain; High-Detail
Smooth | Mahogany,
Oak Grain | High-Detail Smooth | Smooth | Smooth |
| Exterior Finish | Stain or Paint | Stain or Paint | Paint | Paint | Paint |
| Interior Finish | Stain or Paint | Stain or Paint | Paint | Paint | Paint |
| Panel - Top Rail | Composite | Composite | Composite | Wood | Wood |
| Panel – Bottom
Rail | Composite | Composite | Composite | Composite | Composite |
| Lock Stile | 4" Full-Length
Engineered Lumber | 6'8": 1-1/4"
Engineered Lumber
8'0": 3- ¹⁵ / ₁₆ "
Full-Length
Engineered Lumber | 6'8": 1-1/4" Engineered Lumber 8'0": 3- ¹⁵ / ₁₆ " Full-Length Engineered Lumber | 1-¼" Wood | 1-1/4" Wood |
| Lock Block | 4" Full-Length
Engineered
Lumber Stile | 22-½" Wood | 12-½" Wood | 12-½" Wood | 6'8": 12-½" Wood /
8'0": 22-½" Wood |
| Height Options | 6'8", 7'0" & 8'0" | 6'6", 6'8", 7'0" & 8'0" | 6'6", 6'8", 7'0" & 8'0" | 6'6", 6'8" & 7'0" | 6'6", 6'8" & 8'0" |
| Width Options | 2'6", 2'8", 2'10",
3'0" & 3'6" | 2'0", 2'4", 2'6", 2'8",
2'10" & 3'0" | 2'0", 2'4", 2'6", 2'8",
2'10", 3'0" & 3'6" | 2'0", 2'4", 2'6", 2'8",
2'10", 3'0" & 3'6" | 2'0", 2'4", 2'6", 2'8",
2'10" & 3'0" |
| Panel Options | Single, Double or
Triple | Single, Double or Triple | Single, Double or
Triple | Single, Double or
Triple | Single, Double or
Triple |
| Sidelite Options | 12" & 14" | 10", 12" & 14" | 10", 12" & 14" | 10", 12" & 14" | 10", 12" & 14" |
| Glass Options | SMC Frame;
Deco / Privacy &
Textured /
Low-E IG | BTS Frame, PVC
Frame; Deco / Privacy
& Textured / Low-E /
Clear IG | BTS Frame, PVC
Frame; Deco /
Privacy & Textured /
Low-E / Clear IG | BTS Frame, PVC
Frame; Deco /
Privacy & Textured /
Low-E / Clear IG | BTS Frame, PVC
Frame; Deco /
Privacy & Textured /
Low-E / Clear IG |
| Sill* | Inswing: Composite
Adjustable
Outswing: Composite
Outswing | Inswing: Basic
Composite
Adjustable
Outswing: Composite
Outswing | Inswing: Basic
Composite
Adjustable
Outswing: Composite
Outswing | Inswing:
Basic Fixed
Outswing:
Aluminum | Inswing:
Basic Fixed
Outswing:
Aluminum |
| Weatherstrip –
Hinge | Medium-Reach | Medium-Reach | Medium-Reach | Medium-Reach | Medium-Reach |
| Weatherstrip –
Lock | Medium-Reach | Long-Reach | Long-Reach | Long-Reach or
Magnetic | Long-Reach or
Magnetic |
| Weatherstrip –
Head | Medium-Reach | Long-Reach | Long-Reach | Long-Reach or
Magnetic | Long-Reach or
Magnetic |
| Multi-Point Lock | Recommended | Recommended | Recommended | - | - |
| Security Strike
Plate | Recommended | Recommended | Recommended | Recommended | Recommended |
| Hinges* | Classic Craft
Ball-Bearing | Self-Aligning | Self-Aligning | Self-Aligning | Self-Aligning |
| Frame* | Composite Door
Frame | Composite Door Frame | Composite Door
Frame | Rot-Resistant | Primed Pine |
| Screens & Screen
Accessories
Available
Colors: Bronze,
White | 2" Frame,
3" Frame | 2" Frame,
3" Frame | 2" Frame,
3" Frame | 2" Frame,
3" Frame | 2" Frame,
3" Frame |
| Residential
Limited
Warranty | Transferable Lifetime | Lifetime | Lifetime | 10 Years | Door: 5 Years /
Glass: 10 Years /
Pulse 8'0":
10 Years |

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct suplicit

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impactated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru_n Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft_n, Fiber-Classic_n, Smooth-Star_n and Pulse_n Door Systems; Steel – Pulse_n, Profiles_n, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru₀ Tru-Defense₀ Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft₀, Fiber-Classic₀, Smooth-Star₀ and Pulse₀ Fiberglass Door Systems
- EnLiten... Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten... Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star-Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles.. and Traditions
- Same-Day, Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru, Fiberglass Door Systems and Fypon-Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru₀ Composite Door Frame featuring Tru-Guard₀ Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft₀, Fiber-Classic₀, Smooth-Star₀ and Pulse₀ Fiberglass Door Systems

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft.

| 19020T | 117 | CC8000XNSL | 112 | CCA2300XG | 102 | CCA2340XNSL | 111 | CCA3500XGSL112 | CCA8220XN |
|----------------------------------|--|--|--|--|---|---|---|---|--|
| 19200T | 117 | CC8000XRSL | | CCA2300XGSL | | CCA2340XR | 102 | CCA3500XJSL 112 | CCA8220XR |
| 19210T | | CC8006SL | | CCA2300XJ | | CCA2340XRSL | | CCA3500XNSL112 | CCA8221 |
| 19220T | | CC8007SL | | CCA2300XJSL | | CCA2350 | | CCA3500XRSL112 | CCA8222 |
| AB30T | | CC8009SL | | CCA2300XK | | CCA2350XC | | CCA3501SL 108 | CCA8230 |
| ABRT | | | | | | CCA2350XCSL | | CCA3502SL 108 | CCA82300 |
| | | CC8010BSL | | CCA2300XKSL | | | | | |
| BEET-B | | CC8102SL | | CCA2300XN | | CCA2350XE | | CCA3560SL 113 | CCA82300SL |
| BERT-B | | CC81418 | | CCA2300XNSL | | CCA2350XESL | | CCA4900 50 | CCA82300XC |
| CC040T | 116 | CC81423SL | | CCA2300XR | 102 | CCA2350XGSL | 111 | CCA4900XC49 | CCA82300XCSL |
| CC060T | 116 | CC831 | 93 | CCA2300XRSL | 111 | CCA2350XJ | 48 | CCA4900XE 49 | CCA82300XE |
| CC090T | 116 | CC860 | 94 | CCA230XC | 59 | CCA2350XJSL | 111 | CCA4900XJ 49 | CCA82300XESL |
| CC100 | 73 | CC890 | | CCA230XJ | | CCA2350XN | | CCA4900XN49 | CCA82300XG |
| CC10022 | | CC892 | | CCA230XN | | CCA2350XNSL | | CCA4900XR49 | CCA82300XGSL |
| CC102 | | | | | | | | CCA490562 | |
| | | CC896 | | CCA230XR | | CCA2350XR | | | CCA82300XJ |
| CC106 | | CC897 | | CCA231 | | CCA2350XRSL | | CCA4910L 51 | CCA82300XJSL |
| CC107 | | CC898 | | CCA2310 | 103 | CCA2360 | 50 | CCA4910LXC 49 | CCA82300XK |
| CC109 | 72 | CC899 | 74 | CCA2310SL | 112 | CCA2360XC | 48 | CCA4910LXE 49 | CCA82300XKSL |
| CC110B | 88 | CC89922 | 52 | CCA2310XC | 102 | CCA2360XE | 48 | CCA4910LXJ49 | CCA82300XN |
| CC111B | 72 | CC89925SL | 108 | CCA2310XCSL | 111 | CCA2360XJ | 48 | CCA4910LXN49 | CCA82300XNSL |
| CC113B | | CC90 | | CCA2310XE | | CCA2360XN | | CCA4910LXR49 | CCA82300XR |
| CC114B | | CC900T | | | | | | CCA4910R51 | CCA82300XRSL |
| | | | | CCA2310XESL | | CCA2360XR | | | |
| CC1418 | | CC901B | | CCA2310XG | | CCA2370 | | CCA4910RXC49 | CCA8230XC |
| CC1423 | | CC91 | | CCA2310XGSL | | CCA2370XC | | CCA4910RXE49 | CCA8230XJ |
| CC1423SL | | CC92 | 53 | CCA2310XJ | 102 | CCA2370XE | 48 | CCA4910RXJ 49 | CCA8230XN |
| CC1424 | 56 | CC920T | 116 | CCA2310XJSL | 111 | CCA2370XJ | 48 | CCA4910RXN49 | CCA8230XR |
| CC2020SL | 113 | CC922 | 75 | CCA2310XK | | CCA2370XN | | CCA4910RXR49 | CCA8231 |
| CC2020XCSL | | CC96 | | CCA2310XKSL | | CCA2370XR | | CCA4915L62 | CCA82310 |
| CC2020XESL | | CC97 | | CCA2310XN | | CCA2380 | | CCA4915R62 | CCA82310SL |
| | | | | | | | | | |
| CC2020XGSL | | CC99 | | CCA2310XNSL | | CCA2380XC | | CCA4920L 51 | CCA82310XC |
| CC2020XJSL | 112 | CC9922 | 52 | CCA2310XR | 102 | CCA2380XE | 102 | CCA4920LXC 50 | CCA82310XCSL |
| CC2020XNSL | 112 | CC9925 | 48 | CCA2310XRSL | 111 | CCA2380XG | 102 | CCA4920LXE 50 | CCA82310XE |
| CC2020XRSL | 112 | CC9925SL | 108 | CCA232 | 57 | CCA2380XJ | 102 | CCA4920LXJ50 | CCA82310XESL |
| CC2025SL | 113 | CC9926 | 56 | CCA2320 | 103 | CCA2380XK | 102 | CCA4920LXN50 | CCA82310XG |
| CC2025XCSL | | CCA1100 | | CCA2320SL | | CCA2380XN | | CCA4920LXR50 | CCA82310XGSL |
| CC2025XESL | | CCA1125 | | | | CCA2380XR | | CCA4920R51 | CCA82310XJ |
| | | | | CCA2320XC | | | | | |
| CC2025XGSL | | CCA1127 | | CCA2320XCSL | | CCA240 | | CCA4920RXC50 | CCA82310XJSL |
| CC2025XJSL | 112 | CCA1133 | 106 | CCA2320XE | 102 | CCA2400 | 103 | CCA4920RXE50 | CCA82310XK |
| CC2025XNSL | 112 | CCA1145 | 106 | CCA2320XESL | 111 | CCA2400SL | 113 | CCA4920RXJ 50 | CCA82310XKSL |
| CC2025XR SL | 112 | CCA1147 | 63 | CCA2320XG | 102 | CCA2400XC | 102 | CCA4920RXN50 | CCA82310XN |
| CC2040SL | 110 | CCA1149 | 62 | CCA2320XGSL | 111 | CCA2400XCSL | | CCA4920RXR50 | CCA82310XNSL |
| CC2044SL | | CCA1150 | | CCA2320XJ | | CCA2400XE | | CCA4925L 62 | CCA82310XR |
| CC2060SL | | CCA1158 | | CCA2320XJSL | | CCA2400XESL | | CCA4925R62 | CCA82310XRSL |
| | | | | | | | | | CCA8232 |
| CC2080BSL | | CCA1166 | | CCA2320XK | | CCA2400XG | | CCA4930 51 | |
| CC2120SL | | CCA1423SL | | CCA2320XKSL | | CCA2400XGSL | | CCA4930XC50 | CCA82320 |
| CC2122SL | 115 | CCA210 | | CCA2320XN | | CCA2400XJ | 102 | CCA4930XE 50 | CCA82320SL |
| CC2140SL | 115 | CCA210SL | 115 | CCA2320XNSL | 111 | CCA2400XJSL | 112 | CCA4930XJ 50 | CCA82320XC |
| CC2144SL | 115 | CCA210XC | 59 | CCA2320XR | 102 | CCA2400XK | 102 | CCA4930XN50 | CCA82320XCSL |
| CC2160SL | 115 | CCA210XCSL | 115 | CCA2320XRSL | | CCA2400XKSL | | CCA4930XR50 | CCA82320XE |
| CC2270SL | | CCA210XJ | | CCA2330 | | CCA2400XN | | CCA4935 63 | CCA82320XESL |
| | | | | | | | | | |
| CC2272SL | | CCA210XJSL | | CCA2330SL | | CCA2400XNSL | | CCA4940 51 | CCA82320XG |
| CC2276SL | | CCA210XN | | CCA2330XC | | CCA2400XR | | CCA4940XC50 | CCA82320XGSL |
| CC2277SL | 114 | CCA210XNSL | | CCA2330XCSL | | CCA2400XRSL | 112 | CCA4940XE 50 | CCA82320XJ |
| CC2279SL | 114 | CCA210XR | 59 | CCA2330XE | 102 | CCA240XC | 59 | CCA4940XJ50 | CCA82320XJSL |
| CC3412SL | 111 | CCA210XRSL | 115 | CCA2330XESL | 111 | CCA240XJ | 59 | CCA4940XN50 | CCA82320XK |
| CC40 | | CCA211 | | CCA2330XG | | CCA240XN | | CCA4940XR50 | CCA82320XKSL |
| CC400T | | CCA211SL | | CCA2330XGSL | | CCA240XR | | CCA4945 63 | CCA82320XN |
| CC420T | | CCA212 | | CCA2330XJ | | CCA2410SL | | CCA81100 106 | CCA82320XNSL |
| | | | | | | | | | |
| CC44 | | CCA212SL | | CCA2330XJSL | | CCA2420SL | | CCA81125 62 | CCA82320XR |
| CC45 | | CCA220 | | CCA2330XK | | CCA2430SL | | CCA81127 62 | CCA82320XRSL |
| CC47 | 88 | CCA220SL | 115 | CCA2330XKSL | 111 | CCA260 | 61 | CCA81133 106 | CCA82330 |
| CC48 | 90 | CCA220XC | 59 | CCA2330XN | 102 | CCA260XC | 59 | CCA81145 106 | CCA82330SL |
| | 89 | CCA220XCSL | | CCA2330XNSL | 111 | CCA260XJ | | CCA81147 63 | CCA82330XC |
| CC48XE | | CCA220XJ | | CCA2330XR | | CCA260XN | | CCA8114962 | CCA82330XCSL |
| | an | | | CCA2330XRSL | | | | | |
| CC49 | | CCV33UV ICI | 445 | UUMCOOUNTOL | 111 | CCA260XR | | CCA81150 106 | CCA82330XE |
| CC49
CC49XE | 89 | CCA220XJSL | | | 400 | | 112 | | |
| CC49
CC49XE
CC60 | 89
94 | CCA220XN | 59 | CCA2340 | | CCA3400SL | | CCA81158 63 | CCA82330XESL |
| CC49
CC49XE
CC60 | 89
94
116 | CCA220XNCCA220XNSL | 59
115 | CCA2340
CCA2340SL | 113 | CCA3400XCSL | 112 | CCA81166 63 | CCA82330XG |
| CC49
CC49XE
CC60 | 89
94
116 | CCA220XN | 59
115 | CCA2340 | 113 | | 112 | | |
| CC49
CC49XE
CC60
CC600T | 89
94
116
89 | CCA220XNCCA220XNSL | 59
115
59 | CCA2340
CCA2340SL | 113
102 | CCA3400XCSL | 112
112 | CCA81166 63 | CCA82330XG |
| CC49 | 89
94
116
89 | CCA220XN
CCA220XNSL
CCA220XR
CCA220XRSL | 59
115
59
115 | CCA2340
CCA2340SL
CCA2340XC
CCA2340XCSL | 113
102
111 | CCA3400XCSL
CCA3400XESL
CCA3400XGSL | 112
112
112 | CCA81166 | CCA82330XG
CCA82330XGSL
CCA82330XJ |
| CC49 | 89
94
116
89
116 | CCA220XN
CCA220XNSL
CCA220XR
CCA220XRSL
CCA221 | 59
59
115
15 | CCA2340 | 113
102
111
102 | CCA3400XCSL
CCA3400XESL
CCA3400XGSL
CCA3400XJSL | 112
112
112
112 | CCA81166 | CCA82330XGCCA82330XGSLCCA82330XJCCA82330XJSL |
| CC49 | 89
94
116
89
116
91 | CCA220XN
CCA220XNSL
CCA220XRSL
CCA220XRSL
CCA221 | 59595911557 | CCA2340
CCA2340SL
CCA2340XC
CCA2340XCSL
CCA2340XE
CCA2340XESL | 113
102
111
102
111 | CCA3400XCSL
CCA3400XESL
CCA3400XGSL
CCA3400XJSL | 112
112
112
112
112 | CCA81166 | CCA82330XGCCA82330XGSLCCA82330XJCCA82330XJSLCCA82330XJSL |
| CC49 | 89
94
116
89
116
91
91 | CCA220XN
CCA220XNSL
CCA220XR
CCA220XRSL
CCA221
CCA222 | 59115591155757 | CCA2340 | 113
102
111
102
111
102 | CCA3400XCSL
CCA3400XESL
CCA3400XGSL
CCA3400XJSL
CCA3400XNSL
CCA3400XRSL | 112
112
112
112
112 | CCA81166 | CCA82330XG |
| CC49 | 89
94
116
89
116
91
91
91 | CCA220XN
CCA220XNSL
CCA220XR
CCA220XRSL
CCA221
CCA222
CCA230 | 59
115
59
115
57
57
60 | CCA2340 | 113
102
111
102
111
102
111 | CCA3400XCSL CCA3400XESL CCA3400XGSL CCA3400XJSL CCA3400XNSL CCA3400XRSL CCA3400XRSL | 112
112
112
112
112
112 | CCA81166 | CCA82330XG |
| CC49 | 89
94
116
89
116
91
91
91
91 | CCA220XN
CCA220XNSL
CCA220XR
CCA220XRSL
CCA221
CCA222 | 59
115
59
115
57
57
60 | CCA2340 | 113
102
111
102
111
102
111 | CCA3400XCSL
CCA3400XESL
CCA3400XGSL
CCA3400XJSL
CCA3400XNSL
CCA3400XRSL | 112
112
112
112
112
112 | CCA81166 | CCA82330XG |
| CC49 | 89
94
116
89
116
91
91
91
91 | CCA220XN
CCA220XNSL
CCA220XR
CCA220XRSL
CCA221
CCA222
CCA230 | 59
115
59
115
57
57
60
103 | CCA2340 | 113
102
111
102
111
102
111 | CCA3400XCSL CCA3400XESL CCA3400XGSL CCA3400XJSL CCA3400XNSL CCA3400XRSL CCA3400XRSL | 112
112
112
112
112
112
108
108 | CCA81166 | CCA82330XG |
| CC48XE | | CCA220XN | 59
115
59
115
57
57
60
103
112 | CCA2340 | 113
102
111
102
111
102
111
102 | CCA3400XCSL CCA3400XESL CCA3400XGSL CCA3400XJSL CCA3400XNSL CCA3400XRSL CCA3400XRSL CCA3401SL CCA3402SL | 112
112
112
112
112
108
108
108 | CCA81166 63 CCA81423SL 109 CCA8210 61 CCA8210XC 59 CCA8210XJ 59 CCA8210XN 59 CCA8210XN 59 CCA8210XR 59 CCA8210XR 59 CCA8211 57 CCA8212 57 | CCA82330XG |
| CC49 | | CCA220XN | | CCA2340 | 113
102
111
102
111
102
111
102
111 | CCA3400XCSL CCA3400XESL CCA3400XGSL CCA3400XJSL CCA3400XNSL CCA3400XRSL CCA3400XRSL CCA3400XRSL CCA3400XRSL CCA3400XRSL CCA3405SL | 112
112
112
112
112
108
108
108
113 | CCA81166 | CCA82330XG |

| CCA82340XC | | CCA84900XJ 49 | CCM1844 | | CCM3303SL | | CCM8305CARXC | | CCR30026 | |
|---------------|-----|----------------|-------------|-----|--------------|-----|--------------|-----|--------------|--|
| CCA82340XCSL | | CCA84900XN49 | CCM200 | 76 | CCM3309SL | | CCM8305CARXJ | | CCR30027 | |
| CCA82340XE | 102 | CCA84900XR49 | CCM200XC | 76 | CCM3310BSL | 113 | CCM8305CARXN | 84 | CCR30028 | |
| CA82340XESL | 111 | CCA84905 62 | CCM200XN | 76 | CCM3500SL | 114 | CCM8305CARXR | 84 | CCR30029 | |
| CA82340XG | | CCA84910L51 | CCM203 | | CCM3502SL | 11/ | CCM8306CAL | | CCR3400SL | |
| CA82340XGSL | | | CCM204 | | | | CCM8306CALXC | | | |
| | | CCA84910LXC 49 | | | CCM3503SL | | | | CCR3400XCSL | |
| CCA82340XJ | | CCA84910LXE 49 | CCM209 | | CCM3509SL | | CCM8306CALXJ | | CCR3400XESL | |
| CA82340XJSL | 111 | CCA84910LXJ49 | CCM210B | 74 | CCM3510BSL | 114 | CCM8306CALXN | 84 | CCR3400XGSL | |
| CA82340XK | 102 | CCA84910LXN49 | CCM300 | 76 | CCM60 | 94 | CCM8306CALXR | 84 | CCR3400XHSL | |
| CA82340XKSL | 111 | CCA84910LXR49 | CCM300XC | 76 | CCM600 | 90 | CCM8306CAR | 87 | CCR3400XJSL | |
| CA82340XN | | | | | | | CCM8306CARXC | | CCR3400XNSL | |
| | | CCA84910R51 | CCM300XN | | CCM600XE | | | | | |
| CCA82340XNSL | 111 | CCA84910RXC49 | CCM301CAL | | CCM603 | 89 | CCM8306CARXJ | 84 | CCR3400XNSL | |
| CA82340XR | 102 | CCA84910RXE49 | CCM301CALXC | 84 | CCM609 | 88 | CCM8306CARXN | 84 | CCR3400XRSL | |
| CA82340XRSL | 111 | CCA84910RXJ 49 | CCM301CALXJ | 84 | CCM610B | 88 | CCM8306CARXR | 84 | CCR3406SL | |
| CA82350 | | CCA84910RXN49 | CCM301CALXN | | CCM612 | | CCM890 | | CCR3407SL | |
| | | | | | | | | | | |
| CA82350XC | | CCA84910RXR49 | CCM301CALXR | | CCM700 | | CCM891 | | CCR3408SL | |
| CA82350XCSL | 111 | CCA84915L 62 | CCM301CAR | 86 | CCM701 | 94 | CCM892 | 75 | CCR3409SL | |
| CA82350XE | 48 | CCA84915R62 | CCM301CARXC | 84 | CCM702 | 91 | CCM894 | 74 | CCR3410BSL | |
| CA82350XESL | 111 | CCA84920L 51 | CCM301CARXJ | 84 | CCM703 | 91 | CCM895B | 74 | CCR3412SL | |
| CA82350XJ | | CCA84920LXC 50 | CCM301CARXN | | CCM709 | | CCM898 | | CCR8000SL | |
| | | | | | | | | | | |
| CA82350XJSL | | CCA84920LXE 50 | CCM301CARXR | 84 | CCM710B | | CCM89922 | | CCR8000XCSL | |
| CA82350XN | 48 | CCA84920LXJ50 | CCM302 | 76 | CCM800 | 92 | CCM9923 | 52 | CCR8000XESL | |
| CA82350XNSL | 111 | CCA84920LXN50 | CCM302L | 85 | CCM801 | 94 | CCM9926 | 56 | CCR8000XGSL | |
| CA82350XR | | CCA84920LXR 50 | CCM302LXC | | CCM803 | | CCR040 | | CCR8000XHSL | |
| | | | | | | | | | | |
| CA82350XRSL | | CCA84920R51 | CCM302LXJ | | CCM805027 | | CCR04020 | | CCR8000XJSL | |
| CA82360 | | CCA84920RXC50 | CCM302LXN | 83 | CCM809 | | CCR04020XC | | CCR8000XNSL | |
| CA82360XC | 48 | CCA84920RXE50 | CCM302LXR | 83 | CCM810B | 92 | CCR04020XN | 82 | CCR8000XNSL | |
| CA82360XE | | CCA84920RXJ 50 | CCM302R | | CCM81418 | 52 | CCR04022 | | CCR8000XRSL | |
| CA82360XJ | | CCA84920RXN50 | CCM302RXC | | CCM81519 | | CCR04023 | | CCR8005 | |
| | | | | | | | | | | |
| CA82360XN | 48 | CCA84920RXR50 | CCM302RXJ | 83 | CCM81843 | 103 | CCR04027 | 77 | CCR8005A | |
| CA82360XR | 48 | CCA84925L 63 | CCM302RXN | 83 | CCM822 | 92 | CCR04037 | 77 | CCR8006SL | |
| CA82370 | 50 | CCA84925R63 | CCM302RXR | 83 | CCM8301CAL | 86 | CCR040R | 92 | CCR8007SL | |
| CA82370XC | | CCA8493051 | CCM303 | | CCM8301CALXC | | CCR100 | | CCR8008SL | |
| | | | | | | | | | | |
| CA82370XE | | CCA84930XC50 | CCM303L | | CCM8301CALXJ | | CCR10022 | | CCR8009SL | |
| CA82370XJ | 48 | CCA84930XE 50 | CCM303LXC | 83 | CCM8301CALXN | 84 | CCR100R | 92 | CCR8010BSL | |
| CA82370XN | 48 | CCA84930XJ 50 | CCM303LXJ | 83 | CCM8301CALXR | 84 | CCR1414 | 55 | CCR8040 | |
| CA82370XR | | CCA84930XN50 | CCM303LXN | | CCM8301CAR | | CCR1415 | | CCR804020 | |
| | | CCA84930XR50 | | | | | | | | |
| CA82380 | | | CCM303LXR | | CCM8301CARXC | | CCR1417 | | CCR804020XC | |
| CA82380XC | 102 | CCA84935 63 | CCM303R | 86 | CCM8301CARXJ | 84 | CCR1423 | 48 | CCR804020XN | |
| CA82380XE | 102 | CCA84940 51 | CCM303RXC | 83 | CCM8301CARXN | 84 | CCR1423SL | 109 | CCR804022 | |
| CA82380XG | 102 | CCA84940XC50 | CCM303RXJ | 83 | CCM8301CARXR | 84 | CCR1511 | 79 | CCR804023 | |
| CA82380XJ | | CCA84940XE 50 | CCM303RXN | | CCM8302L | | CCR1511A | | CCR804024B | |
| | | | | | | | | | | |
| CA82380XK | | CCA84940XJ 50 | CCM303RXR | | CCM8302LXC | | CCR1512 | | CCR804026 | |
| CA82380XN | 102 | CCA84940XN50 | CCM304L | 86 | CCM8302LXJ | 83 | CCR1512A | 79 | CCR804027 | |
| CA82380XR | 102 | CCA84940XR50 | CCM304LXC | 83 | CCM8302LXN | 83 | CCR1514 | 79 | CCR804028 | |
| CA8240 | 60 | CCA8494563 | CCM304LXJ | 83 | CCM8302LXR | | CCR1515 | 78 | CCR804029 | |
| | | CCA87100 61 | | | | | | | | |
| CA82400 | | | CCM304LXN | | CCM8302R | | CCR1516 | | CCR804030 | |
| CA82400SL | 113 | CCA87100XR59 | CCM304LXR | 83 | CCM8302RXC | 83 | CCR1518 | 78 | CCR804030AXC | |
| CA82400XC | 102 | CCA87111 58 | CCM304R | 86 | CCM8302RXJ | 83 | CCR1528 | 72 | CCR804030AXN | |
| CA82400XCSL | 112 | CCA87112 57 | CCM304RXC | 83 | CCM8302RXN | 83 | CCR1838 | 104 | CCR804030XC | |
| | | CCA8712158 | CCM304RXJ | | CCM8302RXR | | CCR1839 | | | |
| CA82400XE | | | | | | | | | CCR804030XN | |
| CA82400XESL | 112 | CCA87122 57 | CCM304RXN | | CCM8303L | | CCR1841 | 104 | CCR804032 | |
| CA82400XG | 102 | CCA87131 58 | CCM304RXR | 83 | CCM8303LXC | 83 | CCR1851 | 102 | CCR804037 | |
| CA82400XGSL | | CCA87132 57 | CCM305CAL | 87 | CCM8303LXJ | 83 | CCR1851SL | | CCR8040R | |
| CA82400XJ | | CCA87200 60 | CCM305CALXC | | CCM8303LXN | | CCR200 | | CCR8100 | |
| | | | | | | | | | | |
| CA82400XJSL | | CCA87200XR59 | CCM305CALXJ | | CCM8303LXR | | CCR20020 | | CCR8100R | |
| CA82400XK | 102 | CCA87300 60 | CCM305CALXN | 84 | CCM8303R | 86 | CCR20020XC | 82 | CCR8102SL | |
| CA82400XKSL | 112 | CCA87300XR59 | CCM305CALXR | 84 | CCM8303RXC | 83 | CCR20020XN | 82 | CCR81414 | |
| CA82400XN | | CCA87400 60 | CCM305CAR | | CCM8303RXJ | | CCR20022 | | CCR81415 | |
| CA82400XNSL | | | CCM305CARXC | | | | | | CCR81417 | |
| | | CCA87400XR59 | | | CCM8303RXN | | CCR20023 | | | |
| CA82400XR | | CCA87600 61 | CCM305CARXJ | | CCM8303RXR | | CCR20027 | | CCR81423SL | |
| CA82400XRSL | 112 | CCA87600XR59 | CCM305CARXN | 84 | CCM8304L | 86 | CCR20037 | 78 | CCR81511 | |
| CA8240XC | 59 | CCA89100 58 | CCM305CARXR | 84 | CCM8304LXC | 83 | CCR20037A | 78 | CCR81511A | |
| A8240XJ | | CCA89200 58 | CCM306CAL | | CCM8304LXJ | | CCR200A | | CCR81512 | |
| | | | | | | | | | | |
| CA8240XN | | CCA89300 58 | CCM306CALXC | | CCM8304LXN | | CCR205 | | CCR81512A | |
| CA8240XR | 59 | CCA9100 58 | CCM306CALXJ | 84 | CCM8304LXR | 83 | CCR20520 | 55 | CCR81514 | |
| CA82410SL | 109 | CCA9100SL 115 | CCM306CALXN | 84 | CCM8304R | 86 | CCR20520XC | 55 | CCR81515 | |
| CA82420SL | | CCA9200 58 | CCM306CALXR | | CCM8304RXC | | CCR20520XN | | CCR81516 | |
| | | | | | | | | | | |
| CA82430SL | | CCA9300 58 | CCM306CAR | | CCM8304RXJ | | CCR20522 | | CCR81518 | |
| CA8260 | 61 | CCM1419 52 | CCM306CARXC | 84 | CCM8304RXN | 83 | CCR20523 | 80 | CCR81838 | |
| CA8260XC | | CCM1424 56 | CCM306CARXJ | 84 | CCM8304RXR | 83 | CCR20527 | | CCR81839 | |
| CA8260XJ | | CCM1465 75 | CCM306CARXN | | CCM8305CAL | | CCR20537 | | CCR81841 | |
| | | | | | | | | | | |
| CA8260XN | | CCM1475 75 | CCM306CARXR | | CCM8305CALXC | | CCR20537A | | CCR81845 | |
| CA8260XR | 59 | CCM148574 | CCM309 | 74 | CCM8305CALXJ | 84 | CCR205A | 93 | CCR81845A | |
| CA84900 | | CCM149574 | CCM310B | 75 | CCM8305CALXN | 84 | CCR30020 | 73 | CCR81846 | |
| CA84900XC | | CCM1842 103 | CCM3300SL | | CCM8305CALXR | | CCR30023 | | CCR81846A | |
| J, 10 TO OUNO | | | | | | | | | | |
| CCA84900XE | | CCM1843SL 114 | CCM3302SL | 113 | CCM8305CAR | 8/ | CCR30024B | 72 | CCR81847 | |

| CCR81847A | 105 | CCV05020XC | 53 | CCV4100SL | 115 | CCV8220 93 | CCV960XR | 60 |
|--------------------|-----|-----------------------|-----|--------------------------|-----|----------------------------|------------|-----|
| | | | | | | | | |
| CCR81851SL | | CCV05020XN | | CCV4200 | | CCV822012 85 | CCV9918 | |
| CCR8200 | | CCV05022 | 75 | CCV4300 | 59 | CCV822012XC 82 | CCV9919 | |
| CCR820020 | 85 | CCV05023 | 75 | CCV805015 | 53 | CCV822012XN82 | CCV9922 | 52 |
| CCR820020XC | 82 | CCV05024B | 75 | CCV805020 | 53 | CCV822020 85 | CCV9925 | 48 |
| CCR820020XN | | CCV05026 | | CCV805022 | | CCV822020XC 82 | CCV9926 | |
| | | | | | | | CCW1000 | |
| CCR820022 | | CCV05027 | | CCV805023 | | CCV822020XN82 | | |
| CCR820023 | | CCV05028 | | CCV805024B | 75 | CCV822022 81 | CCW81000 | |
| CCR820024B | 79 | CCV05029 | 74 | CCV805026 | 76 | CCV822023 81 | CCW8900L | 106 |
| CCR820026 | 81 | CCV060 | 94 | CCV805027 | 74 | CCV822024B79 | CCW8900R | 106 |
| CCR820027 | | CCV06020 | | CCV805028 | | CCV822026 81 | CCW8901L | |
| | | | | | | | CCW8901R | |
| CCR820028 | | CCV06020XE | | CCV805029 | | CCV822027 77 | | |
| CCR820029 | | CCV06022 | 89 | CCV806012 | | CCV822028 80 | CCW8902L | |
| CCR820030 | 85 | CCV06023 | 89 | CCV806012XC | 89 | CCV822029 77 | CCW8902R | 107 |
| CCR820030A | 85 | CCV06024B | 88 | CCV806012XN | 89 | CCV83193 | CCW8903 | 107 |
| CCR820030XC | 83 | CCV06026 | 89 | CCV806020 | 90 | CCV860 94 | CCW8904L | 107 |
| CCR820030XN | | CCV06028 | | CCV806020XC | | CCV8950SL 113 | CCW8904R | |
| | | | | | | | | |
| CCR820032 | | CCV06029 | | CCV806020XN | | CCV8950XCSL 112 | CCW8905 | |
| CCR820032A | 82 | CCV0609 | 90 | CCV806022 | 89 | CCV8950XGSL 112 | CCW8906L | 107 |
| CCR820037 | 78 | CCV0609XE | 89 | CCV806023 | 89 | CCV8950XJSL 112 | CCW8906R | 107 |
| CCR820037A | 78 | CCV10015 | 73 | CCV806024B | 88 | CCV8950XNSL 112 | CCW8907L | 107 |
| CCR8200A | | CCV10020 | | CCV806026 | | CCV8950XRSL 112 | CCW8907R | |
| | | | | | | | | |
| CCR8205 | | CCV10022 | | CCV806027 | | CCV89918 54 | CCW900L | |
| CCR820520 | 55 | CCV10023 | 73 | CCV806028 | 89 | CCV89919 54 | CCW900R | 106 |
| CCR820520XC | 55 | CCV10024B | 72 | CCV806029 | 88 | CCV89921 56 | CCW901L | 106 |
| CCR820520XN | 55 | CCV10026 | 73 | CCV8100SL | 113 | CCV89922 52 | CCW901R | 106 |
| CCR820522 | | CCV10027 | | CCV8100XCSL | | CCV9010SL 115 | CCW902L | |
| | | CCV10027 | | | | | | |
| CCR820523 | | | | CCV8100XGSL | | CCV9011SL 115 | CCW902R | |
| CCR820524B | | CCV10029 | | CCV8100XHSL | 110 | CCV9012SL 115 | CCW903 | 107 |
| CCR820526 | 81 | CCV100SL | 113 | CCV8100XJSL | 112 | CCV9020SL 115 | CCW904L | 107 |
| CCR820527 | 77 | CCV100XCSL | 112 | CCV8100XNSL | 109 | CCV91061 | CCW904R | 107 |
| CCR820528 | 80 | CCV100XESL | 112 | CCV8100XNSL | 112 | CCV910XC 59 | CCW905 | 107 |
| CCR820529 | | CCV100XGSL | | CCV8100XRSL | | CCV910XCSL 115 | CCW906L | |
| | | CCV100XHSL | | | | | | |
| CCR820530 | | | | CCV8102SL | | CCV910XJ59 | CCW906R | |
| CCR820530A | 85 | CCV100XJSL | | CCV8103SL | | CCV910XJSL 115 | CCW907L | |
| CCR820530AXC | 83 | CCV100XNSL | 109 | CCV8104BSL | 109 | CCV910XN59 | CCW907R | 107 |
| CCR820530AXN | 83 | CCV100XNSL | 112 | CCV8106SL | 111 | CCV910XNSL115 | DRS2131SL | 108 |
| CCR820530XC | 83 | CCV100XRSL | 112 | CCV8108SL | 110 | CCV910XR 59 | DRS82131SL | 108 |
| CCR820530XN | 83 | CCV103SL | | CCV8109SL | 109 | CCV910XRSL 115 | HW30T | 116 |
| CCR820532 | | CCV104BSL | | CCV8111SL | | CCV91158 | HWRT | |
| CCR820532A | | CCV106SL | | CCV8112SL | | CCV911SL108 | LC30T | |
| | | | | | | | | |
| CCR820537 | | CCV108SL | | CCV81414 | | CCV912 57 | LCET | |
| CCR820537A | 78 | CCV109SL | 109 | CCV81415 | 54 | CCV912SL 108 | LCRT | 116 |
| CCR8205A | 93 | CCV1414 | 55 | CCV81417 | 56 | CCV920 61 | LF30T | 116 |
| CCR8220 | 93 | CCV1415 | 54 | CCV81418 | 52 | CCV920XC 60 | LFET | 116 |
| CCR8220R | 93 | CCV1418 | 52 | CCV81423SL | 109 | CCV920XCSL 115 | LFRT | 116 |
| CCR8222 | | CCV1423 | | CCV81512 | | CCV920XJ60 | ZHRT | |
| | | | | | | | ΔΠΝΙ | 117 |
| CCR822214 | | CCV1423SL | | CCV81515 | | CCV920XJSL 115 | | |
| CCR822215 | 79 | CCV1424 | 56 | CCV81516 | 78 | CCV920XN60 | | |
| CCR822218 | 54 | CCV1512 | 79 | CCV81518 | 88 | CCV920XNSL115 | | |
| CCR822220 | 85 | CCV1515 | 79 | CCV81519 | 75 | CCV920XR60 | | |
| CCR822220XC | | CCV1516 | | CCV81838 | 104 | CCV920XRSL 115 | | |
| | | | | | | | | |
| CCR822220XN | | CCV1519 | | CCV81839 | | CCV921 58 | | |
| CCR822222 | | CCV1528 | | CCV81840 | | CCV922 57 | | |
| CCR822223 | | CCV1838 | | CCV81841 | | CCV93061 | | |
| CCR822224B | 79 | CCV1839 | 104 | CCV81843 | 103 | CCV930XC60 | | |
| CCR822226 | | CCV1843 | | CCV81846 | | CCV930XJ60 | | |
| CCR822227 | | CCV1851 | | CCV81851SL | | CCV930XN60 | | |
| | | | | | | | | |
| CCR822228 | | CCV1851SL | | CCV8205 | | CCV930XR 60 | | |
| CCR822229 | 77 | CCV200 | | CCV820512 | | CCV93158 | | |
| CCR822238 | 104 | CCV205 | 93 | CCV820512XC | 55 | CCV932 57 | | |
| CCR8225 | 93 | CCV20520 | 55 | CCV820512XN | 55 | CCV940 61 | | |
| CCR8225R | | CCV20520XC | | CCV820520 | 55 | CCV940XC60 | | |
| CCR89918 | | CCV20520XN | | CCV820520XC | | CCV940XJ60 | | |
| | | | | | | | | |
| CCR89919 | | CCV20522 | | CCV820520XN | | CCV940XN60 | | |
| CCR89921 | | CCV20523 | | CCV820522 | | CCV940XR60 | | |
| CCR89925SL | 108 | CCV20527 | 77 | CCV820523 | | CCV950SL 113 | | |
| CCR9918 | 54 | CCV20537 | 78 | CCV820524B | 79 | CCV950XCSL 112 | | |
| CCR9919 | 54 | CCV220 | 93 | CCV820526 | 81 | CCV950XESL 112 | | |
| CCR9921 | | CCV22020 | | CCV820527 | | CCV950XGSL112 | | |
| CCR9925 | | CCV22020XC | | CCV820528 | | CCV950XJSL112 | | |
| | | | | CCV820529 | | CCV950XNSL112 | | |
| CCR9925SL | | CCV22020XN | | | | | | |
| CCV050 | | CCV22022 | | CCV820530 | | CCV950XRSL 112 | | |
| CCV05012 | | CCV22023 | | CCV820530XC | | CCV960 61 | | |
| CCV05012XC | | | | | | | | |
| | 53 | CCV22027 | / / | CCV820530XN | | CCV960XC 60 | | |
| CCV05012XN | | CCV22027
CCV3412SL | | CCV820530XN
CCV820532 | | CCV960XC 60
CCV960XJ 60 | | |
| CCV05012XNCCV05020 | 53 | | 111 | | 82 | | | |

Fiber-Classic_® & Smooth-Star_®

| 1000 | 190 | 2000XESL | 196 | 81208PSL | 199 | 81945PXE | 152 | CNRT | 211 | FC1211SL | 198 |
|--------------------|-----|----------------------|-----|--------------------|-----|--|-----|------------|-----|----------|-----|
| 1283 | 146 | 2000XG | 140 | 81225P | 141 | 81945PXG | 152 | DRS2131SL | 191 | FC1212 | 144 |
| 1284 | 144 | 2000XGSL | 196 | 81225PSL | 197 | 81945PXJ | 152 | DRS82131SL | 191 | FC127 | 173 |
| 1285 | 144 | 2000XJ | 140 | 81225SL | 197 | 81945PXK | 152 | FC10 | 146 | FC128 | 172 |
| 1286 | 141 | 2000XJSL | 196 | 81800P | 133 | 81945PXN | 152 | FC100 | 134 | FC1289SL | 200 |
| 1289 | 145 | 2000XK | | 81800PSL | | 81945PXR | 152 | FC1006 | 135 | FC129 | 172 |
| 2000 | 146 | 2000XKSL | 196 | 81800SL | 191 | 81946P | 154 | FC100SL | 191 | FC130 | 173 |
| 2009 | 142 | 2000XN | 140 | 81900PSL | 205 | 81946PSL | 205 | FC101 | 160 | FC131 | 148 |
| 2010 | 141 | 2000XNSL | 196 | 81918P | 133 | 81946PXC | 152 | FC101SL | 206 | FC131SL | 201 |
| 2050 | 141 | 2000XR | 140 | 81918PSL | 191 | 81946PXCSL | 203 | FC1027 | 135 | FC1350 | 168 |
| 2100 | 171 | 2000XRSL | 196 | 81918SL | 191 | 81946PXE | 152 | FC1029 | 135 | FC138 | 144 |
| 2150 | 168 | 2009SL | 198 | 81919P | 134 | 81946PXESL | 203 | FC104 | 136 | FC138XC | 139 |
| 8000 | 146 | 2010XC | 138 | 81919PSL | 192 | 81946PXG | 152 | FC104SL | 193 | FC138XE | 139 |
| 81000 | 190 | 2010XE | 138 | 81919SL | 192 | 81946PXGSL | 203 | FC104XC | 167 | FC138XG | 139 |
| 81200 | 146 | 2010XG | 138 | 81921P | 136 | 81946PXJ | 152 | FC104XE | 167 | FC138XJ | 139 |
| 81208 | 145 | 2010XJ | 138 | 81921PSL | 193 | 81946PXJSL | 203 | FC104XG | 167 | FC138XK | 139 |
| 81225 | 141 | 2010XK | 138 | 81921SL | 193 | 81946PXK | 152 | FC104XJ | 167 | FC138XN | 139 |
| 81828 | 145 | 2010XN | 138 | 81928P | 136 | 81946PXKSL | 203 | FC104XK | 167 | FC138XR | 139 |
| 12101SL | 200 | 2010XR | 138 | 81928PSL | 194 | 81946PXN | 152 | FC104XN | 167 | FC1400 | 155 |
| 12101XCSL | 197 | 2050SL | | 81928SL | | 81946PXNSL | 203 | FC104XR | 167 | FC1400SL | 205 |
| 12101XESL | 197 | 2050XC | | 81929P | 171 | 81946PXR | 152 | FC105 | 163 | FC1402 | 154 |
| 12101XGSL | 197 | 2050XCSL | | 81929PSL | | 81946PXRSL | 203 | FC105SL | 207 | FC1404 | 180 |
| 12101XJSL | | 2050XE | | 81929PXC | | 81947PSL | | FC108 | | FC1408 | |
| 12101XKSL | | 2050XESL | | 81929PXCSL | | 81949PSL | | FC1089 | | FC1408SL | |
| 12101XNSL | | 2050XG | | 81929PXE | | 81952P | | FC1089SL | | FC1409 | |
| 12101XRSL | | 2050XGSL | | 81929PXESL | | 81952PSL | | FC1089SL | | FC141 | |
| 12102SL | | 2050XJ | | 81929PXG | | 81953P | | FC108SL | | FC1411 | |
| 12102XCSL | | 2050XJSL | | 81929PXGSL | | 81953PSL | | FC109 | | FC141SL | 197 |
| 12102XESL | | 2050XK | | 81929PXJ | | 81954P | | FC109SL | | FC142 | |
| 12102XGSL | | 2050XKSL | | 81929PXJSL | | 81954PSL | | FC10XC | | FC142SL | |
| 12102XJSL | | 2050XN | | 81929PXK | | 81955P | | FC10XE | 140 | FC143 | |
| 12102XKSL | | 2050XNSL | | 81929PXKSL | | 81955PSL | | FC10XG | | FC143SL | |
| 12102XNSL | | 2050XR | | 81929PXN | | 81956P | | FC10XJ | | FC144 | |
| 12102XRSL | | 2050XRSL | | 81929PXNSL | | 81956PSL | | FC10XK | | FC1442SL | |
| 1283XC | | 8000-12 | | 81929PXR | | 81957P | | FC10XN | | FC147 | |
| 1283XE | | 8000-18 | | 81929PXRSL | | 81957PSL | | FC10XR | | FC147SL | |
| 1283XG | | 8000-9 | | 81932P | | 81958P | | FC113 | | FC148 | |
| 1283XJ | | 8000XC | | 81932PSL | | 81958PSL | | FC113SL | | FC148SL | |
| 1283XK | | 8000XE | | 81933P | | 81959P | | FC114 | | FC149 | |
| 1283XN | | 8000XG | | 81933PSL | | 81959PSL | | FC114SL | | FC149SL | |
| 1283XR | | 8000XJ | | 81935P | | 81960P | | FC115 | | FC151 | |
| 1284XC | | 8000XK | | 81935PSL | | 81960PSL | | FC115SL | | FC152 | |
| 1284XE | | 8000XN | | 81936P | | 81961P | | FC116 | | FC156 | |
| 1284XG | | 8000XR | | 81936PSL | | 81961PSL | | FC11SL | | FC16 | |
| 1284XJ | | 81200P | | 81937P | | 81963PSL | | FC1200 | | FC160 | |
| 1284XK | | 81200PSL | | 81937PSL | | 81964P | | FC1200SL | | FC163 | |
| 1284XN | | 81200PXC | | 81938P | | 81964PSL | | FC1201 | | FC164 | |
| 1284XR | | 81200PXCSL | | 81938PSL | | 81967P | | FC1201SL | | FC1645 | |
| 1285XC | | 81200PXE | | 81939P | | 81967PSL | | FC1202 | | FC1646 | |
| 1285XE | | 81200PXESL | | 81939PSL | | 81968P | | FC1202SL | | FC1646SL | |
| 1285XG | | 81200PXG | | 81940P | | 81968PSL | | FC1203 | | FC1647 | |
| 1285XJ | | 81200PXGSL | | 81940PSL | | 81968SL | | FC1204 | | FC1651 | |
| 1285XK | | 81200PXJ | | 81941P | | 81971P | | FC1204SL | | FC1651SL | |
| 1285XN | | 81200PXJSL | | 81941PSL | | 81971PXC | | FC1205 | | FC1652 | |
| 1285XR | | 81200PXK | | 81941PSL | | 81971PXE | | FC1205SL | | FC1652SL | |
| 1286SL | | 81200PXKSL | | 81942P | | 81971PXG | | FC1205XC | | FC1654 | |
| 13101SL | | 81200PXN | | 81942PSL | | 81971PXJ | | FC1205XE | | FC1655 | |
| 18101SL | | 81200PXNSL | | 81943P | | 81971PXK | | FC1205XG | | FC1656SL | |
| 19020T | | 81200PXR | | 81943PSL | | 81971PXN | | FC1205XJ | | FC1661 | |
| 19055T | | 81200PXRSL | | 81943PXC | | 81971PXR | | FC1205XK | | FC18 | |
| 19080T | | 81200SL | | 81943PXCSL | | 81974P | | FC1205XN | | FC18SL | |
| 19200T | | 81200XC | | 81943PXE | | 81975P | | FC1205XR | | FC18XC | |
| 19200T | | 81200XCSL | | 81943PXESL | | 81977P | | FC1206 | | FC18XCSL | |
| 19210T | | 81200XE | | 81943PXG | | 81978P | | FC1206SL | | FC18XE | |
| 19520T | | 81200XESL | | 81943PXGSL | | 81980P | | FC12003L | | FC18XESL | |
| 1964P | | 81200XG | | 81943PXJ | | 81981P | | FC1207XC | | FC18XG | |
| 1904P | | 81200XGSL | | 81943PXJSL | | 81982P | | FC1207XE | | FC18XGSL | |
| 19720T | | 81200XJ | | 81943PXK | | 81983P | | FC1207XG | | FC18XJ | |
| 19730T | | 81200XJSL | | 81943PXKSL | | 81984P | | FC1207XJ | | FC18XJSL | |
| | | | | 81943PXN | | 81985P | | FC1207XJ | | FC18XK | |
| 19750T | | 81200XK
81200XKSL | | 81943PXNSL | | 81986PSL | | FC1207XN | | FC18XKSL | |
| 19800T | | | | 81943PXR | | 81986SL | | FC1207XR | | FC18XN | |
| 19810T | | 81200XN
81200XNSL | | 81943PXRSL | | 85901SL | | FC1208 | | FC18XNSL | |
| 19820T | | | | | | 85919SL | | FC1208SL | | FC18XR | |
| 2000SL | | 81200XR | | 81944P
81944PSL | | AVRT | | FC1209 | | FC18XRSL | |
| 2000XC
2000XCSL | | 81200XRSL | | 81945P | | AXRT | | FC1209 | | FC198 | |
| | | 81208P | | | | BSRT | | | | FC198SL | |
| 2000XE | 140 | 81208PSL | 199 | 81945PXC | 132 | יייייייייייייייייייייייייייייייייייייי | ∠۱۱ | FC1211 | 143 | 101309F | ∠00 |

| FC21 | 151 | FC5700XC | 138 | FC63XGSL | 208 | FC766 | 155 | FC8149 | 164 | FC85720 | 1 |
|---|---|--|---|---|---|---|---|---|---|---|---|
| | 187 | FC5700XCSL | 195 | FC63XJSL | 208 | FC766XC | 152 | FC814SL | 192 | FC85720XC | 1 |
| C2101 | | FC5700XE | | FC63XKSL | | FC766XE | | FC815SL | | FC85720XE | 1 |
| C2101SL | | FC5700XESL | | FC63XNSL | | FC766XG | | FC816 | | FC85720XG | |
| | | | | | | | | | | | |
| C2102 | | FC5700XG | | FC63XRSL | | FC766XJ | | FC81645 | | FC85720XJ | |
| C2106 | | FC5700XGSL | | FC65 | | FC766XK | | FC81646 | | FC85720XK | |
| C2107 | 153 | FC5700XJ | 138 | FC6500 | 137 | FC766XN | 152 | FC81646SL | 203 | FC85720XN | 1 |
| C2108 | 153 | FC5700XJSL | 195 | FC6500SL | 194 | FC766XR | 152 | FC81649 | 179 | FC85720XR | 1 |
| C23 | 187 | FC5700XK | 138 | FC6534 | 179 | FC769 | 149 | FC81651 | 138 | FC8572SL | |
| C241 | | FC5700XKSL | | FC6550 | | FC770 | | FC81651SL | | FC8573SL | |
| | | | | | | | | | | | |
| C31 | | FC5700XN | | FC6550SL | | FC772 | | FC81652 | | FC8574 | |
| C310 | | FC5700XNSL | | FC6560 | | FC773 | | FC81652SL | | FC8579 | |
| C32 | 155 | FC5700XR | 138 | FC6565SL | 208 | FC775 | 148 | FC81653 | 166 | FC8581 | 1 |
| C32SL | 205 | FC5700XRSL | 195 | FC6570 | 187 | FC776 | 149 | FC81654 | 165 | FC8583SL | 2 |
| C32XC | 152 | FC571 | 136 | FC6572 | 173 | FC777 | 148 | FC81654SL | 208 | FC860 | |
| C32XCSL | | FC5710 | | FC6576 | | FC778 | | FC816SL | | FC861 | |
| | | | | | | | | | | | |
| C32XE | | FC5710SL | | FC6577 | | FC779 | | FC817 | | FC861XC | |
| C32XESL | | FC5710XC | | FC6580 | | FC780 | | FC817SL | | FC861XE | |
| C32XG | 152 | FC5710XCSL | 195 | FC6580SL | 203 | FC782 | 173 | FC818SL | 193 | FC861XG | 1 |
| C32XGSL | 204 | FC5710XE | 139 | FC6582 | 151 | FC784 | 158 | FC82 | 154 | FC861XJ | 1 |
| C32XJ | 152 | FC5710XESL | | FC65XC | 166 | FC785 | 156 | FC820 | 137 | FC861XK | 1 |
| C32XJSL | | FC5710XG | | FC65XE | | FC787 | | FC821 | | FC861XN | |
| | | | | | | | | | | | |
| C32XK | | FC5710XGSL | | FC65XG | | FC788 | | FC822 | | FC861XR | |
| C32XKSL | | FC5710XJ | 139 | FC65XJ | 166 | FC789 | | FC828 | 145 | FC862 | |
| C32XN | 152 | FC5710XJSL | 195 | FC65XK | 166 | FC791 | 158 | FC82XC | 152 | FC86220 | 1 |
| C32XNSL | 204 | FC5710XK | | FC65XN | 166 | FC792 | 157 | FC82XE | 152 | FC862203 | 1 |
| C32XR | | FC5710XKSL | | FC65XR | | FC794 | | FC82XG | | FC862203XC | |
| | | | | | | | | | | | |
| C32XRSL | | FC5710XN | | FC66 | | FC796 | | FC82XJ | | FC862203XE | |
| C3487SL | | FC5710XNSL | | FC668 | | FC797 | | FC82XK | | FC862203XG | |
| C3487XCSL | 208 | FC5710XR | 139 | FC670 | 172 | FC798 | 158 | FC82XN | 152 | FC862203XJ | 1 |
| C3487XESL | 208 | FC5710XRSL | 195 | FC678 | 168 | FC803 | 187 | FC82XR | 152 | FC862203XK | 1 |
| C3487XGSL | 208 | FC5720 | | FC678SL | 208 | FC807 | 174 | FC8310 | 154 | FC862203XN | |
| C3487XJSL | | FC5720SL | | FC685L | | FC807SL | | FC8310SL | | FC862203XR | |
| | | | | | | | | | | | |
| C3487XKSL | | FC5720XC | | FC685LXC | | FC807XC | | FC8311 | | FC86220XC | |
| C3487XNSL | | FC5720XCSL | 195 | FC685LXE | 139 | FC807XE | 174 | FC8313 | | FC86220XE | 1 |
| C3487XRSL | 208 | FC5720XE | 139 | FC685LXG | 139 | FC807XG | 174 | FC8313SL | 204 | FC86220XG | 1 |
| C369 | 134 | FC5720XESL | 195 | FC685LXJ | 139 | FC807XJ | 174 | FC8316 | 154 | FC86220XJ | 1 |
| C38 | 147 | FC5720XG | | FC685LXK | | FC807XK | 174 | FC8318 | 171 | FC86220XK | |
| C38SL | | FC5720XGSL | | FC685LXN | | FC807XN | | FC8319 | | FC86220XN | |
| | | | | | | | | | | | |
| C43 | | FC5720XJ | | FC685LXR | | FC807XR | | FC832 | | FC86220XR | |
| C43SL | 206 | FC5720XJSL | 195 | FC685R | | FC808 | 190 | FC8320 | 171 | FC86241 | 1 |
| C44 | 174 | FC5720XK | 139 | FC685RXC | 139 | FC808SL | 191 | FC8321 | 170 | FC86242 | 1 |
| C44SL | 208 | FC5720XKSL | 195 | FC685RXE | 139 | FC809 | 189 | FC8321XC | 167 | FC86243 | 1 |
| C45 | | FC5720XN | | FC685RXG | | FC80920 | | FC8321XE | | FC86245 | |
| C46SL | | FC5720XNSL | | FC685RXJ | | FC809203 | | FC8321XG | | FC86247 | |
| | | | | | | | | | | | |
| C47SL | | FC5720XR | | FC685RXK | | FC809203XC | | FC8321XJ | | FC86249 | |
| C47XCSL | | FC5720XRSL | | FC685RXN | | FC809203XE | 179 | FC8321XK | | FC86252 | |
| C47XESL | 197 | FC572SL | 193 | FC685RXR | 139 | FC809203XG | 179 | FC8321XN | 167 | FC86253 | 1 |
| C47XGSL | 197 | FC573SL | 193 | FC691 | 142 | FC809203XJ | 179 | FC8321XR | 167 | FC86254 | 1 |
| C47XJSL | | FC574 | | FC691XC | | FC809203XK | 179 | FC8322 | 169 | FC86255 | |
| C47XKSL | | FC581 | | FC691XE | | FC809203XN | | FC8323 | | FC86256 | |
| | | | | | | | | | | | |
| C47XNSL | | FC583SL | | FC691XG | | FC809203XR | | FC8324 | | FC86500 | |
| C47XRSL | 197 | FC585 | | FC691XJ | 139 | FC80920XC | | FC832XC | | FC86500SL | |
| C48 | 174 | FC60 | 190 | FC691XK | 139 | FC80920XE | 179 | FC832XE | 167 | FC86533 | 1 |
| C48SL | 209 | FC6093 | 135 | FC691XN | | FC80920XG | 179 | FC832XG | 167 | FC86536 | |
| | | FC6094 | | FC691XR | | FC80920XJ | | FC832XJ | | FC86550 | |
| C48XC | | | | 1 000 1/11 | | | 179 | | | | |
| | | | | EC704 | | | | | | | |
| 248XCSL | 208 | FC6095 | 137 | FC704 | 186 | FC80920XK | 179 | FC832XK | 167 | FC86550SL | 1 |
| C48XCSL
C48XE | 208
174 | FC6095
FC61 | 137
188 | FC707 | 186
185 | FC80920XKFC80920XN | 179
179 | FC832XKFC832XN | 167
167 | FC86560 | 1
1 |
| C48XCSL
C48XE | 208
174 | FC6095 | 137
188 | | 186
185 | FC80920XK | 179
179 | FC832XK | 167
167 | | 1
1 |
| C48XCSL
C48XE
C48XESL | 208
174
208 | FC6095
FC61 | 137
188
188 | FC707 | 186
185
186 | FC80920XKFC80920XN | 179
179
179 | FC832XKFC832XN | 167
167
167 | FC86560 | 1
1
2 |
| 048XCSL
048XE
048XESL
048XG | 208
174
208
174 | FC6095
FC61
FC61XC | 137
188
188
188 | FC707
FC708
FC709 | 186
185
186
157 | FC80920XKFC80920XNFC80920XRFC80941 | 179
179
179
177 | FC832XK
FC832XN
FC832XR
FC8529 | 167
167
167
150 | FC86560
FC86560SLFC86570 | 1
2
1 |
| 048XCSL
048XE
048XESL
048XG
048XGSL | 208
174
208
174
208 | FC6095
FC61
FC61XC
FC61XE
FC61XG | 137
188
188
188 | FC707
FC708
FC709
FC710 | 186
185
186
157
158 | FC80920XK | 179
179
179
177
178 | FC832XKFC832XNFC832XRFC8529FC8545SL | 167
167
150
202 | FC86560
FC86560SL
FC86570
FC86580 | 1
2
1
1 |
| C48XCSL | 208
174
208
174
208
174 | FC6095FC61FC61XCFC61XCFC61XGFC61XJ | 137
188
188
188
188 | FC707
FC708
FC709
FC710
FC7125SL | 186
185
186
157
158
209 | FC80920XK
FC80920XN
FC80920XR
FC80941
FC80942 | 179
179
179
177
178
176 | FC832XK | 167
167
150
202
142 | FC86560FC86560SLFC86570FC86580FC86580SL | 1
2
1
1 |
| 248XCSL | 208
174
208
174
208
174
208 | FC6095FC61.XCFC61XEFC61XGFC61XJFC61XJFC61XK | 137
188
188
188
188
188 | FC707
FC708
FC709
FC710
FC7125SL
FC713 | | FC80920XK | 179
179
179
177
178
176
179 | FC832XKFC832XNFC832XRFC8529FC8545SLFC85700FC85700XC | 167
167
150
202
142
138 | FC86560FC86560SLFC86570FC86580SLFC86580SLFC8675SL | 11111 |
| 248XCSL | 208
174
208
174
208
174
208
174 | FC6095 | 137
188
188
188
188
188
188 | FC707
FC708
FC709
FC710
FC7125SL
FC713
FC714 | 186
185
186
157
158
209
157 | FC80920XK | 179
179
179
177
178
176
179 | FC832XK | 167
167
150
202
142
138 | FC86560FC86560SLFC86570FC86580SLFC86580SLFC8675SLFC8678FC8678 | 11111 |
| 248XCSL | 208
174
208
174
208
174
208
174 | FC6095FC61.XCFC61XEFC61XGFC61XJFC61XJFC61XK | 137
188
188
188
188
188
188 | FC707
FC708
FC709
FC710
FC7125SL
FC713 | 186
185
186
157
158
209
157 | FC80920XK | 179
179
179
177
178
176
179 | FC832XKFC832XNFC832XRFC8529FC8545SLFC85700FC85700XC | 167
167
150
202
142
138 | FC86560FC86560SLFC86570FC86580SLFC86580SLFC8675SL | 11111 |
| 48XCSL | | FC6095 | 137
188
188
188
188
188
188
188 | FC707
FC708
FC709
FC710
FC7125SL
FC713
FC714 | | FC80920XK | 179 179 179 177 178 176 179 178 | FC832XK | 167
167
150
202
142
138
138 | FC86560FC86560SLFC86570FC86580SLFC86580SLFC8675SLFC8678FC8678 | 1 2 1 2 2 2 2 |
| 248XCSL | | FC6095 | 137
188
188
188
188
188
188
188
188 | FC707
FC708
FC709
FC710
FC7125SL
FC713
FC714
FC721
FC735 | | FC80920XK | 179 179 179 177 178 176 179 178 178 178 | FC832XK | 167
167
150
202
142
138
138
138 | FC86560 | 12122222 |
| 248XCSL | 208
174
208
174
208
174
208
174
208
174
208 | FC6095 | 137
188
188
188
188
188
188
188
188
171
137 | FC707
FC708
FC709
FC710
FC7125SL
FC714
FC721
FC735
FC736 | | FC80920XK | 179 179 179 177 178 176 179 178 178 178 177 | FC832XK | 167
167
150
202
142
138
138
138
138 | FC86560 | 1 1 2 1 2 2 1 2 1 1 |
| C48XCSL | 208174208174208174208174208174208174 | FC6095 | 137
188
188
188
188
188
188
188
171
137
167 | FC707
FC708
FC709
FC710
FC7125SL
FC714
FC721
FC735
FC736
FC745 | | FC80920XK | 179 179 179 177 178 176 179 178 178 177 177 | FC832XK | | FC86560 | 1 2 1 2 2 1 2 1 1 1 |
| 248XCSL | | FC6095 | 137188188188188188188137137167 | FC707
FC708
FC709
FC710
FC7125SL
FC713
FC714
FC721
FC735
FC736
FC745
FC752 | | FC80920XK | 179179179177178176179178178177177177 | FC832XK | | FC86560 | 1 2 1 2 2 1 2 1 1 1 1 |
| 248XCSL | | FC6095 | 137188188188188188188137137167 | FC707
FC708
FC709
FC710
FC7125SL
FC714
FC721
FC735
FC736
FC745 | | FC80920XK | 179179179177178176179178178177177177 | FC832XK | | FC86560 | 1 2 2 1 2 2 1 1 1 1 1 |
| 248XCSL | | FC6095 | 137188188188188188188188187167167 | FC707
FC708
FC709
FC710
FC7125SL
FC713
FC714
FC721
FC735
FC736
FC745
FC752 | | FC80920XK | 179179179177178176179178178177177177 | FC832XK | | FC86560 | 1 2 1 2 2 1 1 1 1 1 |
| 248XCSL | | FC6095 | 137188188188188188188188187167167 | FC707 | | FC80920XK | 179179179178176178178178177178177178177178 | FC832XK | | FC86560 | 1 2 2 2 2 1 1 1 1 1 1 1 |
| C48XCSL | | FC6095 | | FC707 | | FC80920XK FC80920XN FC80920XR FC80941 FC80942 FC80945 FC80947 FC80949 FC80952 FC80953 FC80954 FC80956 FC80956 FC8095L FC8095L FC812SL | | FC832XK | | FC86560 | 1122211111 |
| C48XC | | FC6095 | | FC707 | | FC80920XK FC80920XN FC80920XR FC80941 FC80942 FC80945 FC80947 FC80949 FC80952 FC80953 FC80956 FC80956 FC8095L FC812SL FC813SL | | FC832XK | | FC86560 | 121211111 |
| C48XCSL | | FC6095 | | FC707 | | FC80920XK FC80920XN FC80920XR FC80941 FC80942 FC80943 FC80945 FC80947 FC80949 FC80952 FC80953 FC80956 FC80956 FC80956 FC80956 FC80951 FC812SL FC813SL FC814 | | FC832XK | 167 167 167 150 150 167 167 167 1750 1750 1750 1750 1750 1750 1750 175 | FC86560 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| C48XCSL | | FC6095 | | FC707 | | FC80920XK FC80920XN FC80920XR FC80941 FC80942 FC80945 FC80947 FC80949 FC80952 FC80953 FC80956 FC80956 FC8095L FC812SL FC813SL | | FC832XK | 167 167 167 150 150 167 167 167 1750 1750 1750 1750 1750 1750 1750 175 | FC86560 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| C48XCSL | | FC6095 | | FC707 | | FC80920XK FC80920XN FC80920XR FC80941 FC80942 FC80943 FC80945 FC80947 FC80949 FC80952 FC80953 FC80956 FC80956 FC80956 FC80956 FC80951 FC812SL FC813SL FC814 | | FC832XK | 167 167 167 167 150 150 150 167 167 167 150 167 167 167 167 167 167 167 167 167 167 | FC86560 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| C48XCSL | | FC6095 | | FC707 | | FC80920XK FC80920XN FC80920XR FC80941 FC80942 FC80943 FC80945 FC80947 FC80949 FC80955 FC80956 FC80956 FC80956 FC8095L FC812SL FC813SL FC814 FC8141 | | FC832XK | 167 | FC86560 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |

| FC8685RXK | 139 | FCM104XN | 167 | FCM1285XK | 139 | FCM2050XGSL | 195 | FCM571 | 136 | FCM606XJ | 182 |
|-----------------|-----|--------------|-----|-------------|-----|-------------|-----|-----------|-----|-------------|-----|
| FC8685RXN | 139 | FCM104XR | | FCM1285XN | 139 | FCM2050XJSL | | FCM572SL | 193 | FCM606XN | |
| FC8685RXR | 139 | FCM105 | 163 | FCM1285XR | 139 | FCM2050XKSL | 195 | FCM574 | 136 | FCM606XR | 182 |
| FC8691 | 142 | FCM105SL | 207 | FCM1286 | 141 | FCM2050XNSL | 195 | FCM575 | 164 | FCM607 | 184 |
| FC8691XC | 139 | FCM106 | 157 | FCM1286SL | 197 | FCM2050XRSL | 195 | FCM577 | 164 | FCM6074 | 163 |
| FC8691XE | 139 | FCM108 | 133 | FCM1289 | 145 | FCM2101SL | 204 | FCM581 | 163 | FCM6075 | 163 |
| FC8691XG | 139 | FCM1089SL | 204 | FCM1289SL | 200 | FCM2106 | 153 | FCM583SL | 207 | FCM607XC | 183 |
| FC8691XJ | 139 | FCM109 | 159 | FCM131 | 148 | FCM2107 | 153 | FCM60 | 190 | FCM607XE | 183 |
| FC8691XK | 139 | FCM109SL | 206 | FCM13101SL | 195 | FCM2108 | 153 | FCM600 | 190 | FCM607XJ | 183 |
| FC8691XN | 139 | FCM10XC | 140 | FCM131SL | 201 | FCM220 | 189 | FCM601 | 184 | FCM607XN | 183 |
| FC8691XR | 139 | FCM10XE | 140 | FCM132 | 176 | FCM241 | 134 | FCM601XC | 183 | FCM607XR | 183 |
| FC8704 | 186 | FCM10XG | 140 | FCM134 | 190 | FCM31 | 189 | FCM601XE | 183 | FCM608 | 184 |
| FC8707 | 185 | FCM10XJ | 140 | FCM138 | 144 | FCM310 | 133 | FCM601XJ | 183 | FCM608XC | 183 |
| FC8708 | 186 | FCM10XK | 140 | FCM138XC | 139 | FCM32 | 155 | FCM601XN | 183 | FCM608XE | 183 |
| FC8721 | 185 | FCM10XN | 140 | FCM138XE | 139 | FCM32SL | 205 | FCM601XR | 183 | FCM608XJ | 183 |
| FC8735 | 186 | FCM10XR | 140 | FCM138XG | 139 | FCM32XC | 152 | FCM602 | 181 | FCM608XN | 183 |
| FC8736 | 185 | FCM110 | 156 | FCM138XJ | 139 | FCM32XCSL | 204 | FCM6021 | 171 | FCM608XR | 183 |
| FC8745 | 186 | FCM113 | 134 | FCM138XK | 139 | FCM32XE | 152 | FCM6021XC | | FCM609 | 181 |
| FC8752 | 186 | FCM114 | 160 | FCM138XN | 139 | FCM32XESL | 204 | FCM6021XE | 167 | FCM6093 | 135 |
| FC8867SL | 207 | FCM114SL | 206 | FCM138XR | 139 | FCM32XG | 152 | FCM6021XG | 167 | FCM6094 | 136 |
| FC89701 | 165 | FCM115 | 148 | FCM1400SL | 205 | FCM32XGSL | 204 | FCM6021XJ | 167 | FCM6095 | 136 |
| FC8971 | 168 | FCM115SL | 201 | FCM1402 | 154 | FCM32XJ | | FCM6021XK | 167 | FCM6097 | 169 |
| FC8972 | 180 | FCM116 | 168 | FCM1405 | 170 | FCM32XJSL | 204 | FCM6021XN | 167 | FCM61 | 188 |
| FC900 | 134 | FCM118 | 175 | FCM1405SL | 209 | FCM32XK | 152 | FCM6021XR | 167 | FCM6107 | 161 |
| FC900SL | 192 | FCM1200 | 144 | FCM1406 | 170 | FCM32XKSL | 204 | FCM6022 | 170 | FCM6108 | 161 |
| FC901 | 161 | FCM1200SL | 199 | FCM1408 | 170 | FCM32XN | 152 | FCM6022XC | 166 | FCM6124SL | 199 |
| FC901SL | 206 | FCM1201 | 143 | FCM141 | 141 | FCM32XNSL | 204 | FCM6022XE | 166 | FCM6124XCSL | 196 |
| FC902 | 148 | FCM1201SL | 198 | FCM142 | 135 | FCM32XR | 152 | FCM6022XG | 166 | FCM6124XESL | 196 |
| FC902SL | 201 | FCM1202 | | FCM143 | 149 | FCM32XRSL | 204 | FCM6022XJ | | FCM6124XJSL | |
| FC903 | | FCM1202SL | | FCM143SL | | FCM3487SL | | FCM6022XK | | FCM6124XNSL | |
| FC905 | 135 | FCM1203 | | FCM144 | | FCM3487XCSL | | FCM6022XN | | FCM6124XRSL | |
| FC905SL | | FCM1204SL | | FCM1442SL | | FCM3487XESL | | FCM6022XR | | FCM6125SL | |
| FC906 | | FCM1205SL | | FCM147 | | FCM3487XGSL | | FCM6023 | | FCM6125XCSL | |
| FC906SL | | FCM1206SL | | FCM147SL | | FCM3487XJSL | | FCM6025 | | FCM6125XESL | |
| FC907 | | FCM1208 | | FCM148 | | FCM3487XKSL | | FCM6026 | | FCM6125XJSL | |
| FC907SL | | FCM1209 | | FCM149 | | FCM3487XNSL | | FCM6027 | | FCM6125XNSL | |
| FC908 | | FCM12101SL | | FCM149SL | | FCM3487XRSL | | FCM6029 | | FCM6125XRSL | |
| FC910 | | FCM12101XCSL | | FCM150 | | FCM369 | | FCM6030 | | FCM6126SL | |
| FC910SL | | FCM12101XESL | | FCM151 | | FCM38 | | FCM6031 | | FCM6126XCSL | |
| FC911 | | FCM12101XGSL | | FCM156 | | FCM38SL | | FCM6032 | | FCM6126XESL | |
| FC911SL | | FCM12101XJSL | | FCM16 | | FCM45 | | FCM6035 | | FCM6126XJSL | |
| FC912 | | FCM12101XJSL | | FCM160 | | FCM45SL | | FCM6036 | | FCM6126XNSL | |
| FC912SL | | | | FCM163 | | FCM4810 | | | | FCM6126XRSL | |
| | | FCM12101XNSL | | | | FCM4810XC | | FCM6041 | | | |
| FC913 | | FCM12101XRSL | | FCM164 | | | | FCM6041 | | FCM61XC | |
| FC915 | | FCM12102SL | | FCM1645 | | FCM4810XE | | FCM6041XC | | FCM61XE | |
| FC916 | | FCM12102XCSL | | FCM1646SL | | FCM4810XJ | | FCM6041XE | | FCM61XG | |
| FC917 | | FCM12102XESL | | FCM1647 | | FCM4810XN | | FCM6041XG | | FCM61XJ | |
| FC92 | | FCM12102XGSL | | FCM1650 | | FCM4810XR | | FCM6041XJ | | FCM61XK | |
| FC925
FC92SL | | FCM12102XJSL | | FCM1651 | | FCM4812 | | FCM6041XK | | FCM61XN | |
| | | FCM12102XKSL | | FCM1651SL | | FCM4812XC | | FCM6041XN | | FCM61XR | |
| FC92XC | | FCM12102XNSL | | FCM1652 | | FCM4812XE | | FCM6041XR | | FCM62 | |
| FC92XCSL | | FCM12102XRSL | | FCM1654 | | FCM4812XJ | | FCM6042 | | FCM626 | |
| FC92XE | | FCM1211 | | FCM1656 | | FCM4812XN | | FCM6042XC | | FCM62SL | |
| FC92XESL | | FCM1212 | | FCM1656SL | | FCM4812XR | | FCM6042XE | | FCM62XC | |
| FC92XG | | FCM124 | | FCM1658 | | FCM4813 | | FCM6042XG | | FCM62XCSL | |
| FC92XGSL | | FCM125 | | FCM18 | | FCM4813XC | | FCM6042XJ | | FCM62XE | |
| FC92XJ | | FCM126 | | FCM18101SL | | FCM4813XE | | FCM6042XK | | FCM62XESL | |
| FC92XJSL | | FCM1283 | | FCM18XC | | FCM4813XJ | | FCM6042XN | | FCM62XG | |
| FC92XK | | FCM1283XC | | FCM18XE | | FCM4813XN | | FCM6042XR | | FCM62XGSL | |
| FC92XKSL | | FCM1283XE | | FCM18XG | | FCM4813XR | | FCM6043 | | FCM62XJ | |
| FC92XN | | FCM1283XG | | FCM18XJ | | FCM4814 | | FCM6045 | | FCM62XJSL | |
| FC92XNSL | | FCM1283XJ | | FCM18XK | | FCM4814XC | | FCM6046 | | FCM62XK | |
| FC92XR | | FCM1283XK | | FCM18XN | | FCM4814XE | | FCM6047 | | FCM62XKSL | |
| FC92XRSL | | FCM1283XN | | FCM18XR | | FCM4814XJ | | FCM6049 | | FCM62XN | |
| FCM10 | | FCM1283XR | | FCM198 | | FCM4814XN | | FCM605 | | FCM62XNSL | |
| FCM100 | | FCM1284 | | FCM2000SL | | FCM4814XR | | FCM6050 | | FCM62XR | |
| FCM1000 | | FCM1284XC | | FCM2000XCSL | | FCM4816 | | FCM6051 | | FCM62XRSL | |
| FCM1006 | | FCM1284XE | | FCM2000XESL | | FCM4816XC | | FCM6052 | | FCM63 | |
| FCM101 | | FCM1284XG | | FCM2000XGSL | | FCM4816XE | 182 | FCM6055 | 168 | FCM65 | |
| FCM101SL | 206 | FCM1284XJ | 140 | FCM2000XJSL | 196 | FCM4816XJ | 182 | FCM6056 | 165 | FCM6500 | 137 |
| FCM1027 | 135 | FCM1284XK | 140 | FCM2000XKSL | 196 | FCM4816XN | 182 | FCM605XC | 182 | FCM6500SL | 194 |
| FCM1029 | 135 | FCM1284XN | 140 | FCM2000XNSL | 196 | FCM4816XR | 182 | FCM605XE | 182 | FCM6520 | |
| FCM104 | 136 | FCM1284XR | 140 | FCM2000XRSL | 196 | FCM506 | 176 | FCM605XJ | 182 | FCM6532 | 176 |
| FCM104XC | 167 | FCM1285 | 144 | FCM2009SL | 198 | FCM508 | 181 | FCM605XN | 182 | FCM6550 | 137 |
| FCM104XE | 167 | FCM1285XC | 139 | FCM205 | 189 | FCM5425 | 152 | FCM605XR | 182 | FCM6560 | 165 |
| FCM104XG | 167 | FCM1285XE | 139 | FCM2050SL | 198 | FCM5425SL | 204 | FCM606 | 184 | FCM6565 | 165 |
| FCM104XJ | 167 | FCM1285XG | 139 | FCM2050XCSL | 195 | FCM543 | 150 | FCM606XC | 182 | FCM6565SL | 208 |
| FCM104XK | 167 | FCM1285XJ | 139 | FCM2050XESL | 195 | FCM545SL | 202 | FCM606XE | 182 | FCM6568 | 165 |
| | | | | | | | | | | | |

| FCM6570 | 187 | FCM81200XESL | 197 | FCM8571 | 136 | FCM873SL | 192 | FC06186XCSL | 196 | S118XK | 140 |
|--|---|--|---|--|---|--|---------------------------------|--|--|---|--|
| FCM6575 | | FCM81200XG | | FCM8572SL | | FCM874 | | FC06186XESL | | S118XN | |
| FCM6577 | | FCM81200XGSL | | FCM8573SL | | FCM8745 | | FC06186XJSL | | S118XR | |
| FCM6580SL | | FCM81200XJ | 140 | FCM8574 | | FCM874SL | | FC06186XNSL | | S12 | |
| FCM6582 | | FCM81200XK | 140 | FCM8581 | 163 | FCM8752 | 186 | FC06186XRSL | 196 | S120 | 189 |
| FCM65SL | 209 | FCM81200XKSL | 197 | FCM8583SL | 207 | FCM881SL | 205 | FC06188SL | 199 | S1200 | 144 |
| FCM65XC | 166 | FCM81200XKSL | | FCM860 | 190 | FCM881XCSL | 204 | FC06188XCSL | 196 | S1200SL | 199 |
| FCM65XCSL | 208 | FCM81200XKSL | 197 | FCM861 | 188 | FCM881XEL | 204 | FC06188XESL | 196 | S1201 | |
| FCM65XE | 166 | FCM81200XKSL | | FCM861XC | 188 | FCM881XGSL | 204 | FC06188XJSL | 196 | S1201SL | 198 |
| FCM65XESL | 208 | FCM81200XKSL | 197 | FCM861XE | 188 | FCM881XJSL | 204 | FC06188XNSL | 196 | S1202 | 143 |
| FCM65XG | 166 | FCM81200XN | 140 | FCM861XG | 188 | FCM881XKSL | 204 | FC06188XRSL | 196 | S1202SL | 199 |
| FCM65XGSL | 208 | FCM81200XR | 140 | FCM861XJ | 188 | FCM881XNSL | 204 | FC06189SL | 199 | S1203 | |
| FCM65XJ | | FCM81208P | | FCM861XK | 188 | FCM881XRSL | 204 | FC06189XCSL | 196 | S1204 | 141 |
| FCM65XJSL | | FCM81208PSL | | FCM861XN | 188 | FCM882SL | 201 | FC06189XESL | 196 | S1204SL | 198 |
| FCM65XK | 166 | FCM81208SL | 199 | FCM861XR | 188 | FCM883SL | 201 | FC06189XJSL | 196 | S1205 | 141 |
| FCM65XKSL | 208 | FCM81225 | 141 | FCM862 | 171 | FCM884SL | 201 | FC06189XNSL | 196 | S1205SL | 197 |
| FCM65XN | 166 | FCM81225SL | 197 | FCM862SL | 209 | FCM885SL | 202 | FC06189XRSL | 196 | S1205XC | 138 |
| FCM65XNSL | 208 | FCM812SL | 192 | FCM862XC | 167 | FCM886 | 161 | FC06190SL | 200 | S1205XE | 138 |
| FCM65XR | 166 | FCM813SL | 194 | FCM862XCSL | 208 | FCM886SL | 206 | FC06190XCSL | 196 | S1205XG | 138 |
| FCM65XRSL | 208 | FCM814 | 133 | FCM862XE | 167 | FCM887SL | 201 | FC06190XESL | 196 | S1205XJ | 138 |
| FCM66 | | FCM8145 | 170 | FCM862XESL | 208 | FCM888 | 162 | FC06190XJSL | 196 | S1205XK | 138 |
| FCM668 | 133 | FCM8145SL | 209 | FCM862XG | 167 | FCM888SL | 207 | FC06190XNSL | 196 | S1205XN | 138 |
| FCM66SL | 208 | FCM8149 | 164 | FCM862XGSL | 208 | FCM889SL | 202 | FC06190XRSL | 196 | S1205XR | 138 |
| FCM670 | | FCM814SL | | FCM862XJ | | FCM890 | | FC06575 | | S1206 | |
| FCM678 | | FCM815SL | | FCM862XJSL | | FCM890SL | | FWRT | | S1206SL | |
| FCM678SL | | FCM816 | | FCM862XK | | FCM891 | | KNRT | | S1207 | |
| FCM704 | | FCM81645 | | FCM862XKSL | | FCM891SL | | PBRT | | S1207XC | |
| FCM707 | | FCM81646SL | | FCM862XN | | FCM892SL | | RSRT | | S1207XE | |
| FCM708 | | FCM81651 | | FCM862XNSL | | FCM893SL | | S10 | | S1207XG | |
| FCM7125SL | | FCM81651SL | | FCM862XR | | FCM896 | | S100 | | S1207XJ | |
| FCM721 | | FCM81652 | | FCM862XRSL | | FCM896SL | | S1000 | | S1207XK | |
| FCM735 | | FCM81652SL | | FCM863 | | FCM898 | | S1001 | | S1207XN | |
| FCM736 | | FCM81654 | | FCM863SL | | FCM898SL | | S1006 | | S1207XR | |
| FCM745 | | FCM81654SL | | FCM864 | | FCM899 | | S100SL | | S1208 | |
| FCM752 | | FCM816SL | | FCM864SL | | FCM899SL | | S100XCSL | | S1208SL | |
| FCM755 | | FCM817 | | FCM865 | | FCM900 | | S100XESL | | S1209 | |
| FCM758 | | FCM817SL | | FCM86500 | | FCM901 | | S100XGSL | | S1209SL | |
| FCM760 | | FCM81800SL | | FCM86500SL | | FCM901SL | | \$100XJSL | | S1211 | |
| FCM761 | | FCM81828 | | FCM86550 | | FCM902 | | \$100XJSL | | S1211SL | |
| FCM761SL | | FCM81829 | | FCM86550SL | | FCM902SL | | \$100XNSL | | \$1212 | |
| | | FCM818SL | | | | | | | | \$1212
\$128 | |
| FCM764
FCM764SL | | | | FCM86560FCM86560SL | | FCM904 | | S100XRSL
S1027 | | | |
| | | FCM81900SL | | | | FCM905 | | \$1027
\$1029 | | S128XC | |
| FCM765 | | FCM81918SL | | FCM86570 | | FCM906 | | | | S128XE
S128XG | |
| FCM765SL | | FCM81919SL | | FCM86580SL | | FCM906SL | | S104 | | | |
| FCM784 | | FCM81921SL | | FCM865SL | | FCM907 | | S104XC | | S128XJ | |
| FCM785 | | FCM81928SL | | FCM866SL | | FCM907SL | | S104XE | | S128XK | |
| FCM787 | | FCM81944SL | | | | FCM909 | | S104XG | | S128XN | |
| FCM788 | | FCM81947SL | | FCM8675SL | | FCM910 | | S104XJ | | S128XR | |
| FCM789 | | FCM81949SL | | FCM8678 | | FCM911 | | S104XK | | S130 | |
| FCM80 | | FCM81968SL | | FCM8678SL | | FCM911SL | | S104XN | | S130SL | |
| FCM800 | | FCM81986SL | | FCM867SL | | FCM912 | | S104XR | | S131 | |
| FCM807SL | | FCM82 | | FCM870 | | FCM912SL | | S105 | | S132 | |
| FCM808SL | | FCM820 | | FCM8704 | | FCM914 | | S108 | | S132SL | |
| FCM809SL | | FCM821 | | FCM8707 | | FCM915 | | S1089 | | S1350 | |
| FCM81000 | | FCM822 | | FCM8708 | | FCM916 | | S1089SL | | S137 | |
| FCM8101SL | | FCM828 | | FCM870SL | | FCM92SL | | S108XC | | S138SL | |
| FCM8101XCSL | | FCM82XC | | FCM870XC | | FCM92XCSL | | S108XE | | S139 | |
| FCM8101XESL | 203 | 1 CBAUDVE | | FCM870XCSL | 197 | FCM92XESL | 202 | S108XG | 140 | S139SL | |
| LCM/0101VCCI | | FCM82XE | | | | | | | | | 1 1 0 |
| | 203 | FCM82XG | 152 | FCM870XE | 140 | FCM92XGSL | 203 | S108XJ | | S140 | |
| FCM8101XJSL | 203
203 | FCM82XGFCM82XJ | 152
152 | FCM870XEFCM870XESL | 140
197 | FCM92XGSLFCM92XJSL | 203
203 | S108XJ
S108XK | 140 | S1400 | 155 |
| FCM8101XJSL
FCM8101XKSL | 203
203
203 | FCM82XGFCM82XJFCM82XK | 152
152
152 | FCM870XE
FCM870XESL
FCM870XG | 140
197
140 | FCM92XGSL
FCM92XJSLFCM92XKSL | 203
203
203 | \$108XJ
\$108XK
\$108XN | 140
140 | S1400
S1400SL | 155
205 |
| FCM8101XJSL
FCM8101XKSL
FCM8101XNSL | 203
203
203
203 | FCM82XG
FCM82XJ
FCM82XK
FCM82XN | 152
152
152
152 | FCM870XEFCM870XESLFCM870XGFCM870XGSL | 140
197
140
197 | FCM92XGSL
FCM92XJSL
FCM92XKSL
FCM92XNSL | 203
203
203
203 | \$108XJ
\$108XK
\$108XN
\$108XR | 140
140
140 | \$1400
\$1400\$L
\$1401 | 155
205
153 |
| FCM8101XJSL
FCM8101XKSL
FCM8101XNSL
FCM8101XRSL | 203
203
203
203 | FCM82XGFCM82XJFCM82XKFCM82XNFCM82XR | 152
152
152
152 | FCM870XE
FCM870XESL
FCM870XG
FCM870XGSL
FCM870XJ | 140
197
140
197
140 | FCM92XGSLFCM92XJSLFCM92XKSLFCM92XNSLFCM92XRSL | 203
203
203
203
203 | \$108XJ
\$108XK
\$108XN
\$108XR
\$11 | 140
140
140
190 | \$1400
\$1400\$L
\$1401
\$1401\$L | 155
205
153
204 |
| FCM8101XJSL
FCM8101XKSL
FCM8101XNSL
FCM8101XRSL
FCM8103SL | 203
203
203
203
203 | FCM82XGFCM82XJFCM82XKFCM82XNFCM82XRFCM82XRFCM8310SL | 152
152
152
152
152
204 | FCM870XE
FCM870XESL
FCM870XG
FCM870XGSL
FCM870XJ | 140
197
140
197
140 | FCM92XGSLFCM92XJSLFCM92XKSLFCM92XNSLFCM92XRSLFCM966 | 203
203
203
203
203 | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100 | 140
140
140
190
189 | \$1400
\$1400\$L
\$1401
\$1401\$L
\$1402 | 155
205
153
204
154 |
| FCM8101XJSL
FCM8101XKSL
FCM8101XNSL
FCM8101XRSL
FCM8103SL
FCM8104SL | 203
203
203
203
203
202
201 | FCM82XGFCM82XIFCM82XNFCM82XRFCM8310SLFCM8311SL | 152
152
152
152
152
204
204 | FCM870XEFCM870XESLFCM870XGFCM870XGSLFCM870XJFCM870XJSLFCM870XJSLFCM870XK | 140
197
140
197
140
197 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XNSL FCM92XRSL FCM966 | 203
203
203
203
162 | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115 | 140
140
140
190
189
169 | \$1400
\$1400\$L
\$1401
\$1401\$L
\$1402
\$1404 | 155
205
153
204
154 |
| FCM8101XJSL
FCM8101XKSL
FCM8101XNSL
FCM8101XRSL
FCM8103SL | 203
203
203
203
203
202
201 | FCM82XGFCM82XJFCM82XKFCM82XNFCM82XRFCM82XRFCM8310SL | 152
152
152
152
152
204
204 | FCM870XE FCM870XESL FCM870XG FCM870XGSL FCM870XJ FCM870XJSL FCM870XK FCM870XKSL | 140
197
140
197
140
197 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XNSL FCM92XRSL FCM966 FCM968 FCM968 | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170SL | 140
140
140
190
189
169 | \$1400
\$1400\$L
\$1401
\$1401\$SL
\$1402
\$1404
\$1405 | 155
205
153
204
154
180 |
| FCM8101XJSL
FCM8101XKSL
FCM8101XNSL
FCM8101XRSL
FCM8103SL
FCM8104SL | 203
203
203
203
203
202
201 | FCM82XGFCM82XIFCM82XNFCM82XRFCM8310SLFCM8311SL | 152
152
152
152
152
204
204 | FCM870XEFCM870XESLFCM870XGFCM870XGSLFCM870XJFCM870XJSLFCM870XJSLFCM870XK | 140
197
140
197
140
197 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XNSL FCM92XRSL FCM966 | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115 | 140
140
140
190
189
169 | \$1400
\$1400\$L
\$1401
\$1401\$L
\$1402
\$1404 | 155
205
153
204
154
180 |
| FCM8101XJSL FCM8101XKSL FCM8101XNSL FCM8101XRSL FCM8103SL FCM8104SL FCM8105SL | | FCM82XGFCM82XJFCM82XKFCM82XNFCM82XRFCM8310SLFCM8311SLFCM8313SL | 152
152
152
152
152
204
204
204 | FCM870XE FCM870XESL FCM870XG FCM870XGSL FCM870XJ FCM870XJSL FCM870XK FCM870XKSL | 140
197
197
140
197
140
197 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XNSL FCM92XRSL FCM966 FCM968 FCM968 | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170SL | 140
140
140
190
189
169
199 | \$1400
\$1400\$L
\$1401
\$1401\$SL
\$1402
\$1404
\$1405 | |
| FCM8101XJSL FCM8101XKSL FCM8101XNSL FCM8101XRSL FCM8103SL FCM8104SL FCM8105SL | | FCM82XG | 152
152
152
152
204
204
204
204
170 | FCM870XEFCM870XESLFCM870XGSLFCM870XJFCM870XJSLFCM870XJSLFCM870XKFCM870XKSLFCM870XKSLFCM870XN | 140
197
140
197
140
197
140
197 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XNSL FCM92XRSL FCM966 FCM968 FC06184SL FC06184XCSL | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170SL
\$1170XCSL | 140
140
140
190
189
169
199
196 | \$1400
\$1400\$L
\$1401
\$1401\$SL
\$1402
\$1404
\$1405
\$1405\$SL | |
| FCM8101XJSL FCM8101XKSL FCM8101XNSL FCM8101XRSL FCM8103SL FCM8104SL FCM8105SL FCM8107SL FCM8109SL | | FCM82XG | 152
152
152
152
152
204
204
204
204
170
167 | FCM870XE FCM870XESL FCM870XGSL FCM870XJJ FCM870XJSL FCM870XK FCM870XKSL FCM870XNSL FCM870XN | 140
197
140
197
140
197
140
197
140 | FCM92XGSL FCM92XJSL FCM92XNSL FCM92XNSL FCM92KRSL FCM968 FCM968 FC06184SL FC06184XCSL FC06184XESL | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170SL
\$1170XCSL
\$1170XCSL | 140
140
140
190
189
169
196
196
196 | \$1400 | |
| FCM8101XJSL FCM8101XKSL FCM8101XNSL FCM8101XRSL FCM8103SL FCM8104SL FCM8105SL FCM8107SL FCM8109SL FCM811 | | FCM82XG | 152
152
152
152
204
204
204
170
167
167 | FCM870XE FCM870XESL FCM870XGSL FCM870XJ FCM870XJSL FCM870XK FCM870XKSL FCM870XNSL FCM870XNSL FCM870XNSL | 140197140197140197140197140197140 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XRSL FCM968 FCM968 FC06184SL FC06184XCSL FC06184XSL | | \$108XJ
\$108XK
\$108XR
\$11
\$1100
\$1170SL
\$1170XCSL
\$1170XCSL
\$1170XCSL | 140
140
140
190
189
169
196
196
196
196 | \$1400 | |
| FCM8101XJSL FCM8101XKSL FCM8101XNSL FCM8101XRSL FCM8104SL FCM8105SL FCM8107SL FCM8109SL FCM811 FCM8110SL | | FCM82XG | 152152152152152204204204170167167167 | FCM870XE FCM870XESL FCM870XGSL FCM870XJ FCM870XJ.SL FCM870XKSL FCM870XKSL FCM870XNSL FCM870XNSL FCM870XNSL FCM870XRSL FCM870XRSL | 140
197
140
197
140
197
140
197
140
197
133 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XRSL FCM968 FC06184SL FC06184XCSL FC06184XSL FC06184XJSL FC06184XJSL | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170SL
\$1170XCSL
\$1170XCSL
\$1170XCSL
\$1170XGSL
\$1170XGSL | 140140140190189169196196196 | \$1400 | |
| FCM8101XJSL FCM8101XKSL FCM8101XRSL FCM8103SL FCM8103SL FCM8105SL FCM8107SL FCM8109SL FCM811 FCM8114SL FCM8114SL | | FCM82XG | 152152152152152204204204170167167167167 | FCM870XE FCM870XGSL FCM870XGSL FCM870XJSL FCM870XJSL FCM870XKSL FCM870XKSL FCM870XNSL FCM870XNSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL | 140197140197140197140197140197140197140197140197133 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XRSL FCM968 FC06184SL FC06184XCSL FC06184XSL FC06184XSL FC06184XNSL FC06184XNSL | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170SL
\$1170XCSL
\$1170XCSL
\$1170XGSL
\$1170XGSL
\$1170XJSL
\$1170XJSL
\$1170XKSL | 140140140190189169196196196196196196 | \$1400 | |
| FCM8101XJSL FCM8101XKSL FCM8101XRSL FCM8103SL FCM8104SL FCM8105SL FCM8107SL FCM8109SL FCM811 FCM8110SL FCM8114SL FCM8114SL FCM8114SL FCM8114SL FCM8115 | | FCM82XG | 152152152152152204 | FCM870XE FCM870XGSL FCM870XGSL FCM870XJ FCM870XJSL FCM870XK FCM870XKSL FCM870XN FCM870XNSL FCM870XNSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL FCM870XRSL FCM871SL FCM871SL | 140197140197140197140197140197140197140197133191 | FCM92XGSL FCM92XJSL FCM92XKSL FCM92XRSL FCM968 FCM968 FC06184XCSL FC06184XSL FC06184XJSL FC06184XNSL FC06184XNSL FC06184XNSL FC06185SL FC06185XCSL | | \$108XJ\$108XK\$108XK\$108XR\$11\$1100\$115\$1170XCSL\$1170XCSL\$1170XCSL.\$1170XGSL.\$1170XGSL.\$1170XJSL\$1170XKSL.\$1170XKSL.\$1170XKSL.\$1170XNSL\$1170XNSL\$1170XNSL\$1170XNSL\$1170XNSL\$1170XNSL | 140140140190189169196196196196196196 | \$1400 | |
| FCM8101XJSL FCM8101XKSL FCM8101XRSL FCM8103SL FCM8104SL FCM8104SL FCM8105SL FCM8107SL FCM8107SL FCM8111 FCM8114SL FCM8114SL FCM8114SL FCM8115SL FCM8115SL | | FCM82XG | 152152152152152204 | FCM870XE | | FCM92XGSL FCM92XJSL FCM92XNSL FCM92XNSL FCM92XRSL FCM966 FCM968 FC06184XL FC06184XCSL FC06184XSL FC06184XNSL FC06185XSL FC06185XCSL FC06185XCSL | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170XCSL
\$1170XCSL
\$1170XCSL
\$1170XGSL
\$1170XGSL
\$1170XJSL
\$1170XJSL
\$1170XKSL
\$1170XKSL
\$1170XKSL
\$1170XKSL
\$1170XKSL
\$1170XRSL
\$1170XRSL | 140140140190189169196196196196196196196196196 | \$1400 | 155
205
153
204
154
180
170
209
177
177
169
188
188 |
| FCM8101XJSL FCM8101XKSL FCM8101XNSL FCM8103SL FCM8104SL FCM8105SL FCM8107SL FCM810FCM811 FCM8114SL FCM8114SL FCM8114SL FCM8114SL FCM8115SL FCM8115SL FCM8115SL FCM8115 | | FCM82XG | | FCM870XE | | FCM92XGSL FCM92XJSL FCM92XNSL FCM92XNSL FCM966 FCM968 FC06184XL FC06184XSL FC06184XSL FC06184XSL FC06185XSL FC06185XSL FC06185XSSL FC06185XSSL | | \$108XJ\$108XK\$108XK\$108XR\$1100\$115\$1170XCSL\$1170XCSL\$1170XCSL\$1170XCSL\$1170XGSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$1170XXSL\$118XC\$118XC\$118XC\$118XC\$118XC\$118XC\$118XC\$118XC\$108XX\$108XX\$118XC\$118XC\$118XC\$118XC\$1108XC\$1 | 140140140190189196196196196196196196196196196196196 | \$1400 | 155
205
153
204
154
180
170
209
170
171
171
170
169
188
188
140 |
| FCM8101XJSL FCM8101XKSL FCM8101XRSL FCM8103SL FCM8104SL FCM8105SL FCM8107SL FCM8107SL FCM8111 FCM8114SL FCM8114SL FCM8114SL FCM8115SL FCM8115SL | | FCM82XG | | FCM870XE | | FCM92XGSL FCM92XJSL FCM92XNSL FCM92XNSL FCM92XRSL FCM966 FCM968 FC06184XL FC06184XCSL FC06184XSL FC06184XNSL FC06185XSL FC06185XCSL FC06185XCSL | | \$108XJ
\$108XK
\$108XN
\$108XR
\$11
\$1100
\$115
\$1170XCSL
\$1170XCSL
\$1170XCSL
\$1170XGSL
\$1170XGSL
\$1170XJSL
\$1170XJSL
\$1170XKSL
\$1170XKSL
\$1170XKSL
\$1170XKSL
\$1170XKSL
\$1170XRSL
\$1170XRSL | 140140140190189196196196196196196196196196196196196196196140 | \$1400 | 155 205 153 204 154 188 177 179 179 188 140 140 140 |

| S140XR | 140 | S2010XCSL | 195 | S220 | 189 | S292 | 173 | S4812XESL | 209 | S5715XG | 138 |
|---|--|---|---|---|---|---|---|--|---|--|--|
| S141 | | S2010XE | | S2200 | | S294 | | S4812XJ | | S5715XJ | |
| S1411 | 174 | S2010XESL | 195 | S2200XC | 152 | S294SL | 206 | S4812XJSL | 209 | S5715XK | 138 |
| S141STC | 188 | S2010XG | 138 | S2200XCSL | 203 | S296 | 188 | S4812XN | 182 | S5715XN | 138 |
| S141XC | 139 | S2010XGSL | 195 | S2200XE | 152 | S296XC | 188 | S4812XNSL | 209 | S5715XR | 138 |
| S141XE | 139 | S2010XJ | 138 | S2200XESL | 203 | S296XE | 188 | S4812XR | 182 | S5720 | 142 |
| S141XG | 139 | S2010XJSL | 195 | S2200XG | 152 | S296XG | 188 | S4812XRSL | 209 | S5720SL | 198 |
| S141XJ | 139 | S2010XK | 138 | S2200XGSL | 203 | S296XJ | 188 | S4813 | 183 | S5720XC | 139 |
| S141XK | | S2010XKSL | 195 | S2200XJ | | S296XK | 188 | S4813XC | 182 | S5720XCSL | 195 |
| S141XN | | S2010XN | | S2200XJSL | | S296XN | | S4813XE | | S5720XE | |
| S141XR | | S2010XNSL | | S2200XK | | S296XR | | S4813XJ | | S5720XESL | |
| S1442SL | | S2010XR | | S2200XKSL | | S30 | | S4813XN | | S5720XG | |
| S154 | | S2010XRSL | | S2200XN | | S308SL | | S4813XR | | S5720XGSL | |
| S154SL | | S205 | | S2200XNSL | | S308XCSL | | S4814 | | S5720XJ | |
| S155 | | S2050 | | S2200XR | | S308XESL | | S4814XC | | S5720XJSL | |
| S155SL | | S206 | | S2200XRSL | | S308XGSL | | S4814XE | | S5720XK | |
| S156 | | S206E | | S2250 | | S308XJSL | | S4814XJ | | S5720XKSL | |
| S160 | | S206XC | | S2250XC | | S308XKSL | | S4814XN | | S5720XN | |
| S160SL | | S206XE | | S2250XCSL | | S308XNSL | | S4814XR | | S5720XNSL | |
| S161 | | S206XG | | S2250XE | | S308XRSL | | S4816 | | S5720XR | |
| S161SL | | S206XJ | | S2250XESL | | S30XC | | S4816XC | | S5720XRSL | |
| \$162 | | S206XK | | S2250XG | | \$30XE | | S4816XE | | \$5725 | |
| \$163
\$1645 | | S206XN
S206XR | | S2250XGSL
S2250XJ | | S30XG
S30XJ | | S4816XJ
S4816XN | | S5725XC
S5725XE | |
| | | S2070SL | | S2250XJ | | \$30XK | | | | S5725XG | |
| S1646
S1646SL | | S210 | | S2250XJSL | | \$30XN | | S4816XR
S506 | | S5725XJ | |
| S1647 | | S2100 | | S2250XK | | S30XR | | S507 | | S5725XK | |
| S1650 | | S2100 | | S2250XN3L | | S31 | | S508 | | S5725XN | |
| S1651 | | S2101SL | | S2250XN | | S310 | | S529 | | S5725XR | |
| S1651SL | | S2102 | | S2250XR | | S32 | | S5425 | | S572SL | |
| S1652 | | S2103 | | S2250XRSL | | S32XC | | S5425SL | | S573SL | |
| S1652SL | | S2103SL | | S236 | | S32XE | | S543 | | S574 | |
| S1653 | | S2103XC | | S237 | | S32XG | | S545SL | | S575 | |
| S1654 | | S2103XCSL | | S241 | | S32XJ | | S549 | | S577 | |
| S1655 | | S2103XE | | S243 | | S32XK | | S5700 | | S579 | |
| S1656 | | S2103XESL | | S255 | | S32XN | | S5700SL | | S581 | |
| S1656SL | | S2103XG | | S256 | | S32XR | | S5700XC | | S583SL | |
| S1658 | | S2103XGSL | | S2600 | | S34 | | S5700XCSL | | S585 | |
| S1661 | | S2103XJ | | S2610 | | S3487SL | | S5700XE | | S5870SL | |
| S17 | 176 | S2103XJSL | 203 | S2610XC | 183 | S3487XCSL | 208 | S5700XESL | 195 | S600 | 190 |
| S198 | 145 | S2103XK | 151 | S2610XE | 183 | S3487XESL | 208 | S5700XG | 138 | S6000 | 159 |
| S198SL | | S2103XKSL | 203 | S2610XJ | 183 | S3487XGSL | 208 | S5700XGSL | 195 | S6000SL | 206 |
| S20 | 176 | S2103XN | 151 | S2610XN | 183 | S3487XJSL | 208 | S5700XJ | 138 | S6002 | 133 |
| S200 | 189 | S2103XNSL | 203 | S2610XR | 183 | S3487XKSL | 208 | S5700XJSL | 195 | S6002SL | 191 |
| S2000 | 146 | S2103XR | 151 | S262 | 170 | S3487XNSL | 208 | S5700XK | 138 | S6006 | 161 |
| S2000SL | 200 | | | | | | | | | | |
| | | S2103XRSL | | S2620 | 182 | S3487XRSL | 208 | S5700XKSL | 195 | S6006SL | |
| S2000SL-2C | 198 | S2104 | 153 | S262XC | 182
166 | S35 | 208
160 | S5700XN | 138 | S6006SL
S6008 | 134 |
| S2000SL-2C
S2000SL-4C | 198
198 | S2104
S2104SL | 153
204 | S262XC
S262XE | 182
166
166 | \$35
\$369 | 208
160
134 | S5700XN
S5700XNSL | 138
195 | \$6006\$L
\$6008
\$6008\$L | 134
192 |
| S2000SL-2C
S2000SL-4C
S2000XC | 198
198
140 | S2104 | 153
204 | S262XC
S262XE
S262XG | 182
166
166 | S35 | 208
160
134 | S5700XN | 138
195 | S6006SL
S6008 | 134
192 |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C\$2000\$C\$2000\$CSL\$2000\$CSL | 198
198
140
196 | S2104SLS2104XCS2104XCS2104XCSL | 153
204
151
203 | S262XC
S262XE
S262XG
S262XJ | 182
166
166
166 | \$35
\$369
\$37
\$38 | 208
160
134
164 | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL | 138
195
138
195 | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$ | 134
192
148
201 |
| \$2000\$L-2C\$2000\$L-4C\$2000\$XC\$2000\$XC\$2000\$XC\$L\$2000\$XC\$L\$2000\$XC\$L-2C | 198
198
140
196
195 | S2104 | 153
204
151
203
151 | \$262XC
\$262XE
\$262XG
\$262XJ
\$262XK | 182
166
166
166
166 | \$35
\$369
\$37
\$38
\$4070\$L | 208
160
134
164
160 | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705 | 138
195
138
195
142 | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6009\$L\$6001 | 134
192
148
201 |
| \$2000\$L-2C\$2000\$L-4G\$2000\$C\$2000\$XC\$2000\$XCSL.\$2000\$XCSL-2C\$2000\$XCSL-4C\$ | 198
198
140
196
195
195 | S2104
S2104SL
S2104XC
S2104XCSL
S2104XE
S2104XESL | 153
204
151
203
151
203 | \$262XC | 182
166
166
166
166 | \$35 | 208
160
134
164
160
194
162 | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705
\$5705XC | 138
195
138
195
142
138 | \$6006\$L\$6008\$6008\$L\$6009\$L\$6009\$L\$6010 | 134
192
148
201
184 |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C\$2000\$CSL\$2000\$CSL\$2000\$CSL-2C\$2000\$CSL-4C\$2000\$CSL-4C\$2000\$CSL-4C\$2000\$CSL-4C\$2000\$CSL. | 198
198
140
196
195
195 | \$2104
\$2104\$L
\$2104XC
\$2104XCSL
\$2104XE
\$2104XESL | 153
204
151
203
151
203
151 | \$262XC | | \$35
\$369
\$37
\$38
\$4070\$L
\$41
\$416\$L | | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705
\$5705XC
\$5705XE | 138
195
138
195
142
138 | \$6006\$L\$6008\$6008\$L\$6009\$L\$6009\$L\$6010\$6012 | 134
192
201
184
148 |
| \$2000\$L-2C\$2000\$L-4C\$2000\$CSL\$2000\$CSL\$2000\$CSL-2C\$2000\$CSL-4C\$2000\$ESL\$20 | 198
198
140
196
195
195
140 | \$2104
\$2104\$L
\$2104XC
\$2104XCSL
\$2104XE
\$2104XESL
\$2104XG | 153
204
151
203
151
203
151
203 | \$262XC | | \$35
\$369
\$37
\$38
\$4070\$L
\$41
\$416\$L
\$42 | | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705
\$5705XC
\$5705XE
\$5705XG | 138
195
138
195
142
138
138 | \$6006\$L\$6008\$6008\$L\$6009\$L\$6009\$L\$601\$6010\$6012\$6013 | 134
192
148
201
184
148
175 |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C.\$2000\$C\$.\$2000\$C\$L\$2000\$C\$L\$2000\$C\$SL.4C\$2000\$E.\$ | 198
198
140
196
195
195
140
196 | \$2104
\$2104\$L
\$2104\$C
\$2104\$C\$L
\$2104\$E
\$2104\$E\$L
\$2104\$G\$L
\$2104\$G\$L
\$2104\$G\$L | 153
204
151
203
151
203
151
203 | \$262XC | | \$35
\$369
\$37
\$38
\$4070\$L
\$41
\$416\$L
\$42
\$42 | | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705XC
\$5705XC
\$5705XE
\$5705XJ | | \$6006\$L\$6008\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014 | 134
192
148
201
184
175
172
173 |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C.\$2000\$C\$S.\$2000\$C\$S.\$2000\$C\$SL-4C\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XE.\$2000\$XESL-4C\$2000\$XESL-4C. | 198
198
140
196
195
195
140
196
195 | \$2104
\$2104\$L
\$2104\$C
\$2104\$C\$L
\$2104\$E
\$2104\$E
\$2104\$G\$L
\$2104\$J
\$2104\$J | 153
204
151
203
151
203
151
203
151 | \$262XC | | \$35 | | \$5700XN
\$5700XNSL
\$5700XR
\$5700XRSL
\$5705XC
\$5705XC
\$5705XG
\$5705XJ
\$5705XJ | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$ | |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C.\$2000\$C\$S.\$2000\$C\$S.\$2000\$C\$S.\$2000\$C\$S.\$4C\$2000\$C\$S.\$2 | 198
198
140
196
195
195
140
196
195
195 | \$2104\$2104\$L\$2104\$C\$2104\$C\$\$2104\$C\$\$2104\$E\$2104\$E\$2104\$G\$2104\$G\$\$2104\$J\$\$21 | 153
204
151
203
151
203
151
203
151 | \$262XC | | \$35 | | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$XC\$601XC\$ | |
| \$2000\$L-2C | 198
198
140
196
195
195
140
196
195
195
140 | \$2104\$2104\$L\$2104\$C\$2104XCSL\$2104XCSL\$2104XE\$2104XE\$2104XGSL\$2104XGSL\$2104XGSL\$2104XJSL\$2104XXJSL\$2104XKSL\$2104XKSL\$2104XKSL\$2104XKSL\$2104XKSL\$2104XKSL\$2104XKSL | 153
204
151
203
151
203
151
203
151
203
151 | \$262XC | 182 166 166 166 166 166 166 181 209 208 208 | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6009\$L\$6010\$\$6012\$\$6014\$\$6014\$\$601\$L\$601XC\$601XCSL\$601XCSL\$601XCSL\$601XCSL | |
| \$2000\$L-2C | 198
198
140
196
195
195
140
196
195
195
140
196
140 | \$2104 | 153 204 151 203 151 203 151 203 151 203 151 203 151 203 151 | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6009\$S.\$6009\$S.\$6010\$S6012\$S6013\$S6014\$S601\$L.\$601\$K.\$600\$K.\$600 | |
| \$2000\$L-2C | 198
198
140
196
195
195
140
196
195
195
140
196
196
196 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6009\$S.\$6009\$S.\$6010\$S6012\$S6014\$S6014\$S601\$S601\$S601\$C.\$601\$S601\$S601\$S601\$C.\$5601\$KC.\$5 | |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C.\$2000\$CSL.\$2000\$CSL-2C.\$2000\$CSL-4C.\$2000\$XSL-4C.\$2000\$XSL.\$2000\$XSL.\$2000\$XSL.\$2000\$XSL.\$2000\$XSL.\$2000\$XSL.\$2000\$XSL.\$2000\$XSL.\$2000\$XJL.\$2000\$XJSL. | 198 198 140 196 195 195 140 196 195 140 195 140 196 140 196 140 196 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6014\$601\$L\$601\$K\$ | |
| \$2000\$L-2C | 198 198 140 196 195 195 140 196 195 140 195 140 196 140 196 140 196 140 196 140 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$K\$601\$K\$601XCSL\$601XCSL\$601XES. | |
| \$2000\$L-2C | 198 198 198 140 196 195 195 140 196 195 195 140 196 196 196 140 196 195 140 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6014\$601\$L\$601\$K\$60 | |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C.\$2000\$CSL.\$2000\$CSL.\$2000\$CSL-4C\$2000\$E.\$2000\$ESL.\$2000\$E | 198 198 198 140 196 195 195 140 196 195 195 140 196 196 195 140 196 195 140 196 | \$2104\$2104XC\$2104XCSL\$2104XCSL\$2104XESL\$2104XESL\$2104XGSL\$2104XGSL\$2104XJSL\$2104XXJSL\$2104XXSL\$2105\$2106\$2106 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6010\$6012\$6014\$601\$L\$601\$K\$601\$ | |
| \$2000\$L-2C | 198
198
140
196
195
195
195
140
195
140
196
140
196
195
140
196
195
140
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6010\$6012\$6014\$601\$L\$601\$KC\$6 | |
| \$2000\$L-2C | 198
198
140
196
195
195
140
195
140
196
140
196
140
196
140
195
140
196
140
196
140
196
140
196
196
195
140
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$601\$L\$601\$KC\$601\$KC\$601\$KC\$601\$KC\$601\$KC\$601\$KC\$601\$KS\$6 | |
| \$2000\$L-2C | 198
198
198
140
196
195
195
140
195
140
196
196
140
196
195
140
196
195
140
196
196
195
140
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196 | \$2104\$2104XC\$2104XCSL\$2104XCSL\$2104XE\$2104XE\$2104XE\$2104XG\$2104XG\$2104XG\$2104XJ\$2104XJ\$2104XX\$2105\$2106\$2107 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6010\$6012\$6014\$601\$L\$601\$KC\$6 | |
| \$2000\$L-2C | 198 198 198 140 196 195 195 140 195 140 195 140 196 195 140 196 196 140 196 195 140 195 140 195 140 195 140 195 140 196 195 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$KC\$601XC\$601XC\$601XC\$601XE\$601XE\$601XE\$601XESL\$601XJ\$601XJ\$601XJSL\$601XJSL\$601XJSL\$601XJSL\$601XJSL\$601XKSL\$ | |
| \$2000\$L-2C | 198
198
198
140
195
195
195
140
196
195
140
196
196
195
140
196
195
140
195
140
195
140
195
140
195
140
195
140
195
140
195
140
195
140
195
195
140
196
195
195
195
195
195
196
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
195
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196
196 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$XC\$601XCSL\$601XCSL\$601XCSL\$601XESL\$601XJSL\$601XJSL\$601XJSL\$601XJSL\$601XJSL\$601XNSL\$601XNSL\$601XNSL\$601XNSL\$601XNSL\$601XNSL\$601XNSL\$601XRSL | |
| \$2000\$L-2C | 198 198 198 140 196 195 140 196 195 140 196 195 140 196 140 196 140 196 140 196 140 196 140 196 140 196 140 196 140 196 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$KE\$601XCS\$601XCSL\$601XCSL\$601XES\$601XJ\$60 | |
| \$2000\$L-2C | 198 198 198 140 196 195 195 140 196 195 140 196 195 140 196 140 196 140 196 140 196 140 196 140 196 140 196 140 196 140 196 195 140 195 | \$2104 | | \$262XC | | \$35\$369\$37 \$38 \$4070\$\$L\$41\$416\$\$L\$42 \$426\$43 \$430 \$430\$\$L\$4570\$\$L\$4810\$\$L\$5881 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$KC\$601XC\$601XE\$601XE\$601XES\$601XESL\$601XSL\$601XJ\$601X | |
| \$2000\$L-2C | 198 198 198 140 196 195 195 140 196 195 140 196 195 140 196 140 196 140 196 140 196 140 196 140 196 140 196 140 196 195 140 195 195 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$K\$602\$K\$6021\$K\$6021\$K\$6021\$K\$6021\$K\$6021\$K\$6021\$K\$6002\$K\$6021\$K\$6002\$K | |
| \$2000\$L-2C\$2000\$L-4C\$2000\$C.\$2000\$C.\$2000\$CSL | 198 198 198 140 196 195 195 140 196 195 140 196 195 140 196 196 140 196 196 195 140 196 195 140 196 195 140 196 195 195 151 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$L\$601\$K\$602\$K\$6021\$K\$60 | |
| \$2000\$L-2C | 198 198 198 198 140 196 195 195 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 195 140 196 195 195 140 196 195 140 195 195 140 195 140 195 140 195 140 195 140 195 140 195 140 195 140 195 195 195 195 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$L\$6009\$L\$6010\$6012\$6013\$6014\$601\$K\$602\$K\$ | |
| \$2000\$L-2C | 198 198 198 198 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 140 196 195 141 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$L\$6008\$L\$6009\$\$6009\$L\$6010\$\$6012\$\$6014\$\$601\$L\$601\$K\$602\$K. | |
| \$2000\$L-2C | 198 198 198 198 140 196 195 140 196 195 140 196 195 140 196 140 196 140 196 140 196 140 196 140 196 140 196 140 195 141 198 | \$2104 | | \$262XC | | \$35 | 208 | \$5700XN | | \$6006\$L\$6008\$\$6008\$\$6009\$\$6009\$\$6009\$\$6010\$6012\$6013\$6014\$601\$L\$601XC\$601XCSL\$601XCSL\$601XCSL\$601XESL\$601XSL\$601XJSL\$601XJSL\$601XJSL\$601XJSL\$601XJSL\$601XNSL\$601XNSL\$601XNSL\$601XNSL\$601XRSL\$601XRSL\$601XRSL\$601XRSL\$601XRSL\$601XRSL\$601XRSL\$601XRSL\$6021XG\$6021XC\$6021XC\$6021XC\$6021XC\$6021XG\$6021XJ\$6021XL | |

| S6022XC | 166 | S606XJ | 182 | S6126SL | 200 | S752 | 186 | S8145SL | 209 | S82106XN | 151 |
|--|--|---|---|---|---|--|--|--|--|--|--------------------------|
| S6022XE | | S606XJSL | | S6126XCSL | | S755 | | S8149 | | S82106XR | |
| S6022XG | | S606XN | | S6126XESL | | S757SL | | S814SL | | S82107 | |
| S6022XJ | | S606XNSL | | S6126XJSL | | S758SL | | S815 | | S82107XC | |
| S6022XK | | S606XR | | S6126XNSL | | S770 | | S816 | | S82107XE | |
| S6022XN | | S606XRSL | | S6126XRSL | | S771 | | S81645 | | S82107XG | |
| S6022XR | | S607 | | S6127SL | | S773 | | S81646 | | S82107XJ | |
| S6023 | | S6070 | | S6128SL | | S774 | | S81646SL | | S82107XK | |
| | | | | | | | | | | | |
| S6025 | | S6070SL | | S6130SL | | S80 | | S81649 | | S82107XN | |
| S6026 | | S6071 | | S6131SL | | S8000 | | S81650 | | S82107XR | |
| S6027 | | S6071SL | | S6132SL | | S8000-12 | | S81651 | | S82200 | |
| S6029 | | S6072 | | S6134SL | | S8000-18 | | S81651SL | | S82200XC | |
| S602SL | | S6073 | 163 | S6135SL | | S8000-9 | 142 | S81652 | 138 | S82200XE | |
| S6030 | 163 | S6074 | 163 | S626 | 137 | S8000SL | 200 | S81652SL | 195 | S82200XG | 152 |
| S6031 | . 161 | S6075 | 163 | S63 | 169 | S8000XC | 140 | S81653 | 166 | S82200XJ | 152 |
| S6032 | 159 | S6076 | 163 | S6500 | 137 | S8000XCSL | 196 | S81654 | 166 | S82200XK | 152 |
| S6034 | . 168 | S607SL | 200 | S6500SL | 194 | S8000XE | 140 | S81654SL | 208 | S82200XN | 152 |
| S6035 | . 168 | S607XC | 183 | S6520 | 182 | S8000XESL | 196 | S81656 | 166 | S82200XR | 152 |
| S6036 | | S607XCSL | | S6532 | | S8000XG | | S817 | | S82250 | |
| S604 | | S607XE | | S6534 | | S8000XGSL | | S818 | | S822XC | |
| S6041 | | S607XESL | | S6536 | | S8000XJ | | S81828 | | S822XE | |
| S6041XC | | S607XJ | | S6550 | | S8000XJSL | | S818XC | | S822XG | |
| S6041XE | | | | S6550SL | | | | S818XE | | S822XJ | |
| | | S607XJSL | | | | \$8000XK | | | | | |
| S6041XG | | S607XN | | S6560 | | S8000XKSL | | S818XG | | S822XK | |
| S6041XJ | | S607XNSL | | S6565 | | S8000XN | | S818XJ | | S822XN | |
| S6041XK | | S607XR | | S6565SL | | S8000XNSL | | S818XK | | S822XR | |
| S6041XN | 167 | S607XRSL | | S6568 | 165 | S8000XR | 140 | S818XN | 140 | S82600 | 140 |
| S6041XR | 167 | S608 | 184 | S6570 | 187 | S8000XRSL | 196 | S818XR | 140 | S82610 | 184 |
| S6042 | . 170 | S6080 | 158 | S6572 | 173 | S807 | 174 | S81929P | 171 | S82610XC | 183 |
| S6042XC | 166 | S6081 | 158 | S6575 | 158 | S807XC | 174 | S81929PXC | 167 | S82610XE | 183 |
| S6042XE | . 166 | S6082 | 157 | S6576 | 158 | S807XE | 174 | S81929PXE | 167 | S82610XJ | 183 |
| S6042XG | . 166 | S6084 | 157 | S6577 | | S807XG | 174 | S81929PXG | | S82610XN | 183 |
| S6042XJ | | S6085 | | S6580 | | S807XJ | | S81929PXJ | | S82610XR | |
| S6042XK | | S608XC | | S6580SL | | S807XK | | S81929PXK | | S82620 | |
| S6042XN | | S608XE | | S6582 | | S807XN | | S81929PXN | | S82630 | |
| S6042XR | | S608XJ | | S668 | | S807XR | | S81929PXR | | | |
| | | | | | | | | | | S82640 | |
| S6043 | | S608XN | | S682 | | S808 | | S81932P | | S82650 | |
| S6045 | | S608XR | | S685L | | S808SL | | S81933P | | S82660 | |
| S6046 | | S609 | | S685LXC | | S80XC | | S81935P | | S82670 | |
| S6047 | | S6090 | | S685LXE | 139 | S80XE | 152 | S81936P | 160 | S828 | |
| S6049 | | S6091 | | S685LXG | 139 | S80XG | 152 | S81937P | 161 | S829 | 141 |
| S604SL | 192 | S6091SL | 202 | S685LXJ | 139 | S80XJ | 152 | S81938P | 162 | S829SL | 197 |
| S605 | 184 | S6092 | 149 | S685LXK | 139 | S80XK | 152 | S81939P | 161 | S82SL | 204 |
| S6050 | 163 | S6092SL | 202 | S685LXN | 139 | S80XN | 152 | S81940P | 163 | S82XC | 152 |
| S6051 | | S6093 | 135 | S685LXR | 139 | S80XR | 152 | S81941P | 163 | S82XCSL | 203 |
| S6052 | | S6094 | | S685R | | S810 | 190 | S81942P | | S82XE | 152 |
| S6054 | | S6095 | | S685RXC | | S81000 | | S81983 | | S82XESL | |
| S6055 | | S6097 | | S685RXE | | S81086SL | | S82 | | S82XG | |
| S6056 | | S6100 | | S685RXG | | | 200 | | 104 | | |
| | | | | | | | 107 | | 107 | | വവ |
| S605SL | | S6100SL | | | | S81086XCSL | | S820 | | S82XGSL | |
| S605XC | | | | S685RXJ | 139 | S81086XESL | 197 | S8200 | 189 | S82XJ | 152 |
| S605XCSL | | S6101 | 161 | S685RXK | 139
139 | S81086XESL
S81086XGSL | 197
197 | \$8200
\$8201 | 189
189 | S82XJ
S82XJSL | 152
203 |
| | 196 | S6101SL | 161
206 | S685RXK
S685RXN | 139
139
139 | \$81086XESL
\$81086XGSL
\$81086XJSL | 197
197
197 | \$8200
\$8201
\$8202\$L | 189
189
205 | \$82XJ
\$82XJ\$L
\$82XK | 152
203
152 |
| S605XE | 196
182 | S6101SL
S6102 | 161
206
148 | S685RXK | 139
139
139 | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL | 197
197
197
197 | \$8200
\$8201
\$8202\$L
\$8204\$L | 189
189
205
205 | \$82XJ
\$82XJSL
\$82XK
\$82XKSL | 152
203
152
203 |
| | 196
182 | S6101SL | 161
206
148 | S685RXK
S685RXN | 139
139
139
139 | \$81086XESL
\$81086XGSL
\$81086XJSL | 197
197
197
197 | \$8200
\$8201
\$8202\$L | 189
189
205
205 | \$82XJ
\$82XJ\$L
\$82XK | 152
203
152
203 |
| S605XE | 196
182
196 | S6101SL
S6102 | 161
206
148
201 | S685RXKS685RXNS685RXR | | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL | 197
197
197
197 | \$8200
\$8201
\$8202\$L
\$8204\$L | 189
205
205
205 | \$82XJ
\$82XJSL
\$82XK
\$82XKSL | |
| S605XES605XESL | 196
182
196
182 | \$6101\$L
\$6102
\$6102\$L | 161
206
148
201
148 | S685RXKS685RXNS685RXRS691 | 139
139
139
139
143 | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XNSL | 197
197
197
197
197 | \$8200
\$8201
\$8202\$L
\$8204\$L
\$8207\$L | 189
205
205
205
205 | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN | |
| \$605XE\$605XESL\$605XJ | 196
182
196
182
196 | S6101SL
S6102
S6102SL
S6103 | 161
206
148
201
148
173 | \$685RXK
\$685RXN
\$685RXR
\$691
\$691XC | 139
139
139
143
139 | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XNSL
\$81086XRSL | 197
197
197
197
197
197 | \$8200
\$8201
\$8202SL
\$8204SL
\$8207SL
\$821 | 189
205
205
205
136
153 | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN
\$82XNSL | |
| \$605XE\$605XESL\$605XJ\$605XJSL\$605XJSL\$605XN | 196
182
196
182
196
182 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105 | 161
206
148
201
148
173
175 | \$685RXK
\$685RXN
\$685RXR
\$691
\$691XC
\$691XE | 139
139
139
139
143
139
139 | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XRSL
\$81086XRSL
\$811
\$81100 | 197
197
197
197
197
169
189 | \$8200
\$8201
\$8202\$L
\$8204\$L
\$8207\$L
\$821
\$82103
\$82103XC | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN
\$82XNSL
\$82XR
\$82XRSL | |
| \$605XE\$605XE\$L\$605XJ\$605XJ\$L\$605XN\$L\$60 | 196
182
196
182
196
182
196 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$ | 161
206
148
201
148
173
175 | \$685RXK | | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XRSL
\$81086XRSL
\$811
\$811
\$81100
\$81186SL | 197
197
197
197
197
197
169
189 | \$8200
\$8201
\$8202\$L
\$8204\$L
\$8207\$L
\$8210
\$82103
\$82103XC
\$82103XE | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XNSL
\$82XNSL
\$82XRSL
\$82XRSL
\$830 | |
| \$605XE\$605XESL\$605XJ\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XRSL. | 196
182
196
182
196
182
196
182 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$ | 161
206
148
201
148
173
175
161
161 | \$685RXK | | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XNSL
\$81086XRSL
\$811
\$811
\$81100
\$81186SL
\$8120 | 197197197197197197169189189 | \$8200
\$8201
\$8202\$L
\$8204\$L
\$8207\$L
\$82103
\$82103
\$82103XC.
\$82103XE
\$82103XG. | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XNSL
\$82XNSL
\$82XR
\$82XRSL
\$830
\$830XC | |
| \$605XE\$605XESL\$605XJ\$605XJSL\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$605XRSL\$605XRSL. | 196
182
196
182
196
182
196
182
196 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6108\$6108 | 161
206
148
201
148
173
175
161
161 | \$685RXK | | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XRSL
\$81100
\$81100
\$81186SL
\$8120
\$81208 | 197197197197197197169189189189 | \$8200
\$8201
\$8202\$L
\$8204\$L
\$8207\$L
\$82103
\$82103XC
\$82103XE
\$82103XG
\$82103XJ | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XNSL
\$82XNSL
\$82XR
\$82XRSL
\$830
\$830XC
\$830XE | |
| \$605XE\$605XESL\$605XJSL\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$605XRSL\$6066 | 196
182
196
182
196
182
196
182
196
184 | \$6101\$L\$6102\$6102\$L. \$6103\$6104\$6105\$6106\$6107\$6108\$6108\$6111 | 161
206
148
201
148
173
175
161
161
161 | \$685RXK | 139 139 139 139 139 139 143 139 139 139 139 139 139 139 | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XRSL
\$81100
\$81100
\$81186SL
\$8120
\$81208
\$81225 | 197197197197197197169189189189141 | \$8200
\$8201
\$8202\$L
\$8204\$L
\$8207\$L
\$82103
\$82103XC
\$82103XE
\$82103XG
\$82103XJ
\$82103XJ
\$82103XJ | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN
\$82XNSL
\$82XR
\$82XR
\$82XR
\$830X
\$830XC
\$830XG | |
| \$605XE\$605XESL\$605XJSL\$605XJSL\$605XJSL\$605XN\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$60661 | 196
182
196
182
196
182
196
182
196
184
141 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6107\$6108\$6111\$6113 | 161 206 148 201 148 173 175 161 161 175 175 | \$685RXK | | \$81086XESL
\$81086XGSL
\$81086XJSL
\$81086XKSL
\$81086XRSL
\$81100
\$81186SL
\$8120
\$8120
\$81225
\$8132 | 197197197197197197169189189145141 | \$8200 | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN
\$82XNSL
\$82XR
\$82XR
\$830X
\$830XC
\$830XG
\$830XJ | |
| \$605XE\$605XESL\$605XJSL\$605XJSL\$605XJSL\$605XN\$605XNSL\$605XRSL\$605XRSL\$605XRSL\$6065XRSL\$6065XRSL\$60662\$60662\$60662 | 196
182
196
182
196
182
196
182
196
184
141 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6108\$6111\$6113\$6117\$6117\$6117\$6118\$6117 | 161 206 148 201 148 173 175 161 161 161 175 175 175 | \$685RXK\$685RXR\$685RXR\$685RXR\$691\$691XC\$691XE\$691XG\$691XJ\$691XJ\$691XK\$691XN\$691XR\$704\$707 | | \$81086XESL
\$81086XGSL
\$81086XXSL
\$81086XKSL
\$81086XRSL
\$81100
\$81100
\$81120
\$8120
\$81225
\$8132SL | 197197197197197197169189189145141168209 | \$8200 | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN
\$82XNSL
\$82XRSL
\$830XC
\$830XC
\$830XC
\$830XG
\$830XJ
\$830XK | |
| \$605XE\$605XESL\$605XJ\$605XJSL.\$605XJSL.\$605XNSL.\$605XNSL.\$605XNSL.\$605XRSL.\$605XRSL.\$6065XRSL.\$6065XRSL.\$6066\$50665XSL.\$6066\$50665XSL.\$6066\$50665XSL.\$6066\$50665XSL.\$6066\$50665XSL.\$60665XS | 196
182
196
182
196
182
196
182
196
184
141
145
200 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6108\$6111\$6113\$6117\$6119\$ | 161 206 148 201 148 173 175 161 161 175 175 176 176 | \$685RXK\$685RXR\$685RXR\$685RXR\$691\$691XC\$691XE\$691XG\$691XG\$691XK\$691XK\$691XN\$691XR\$704\$707\$708 | | \$81086XESL
\$81086XGSL
\$81086XXSL
\$81086XKSL
\$81086XRSL
\$81100
\$81186SL
\$8120
\$81225
\$8132
\$8132SL
\$814 | 197197197197197197169189189145141168209134 | \$8200 | | \$82XJ
\$82XJSL
\$82XK
\$82XKSL
\$82XN
\$82XNSL
\$82XRSL
\$830XC
\$830XC
\$830XC
\$830XE
\$830XG
\$830XJ
\$830XK | |
| \$605XE\$605XESL\$605XJ\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$6066 | 196
182
196
182
196
182
196
182
196
184
141
145
200
145 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6111\$6113\$6117\$6119\$6119\$6121 | 161 206 148 201 148 173 175 161 161 175 175 176 176 176 176 | \$685RXK\$685RXR\$685RXR\$685RXR\$691\$691XC\$691XE\$691XG\$691XJ\$691XJ\$691XJ\$691XJ\$691XJ\$691XN\$691XR\$704\$707\$708\$709\$ | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 139 139 186 185 | \$81086XESL\$81086XGSL\$81086XJSL\$81086XKSL\$81086XKSL\$81086XRSL\$811086XRSL\$81100\$81186SL\$8120\$8120\$81225\$8132\$8132\$8132\$8132SL\$8144\$8140 | 197197197197197197169189189145141168209134146 | \$8200 | 189 | \$82XJ
\$82XJSL
\$82XK
\$82XK
\$82XNSL
\$82XNSL
\$82XR
\$830XC
\$830XC
\$830XE
\$830XG
\$830XG
\$830XG
\$830XG
\$830XG
\$830XG
\$830XG
\$830XG
\$830XG
\$830XG | |
| \$605XE\$605XSL\$605XJ\$605XJSL.\$605XNSL.\$605XNSL.\$605XNSL.\$605XNSL.\$605XRSL.\$605XRSL.\$6066.\$6066.\$6062.\$6062SL.\$6063STC.\$6065XE.\$60663STC.\$6065XES.\$60663STC.\$6065XSES.\$60663STC.\$6065XSES.\$60663STC.\$6065XSES.\$6065XSES.\$60663STC.\$6065XSES.\$6065XSES.\$60663STC.\$6065XSES.\$6 | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
188 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6111\$6113\$6117\$6119\$6121\$6123\$6121\$6123 | 161 206 148 201 148 173 175 161 161 175 176 176 176 176 176 175 176 175 176 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 139 186 186 186 157 | \$81086XESL\$81086XGSL\$81086XJSL\$81086XKSL\$81086XNSL\$81086XNSL\$811086XNSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8132SL\$8144\$8140\$81401\$81401\$81401 | 197197197197197197169189189145141168209134146153 | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XSL\$605XJ\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XRSL\$6065XRSL\$6066\$6066\$6066\$6062\$6062\$L\$6063\$6063STC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$6065XC\$606 | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
188 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6108\$6111\$6113\$6117\$6119\$6121\$6123\$6124\$L\$6124 | 161 206 148 201 148 173 175 161 161 161 175 175 175 175 175 176 176 176 177 187 199 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 158 186 186 157 209 | \$81086XESL\$81086XGSL\$81086XUSL\$81086XUSL\$81086XNSL\$81086XNSL\$811086XNSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8144\$8140\$81401\$81405 | | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XESL\$605XJ\$605XJ\$605XJSL\$605XJSL\$605XN\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$6066\$6061\$6062\$6062SL\$6063SE\$6063STC\$6063XC\$60663XE\$60663XE\$60663XE\$60663XE\$60663XE\$60663XE\$60663XE\$60663XE\$6065XE\$60663XE\$6065XE\$60663XE\$6065XE\$6065XE\$60663XE\$6065XE\$6065XE\$60663XE\$6065XE\$6065XE\$6065XE\$6065XE\$6065XE\$6065XE\$6065XE\$6065XE\$60663XE\$6065XE\$6065XE\$6065XE\$60663XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$6 | 196
182
196
182
196
182
196
182
196
182
196
184
141
145
200
145
188
140 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6111\$6113\$6117\$6119\$6121\$6123\$6121\$6123 | 161 206 148 201 148 173 175 161 161 161 175 175 175 175 175 176 176 176 177 187 199 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 158 186 186 157 209 | \$81086XESL
\$81086XGSL
\$81086XXSL
\$81086XKSL
\$81086XRSL
\$81100
\$81100
\$81120
\$8120
\$81225
\$81322
\$81328
\$8140
\$8140
\$8140
\$8140
\$8140 | 197197197197197197197169189145141168209134146153170188 | \$8200 | | \$82XJ | |
| \$605XE\$605XSL\$605XJ\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XRSL\$6065XRSL\$6066\$6066\$6066\$6062\$6062\$L\$6063\$6063STC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$6065XC\$606 | 196
182
196
182
196
182
196
182
196
182
196
184
141
145
200
145
188
140 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6107\$6108\$6111\$6113\$6117\$6119\$6121\$6123\$6124\$L\$6124 | 161 206 148 201 148 173 175 161 161 175 175 175 175 175 176 176 177 199 196 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 139 139 1586 185 186 | \$81086XESL\$81086XGSL\$81086XUSL\$81086XUSL\$81086XNSL\$81086XNSL\$811086XNSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8144\$8140\$81401\$81405 | 197197197197197197197169189145141168209134146153170188 | \$8200 | | \$82XJ | |
| \$605XE\$605XESL\$605XJSL\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$60662\$60662\$60662SL\$6063XTC\$60663XC\$60663XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$60665XE\$606 | 196
182
196
182
196
182
196
182
196
182
196
184
141
145
200
145
188
140
140 | \$6101\$L\$6102\$6102\$6103\$6104\$6105\$6106\$6107\$6108\$6111\$6113\$6117\$6119\$6121\$6123\$6124\$L\$6124XCSL | 161 206 148 201 148 173 175 161 161 175 175 176 176 176 176 175 176 179 199 196 | \$685RXK | 139 139 139 139 139 139 139 139 139 139 | \$81086XESL
\$81086XGSL
\$81086XXSL
\$81086XKSL
\$81086XRSL
\$81100
\$81100
\$81120
\$8120
\$81225
\$81322
\$81328
\$8140
\$8140
\$8140
\$8140
\$8140 | | \$8200 | | \$82XJ\$82XJSL\$82XK\$82XKSL\$82XKSL\$82XNSL\$82XNSL\$82XNSL\$82XRSL\$830XC\$830XC\$830XC\$830XC\$830XC\$830XC\$830XC\$830XR\$830XN\$830XN\$830XN\$830XR\$830XR\$830XR\$830XR\$830XR\$830XR\$830XR\$830XR\$8310\$8310\$8310SL\$8310SL\$832XX\$8310SL\$8310SL\$832XX\$8310SL\$8310SL\$832XX\$8310SL\$8310SL\$832XX\$8310SL\$8310SL\$832XX\$832XX\$8310SL\$8310SL\$832XX\$832XX\$8310SL\$8310SL\$832XX\$832XX\$8310SL\$8310SL\$832XX\$832XX\$8310SL\$8310SL\$8310SL\$8310SL\$832XX\$832XX\$8310SL\$8310SL\$832XX\$832XX\$8310SL\$8310SL\$832XXX\$832XXX\$832XXX\$832XXX\$832XXX\$832XXX\$832XXX\$832XXXX\$832XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | |
| \$605XE\$605XESL\$605XJSL\$605XJSL\$605XJSL\$605XN\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$60662\$6062\$6062SL\$6063\$6063XC\$6063XC\$6063XC\$6063XG\$6063XJ\$6 | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
188
140
140 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6107\$6108\$6111\$6113\$6117\$6119\$6123\$6124\$L\$6124XCSL\$6124XESL | 161 206 148 201 148 175 161 161 175 176 176 176 176 176 176 179 199 196 196 | \$685RXK | | \$81086XESL\$81086XGSL\$81086XJSL\$81086XKSL\$81086XNSL\$81086XRSL\$81086XRSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81401\$81401\$81405\$81405\$81405\$8140XC\$8140 | | \$8200 | | \$82XJ | |
| \$605XE\$605XESL\$605XJ\$605XJ.SL\$605XJ.SL\$605XN\$605XN\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$6065XRSL\$60662\$60662\$60662\$60663\$60663\$60663XC\$60663XC\$60663XC\$60663XC\$60663XG\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XJ\$60663XK. | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
188
140
140
140 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6111\$6113\$6117\$6119\$6121\$6123\$6124\$L\$6124XSL\$6124XSL\$6124XJSL\$6124XJSL\$6124XJSL\$ | 161 206 148 201 148 175 161 161 175 176 176 176 176 176 176 176 176 176 176 176 199 196 196 | \$685RXK | | \$81086XESL\$81086XGSL\$81086XJSL\$81086XKSL\$81086XNSL\$81086XRSL\$81086XRSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81401\$81401\$81401\$81405\$81405\$81405TC\$8140XC\$8140XE\$8140XE\$8140XE\$8140XE\$8140XE\$81405 | | \$8200 | | \$82XJ | |
| \$605XE\$605XESL\$605XJ.S.\$605XJ.S.\$605XJ.S.\$605XJ.S.\$605XN\$605XN\$605XN\$605XN\$605XR\$605XR\$605XR\$605XR\$6065XR\$6065XG\$60663\$60663\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XC\$60663XJ\$60663XJ\$60663XJ\$60663XN\$606663XN\$606663XN\$606663XN\$606663XN\$6066 | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
140
140
140 | \$6101\$L\$6102\$\$6102\$\$6104\$\$6105\$\$6106\$\$6106\$\$6111\$\$6113\$\$6117\$\$6119\$\$6121\$\$6123\$\$6124\$L\$6124\$XSL\$6124XSL\$61 | 161 206 148 201 148 175 161 161 175 176 176 176 176 176 176 176 199 196 196 196 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 139 139 186 185 186 186 157 209 185 186 186 186 186 186 205 204 | \$81086XESL\$81086XGSL\$81086XGSL\$81086XKSL\$81086XKSL\$81086XKSL\$81086XKSL\$81100\$81186SL\$8120\$81208\$81225\$8132SL\$81425\$8140\$81440\$81440\$81440\$81440\$81440\$81405\$8140XC\$8140XJ\$8140X | | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XESL\$605XJ\$605XJ\$605XJ\$605XJ\$605XN\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$605XRSL\$6065XRSL\$6065XRSL\$6063\$6063\$6063STC\$6063XC\$6063XC\$6063XC\$6063XC\$6063XC\$6063XC\$50663XC\$50663XC\$6063XC\$50663XC | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
148
140
140
140
140 | \$6101\$L\$6102\$\$6102\$\$6102\$\$6103\$\$6104\$\$6105\$\$6106\$\$6108\$\$6111\$\$6113\$\$6117\$\$6119\$\$6121\$\$6123\$\$6124\$L\$6124XCSL\$6124XCSL\$6124XCSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6124XVSL\$6125SL\$6125SL\$ | 161 206 148 201 148 173 161 161 161 175 175 176 175 176 175 176 179 199 196 196 196 196 196 196 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 139 186 186 186 187 209 185 186 186 205 204 | \$81086XESL\$81086XGSL\$81086XJSL\$81086XKSL\$81086XKSL\$81086XRSL\$81086XRSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81401\$81405\$81405\$8140XC\$8140XE\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XG\$8140XK\$8140XK | | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XESL\$605XJ\$605XJ\$605XJ\$605XJ\$605XNSL\$605XNSL\$605XNSL\$605XRSL\$6065XRSL\$6065XRSL\$6065XRSL\$6063\$6062\$6063STC\$6063XC\$60663XC\$60663XC\$60665X | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
140
140
140
140
140
140
140
140 | \$6101\$L\$6102\$\$6102\$\$6102\$\$6103\$\$6104\$\$6105\$\$6106\$\$6107\$\$6108\$\$6111\$\$6113\$\$6117\$\$6119\$\$6123\$\$6124\$L\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6125SC\$6125SC\$6125SC\$6125SC\$6125XCSL | 161 206 148 201 148 173 175 161 161 161 175 175 176 176 176 176 179 199 196 196 196 196 196 196 196 196 196 196 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 139 186 186 185 186 186 185 186 186 205 204 204 | \$81086XESL\$81086XGSL\$81086XJSL\$81086XNSL\$81086XNSL\$81086XNSL\$81086XNSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81405\$81405\$81405\$8140XC\$8140XG\$8140 | | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XESL\$605XJ\$605XJ\$605XJSL\$605XJSL\$605XN\$605XNSL\$605XNSL\$605XRSL\$6065XRSL\$6066\$6061\$6062\$6063XC\$6063XC\$6063XC\$6063XC\$6063XC\$6063XC\$6063XJ\$6063XJ\$6063XJ\$6063XN\$6063XN\$60663XN\$60663XN\$60663XR\$60663XR\$60663XR\$60663XR\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XL\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6065XJ\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6065XJ\$6066XC\$6066XC\$6066XC\$6065XJ\$6066XC\$606XC\$6066XC\$60 | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6106\$6107\$6108\$6111\$6113\$6117\$6119\$6123\$6124\$L\$6124\$XSL\$6124XUSL\$6125XUSL\$612 | 161 206 148 201 148 173 175 161 161 175 175 175 175 175 175 176 176 179 199 196 196 196 196 196 196 196 196 196 | \$685RXK | 139 139 139 139 139 143 143 139 139 139 139 139 139 139 186 186 185 186 205 204 204 204 | \$81086XESL\$81086XGSL\$81086XUSL\$81086XUSL\$81086XUSL\$81086XUSL\$81086XUSL\$81086XUSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81400\$81405\$81405\$8140XUS\$8140 | | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XESL\$605XJSL\$605XJSL\$605XJSL\$605XJSL\$605XNSL\$605XNSL\$605XRSL\$605XRSL\$6065XRSL\$6066\$6061\$6062\$6062\$6062\$6063XC\$6065XC\$6065X | 196
182
196
182
196
182
196
182
196
184
141
145
200
145
188
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
140
 | \$6101\$L\$6102\$\$6102\$\$6103\$\$6104\$\$6105\$\$6108\$\$61104\$\$6105\$\$6111\$\$6113\$\$6117\$\$6119\$\$6123\$\$6124\$X\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6124XCSL\$6125XCSL | 161 206 148 201 148 173 175 161 161 175 175 176 176 176 176 199 196 196 196 196 196 196 196 196 196 196 | \$685RXK | 139 139 139 139 139 139 143 139 139 139 139 139 139 139 139 139 186 185 186 185 205 205 204 204 204 204 | \$81086XESL\$81086XGSL\$81086XJSL\$81086XKSL\$81086XNSL\$81086XNSL\$81086XNSL\$81086XNSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81405\$81405\$81405\$8140XC | | \$8200 | 189 | \$82XJ | |
| \$605XE\$605XESL\$605XJ\$605XJ\$605XJSL\$605XJSL\$605XN\$605XNSL\$605XNSL\$605XRSL\$6065XRSL\$6066\$6061\$6062\$6063XC\$6063XC\$6063XC\$6063XC\$6063XC\$6063XC\$6063XJ\$6063XJ\$6063XJ\$6063XN\$6063XN\$60663XN\$60663XN\$60663XR\$60663XR\$60663XR\$60663XR\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XL\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6065XJ\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6066XC\$6065XJ\$6066XC\$6066XC\$6066XC\$6065XJ\$6066XC\$606XC\$6066XC\$60 | 196 182 196 182 196 182 196 182 196 182 196 184 141 145 200 145 140 140 140 140 140 140 140 140 140 140 140 199 182 196 182 | \$6101\$L\$6102\$6102\$L\$6103\$6104\$6105\$6106\$6106\$6107\$6108\$6111\$6113\$6117\$6119\$6123\$6124\$L\$6124\$XSL\$6124XUSL\$6125XUSL\$612 | 161 206 148 201 148 173 175 161 161 175 176 176 176 176 176 199 196 196 196 196 196 196 196 196 196 196 196 196 | \$685RXK | 139 139 139 139 139 139 139 139 139 139 | \$81086XESL\$81086XGSL\$81086XUSL\$81086XUSL\$81086XUSL\$81086XUSL\$81086XUSL\$81086XUSL\$81100\$81186SL\$8120\$81208\$81225\$8132\$8132SL\$8140\$81400\$81405\$81405\$8140XUS\$8140 | | \$8200 | 189 | \$82XJ | |

| S831203XR | | S84813XC | . 182 | S85720SL | 198 | S8600XE | 183 | S86560SL | 208 | S888SL | |
|------------------------|-----|--------------------------|-------|--------------------------|------------|------------------------|-----|----------------------|-----|----------------------|-----|
| S83120XC | | S84813XE | | S85720XC | | S8600XJ | | S86565 | | S891 | |
| S83120XE | | S84813XJ | | S85720XCSL | | \$8600XN | | \$86570 | | S891SL | |
| S83120XG | | S84813XN
S84813XR | | S85720XE
S85720XESL | | S8600XR
S8601 | | S86580
S86580SL | | S892
S892SL | |
| S83120XJ
S83120XK | | S84814 | | S85720XG | | S8601SL | | S8675SL | | S893 | |
| S83120XN | | S84814XC | | S85720XGSL | | S8601XCSL | | S867SL | | S894 | |
| S83120XR | | S84814XE | . 182 | S85720XJ | | S8601XESL | | S8682 | 153 | S894SL | |
| S8313 | 154 | S84814XJ | . 182 | S85720XJSL | 195 | S8601XGSL | 197 | S8682SL | 204 | S895 | 148 |
| S8313SL | | S84814XN | . 182 | S85720XK | 139 | S8601XJSL | 197 | S8685L | 143 | S895SL | 201 |
| S83141 | | S84814XR | | S85720XKSL | | S8601XKSL | | S8685LXC | | S896 | |
| S83142 | | S84816 | | S85720XN | | S8601XNSL | | S8685LXE | | S8968 | |
| S83143 | | S84816XC | | S85720XNSL | | S8601XRSL | | S8685LXG | | S897 | |
| \$83145
\$83147 | | S84816XE
S84816XJ | | S85720XR
S85720XRSL | | \$8602
\$86021 | | S8685LXJ
S8685LXK | | S89701
S8971 | |
| S83149 | | S84816XN | | \$85725 | | S86021XC | | S8685LXN | | \$8972 | |
| S83152 | | S84816XR | | S85725XC | | S86021XE | | S8685LXR | | S898 | |
| S83153 | | S84886SL | | S85725XE | | S86021XG | | S8685R | | S898SL | |
| S83154 | 178 | S84886XCSL | . 195 | S85725XG | 138 | S86021XJ | 167 | S8685RXC | 139 | S90 | 155 |
| S83155 | | S84886XESL | | S85725XJ | | S86021XK | 167 | S8685RXE | 139 | S902 | 151 |
| S83156 | | S84886XGSL | | S85725XK | | S86021XN | | S8685RXG | | S902SL | |
| S8316 | | S84886XJSL | | S85725XN | | S86021XR | | S8685RXJ | | S90SL | |
| S8317
S8318 | | S84886XKSL
S84886XNSL | | S85725XR
S8572SL | | \$86022XC
\$86022XE | | S8685RXK | | S90XC
S90XE | |
| S8319 | | S84886XRSL | | S8573SL | | \$86022XG | | S8685RXN
S8685RXR | | \$90XE | |
| S832 | | S8508 | | S8574 | | S86022XJ | | S8691 | | S90XJ | |
| S8320 | | S8529 | | S8575 | | S86022XK | | S8691XC | | S90XK | |
| S8321 | 170 | S8545SL | | S8579 | | S86022XN | | S8691XE | | S90XN | 152 |
| S8321XC | 167 | S85700 | . 142 | S8581 | 163 | S86022XR | 167 | S8691XG | 139 | S90XR | 152 |
| S8321XE | | S85700SL | | S8583SL | | S86025 | | S8691XJ | | S91 | |
| S8321XG | | S85700XC | | S85892SL | | S86026 | | S8691XK | | S912 | |
| S8321XJ | | \$85700XCSL | | S85893 | | S86027 | | S8691XN | | S916 | |
| \$8321XK
\$8321XN | | S85700XE | | S85893SL
S85895 | | S86029
S8602SL | | S8691XR
S8704 | | S916SL
S91SL | |
| S8321XR | | S85700XESL
S85700XG | | \$85895\$L | | \$86030 | | \$8707 | | S92 | |
| S8322 | | S85700XGSL | | S85896 | | S86031 | | S8708 | | S925 | |
| S8323 | | S85700XJ | | S85896SL | | S86032 | | S8721 | | S926 | |
| S8324 | 169 | S85700XJSL | | S85897 | 161 | S86035 | 168 | S8735 | 186 | S92SL | 204 |
| S8325 | 170 | S85700XK | | S85898 | 148 | S86036 | 165 | S8736 | 185 | S92XC | 152 |
| S8326 | | S85700XKSL | | S85898SL | | S8604 | | S8745 | | S92XE | |
| S8327 | | \$85700XN | | S85900 | | S8605 | | S8752 | | S92XG | |
| \$8328 | | S85700XNSL | | S85900SL | | S8605SL | | S880 | | \$92XJ | |
| S832XC
S832XE | | S85700XR
S85700XRSL | | S85901
S85902 | | \$8605XC
\$8605XE | | S880SL
S880XC | | S92XK
S92XN | |
| S832XG | | S85705 | | S85902SL | | S8605XJ | | S880XCSL | | S92XR | |
| S832XJ | | S85705XC | | S85905 | | S8605XN | | S880XE | | S93 | |
| S832XK | 167 | S85705XE | | S85906 | | S8605XR | | S880XESL | 204 | S930 | 172 |
| S832XN | 167 | S85705XG | . 138 | S85907 | 160 | S8606 | 184 | S880XG | 152 | S930SL | 206 |
| S832XR | 167 | S85705XJ | | S85908 | | S8606SL | | S880XGSL | | S9320 | |
| S833 | | S85705XK | | S85909 | | S8606XC | | S880XJ | | S93203 | |
| \$837 | | \$85705XN | | S85910SL | | S8606XE | | S880XJSL | | S93203XC | |
| S84586SL
S84800 | | S85705XR
S8571 | | S85910XCSL
S85910XESL | 208
208 | \$8606XJ | | S880XK
S880XKSL | | S93203XE
S93203XG | |
| S84810 | | S85710 | | S85910XGSL | | S8606XN
S8606XR | | \$880XN | | S93203XJ | |
| S84810SL | | S85710SL | | S85910XJSL | | S8607 | | S880XNSL | | S93203XK | |
| S84810XC | | S85710XC | | S85910XKSL | | S86074 | | S880XR | | S93203XN | |
| S84810XCSL | 210 | S85710XCSL | . 195 | S85910XNSL | 208 | S8607SL | 200 | S880XRSL | 204 | S93203XR | 179 |
| S84810XE | | S85710XE | . 139 | S85910XRSL | | S8607XC | | S881 | | S9320XC | |
| S84810XESL | | S85710XESL | | S85911SL | | S8607XE | | S881SL | | S9320XE | |
| S84810XJ | | S85710XG | | S85912SL | | \$8607XJ | | S881XC | | S9320XG | |
| S84810XJSL
S84810XN | | S85710XGSL
S85710XJ | | S85914SL
S85915SL | | S8607XN
S8607XR | | S881XCSL
S881XE | | S9320XJ
S9320XK | |
| S84810XNSL | | S85710XJSL | | S85916SL | | \$8608 | | S881XESL | | \$9320XN | |
| S84810XR | | S85710XK | | S85917SL | | S8608XC | | S881XG | | S9320XR | |
| S84810XRSL | | S85710XKSL | | S85918SL | | S8608XE | | S881XGSL | | S9341 | |
| S84812 | 183 | S85710XN | . 139 | S85920SL | | S8608XJ | 183 | S881XJ | 152 | S9342 | 178 |
| S84812SL | | S85710XNSL | | S85922SL | 207 | S8608XN | 183 | S881XJSL | 203 | S9343 | 176 |
| S84812XC | | S85710XR | | S85924SL | | S8608XR | | S881XK | | S9345 | |
| S84812XCSL | | S85710XRSL | | S85925SL | | S8609 | | S881XKSL | | S9347 | |
| S84812XE | | \$85715 | | S85926SL | | \$86107 | | \$881XN | | \$9349 | |
| S84812XESL
S84812XJ | | S85715XC
S85715XE | | S85927SL
S85928SL | | \$86500
\$86500\$L | | S881XNSL
S881XR | | S9352
S9353 | |
| S84812XJSL | | S85715XG | | S85930SL | | \$86520 | | S881XRSL | | \$9354 | |
| S84812XN | | S85715XJ | | S85931SL | | S86533 | | S882 | | S9355 | |
| S84812XNSL | | S85715XK | | S85932SL | | S86536 | | S884SL | | S9356 | |
| S84812XR | | S85715XN | . 138 | S85934SL | 193 | S86550 | 137 | S887 | | S95 | |
| S84812XRSL | | S85715XR | | S8600 | | S86550SL | | S887SL | | S960 | |
| S84813 | 183 | S85720 | . 142 | S8600XC | 183 | S86560 | 165 | S888 | 147 | S962 | 135 |

Steel

| S962SL192 |
|-----------|
| S964 161 |
| S964SL206 |
| S966 162 |
| S968162 |
| S97 150 |
| S970162 |
| S971168 |
| S972 159 |
| S973161 |
| S975147 |
| S975SL201 |
| S976149 |
| S976SL201 |
| S977147 |
| S979147 |
| S980149 |
| S981147 |
| S982149 |
| S983150 |
| S985 173 |
| S988156 |
| S989158 |
| S991156 |
| S992 158 |
| S994158 |
| S995 157 |
| S997 156 |
| S999157 |
| SART 211 |
| |

| 100 | | 1025HD | 220 | 1200SL | 236 | 236HD | 227 | 582HD | 222 |
|--------------|-----|----------------|-----|--------------------|-----|------------------------|-----|--------------------|-----|
| 104 | 224 | 1027SL | 228 | 1201SL | 229 | 237HD | 227 | 584SLHD | |
| 105 | | 1029SL | 228 | 1201SL | 236 | 243HD | 223 | 588HD | 224 |
| 108 | 218 | 1031HD | 221 | 1202SL | 229 | 255HD | 227 | 601HD | 226 |
| 118 | 218 | 1031SLHD | 230 | 1202SL | 236 | 256HD | 227 | 601XCHD | 226 |
| 128 | 218 | 1032HD | 221 | 128XC | 218 | 262HD | 223 | 601XEHD | 226 |
| 130 | | 1034HD | 221 | 128XE | 218 | 262HDXC | 222 | 601XJHD | 226 |
| 131 | 223 | 1035HD | 221 | 128XE | 218 | 262HDXE | 222 | 601XNHD | 226 |
| 137 | 223 | 1037HD | 218 | 128XG | 218 | 262HDXG | 222 | 601XRHD | 226 |
| 139 | 217 | 1037SLHD | 229 | 128XJ | 218 | 262HDXJ | 222 | 6023HD | 223 |
| 98 | 218 | 1038HD | 219 | 128XK | 218 | 262HDXK | 222 | 602HD | 225 |
| 310 | 217 | 1038SLHD | 229 | 128XN | 218 | 262HDXN | 222 | 604HD | 225 |
| 369 | 217 | 1039HD | 219 | 130SL | 229 | 262HDXR | 222 | 605HD | 226 |
| 571 | 217 | 1039SLHD | 229 | 130SL | 236 | 263HD | 225 | 605HDXC | 226 |
| 310 | 217 | 1040HD | 219 | 132HD | 223 | 263HDXC | 225 | 605HDXE | 226 |
| 320 | 217 | 1040SLHD | 229 | 132SLHD | 231 | 263HDXE | 225 | 605HDXJ | 226 |
| 26 | 217 | 1041HD | 219 | 138SL | 229 | 263HDXG | 225 | 605HDXN | 226 |
| 300 | 235 | 1041SLHD | 229 | 139SL | 228 | 263HDXJ | 225 | 605HDXR | 226 |
| 308 | | 1042HD | | 1400SLHD | | 263HDXK | | 606HD | |
| 310 | | 1044HD | | 1403HD | | 263HDXN | | 606HDXC | |
| 318 | | 1047HD | | 1405HD | | 263HDXR | | 606HDXE | |
| 328 | | 104XC | | 1405SLHD | | 263SLHD | | 606HDXJ | |
| 329 | | 104XE | | 1406HD | | 263SLHDXC | | 606HDXN | |
| 396 | | 104XG | | 1408HD | | 263SLHDXE | | 606HDXR | |
| 916 | | 104XJ | | 1411HD | | 263SLHDXG | | 607HD | |
| 1006 | | 104XK | | 1643HD | | 263SLHDXJ | | 607HDXC | |
| 027 | | 104XN | | 1643HD | | | | | |
| 1027
1028 | | 104XN
104XR | | 1643SLHD
1644HD | | 263SLHDXK
263SLHDXN | | 607HDXE
607HDXJ | |
| | | | | | | | | 607HDXJ | |
| 1029 | | 1055HD | | 1644SLHD | | 263SLHDXR | | | |
| 1200 | | 1089SLHD | | 1650HD | | 289EHD | | 607HDXR | |
| 1201 | | 108XC | | 1651HD | | 289ESLHD | | 608HD | |
| 202 | | 108XE | | 1651SL | | 289HD | | 608HDXC | |
| 203 | | 108XE | | 1657HD | | 289HDXC | | 608HDXE | |
| 425 | | 108XG | | 1657SLHD | | 289HDXE | | 608HDXJ | |
| 3132 | | 108XJ | | 1659HD | | 289HDXG | | 608HDXN | |
| 3145 | 233 | 108XK | 218 | 1660HD | | 289HDXJ | 225 | 608HDXR | 226 |
| 3206 | 233 | 108XN | 218 | 1662HD | | 289HDXK | 225 | 609HD | 225 |
| 317 | 235 | 1101HD | 224 | 19020T | 237 | 289HDXN | 225 | 610SL | 228 |
| 3321 | 233 | 1101XCHD | 223 | 19055T | 237 | 289HDXR | 225 | 613HD | 221 |
| 3322 | 233 | 1101XEHD | 223 | 19080T | 237 | 294HD | 224 | 615HD | 224 |
| 3323 | 233 | 1101XGHD | 223 | 19200T | 237 | 294SLHD | 230 | 615SLHD | 230 |
| 3324 | 233 | 1101XJHD | 223 | 19210T | 237 | 296HD | 227 | 6184SL | 229 |
| 3704 | 234 | 1101XKHD | 223 | 19220T | 237 | 296HDXC | 227 | 6184SL | 236 |
| 3708 | 234 | 1101XNHD | 223 | 19520T | 237 | 296HDXE | 227 | 6184XCSL | 236 |
| 3752 | 234 | 1101XRHD | 223 | 19720T | 237 | 296HDXG | 227 | 6184XESL | 236 |
| 3142HD | 219 | 1102HD | 223 | 19730T | 237 | 296HDXJ | 227 | 6184XJSL | 236 |
| 001HD | 220 | 1107HD | 221 | 19740T | 237 | 296HDXK | 227 | 6184XNSL | 236 |
| 002HD | 221 | 1110HD | 222 | 19750T | 237 | 296HDXN | 227 | 6184XRSL | 236 |
| 1004HD | 223 | 1111HD | 221 | 19800T | 237 | 296HDXR | 227 | 6185SL | 229 |
| 005HD | | 1112HD | | 19810T | | 296SLHD | | 6185SL | |
| 006SL | | 1113HD | | 19820T | | 296SLHDXC | | 6185XCSL | |
| 007HD | | 1114HD | | 198SL | | 296SLHDXE | | 6185XESL | |
| 007SLHD | | 1115HD | | 198SL | | 296SLHDXG | | 6185XJSL | |
| 008HD | | 1116HD | | 203HD | | 296SLHDXJ | | 6185XNSL | |
| 009HD | | 1117HD | | 205HD | | 296SLHDXK | | 6185XRSL | |
| 009SLHD | | 1118HD | | 206EHD | | 296SLHDXN | | 6186SL | |
| 00SL | | 1119HD | | 206HD | | 296SLHDXR | | 6186SL | |
| 00SL | | 1120HD | | 206HDXC | | 309HD | | 6186XCSL | |
| 00XCSL | | 1121HD | | 206HDXE | | 310SL | | 6186XESL | |
| | | | | | | 311HD | | | |
| 100XCSL | | 1122HD | | 206HDXG | | | | 6186XJSL | |
| 00XESL | | 1123HD | | 206HDXJ | | 311SLHD | | 6186XNSL | |
| 100XESL | | 1123HDXC | | 206HDXK | | 369SL | | 6186XRSL | |
| 00XGSL | | 1123HDXE | | 206HDXN | | 371HD | | 620SL | |
| 00XGSL | | 1123HDXG | | 206HDXR | | 371SLHD | | 623HD | |
| 00XJSL | | 1123HDXJ | | 2109HD | | 374HD | | 625HD | |
| 00XJSL | | 1123HDXK | | 210HD | | 416SL | | 625SLHD | |
| 00XKSL | | 1123HDXN | | 210SLHD | | 426HD | | 626SL | |
| 00XKSL | | 1123HDXR | | 210SLHDXC | | 430HD | | 627HD | |
| 00XNSL | 229 | 115HD | | 210SLHDXE | 231 | 430SLHD | | 628HD | 225 |
| 00XNSL | 236 | 118XC | 218 | 210SLHDXG | 231 | 454HD | 227 | 628SLHD | |
| 00XRSL | 229 | 118XE | 218 | 210SLHDXJ | 231 | 4572SLHD | 230 | 630HD | 220 |
| 00XRSL | 236 | 118XE | 218 | 210SLHDXK | 231 | 508HD | 225 | 631HD | 222 |
| 011HD | | 118XG | | 210SLHDXN | | 5425SL | 230 | 632SL | |
| 020HD | | 118XJ | | 210SLHDXR | | 544HD | | 632SL | |
| 1021HD | | 118XK | | 2110HD | | 546SLHD | | 632XCSL | |
| 1022HD | | 118XN | | 2111HD | | 576HD | | 632XESL | |
| | 220 | 1200SL | | 211HD | | 578HD | | 632XGSL | |

632XJSL......236 930SLHD 230 TS108......232 632XKSL......236 956SLHD......229 TS108XC232 632XNSL 236 959HD......219 TS108XE..... 959HDXC......219 TS108XG 632XRSL 236 TS108XJ......232 6500HD 217 959HDXCSL......230 6500SL......228 TS108XK232 959HDXE......219 6520HD 225 959HDXESL 230 TS108XN232 6560HD......222 959HDXG......219 TS108XR232 959HDXGSL.....230 6565HD 222 TS115......233 6565SLHD 231 959HDXJ219 TS118.....232 TS118XC232 6568HD......222 959HDXJSL 230 TS118XE......232 6570HD 227 959HDXK......219 6570SLHD 231 959HDXKSL.....230 TS118XG232 TS118XJ..... 6572HD......225 959HDXN......219 232 6578HD 220 959HDXNSL......230 TS118XK232 TS118XN 232 6580SLHD 230 959HDXR......219 6582HD......219 959HDXRSL.....230 TS118XR232 6720HDXCSL......230 959SLHD 230 TS1200......232 6720HDXESL 230 961HD......219 TS1201......232 6720HDXGSL......230 961HDXC......219 TS1202......232 6720HDXJSL 230 961HDXE......219 TS1203......232 6720HDXKSL......230 961HDXG......219 TS128.....232 TS128XC232 6720HDXNSL......230 961HDXJ219 6720HDXRSL......230 961HDXK......219 TS128XE......232 TS128XG232 6720SLHD 230 961HDXN......219 704HD......227 961HDXR......219 TS128XJ......232 TS128XK 232 707HD 226 965HD......218 708HD......227 965SLHD 229 TS128XN 232 721HD......226 966SLHD 230 TS128XR232 735HD 226 967HD.....219 TS130......232 736HD......226 967SLHD 230 TS131......233 226 745HD 968HD.....218 TS132..... 233 TS132SL..... 752HD 227 969HD......228 971SLHD......229 TS137......233 818SL......236 818XC 232 978HD......228 TS1405SL......236 980HD.....224 TS1408......233 818XCSL 236 980HDXC......223 818XE......232 TS1411.....234 818XESL......236 980HDXE......223 TS198.....232 980HDXG......223 818XG232 TS206......233 818XGSL 236 980HDXJ 223 TS206XC 233 980HDXK......223 TS206XE......233 818XJ......232 980HDXN......223 818XJSL......236 TS206XG 233 818XK 232 980HDXR......223 TS206XJ..... 233 818XKSL......236 982HD......223 TS206XK 233 982HDXC......223 TS206XN 233 818XN 232 818XNSL 236 982HDXE......223 TS206XR 233 818XR232 982HDXG......223 TS210......235 TS210SL......236 818XRSL 236 982HDXJ 223 8206XC 233 982HDXK......223 TS210XCSL 236 TS210XESL.....236 8206XE......233 982HDXN.....223 982HDXR......223 TS210XGSL 236 8206XG 233 984HD......223 TS210XJSL.....236 8206XJ......233 985HD......222 TS210XKSL......236 8206XK 233 TS210XNSL 988HD......221 8206XN 233 236 8206XR 233 989HD.....221 TS210XRSL 236 TS214......235 828SL......236 991HD 220 829SL.....236 996HD......221 TS236..... 235 8321XC 233 999HD.....222 TS237..... 235 TS243......233 8321XE......233 AVRT...... 237 8321XG 233 AXRT 237 TS255......234 TS256..... 8321XJ......233 BSRT 237 TS262..... 8321XK 233 CNRT......237 TS262XC233 8321XN 233 FWRT 237 TS262XE......233 8321XR 233 KNRT......237 TS262XG233 86184SL.....236 PBRT 237 86185SL......236 RSRT 237 TS262XJ......233 86186SL......236 TS262XK 233 SART 237 TS262XN 896XC 235 TS100......235 896XE......235 TS104......233 TS262XR 233 896XG 235 TS104XC233 TS263......234 896XJ......235 TS104XE......233 TS263SL......236 TS263XC 896XK235 TS104XG 233 234 TS104XJ......233 TS263XCSL 236 896XN 235 TS104XK 233 896XR 235 TS263XE......234 916SL.....228 TS104XN 233 TS263XESL.....236 926HD......220 TS104XR233 TS263XG 234

TS105......233

930HD......224

| TS263XGSL | 236 |
|-----------|-----|
| TS263XJ | 234 |
| TS263XJSL | 236 |
| TS263XK | 234 |
| TS263XKSL | 236 |
| TS263XN | 234 |
| TS263XNSL | 236 |
| TS263XR | |
| TS263XRSL | 236 |
| TS289 | 234 |
| TS289 | 234 |
| TS296 | |
| TS296SL | 236 |
| TS296XC | |
| TS296XCSL | |
| TS296XE | |
| TS296XESL | |
| TS296XG | |
| TS296XGSL | |
| TS296XJ | |
| TS296XJSL | |
| TS296XK | |
| TS296XKSL | |
| TS296XN | |
| TS296XNSL | |
| TS296XR | |
| TS296XRSL | |
| TS572SL | |
| TS704 | |
| TS708 | |
| TS752 | 234 |
| | |

| 100242 |
|-------------|
| 1005HD242 |
| 203HD242 |
| 205HD242 |
| 210HD242 |
| 969HD242 |
| 978HD242 |
| FCF100241 |
| FCF160241 |
| FCF31240 |
| FCF755240 |
| FCF808240 |
| FCF809240 |
| FCF8100241 |
| FCF8160241 |
| FCF862240 |
| FMF100241 |
| FMF134241 |
| |
| FMF205240 |
| FMF220240 |
| FMF31240 |
| FMF60241 |
| FMF600241 |
| FMF755240 |
| FMF8100241 |
| FMF860241 |
| SE100242 |
| SE1005HD242 |
| SE210HD242 |
| SE514242 |
| SE969HD242 |
| SE978HD242 |
| SSF100241 |
| SSF11241 |
| SSF1100240 |
| SSF120240 |
| SSF160241 |
| SSF200240 |
| SSF205240 |
| SSF220240 |
| SSF31240 |
| SSF4800240 |
| SSF600241 |
| SSF755240 |
| SSF8100241 |
| SSF81100240 |
| SSF8120240 |
| SSF8160241 |
| SSF8200240 |
| SSF8205240 |
| SSF8220240 |
| |
| SSF831240 |
| SSF84800240 |
| SSF8600241 |

SSF93.....240

SSF960......240

TS100.....242

TS210......242

TS214......242

Fire

| DRS2131SL | 255 |
|------------|-----|
| DRS82131SL | 255 |
| S10AXSL | 256 |
| S10CLSL | 256 |
| S10PBSL | 255 |
| \$10XCSL | 256 |
| \$10XESL | 256 |
| S10XGSL | 256 |
| S10XJSL | 256 |
| S10XKSL | 256 |
| S10XNSL | 256 |
| S10XRSL | 256 |
| S1651SL | 255 |
| S1AV | 249 |
| S1AX | 250 |
| S1BL | 248 |
| S1BS | 248 |
| S1CL | 250 |
| S1LAV | 249 |
| S1LAX | 250 |
| S1LBL | 248 |
| S1LBS | 248 |
| S1LCL | 250 |
| S1LPB | 250 |
| S1LRS | 249 |
| S1LSA | 249 |
| S1LSG | 249 |
| S1LSN | 249 |
| S1LXC | 250 |
| S1LXE | 250 |
| S1LXG | 250 |
| S1LXJ | 250 |
| S1LXK | 250 |
| S1LXN | 250 |
| S1LXR | 250 |
| S1PB | 250 |
| S1RAV | 249 |
| S1RAX | 250 |
| S1RBL | 249 |
| S1RBS | 248 |
| S1RCL | 250 |
| S1RPB | 250 |
| S1RRS | 250 |
| S1RS | 249 |
| S1RSA | 249 |
| S1RSG | 249 |
| S1RSN | 249 |
| S1RXC | 250 |
| S1RXE | 250 |
| S1RXG | 250 |
| S1RXJ | |
| S1RXK | 250 |
| S1RXN | |
| S1RXR | |
| S1SA | |
| S1SG | 249 |
| S1SN | 249 |
| S1XC | 250 |
| S1XE | |
| S1XG | 250 |
| S1XJ | 250 |
| S1XK | 250 |
| \$1XN | |
| S1XR | 250 |
| S2AX | |
| S2CL | 248 |
| S2PB | |
| S2RS | |
| S2SG | |
| S2SN | |
| 525N | 240 |

Pulse_®

S2XE.....

S2XG

S2X.I 248

S2XK248

S2XN 248

248

| S2XR | 248 | S5XK | 253 | S811LXG | 254 | S83AX | 248 | S85RXC | 253 | S8RPB | 251 |
|----------------------------------|------------|-------------------------------|-----|-------------------------|-----|-----------------------------|-----|------------------------|-----|----------------|-----|
| S4570SL | 255 | S5XKSL | 256 | S811LXJ | 254 | S83CL | 248 | S85RXE | 253 | S8RXC | 254 |
| S4AX | 252 | S5XN | 253 | S811LXK | 254 | S83PB | 248 | S85RXG | 253 | S8RXE | 254 |
| S4AXSL | 256 | S5XNSL | 256 | S811LXN | 254 | S83RS | 248 | S85RXJ | 253 | S8RXG | 254 |
| S4CL | 253 | S5XR | 253 | S811LXR | 254 | S83SG | 248 | S85RXK | 253 | S8RXJ | 254 |
| S4CLSL | 256 | S5XRSL | 256 | S811PB | 251 | S83SN | 248 | S85RXN | 253 | S8RXK | 254 |
| S4LAX | 252 | S601SL | 255 | S811PBSL | 255 | S83XC | 248 | S85RXR | 253 | S8RXN | 254 |
| S4LCL | 253 | S601XCSL | 255 | S811RAX | 253 | S83XE | 248 | S85XC | 253 | S8RXR | 254 |
| S4LPB | 250 | S601XESL | 255 | S811RCL | 254 | S83XG | 248 | S85XCSL | 256 | S8XC | 254 |
| S4LXC | 253 | S601XGSL | 255 | S811RPB | 251 | S83XJ | 248 | S85XE | 253 | S8XE | 254 |
| S4LXE | 253 | S601XJSL | 255 | S811RXC | 254 | S83XK | 248 | S85XESL | 256 | S8XG | 254 |
| S4LXG | 253 | S601XKSL | 255 | S811RXE | 254 | S83XN | 248 | S85XG | 253 | S8XJ | 254 |
| S4LXJ | 253 | S601XNSL | 255 | S811RXG | 254 | S83XR | 248 | S85XGSL | 256 | S8XK | 254 |
| S4LXK | 253 | S601XRSL | | S811RXJ | | S84586SL | 255 | S85XJ | 253 | S8XN | 254 |
| S4LXN | 253 | S602SL | | S811RXK | | S84AX | | S85XJSL | 256 | S8XR | 254 |
| S4LXR | | S604SL | | S811RXN | | S84AXSL | | S85XK | | S9AX | |
| S4PB | | S6127SL | | S811RXR | | S84CL | | S85XKSL | | S9AXSL | |
| S4PBSL | | S6130SL | | | 254 | S84CLSL | | S85XN | | S9CL | |
| S4RAX | | S6134SL | | S811XCSL | | S84LAX | | S85XNSL | | S9CLSL | |
| S4RCL | | S6500SL | | S811XE | | S84LCL | | S85XR | | S9LAX | |
| S4RPB | | S81086SL | | S811XESL | | S84LPB | | S85XRSL | | S9LCL | |
| S4RXC | | S81086XCSL | | | 254 | S84LXC | | S86500SL | | S9LPB | |
| S4RXE | | | | | | S84LXE | | S86AX | | S9LXC | |
| S4RXG | | S81086XESL | | S811XGSL | | S84LXG | | S86AXSL | | S9LXC
S9LXE | |
| S4RXJ | | S81086XGSL | | S811XJ | | | | | | | |
| | | S81086XJSL | | S811XJSL | | S84LXJ | | S86CL | | S9LXG | |
| S4RXK | | S81086XKSL | | S811XK | | S84LXK | | S86CLSL | | S9LXJ | |
| S4RXN | | S81086XNSL | | S811XKSL | | S84LXN | | S86LAX | | S9LXK | |
| S4RXR | | S81086XRSL | | S811XN | | S84LXR | | S86LCL | | S9LXN | |
| S4XC | | S810AX | | S811XNSL | | S84PB | | S86LPB | | S9LXR | |
| S4XCSL | | S810AXSL | | S811XR | | S84PBSL | | S86LXC | | S9PB | |
| S4XE | | S810CL | | S811XRSL | | S84RAX | | S86LXE | | S9PBSL | |
| S4XESL | | S810CLSL | | S81651SL | 255 | S84RCL | 253 | S86LXG | 253 | S9RAX | 252 |
| S4XG | | S810LAX | 253 | S81AX | 250 | S84RPB | 250 | S86LXJ | 253 | S9RCL | 254 |
| S4XGSL | 256 | S810LCL | 254 | S81BL | 248 | S84RXC | 253 | S86LXK | 253 | S9RPB | 251 |
| S4XJ | 253 | S810LPB | 251 | S81BS | 248 | S84RXE | 253 | S86LXN | 253 | S9RXC | 254 |
| S4XJSL | 256 | S810LXC | 254 | S81CL | 250 | S84RXG | 253 | S86LXR | 253 | S9RXE | 254 |
| S4XK | 253 | S810LXE | 254 | S81LAX | 250 | S84RXJ | 253 | S86PB | 251 | S9RXG | 254 |
| S4XKSL | 256 | S810LXG | 254 | S81LBL | 248 | S84RXK | 253 | S86PBSL | 255 | S9RXJ | 254 |
| S4XN | 253 | S810LXJ | 254 | S81LBS | 248 | S84RXN | 253 | S86RAX | 252 | S9RXK | 254 |
| S4XNSL | 256 | S810LXK | 254 | S81LCL | 250 | S84RXR | | S86RCL | 253 | S9RXN | 254 |
| S4XR | 253 | S810LXN | 254 | S81LPB | 250 | S84XC | | S86RPB | 251 | S9RXR | 254 |
| S4XRSL | 256 | S810LXR | 254 | S81LRS | 249 | S84XCSL | | S86RXC | 253 | S9XC | 254 |
| S572SL | 255 | S810PB | 251 | S81LSA | | S84XE | | S86RXE | | S9XCSL | |
| S5AX | | S810PBSL | | S81LSG | | S84XESL | | S86RXG | | S9XE | |
| S5AXSL | | S810RAX | 253 | S81LXC | | S84XG | | S86RXJ | | S9XESL | |
| S5CL | | S810RCL | | S81LXE | | S84XGSL | | S86RXK | | S9XG | |
| S5CLSL | | S810RPB | | S81LXG | | S84XJ | | S86RXN | | S9XGSL | |
| S5LAX | | S810RXC | | S81LXJ | | S84XJSL | | S86RXR | | S9XJ | |
| S5LCL | | S810RXE | | S81LXK | | S84XK | | S86XC | | S9XJSL | |
| S5LPB | | S810RXG | | S81LXN | | S84XKSL | | S86XCSL | | S9XK | |
| S5LXC | | S810RXJ | | S81LXR | | S84XN | | S86XE | | S9XKSL | |
| S5LXE | | S810RXK | | | | | | | | | |
| | | | | S81PB | | S84XNSL | | S86XESL | | S9XN | |
| S5LXG | | S810RXN | | S81RAX | | S84XR | | S86XG | | S9XNSL | |
| S5LXJ | | S810RXR | | S81RBL | | S84XRSL | | S86XGSL | | S9XR | |
| S5LXK | | \$810XC | | S81RBS | | S8572SL | | \$86XJ | | S9XRSL | 256 |
| S5LXN | | S810XCSL | | S81RCL | | S85927SL | | S86XJSL | | | |
| S5LXR | | S810XE | | S81RPB | | S85931SL | | S86XK | | | |
| S5PB | | S810XESL | | S81RRS | | S85932SL | | S86XKSL | | | |
| S5PBSL | | S810XG | | S81RS | | S85AX | | S86XN | | | |
| S5RAX | | S810XGSL | | S81RSA | | S85AXSL | | S86XNSL | | | |
| S5RCL | | S810XJ | | S81RSG | | S85CL | | S86XR | | | |
| S5RPB | | S810XJSL | | S81RXC | | S85CLSL | | S86XRSL | | | |
| S5RXC | | S810XK | | S81RXE | | S85LAX | 252 | S8AX | 252 | | |
| S5RXE | 253 | S810XKSL | 256 | S81RXG | 250 | S85LCL | 253 | S8CL | 254 | | |
| S5RXG | | S810XN | | S81RXJ | | S85LPB | 250 | S8LAX | 252 | | |
| S5RXJ | 253 | S810XNSL | 256 | S81RXK | 250 | S85LXC | 253 | S8LCL | | | |
| S5RXK | 253 | S810XR | 254 | S81RXN | 250 | S85LXE | 253 | S8LPB | 251 | | |
| S5RXN | 253 | S810XRSL | 256 | S81RXR | 250 | S85LXG | 253 | S8LXC | | | |
| S5RXR | 253 | S811AX | 253 | S81SA | 249 | S85LXJ | 253 | S8LXE | 254 | | |
| S5XC | | S811AXSL | | S81SG | | S85LXK | | S8LXG | | | |
| S5XCSL | | S811CL | | S81XC | | S85LXN | | S8LXJ | | | |
| | | S811CLSL | | S81XE | | S85LXR | | S8LXK | | | |
| S5XE | | S811LAX | | S81XG | | S85PB | | S8LXN | | | |
| | 25h | | | | | | | | | | |
| S5XESL | | S811LCL | 254 | S81XJ | 250 | S85PRSI | 255 | S8LXR | 254 | | |
| S5XE
S5XESL
S5XG
S5XGSI | 253 | S811LCL
S811LPB | | S81XJ
S81XK | | S85PBSL
S85BAX | | S8LXR
S8PR | | | |
| S5XESL | 253
256 | S811LCL
S811LPB
S811LXC | 251 | S81XJ
S81XK
S81XN | 250 | S85PBSL
S85RAX
S85RCL | 252 | S8LXR
S8PB
S8RAX | 251 | | |

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. homestyles.thermatru.com.



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at **thermatru.com/learning.**



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer**.



DoorWays_™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at **thermatru.com/doorways.**





Consumers Digest Best Buy

Order free, ready-to-use promotional materials to promote Classic Craft and Fiber-Classic in your showroom at **thermatru.com/consumersdigest.**





Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals.**







Where Home Begins...

thermatru.com 1-800-THERMA-TRU (843-7628) 1750 Indian Wood Circle Maumee, OH 43537









#thermatru