

SERVICES
7400


FactoryDirect

Over 30 Years of Service Since 1991

8888 Keystone Crossing, Suite 1300
Indianapolis, IN 46240
www.FactoryDirect4Homes.com

• OFFICE •
317-228-3300

• TOLL FREE •
800-380-4522



13 Time Award Winner
2023, 2022, 2021, 2020,
2019, 2018, 2017, 2016,
2015, 2014, 2013, 2012,
2011

16 Time Award Winner
2023, 2022, 2021, 2020,
2019, 2018, 2017, 2016,
2015, 2014, 2013, 2012,
2011, 2010, 2009, 2008

SERIES 7400 • VINYL REPLACEMENT WINDOWS

Double Hung




Supreme² Stainless & Foam DOUBLE PANE

7400 Double Hung

U	.28
S	.30
V	.54
C	59



Supreme 2*



Casement



Heavy duty
casement
mechanism



*Corner hardware
is optional.



DOUBLE HUNG

- True Position® Balance System operates quietly and easily
- Top & bottom sash tilt inside for safe cleaning with recessed tilt latches see sash limit lock photo
- Double sash locks on windows 26" wide and over
- Standard half screen, optional full screen
- Sloped one piece sill positive water drain off
- No water leaks at sill

Intercept Stainless The Strongest Choice.™

Sealant Effectiveness & Gas Retention
The sealant provides the moisture vapor barrier for the I.G. unit. The longer the transmission path, the slower the rate that moisture will travel into the unit through the seal. STAINLESS Steel is Impervious to gas transmission, improving gas retention and Maximizing the insulation value of your window over time. Intercept® Stainless offers one of the best transmission paths to maximize window performance.



Dual Pane Glass
Black Desiccant-
This prevents moisture
between the panes
Intercept®
Stainless Steel
warm-edge spacer

Energy Efficient & Maintenance Free

DOUBLE HUNG & GLIDERS



Sash Limit Locks allow secure
partial opening



Heavy Duty Sash Lock & Keeper
for secure, air tight lock



Multi-Chamber Extrusions
Extrusions are welded
at every corner to create
seamless and strong
windows. These walls
and air chambers
between further improve
insulating properties.




**Welded Frame
& Sash Corners**
Solid and free
from gaps.

Virgin Vinyl
maintains its color & even surface

Integrated Extruded Pull Rails
are part of sash extrusions,
not snapped on later

**Continuous Over / Under Interlock
& Weather-Stripping**



prevent air
infiltration
across entire
meeting rail

**Strong, Extruded Aluminum
Screen Frame**
standard fiberglass mesh
optional aluminum or pet mesh

*options

EXTERIOR PAINTED VINYL*




FLEX SCREEN*



Ask about our Transferable Lifetime Limited Warranty and glass breakage warranty.

Grid Options*

Colonial and Prairies available in all styles. Diamond available in Flat and View only. Bronze or Gray tint available. View Glass 3/8" V-groove, interior surface of IG unit




Plated Lock Finishes*




Gliders

Our glider windows operate smoothly with brass rollers | Sash lift out for safe and easy cleaning inside the home. Standard operable panel screen[s] | Optional full screen



Series 7040
3 Lite End Vent 1/4 · 1/2 · 1/4



Series 7041
3 Lite End Vent 1/3 · 1/3 · 1/3



2 + 3 Lite Glider
Sash lift out from inside for easy cleaning.
2 lite - half screen
3 lite - active panel screen[s]



Exterior Paint & Laminates
20 Year Warranty against fading, peeling and blistering

Ask about energy efficient glass upgrades. Low-E film fixed between glass panes reduces ultra violet light damage & heat gain. Argon filling in both air spaces resists temperature transfer.


*options

SERIES 7400 • VINYL REPLACEMENT PATIO DOORS


CUSTOM SIZES

two panel widths - 55" to 94 7/8"
three panel widths - 95" to 142 7/8"
max height - 84"


STANDARD SIZES




5'0" x 6'8"




6'0" x 6'8"



8'0" x 6'8"



9'0" x 6'8"



12'0" x 6'8"

2 panel - L or R panel glides
3 panel - center panel glides L or R

FEATURES & BENEFITS

Fusion welded 4 3/4" frame and sash corners
Interlock stiles and lock stile reinforced with aluminum rebar.

Stainless steel roller track

Kick lock has additional lock point
for secure partial opening.

Foam filled main frame extrusions*

Door panels join with interlock & weatherstripping.

Door panels meet main frame with weatherstripping.

1" insulating glass panes.

Ask about ENERGY STAR® qualified glass
package upgrades.

Also available in
11 Exterior
Paint Colors

SCREEN OPTIONS



BetterVUE® Screen Mesh

- Better Insect Screen
- 10% Better Insect Protection
- 20% Better Airflow
- 20% Clearer View



Standard Screen Mesh

- Sight more obstructed
 - Less Airflow than UltraVue & BetterVue Screens
 - Proven and Reliable
- *Also available in Pet Screen

FLEX SCREEN*



FLEXVIEW
TUFF




FLEXVIEW
CLEAN



FLEXVIEW
SOLAR

WINDOW & MUNTIN COLORS

Vinyl




White
standard




Tan*

Interior Woodgrains




Medium
Oak



Cherry



Vintage
Pecan



Dark Oak

Handle Sets ^{with} exterior key lock



Satin Nickel Polished Brass Antique Brass Black Aged Bronze Tan White Standard Coppertone Standard on Woodgrains

Mortised Hook Locks




Standard
Single Point




Two Point*

Screen Handles



1350*
Heavy Extrusion
Standard



1580*
Heaviest Extrusion
Mortised with Lock