






# DOOR AND FRAME ELEVATIONS



DOOR NOTES	HARDWARE NOTES																										
<ol style="list-style-type: none"> <li>1. PAINT ALL HOLLOW METAL DOORS AND FRAMES WITH A PRIMER AND A FAST DRY ALKYD (SATIN) ENAMEL PAINT. MINIMUM OF 2 COATS.</li> <li>2. ALL STAINLESS STEEL FRAMES TO BE TYPE 304 WITH #4 FINISH, WITH CONT. WELDS. GRIND AND POLISH ALL WELDS SMOOTH.</li> <li>3. ALL EXTERIOR MAN-DOORS TO BE FULLY WEATHERSTRIPPED, CALKED, AND PROVIDED WITH ADA ACCEPTABLE ALUMINUM THRESHOLDS SET IN FULL BED OF SEALANT.</li> <li>4. ALL MAN DOOR FRAMES TO HAVE SILENCERS WHERE NO WEATHER STRIPPING IS REQ'D. MINIMUM OF 3 PER SIDE.</li> <li>5. MAXIMUM EFFORT TO OPERATE EGRESS DOORS SHALL NOT EXCEED 5 LBS FOR EXTERIOR AND INTERIOR DOORS. ALL FIRE DOORS SHALL NOT EXCEED 15 LBS. MAXIMUM PRESSURE TO OPERATE DOORS.</li> <li>6. THE BOTTOM 10" OF ALL DOORS EXCEPT AUTOMATIC AND SLIDING SHALL HAVE A SMOOTH UNINTERRUPTED SURFACE TO ALLOW THE DOOR TO BE OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDOUS CONDITION. WHERE NARROW FRAMED DOORS ARE USED A 1" HIGH SMOOTH PANEL SHALL BE INSTALLED ON THE PUSH SIDE OF THE DOOR, WHICH WILL ALLOW THE DOOR TO BE OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDOUS CONDITION.</li> <li>7. ALL VISION PANEL TO BE 1/4" ABRASION RESISTANT POLYCARBONATE. NO GLASS WILL BE ALLOWED. CERAMIC GLASS SHALL BE USED IN RATED ASSEMBLIES.</li> </ol>	<ol style="list-style-type: none"> <li>1. CONTRACTOR SHALL PROVIDE FULL HARDWARE SCHEDULE FOR EACH DOOR FOR ARCHITECT'S REVIEW PRIOR TO ORDERING. ALL HARDWARE SHALL BE PER THE 2012 INTERNATIONAL BUILDING CODE AND SHALL BE ADA COMPLIANT.</li> <li>2. REFER TO DOOR HARDWARE SPECIFICATION 08 71 00 FOR HARDWARE INFORMATION.</li> </ol>																										
	ELECTRIC HARDWARE LEGEND																										
	<p>C DOOR CONTACT                      CR CARD READER                      ES ELECTRIC STRIKE/DOOR LATCH RELEASE, 120V                      EO ELECTRIC MOTOR OPERATOR                      MD MOTION DETECTOR                      PB PUSH BUTTON</p>																										
ABBREVIATIONS	CONTRACTORS																										
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">CW CURTAIN WALL</td> <td style="width: 50%;">PNT PAINT</td> </tr> <tr> <td>EXIST EXISTING</td> <td>POLY POLYCARBONATE</td> </tr> <tr> <td>FPC FOAMED POLYISO CORE</td> <td>RMB REMOVABLE TRANSOME</td> </tr> <tr> <td>FRP FIBERGLASS REINFORCED PLASTIC</td> <td>SS STAINLESS STEEL - TYPE 304, #4 FINISH</td> </tr> <tr> <td>FAB PVC FABRIC</td> <td>STL STEEL</td> </tr> <tr> <td>GALV GALVANIZED STEEL</td> <td>UHMW ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE</td> </tr> <tr> <td>HM HOLLOW METAL</td> <td>WD WOOD</td> </tr> <tr> <td>MFG. STD. MANUFACTURER'S STANDARD</td> <td></td> </tr> <tr> <td>PART PARTITION</td> <td></td> </tr> <tr> <td>PF PRE-FINISHED BY MANUFACTURER</td> <td></td> </tr> <tr> <td>PLAS CROSS-LINKED POLYETHYLENE</td> <td></td> </tr> </table>	CW CURTAIN WALL	PNT PAINT	EXIST EXISTING	POLY POLYCARBONATE	FPC FOAMED POLYISO CORE	RMB REMOVABLE TRANSOME	FRP FIBERGLASS REINFORCED PLASTIC	SS STAINLESS STEEL - TYPE 304, #4 FINISH	FAB PVC FABRIC	STL STEEL	GALV GALVANIZED STEEL	UHMW ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE	HM HOLLOW METAL	WD WOOD	MFG. STD. MANUFACTURER'S STANDARD		PART PARTITION		PF PRE-FINISHED BY MANUFACTURER		PLAS CROSS-LINKED POLYETHYLENE		<table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">GT GENERAL TRADES</td> <td style="width: 50%;">LDE LOADING DOCK EQUIPMENT</td> </tr> <tr> <td>SD SPECIALTY DOORS</td> <td>OH OVERHEAD DOORS</td> </tr> </table>	GT GENERAL TRADES	LDE LOADING DOCK EQUIPMENT	SD SPECIALTY DOORS	OH OVERHEAD DOORS
CW CURTAIN WALL	PNT PAINT																										
EXIST EXISTING	POLY POLYCARBONATE																										
FPC FOAMED POLYISO CORE	RMB REMOVABLE TRANSOME																										
FRP FIBERGLASS REINFORCED PLASTIC	SS STAINLESS STEEL - TYPE 304, #4 FINISH																										
FAB PVC FABRIC	STL STEEL																										
GALV GALVANIZED STEEL	UHMW ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE																										
HM HOLLOW METAL	WD WOOD																										
MFG. STD. MANUFACTURER'S STANDARD																											
PART PARTITION																											
PF PRE-FINISHED BY MANUFACTURER																											
PLAS CROSS-LINKED POLYETHYLENE																											
GT GENERAL TRADES	LDE LOADING DOCK EQUIPMENT																										
SD SPECIALTY DOORS	OH OVERHEAD DOORS																										





### WINDOW SCHEDULE

WINDOW TYPE	MARK	ROOM NAME	DRAWING REFERENCE	CONTRACTED BY	WALL MATERIAL	ELEVATION	SIZE (W x H)	ROUGH OPENING (W x H)	WINDOW / OPENING				DETAILS			REMARKS	MARK
									GLAZING MATERIAL	THERMAL BREAK	FRAME MATERIAL	FRAME PAINT COLOR	SILL MATERIAL	SILL FINISH	HEAD		
FIRST FLOOR																	
W1	106	SHIPPING OFFICE	A2.001	TSS	CMU	W1	2'-0" x 4'-0"	2'-0 3/8" x 4'-0 3/8"	POLY				HM			BULLET PROOF TRANSACTION WINDOW WITH SS TRANSACTION TRAY AND COUNTERTOP.	106
W1	145	RECEIVING OFFICE	A2.000	TSS	CMU	W1	2'-0" x 4'-0"	2'-0 3/8" x 4'-0 3/8"	POLY				HM			BULLET PROOF TRANSACTION WINDOW WITH SS TRANSACTION TRAY AND COUNTERTOP.	145
W1: 2																	
W2	109	BREAK ROOM	A2.001		CMU	W2	4'-0" x 3'-4"	4'-0 1/2" x 3'-4 1/4"	POLY				HM				109
W2	103	OFFICE	A2.001		CMU	W2	4'-0" x 3'-4"	4'-0 1/2" x 3'-4 1/4"	POLY				HM				103
W2	104	OFFICE	A2.001		CMU	W2	4'-0" x 3'-4"	4'-0 1/2" x 3'-4 1/4"	POLY				HM				104
W2: 3																	
W3	105	HALL	A2.001		IMP/STUD	W3	3'-6" x 3'-0"	3'-6 1/2" x 3'-0 1/4"	GLASS	Yes			ALUM				105
W3	123	SHIPPING OFFICE	A2.001		IMP/STUD	W3	3'-6" x 3'-0"	3'-6 1/2" x 3'-0 1/4"	GLASS	Yes			ALUM				123
W3: 2																	
W4	145a	RECEIVING OFFICE	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				145a
W4	145c	RECEIVING OFFICE	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				145c
W4	145b	RECEIVING OFFICE	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				145b
W4: 3																	
W5	145d	RECEIVING OFFICE	A2.000		IMP/STUD	W5	4'-0" x 3'-0"	4'-0 1/2" x 3'-0 1/4"	GLASS	Yes			ALUM				145d
W5: 1																	
SECOND FLOOR																	
W4	209	LAB	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				209
W4	208c	OFFICE/ CONFERENCE	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				208c
W4	208b	OFFICE/ CONFERENCE	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				208b
W4	208a	OFFICE/ CONFERENCE	A2.000		IMP/STUD	W4	4'-0" x 3'-6"	4'-0 1/2" x 3'-6 1/4"	GLASS	Yes			ALUM				208a
W4	207	VESTIBULE	A2.000		IMP/STUD	W4	4'-0" x 3'-0"	4'-0 1/2" x 3'-0 1/4"	GLASS	Yes			ALUM				207
W4: 5																	
GRAND TOTAL: 16																	

### WINDOW TYPE ELEVATIONS

