

- KEYED NOTES:**
- 03.01 Concrete foundation wall - re: structural
 - 03.02 Concrete footing - re: structural
 - 03.03 4" concrete floor slab over vapor barrier over 4" gravel base - re: structural
 - 06.01 Wood framed partition - re: partition types
 - 06.02 Plywood floor sheathing - re: structural. Paint - re: finish schedule
 - 06.04 Plywood roof sheathing - re: structural
 - 06.05 Floor joist - re: structural
 - 06.07 Pre-manufactured roof truss - re: structural
 - 06.09 Millwork - re: millwork details and interior elevations
 - 06.10 Wood framing - re: structural
 - 07.01 80 mil PVC membrane roofing system fully adhered over recovery board over polyisocyanurate insulation (R-30 min.) over roof vapor barrier
 - 07.02 Prefinished metal coping cap - re: 08/A1.25. Match wall panel finish
 - 07.06 24 ga. concealed fastener metal wall panel system, prefinished (MBCI Masterline 16 Panel or equivalent) - install as per manufacturer's recommendations
 - 07.08 2" rigid foundation insulation - extend insulation 24" below slab at perimeter. Continue insulation between concrete floor slab and foundation to create 1/2" separation joint - re: exterior details.
 - 07.09 Unfaced batt insulation
 - 07.18 2" rigid insulation over air/weather barrier over wall sheathing over wood framed partition - re: partition types
 - 07.19 20 ga. stainless steel flashing - re: exterior details
 - 08.01 Scheduled door
 - 08.03 Scheduled aluminum storefront system - re: window elevations
 - 08.04 Aluminum sunshade system - re: details
 - 09.02 Scheduled ceiling system
 - 09.08 Metal stud framed soffit system - re: ceiling details
 - 23.01 Mechanical roof top unit on curb - re: mechanical and detail 06/A1.25
 - 26.01 Light fixture - re: electrical
 - 31.02 Geo piers where occurs - re: Structural and Geotechnical Report


WALL SECTION 16
16 1/2" = 1'-0"

WALL SECTION 17
17 1/2" = 1'-0"

WALL SECTION 18
18 1/2" = 1'-0"

WALL SECTION 19
19 1/2" = 1'-0"


STUDIO 333 ARCHITECTS
333 24TH STREET
OGDEN, UT 84401
801.394.3033




WEST FIELD SR SEMINARY
4383 W 2200 S, OGDEN, UT

NO.	DATE	DESCRIPTION


CONFORMED SET
DATE: 04.27.23
PROJECT NUMBER: 2154






1ST LEVEL ENLARGED PLAN


A 1/4" = 1'-0"




CUSTODIAL East 01 3/8" = 1'-0"
CUSTODIAL South 02 3/8" = 1'-0"




CORRIDOR East 03 3/8" = 1'-0"




CORRIDOR North 04 3/8" = 1'-0"




RESTROOM East 05 3/8" = 1'-0"




RESTROOM West 06 3/8" = 1'-0"




RESTROOM South 07 3/8" = 1'-0"




RESTROOM North 08 3/8" = 1'-0"




RESTROOM East 09 3/8" = 1'-0"



RESTROOM North 10 3/8" = 1'-0"



RESTROOM South 11 3/8" = 1'-0"



RESTROOM West 12 3/8" = 1'-0"

GENERAL MILLWORK NOTES:

- A. Provide base at all cabinet toe spaces, unless otherwise noted.
- B. Provide grommet where "G" is indicated on plans and/or interior elevations.
- C. All countertops shall have a 4" backplash, unless otherwise noted, to match finish on countertop, on back and sidewalls.
- D. Provide filler panels to seal sides and tops of all cabinets placed at an angle to adjacent wall(s).
- E. All millwork with exposed ends shall have 3/4" finished end panels - typical.
- F. Contractor shall provide blocking behind all cabinets, coat racks, t.v. brackets and projection screens, as well as all wall mounted accessories, including white boards, tack boards, toilet and urinal partitions, toilet accessories, etc. Only 2x wood blocking is acceptable behind millwork and toilet partitions.
- G. Reference specifications for finish colors on all millwork and casework.
- H. All cabinet interiors concealed from view by cabinet doors shall be covered in melamine laminate as per specifications. All cabinet interiors open to view shall be covered in the laminate or veneer utilized on the exterior of the cabinet.

TYPICAL MILLWORK DETAILS:

1. Base Cabinet Plan Detail - Re: 01/A6.1
2. Typical Millwork Anchoring Detail - Re: 02/A6.1
3. Typical Base Cabinet With Drawer/Door Detail - Re: 03/A6.1
4. Typical Base Cabinet With Drawers Detail - Re: 04/A6.1
5. Typical Base Cabinet With Sink Detail - Re: 05/A6.1
6. Typical Upper Cabinet Section Detail - Re: 06/A6.1
7. Typical Toe Kick Detail - Re: 09/A6.1
8. Base Corner Detail - Re: 14/A6.1

KEYED NOTES:

- 08.01 Scheduled door
- 10.11 30" custodial utility shelf
- 22.01 Electric water cooler - re: plumbing and electrical
- 22.02 Sink and faucet - re: plumbing. Provide insulation at all exposed piping below lavatories.
- 22.03 Floor mounted water closet - re: plumbing
- 22.05 Mop sink - re: plumbing
- 22.07 Urinal - re: plumbing
- 22.10 Floor drain - re: plumbing
- 26.01 Light fixture - re: electrical
- 26.02 Electrical panel - re: electrical
- 26.05 Fire alarm annunciator panel - re: electrical
- 26.07 Lighting control panel - re: electrical

RESTROOM ACCESSORIES SCHEDULE

DESIGNATION	DESCRIPTION	MOUNTING	MISCELLANEOUS
RA-01	Grab bar (36")	Surface	Provide solid blocking in wall
RA-02	Grab bar (42")	Surface	Provide solid blocking in wall
RA-03	Vertical grab bar (18")	Surface	Provide solid blocking in wall
RA-04	Toilet tissue dispenser	Surface	Owner provided; contractor installed
RA-05	Mirror	Surface	Contractor provided; and installed
RA-06	Towel dispenser/waste	Surface	Owner provided; contractor installed
RA-07	Soap dispenser	Surface	Provide solid blocking in wall. Owner provided; contractor installed
RA-08	Sanitary napkin disposal	Surface	Contractor provided; and installed
RA-09	Utility shelf/mop holder	Surface	Contractor provided; and installed
RA-10	Robe hook	Surface	Provide solid blocking in wall. Contractor provided and installed

STUDIO 333 ARCHITECTS
333 24TH STREET
OGDEN, UT 84401
801.394.3033



WEST FIELD SR SEMINARY
4383 W 2200 S, OGDEN, UT

NO.	DATE	DESCRIPTION
04	03.31.23	PERMIT REVIEW COMMENTS
01	02.06.23	Addendum 01

CONFORMED SET
DATE: 04.27.23
PROJECT NUMBER: 2154

