

# *Droptop Challenger* **LIMITED EDITION**

## Owner's Manual

Thank you for purchasing your Droptop Challenger Limited Edition conversion by Droptop Customs LLC.  
The following information is intended to help you enjoy and care for your new convertible.

# TABLE OF CONTENTS

MAINTENANCE TIPS

TROUBLESHOOTING

SAFETY PRECAUTIONS

SAFETY DISCLAIMER

TOP OPERATING INSTRUCTIONS

SERVICE PROCEDURES

QUESTIONS OR CONCERNS

WARRANTY

## MAINTENANCE TIPS

### CLEANING THE TOP

On all tops, you may use a soft brush and a mild dishwashing detergent. Allow the top to dry thoroughly before putting it back down. Do not use bleach as it will rot the threads.

### RUBBER SEALS

Every six months, spray all the rubber seals that contact the windows, as well as those that meet across the front of the car with a pure silicone spray, available at your local hardware store or automotive parts retailer.

### TROUBLESHOOTING

1. If the latch hook does not reach, power top forward slightly:  
Do not unscrew latch hook to gain "reach." The hook could come loose when driving which could cause the top to be caught by the wind.
2. If the boot does not fit properly and/or the top will not lower fully:  
Check to see if any items are stored or haven't fallen into the well area.

### SAFETY PRECAUTIONS

1. When raising or lowering the top, keep hands away from the "scissoring action" hinge part of the side roof rail or any of the top linkage. These moving parts could cause injury to you.
2. To avoid any damage to the automobile, convertible top and/or rear window, do not operate the top while the vehicle is in motion. Make certain the top is latched to the windshield header prior to driving the vehicle.
3. Do not use automatic car wash facilities! They may cause damage to the top and could possibly cause leakage to occur.
4. When the top structure is down, do not sit on the top structure that is located behind the rear seat. This could result in damage to the top structure.

## SAFETY DISCLAIMER

### Side Curtain Airbags

The Dodge Challenger has been equipped with side curtain airbags. These airbags have been permanently removed to facilitate the top structure mechanism and are no longer available.

## TOP OPERATING INSTRUCTIONS

### LOWERING PROCEDURE

1. Always run the car's engine when operating the top to ensure full voltage to the top motor.  
If the engine is not running, (and battery is low), the voltage drop creates an amperage draw that may damage the top and/or window motors.
2. Unlatch both latches at the windshield corners.
3. Manually, raise the top a few inches to verify that both latches are free and then close the latches.
4. Lower the rear quarter windows.
5. Push the bottom side of the top switch (under the dash to the left of the steering column).
6. Install the convertible boot.

### RAISING PROCEDURE

1. Always run the car's engine when operating the top to ensure full voltage to the top motor.  
If the engine is not running, (and battery is low), the voltage drop creates an amperage draw that may damage the top and/or window motors.
2. Remove boot if it has been installed.
3. Push the top side of the switch, (under the dash to the left of the steering column), until the top nears the windshield.
4. Manually, pull down the top toward the windshield and fasten both latches. It may be necessary to slightly motor the top forward so that the latch hook can reach the hole.
5. After the latches have been secured, raise the rear quarter glass.

## SERVICE PROCEDURES

If you encounter any problems with your convertible conversion that are not covered by the “Troubleshooting” section, visit [www.droptopchallenger.com](http://www.droptopchallenger.com) to create a service ticket under the “SERVICE” tab.

Our warranty covers only our conversion and those areas that we affect. Areas that we do not affect are covered by the manufacturer’s warranty.

# *Droptop Challenger* **LIMITED EDITION**

## Convertible Conversion Warranty

### Warranty Coverage:

- A. Parts and labor are covered under our warranty for three years.

### Warranty Exclusions:

- A. (1) Any repair or replacement parts required as a result of work done by any other repair shop or dealership, not authorized by Droptop Customs, LLC; (2) Any repairs or replacement of parts caused by collisions, vandalism, neglect, abuse and/or lack of maintenance, or modifications by any repair shop not authorized by Droptop Customs LLC; (3) Normal maintenance, including but not limited to, tightening nuts, bolts and fittings; (4) Damage to parts as a result of negligence by the transporter; (5) Incidental or consequential damages for owner inconvenience or commercial loss of vehicle; (6) Supplemental transportation (including but not limited to rental cars); (7) Non-transferable warranty (This warranty is effective for original owner only).
- B. Other than the limited warranty set forth herein, Droptop Customs LLC expressly disclaims all warranties either expressed or implied including any implied warranty or merchantability of fitness for a particular purpose, and neither assumes or authorizes any other person to assume for it, any liability in connection with the conversion of the motor vehicle or for the work, labor services and materials furnished.

### SAFETY DISCLAIMER

This vehicle was altered by Droptop Customs, LLC and conforms to all Federal Motor Vehicle Safety & Bumper Standards in effect as of September 2018.

Your Dodge Challenger was originally equipped with side curtain airbags. These airbags have been permanently removed to facilitate the top structure mechanism and are no longer available.