




Expand the Horizon of Production Mailing

AddressRight® Addressing System
DA80F and DA95F High Speed Printers
with AddressRight® Pro Mail Management Software



Your Mailings Just Got Faster and Easier!

We know that businesses like yours require solutions that are easy to implement yet flexible enough to adapt to your operational workflow changes. The Pitney Bowes DA80F/DA95F printers can answer that call. By improving efficiency and the speed at which you get your mailings out the door, you can drive your profitability with less hassle than ever before, allowing you to take on all of your mailings with ease and confidence.

With advanced features and cutting edge technology, the high-speed DA80F and throughput leader DA95F fixed head printers:

- > Are a breeze to set up and easy to use
- > Offer the speed you need while delivering optimum performance and durability.

Specialized features of the printer can help dramatically improve print quality:

- > Precision controlled media path helps reduce jams, increasing uptime
- > Additional sets of control rollers help the mailpiece travel through the system without delay
- > Precise print head position indicators ensure your text and graphics appear exactly where you want them

Advanced Technology for Faster Processing

The DA80F and DA95F fixed-head printers offer high-speed network connectivity through USB and Ethernet ports, while the control panel software supports printing from any Windows 2000/XP and Vista applications.

- > **Paper Exit Sensor** detects misfeeds through the print transport module improving media accuracy
- > **Simple Side Guide Adjustment** offers a durable slide mechanism for easy handling of various media
- > **Increased Uptime** – printers can be controlled from their host PC. Without being “married” to the machine, an operator can perform remote diagnostics and “multitask” while producing a mail run
- > **Optional Integrated Conveyor Stacker and High-Output Ink Dryer** pauses when an error is detected, or if the printer runs out of material or when the stacker is full – giving you time to resolve a problem and get production up and running again to complete the job
- > **Optical “Stacker Full” Sensor** alerts the operator to remove completed mail pieces in a timely, efficient manner increasing uptime and productivity
- > **Light Mode Printing** offers the option to use less ink and still produce USPS®-compliant barcodes. The printers are also ideal for use with coated stock. Savings can be recognized in lower cartridge use, while waste reduction helps your organization “go green.”

Your Envelope Is Your Messenger

Utilizing the printers extensive graphic capabilities, you can turn your envelopes into a powerful vehicle that gets noticed in the crowd. Spot color helps you grab the attention of recipients, increasing the probability that mail will be opened.

You can also add specialized, direct-to-envelope messaging using true type fonts and graphics supported by the Windows compatible driver.



Increase Profits While Maximizing Postal Discounts


Clean, correct addresses are the key to successful, cost-efficient mailings. Combining a DA80F or DA95F fixed head printer with our AddressRight® Pro mail management software can further boost productivity by helping you optimize your mailing lists, eliminate duplicates and prepare your mailings for automated presort discounts. Increase your ROI with AddressRight® Pro's adds on features for mixed weight mail processing, package services including media, library and bound printed matter, and palletization pre-sorts for even greater savings.

Incorporating a complete Pitney Bowes addressing solution into your organization can:

- > Increase revenue by allowing your organization to take on additional jobs or clients
- > Improve customer service by meeting or surpassing your customer's SLA's
- > Enhance productivity by increasing speed and uptime.

Smooth Operators

With the high-speed DA80F running at speeds up to 22K per-hour and the leader DA95F running up to 30K per-hour, your production capabilities can surpass your current throughput. Save money on postage and take on more projects. Meet your SLA's and accept your customers' rush requests with confidence. With the DA80F or DA95F solution in your arsenal, there's no reason to change over to larger equipment for a quick turn or unexpected job.



Simplified, easy-to-adjust feed ramp

Integrate exciting messages & graphics using Envelope Designer Plus

Improved print head position indicators allows for more accurate placement

Integrated dryer helps prevent ink smearing

Full sensor optical stacker for more reliable full stacker detection

Accepts mail pieces up to 1/2" thick


Keeps mail pieces in line with two additional sets of control rollers



Specifications



	DA80F	DA95F
Color Capability	Black & Spot Color	Black & Spot Color
Print Heads	3 (1X3)	6 (2X3)
Print Technology	51645A	51645A
Print Architecture	Fixed	Fixed
Print Head Width	1/2"	1/2"
Head Maintenance	No	No
Max Resolution	600	600
Max Throughput (#10s/hr)	22,000	30,000
Max Monthly Volume	240,000	1,000,000
Max Print Area	1.5"x15.5"	3"x15.5"
Max Media Size	14"x15.5"	13"x15.5"
Min Media Size	3"x 5"	3"x 5"
Media Thickness	1/4"	1/2"
Communication Ports	Ethernet & USB	Ethernet & USB
Print Deck Architecture	Open	Closed
Address Buffer	99	99
Programmable Jobs	8	8
TTF/Downloadable Fonts	Yes	Yes
Internal Fonts	12	12
Envelope Capacity (#10s)	450	750
Optional Stacker	Yes	Yes
Bulk Ink	No	Yes
Size	18x17x18" (483x457x330mm)	27x24x15" (686x610x381mm)
Chassis	Metal	Metal
Weight	50 lbs (22.68Kg)	125 lbs (56.7Kg)



AUTOMATED EQUIPMENT SERVICE, INC.

MAIL PROCESSING SYSTEMS

(845) 452-2100 (518) 459-4545
 (914) 478-2100 (607) 733-2108
info@AESMailPro.com