

PRESSFIT DIRECT

PRESS TO IMPRESS

pressfitdirect.com

NEXT DAY DELIVERY

FITTINGS VALVES TOOLS

USE CODE
PFD25
TO RECEIVE A
5%
DISCOUNT



 **Z-PRESS**



novopress
because quality matters



Place orders online or
over the phone

Tel: 0844 656 9880

WhatsApp: 07535 050442

For the most
up-to-date
pricing visit
pressfitdirect.com

pressfitdirect.com

sales@pressfitdirect.com

0844 656 9880

WhatsApp: 07535 050442

We have over 25 years' experience delivering quality plumbing products to the UK market at competitive prices, quality is our main goal, we want to give you the best possible products at a competitive price.

The use of Press Fittings has grown over recent years and we are committed to offering you the installer the best price, great stocks and next day delivery.

Press Fittings should obviously save you time but not cost you the job, we have teamed up with some amazing suppliers to offer great products including the Z-Press machines, Novopress & Aquagas.

We also stock gas approved fittings, Full bore lever valves, screwdriver valves, male iron & female iron fittings, wall plate elbows plus a range of V profile copper and a range of Stainless Steel.

A new MLCP offering has been added and we are pleased to be teaming up with a leading quality brand – Multipipe.

WRAS approved, CE marked, Gas Approved, 20-year Warranty, Next Day Delivery and Amazing Prices!

Order online, Call or e-mail us.

pressfitdirect.com

Tel: 0844 656 9880

E:MAIL: sales@pressfitdirect.com

 **Instagram: @pressfitdirect**  **Facebook: pressfitdirect**  **Twitter: @pressfitdirect**



Z-Press - Pressfit Machines

All prices are subject to VAT.



CONTENTS



DESCRIPTION				PAGE NUMBER
COPPER PRESS		WATER	M PROFILE	4 - 9
PRESS VALVES		WATER	M PROFILE	10
COPPER PRESS		GAS	M PROFILE	11-14
AQUAGAS COPPER PRESS		WRAS & GAS	M PROFILE	15 -17
COPPER PRESS		WATER	V PROFILE	18 - 21
MULTIPIPE MLCP		WATER	U PROFILE	22 - 24
NOVOPRESS TOOLS				25 - 28
Z-PRESS TOOLS				29 - 33
INSTALLATION INSTRUCTIONS				34 - 35

Credit accounts available, please call or email for an application form.



20 YEAR GUARANTEE

To place your order call: 0844 656 9880 • sales@pressfitdirect.com

M PROFILE - WATER

Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT COUPLER - WRAS	60111515	10	0.67
22	22MM PRESSFIT COUPLER - WRAS	60112222	10	1.10
28	28MM PRESSFIT COUPLER - WRAS	60112828	10	2.10
35	35MM PRESSFIT COUPLER - WRAS	60113535	4	2.65
42	42MM PRESSFIT COUPLER - WRAS	60114242	2	3.91
54	54MM PRESSFIT COUPLER - WRAS	60115454	2	6.35
67	67MM PRESSFIT COUPLER	60116767	1	19.05
76	76MM PRESSFIT COUPLER	60117676	1	28.00
89	89MM PRESSFIT COUPLER	60118989	1	POA
108	108MM PRESSFIT COUPLER	60110108	1	POA



Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT SLIP COUPLER - WRAS	60171515	10	1.69
22	22MM PRESSFIT SLIP COUPLER - WRAS	60172222	10	2.30
28	28MM PRESSFIT SLIP COUPLER - WRAS	60172828	10	3.75
35	35MM PRESSFIT SLIP COUPLER - WRAS	60173535	10	6.66
42	42MM PRESSFIT SLIP COUPLER - WRAS	60174242	4	9.28
54	54MM PRESSFIT SLIP COUPLER - WRAS	60175454	4	14.80



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT ELBOW - WRAS	60411515	10	0.83
22	22MM COPPER PRESSFIT ELBOW - WRAS	60412222	10	1.41
28	28MM COPPER PRESSFIT ELBOW - WRAS	60412828	5	2.95
35	35MM COPPER PRESSFIT ELBOW - WRAS	60413535	2	4.80
42	42MM COPPER PRESSFIT ELBOW - WRAS	60414242	2	7.10
54	54MM COPPER PRESSFIT ELBOW - WRAS	60415454	2	11.37
67	67MM COPPER PRESSFIT ELBOW	60416767	1	32.50
76	76MM COPPER PRESSFIT ELBOW	60417676	1	POA
89	89MM COPPER PRESSFIT ELBOW	60418989	1	POA
108	108MM COPPER PRESSFIT ELBOW	60410108	1	POA



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT STREET ELBOW - WRAS	60431515	10	0.95
22	22MM COPPER PRESSFIT STREET ELBOW - WRAS	60432222	10	1.61
28	28MM COPPER PRESSFIT STREET ELBOW - WRAS	60432828	5	2.88
35	35MM COPPER PRESSFIT STREET ELBOW - WRAS	60433535	2	5.18
42	42MM COPPER PRESSFIT STREET ELBOW - WRAS	60434242	2	7.45
54	54MM COPPER PRESSFIT STREET ELBOW - WRAS	60435454	2	20.45
67	67MM COPPER PRESSFIT STREET ELBOW	60436767	1	POA
76	76MM COPPER PRESSFIT STREET ELBOW	60437676	1	POA
89	89MM COPPER PRESSFIT STREET ELBOW	60438989	1	POA
108	108MM COPPER PRESSFIT STREET ELBOW	60430108	1	POA



M PROFILE - WATER



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	60451515	10	0.92
22	22MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	60452222	10	1.51
28	28MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	60452828	5	2.47
35	35MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	60453535	4	4.25
42	42MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	60454242	2	6.13
54	54MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	60455454	2	8.43
67	67MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	60456767	1	44.55
76	76MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	60457676	1	54.76
89	89MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	60458989	1	POA
108	108MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	60450108	1	POA



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	60481515	10	0.88
22	22MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	60482222	10	1.86
28	28MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	60482828	5	2.73
35	35MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	60483535	4	3.97
42	42MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	60484242	2	5.89
54	54MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	60485454	2	9.87
67	67MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	60486767	1	51.21
76	76MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	60487676	1	56.17
89	89MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	60488989	1	POA
108	108MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	60480108	1	POA



Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM PRESSFIT REDUCING COUPLER - WRAS	60112215	10	2.02
28 x 15	28MM X 15MM PRESSFIT REDUCING COUPLER - WRAS	60112815	10	2.75
28 x 22	28MM X 22MM PRESSFIT REDUCING COUPLER - WRAS	60112822	10	2.81
35 x 15	35MM X 15MM PRESSFIT REDUCING COUPLER - WRAS	60113515	10	3.70
35 x 22	35MM X 22MM PRESSFIT REDUCING COUPLER - WRAS	60113522	10	4.44
35 x 28	35MM X 28MM PRESSFIT REDUCING COUPLER - WRAS	60113528	4	4.99
42 x 22	42MM X 22MM PRESSFIT REDUCING COUPLER - WRAS	60114222	4	4.95
42 x 28	42MM X 28MM PRESSFIT REDUCING COUPLER - WRAS	60114228	4	5.33
42 x 35	42MM X 35MM PRESSFIT REDUCING COUPLER - WRAS	60114235	4	5.80
54 x 35	54MM X 35MM PRESSFIT REDUCING COUPLER - WRAS	60115435	4	7.64
54 x 42	54MM X 42MM PRESSFIT REDUCING COUPLER - WRAS	60115442	2	8.67

M PROFILE - WATER

Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM PRESSFIT FITTING REDUCING - WRAS	60132215	10	0.81
28 x 15	28MM X 15MM PRESSFIT FITTING REDUCING - WRAS	60132815	10	1.25
28 x 22	28MM X 22MM PRESSFIT FITTING REDUCING - WRAS	60132822	10	1.15
35 x 22	35MM X 22MM PRESSFIT FITTING REDUCING - WRAS	60133522	10	3.10
35 x 28	35MM X 28MM PRESSFIT FITTING REDUCING - WRAS	60133528	4	3.11
42 x 22	42MM X 22MM PRESSFIT FITTING REDUCING - WRAS	60134222	4	4.63
42 x 28	42MM X 28MM PRESSFIT FITTING REDUCING - WRAS	60134228	4	5.10
42 x 35	42MM X 35MM PRESSFIT FITTING REDUCING - WRAS	60134235	4	5.12
54 x 35	54MM X 35MM PRESSFIT FITTING REDUCING - WRAS	60135435	2	7.46
54 x 42	54MM X 42MM PRESSFIT FITTING REDUCING - WRAS	60135442	2	7.81
67 x 28	67MM X 28MM PRESSFIT FITTING REDUCING	60136728	1	POA
67 x 35	67MM X 35MM PRESSFIT FITTING REDUCING	60136735	1	POA
67 x 42	67MM X 42MM PRESSFIT FITTING REDUCING	60136742	1	POA
67 x 54	67MM X 54MM PRESSFIT FITTING REDUCING	60136754	1	POA
76.1 x 35	76MM X 35MM PRESSFIT FITTING REDUCING	60137635	1	POA
76.1 x 42	76MM X 42MM PRESSFIT FITTING REDUCING	60137642	1	POA
76.1 x 54	76MM X 54MM PRESSFIT FITTING REDUCING	60137654	1	POA
76.1 x 67	76MM X 67MM PRESSFIT FITTING REDUCING	60137667	1	POA
108 x 76.1	108MM X 76MM PRESSFIT FITTING REDUCING	601310876	1	POA
108 x 88.9	108MM X 89MM PRESSFIT FITTING REDUCING	601310889	1	POA



Size	Description	Code	Bag Qty	£
15	15MM EQUAL PRESSFIT TEE - WRAS	60151515	10	1.46
22	22MM EQUAL PRESSFIT TEE - WRAS	60222222	10	2.48
28	28MM EQUAL PRESSFIT TEE - WRAS	60282828	4	4.10
35	35MM EQUAL PRESSFIT TEE - WRAS	60353535	2	7.45
42	42MM EQUAL PRESSFIT TEE - WRAS	60424242	2	11.68
54	54MM EQUAL PRESSFIT TEE - WRAS	60545454	1	15.96
67	67MM EQUAL PRESSFIT TEE	60676767	1	75.90
76	76MM EQUAL PRESSFIT TEE	60767676	1	104.76
108	108MM EQUAL PRESSFIT TEE	60108108	1	POA



M PROFILE - WATER

UK Size	Description	Code	Bag Qty	£
15 x 15 x 22	15MM X 15MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60151522	10	3.11
22 x 15 x 15	22MM X 15MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60221515	10	3.11
22 x 22 x 15	22MM X 22MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60222215	10	3.11
22 x 15 x 22	22MM X 15MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60221522	10	3.11
28 x 28 x 15	28MM X 28MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60282815	5	4.67
28 x 22 x 22	28MM X 22MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60282222	10	5.63
28 x 28 x 22	28MM X 28MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60282822	5	5.63
28 x 22 x 28	28MM X 22MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60282228	4	6.66
35 x 35 x 15	35MM X 35MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60353515	4	8.68
35 x 35 x 22	35MM X 35MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60353522	4	8.56
35 x 35 x 28	35MM X 35MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60353528	4	9.22
42 x 42 x 15	42MM X 42MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60424215	4	15.92
42 x 42 x 22	42MM X 42MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60424222	4	16.42
42 x 42 x 28	42MM X 42MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60424228	2	16.75
42 x 42 x 35	42MM X 42MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60424235	1	17.65
54 x 54 x 22	54MM X 54MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60545422	1	18.01
54 x 54 x 28	54MM X 54MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60545428	1	18.65
54 x 54 x 35	54MM X 54MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60545435	1	18.65
54 x 54 x 42	54MM X 54MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60545442	1	19.10
67 x 67 x 28	67MM X 67MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60676728	1	POA
67 x 67 x 35	67MM X 67MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60676735	1	POA
67 x 67 x 42	67MM X 67MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60676742	1	POA
67 x 67 x 54	67MM X 67MM X 54MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60676754	1	POA
76 x 76 x 22	76MM X 76MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60767622	1	POA
76 x 76 x 28	76MM X 76MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60767628	1	POA
76 x 76 x 35	76MM X 76MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60767635	1	POA
76 x 76 x 42	76MM X 76MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60767642	1	POA
76 x 76 x 54	76MM X 76MM X 54MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60767654	1	POA
76 x 76 x 67	76MM X 76MM X 67MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60767667	1	POA
108 x 108 x 76	108MM X 108MM X 76MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60181876	1	POA
108 x 108 x 89	108MM X 108MM X 89MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60181889	1	POA
67 x 54 x 67	67MM X 54MM X 67MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60675467	1	POA
76 x 35 x 76	76MM X 35MM X 76MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60763576	1	POA
76 x 42 x 76	76MM X 42MM X 76MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60764276	1	POA
76 x 54 x 76	76MM X 54MM X 76MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60765476	1	POA
76 x 67 x 76	76MM X 67MM X 76MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60766776	1	POA
108 x 76 x 108	108MM X 76MM X 108MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60187618	1	POA
108 x 89 x 108	108MM X 89MM X 108MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	60188918	1	POA



M PROFILE - WATER

Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT END CAP -WRAS	60811515	10	0.75
22	22MM PRESSFIT END CAP -WRAS	60812222	10	1.64
28	28MM PRESSFIT END CAP -WRAS	60812828	10	2.12
35	35MM PRESSFIT END CAP -WRAS	60813535	5	3.15
42	42MM PRESSFIT END CAP -WRAS	60814242	5	6.01
54	54MM PRESSFIT END CAP -WRAS	60815454	5	8.88
67	67MM PRESSFIT END CAP	60816767	1	22.50
76	76MM PRESSFIT END CAP	60817676	1	35.00
Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT FULL CROSSOVER -WRAS	60291515	10	3.91
22	22MM PRESSFIT FULL CROSSOVER -WRAS	60292222	5	8.73
Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT PART CROSSOVER -WRAS	60271515	10	3.11
22	22MM PRESSFIT PART CROSSOVER -WRAS	60272222	5	6.60
Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT ELBOW FEMALE - WRAS	60531512	10	3.90
22 x 1/2	22MM X 1/2" PRESSFIT ELBOW FEMALE - WRAS	60532212	10	7.00
2 x 3/4	22MM X 3/4" PRESSFIT ELBOW FEMALE - WRAS	60532234	10	6.08
8 x 1	28MM X 1" PRESSFIT ELBOW FEMALE - WRAS	60532801	10	9.72
35 x 1 1/4	35MM X 1 1/4" PRESSFIT ELBOW FEMALE - WRAS	60533514	5	POA
42 x 1 1/2	42MM X 1 1/2" PRESSFIT ELBOW FEMALE - WRAS	60534212	2	POA
54 x 2	54MM X 2" PRESSFIT ELBOW FEMALE - WRAS	60535420	2	POA
Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT ELBOW MALE - WRAS	60511512	10	4.48
2 x 1/2	22MM X 1/2" PRESSFIT ELBOW MALE - WRAS	60512212	10	16.64
22 x 3/4	22MM X 3/4" PRESSFIT ELBOW MALE - WRAS	60512234	10	7.33
28 x 1	28MM X 1" PRESSFIT ELBOW MALE - WRAS	60512801	4	11.08
35 x 1 1/4	35MM X 1 1/4" PRESSFIT ELBOW MALE - WRAS	60513514	5	30.28
2 x 1 1/2	42MM X 1 1/2" PRESSFIT ELBOW MALE - WRAS	60514212	2	43.56
54 x 2	54MM X 2" PRESSFIT ELBOW MALE - WRAS	60515420	2	64.60
Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT WALL PLATE ELBOW - WRAS	60591512	10	4.25
22 x 3/4	22MM X 3/4" PRESSFIT WALL PLATE ELBOW - WRAS	60592234	10	12.07
22 x 1	22MM X 1" PRESSFIT WALL PLATE ELBOW - WRAS	60592201	10	7.78
28 x 1	28MM X 1" PRESSFIT WALL PLATE ELBOW - WRAS	60592801	5	10.80
Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT COUPLER FEMALE - WRAS	60231512	10	2.40
15 x 3/4	15MM X 3/4" PRESSFIT COUPLER FEMALE - WRAS	60231534	10	2.51
22 x 1/2	22MM X 1/2" PRESSFIT COUPLER FEMALE - WRAS	60232212	10	2.43
22 x 3/4	22MM X 3/4" PRESSFIT COUPLER FEMALE - WRAS	60232234	10	3.08
22 x 1	22MM X 1" PRESSFIT COUPLER FEMALE - WRAS	60232201	10	4.11
28 x 3/4	28MM X 3/4" PRESSFIT COUPLER FEMALE - WRAS	60232834	10	3.46
28 x 1	28MM X 1" PRESSFIT COUPLER FEMALE - WRAS	60232801	10	4.64
35 x 1	35MM X 1" PRESSFIT COUPLER FEMALE - WRAS	60233501	4	12.74
35 x 1 1/4	35MM X 1 1/4" PRESSFIT COUPLER FEMALE - WRAS	60233514	4	11.98
42 x 1 1/2	42MM X 1 1/2" PRESSFIT COUPLER FEMALE - WRAS	60234212	4	21.87
54 x 2	54MM X 2" PRESSFIT COUPLER FEMALE - WRAS	60235420	2	35.31

M PROFILE - WATER

Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT COUPLER MALE - WRAS	60211512	10	1.60
15 x 3/4	15MM X 3/4" PRESSFIT COUPLER MALE - WRAS	60211534	10	2.42
22 x 1/2	22MM X 1/2" PRESSFIT COUPLER MALE - WRAS	60212212	10	3.34
22 x 3/4	22MM X 3/4" PRESSFIT COUPLER MALE - WRAS	60212234	10	3.70
22 x 1	22MM X 1" PRESSFIT COUPLER MALE - WRAS	60212210	10	4.12
28 x 3/4	28MM X 3/4" PRESSFIT COUPLER MALE - WRAS	60212834	10	5.29
28 x 1	28MM X 1" PRESSFIT COUPLER MALE - WRAS	60212801	10	4.09
35 x 1	35MM X 1" PRESSFIT COUPLER MALE - WRAS	60213501	4	12.65
35 x 1 1/4	35MM X 1 1/4" PRESSFIT COUPLER MALE - WRAS	60213514	4	12.83
42 x 1 1/2	42MM X 1 1/2" PRESSFIT COUPLER MALE - WRAS	60214212	4	17.43
54 x 2	54MM X 2" PRESSFIT COUPLER MALE - WRAS	60215420	2	33.55
67 x 2 1/2	67MM X 2 1/2" PRESSFIT COUPLER MALE - WRAS	60216221	2	45.99
76 x 3	76MM X 3" PRESSFIT COUPLER MALE - WRAS	60217630	2	60.79

Size	Description	Code	Bag Qty	£
15 x 15 x 1/2	15MM X 1/2" X 15MM PRESSFIT TEE - WRAS	60151512	10	5.73
22 x 22 x 1/2	22MM X 1/2" X 22MM PRESSFIT TEE - WRAS	60222212	10	9.13
22 x 22 x 3/4	22MM X 3/4" X 22MM PRESSFIT TEE - WRAS	60222234	10	12.65
28 x 28 x 1/2	28MM X 1/2" X 28MM PRESSFIT TEE - WRAS	60282812	10	12.11
28 x 28 x 3/4	28MM X 3/4" X 28MM PRESSFIT TEE - WRAS	60282834	4	14.25
28 x 28 x 1	28MM X 1" X 28MM PRESSFIT TEE - WRAS	60282801	5	19.23
35 x 35 x 1/2	35MM X 1/2" X 35MM PRESSFIT TEE - WRAS	60353512	4	15.90
35 x 35 x 3/4	35MM X 3/4" X 35MM PRESSFIT TEE - WRAS	60353534	4	17.90
35 x 35 x 1	35MM X 1" X 35MM PRESSFIT TEE - WRAS	60353501	2	POA
42 x 42 x 1/2	42MM X 1/2" X 42MM PRESSFIT TEE - WRAS	60424212	2	25.18
42 x 42 x 3/4	42MM X 3/4" X 42MM PRESSFIT TEE - WRAS	60424234	1	25.20
42 x 42 x 1	42MM X 1" X 42MM PRESSFIT TEE - WRAS	60424201	1	29.07
42 x 42 x 1 1/2	42MM X 1 1/2" X 42MM PRESSFIT TEE - WRAS	42424211	1	25.20
54 x 54 x 1/2	54MM X 1/2" X 54MM PRESSFIT TEE - WRAS	60545412	1	29.07
54 x 54 x 1	54MM X 1" X 54MM PRESSFIT TEE - WRAS	60545401	1	34.07
54 x 54 x 2	54MM X 1 1/2" X 54MM PRESSFIT TEE - WRAS	60545412	1	34.07

Size	Description	Code	Bag Qty	£
15 x 1/2"	15MM X 1/2" PRESSFIT TAP CONNECTOR - WRAS	60721512	10	4.40
15 x 3/4"	15MM X 3/4" PRESSFIT TAP CONNECTOR - WRAS	60721534	10	6.05
22 x 3/4"	22MM X 3/4" PRESSFIT TAP CONNECTOR - WRAS	60722234	10	6.14
22 x 1"	22MM X 1" PRESSFIT TAP CONNECTOR - WRAS	60722201	10	5.97
28 x 1 1/4"	28MM X 1 1/4" PRESSFIT TAP CONNECTOR - WRAS	60722814	5	10.35
35 x 1 1/2	35MM X 1 1/2" PRESSFIT TAP CONNECTOR - WRAS	60723512	5	25.50

Size	Description	Code	Bag Qty	£
15 x 1/2' MI	15MM X 1/2" PRESSFIT STRAIGHT UNION MI - WRAS	60771512	10	6.61
22 x 3/4" MI	22MM X 3/4" PRESSFIT STRAIGHT UNION MI - WRAS	60772234	10	8.40
28 x 1" MI	28MM X 1" PRESSFIT STRAIGHT UNION MI - WRAS	60772801	8	19.09

Size	Description	Code	Bag Qty	£
15 x 1/2' MI	15MM X 1/2" PRESSFIT ADAPTOR FEMALE - WRAS	60791512	10	2.36
22 x 3/4" MI	22MM X 3/4" PRESSFIT ADAPTOR FEMALE - WRAS	60792234	10	4.60

PRESSFIT VALVES

Size	Description	Code	Bag	£
15 x 15	15MM PRESSFIT LEVER BALL VALVE - WRAS	60301515	1	3.00
22 x 22	22MM PRESSFIT LEVER BALL VALVE - WRAS	60302222	1	4.60
28 x 28	28MM PRESSFIT LEVER BALL VALVE - WRAS	60302828	1	8.70
35 x 35	35MM PRESSFIT LEVER BALL VALVE - WRAS	60303535	1	13.75
42 x 42	42MM PRESSFIT LEVER BALL VALVE - WRAS	60304242	1	22.87
54 x 54	54MM PRESSFIT LEVER BALL VALVE - WRAS	60305454	1	35.29
Size	Description	Code	Bag	£
15 x 1/2	15MM X 1/2" PRESSFIT LEVER BALL VALVE - WRAS	60301512	NA	6.49
22 x 3/4	22MM X 3/4" PRESSFIT LEVER BALL VALVE - WRAS	60302234	NA	10.72
28 x 1	28MM X 1" PRESSFIT LEVER BALL VALVE - WRAS	60302801	NA	17.66
35 x 1 1/4"	35MM X 1 1/4" PRESSFIT LEVER BALL VALVE - WRAS	60303514	NA	19.85
42 x 1 1/2"	42MM X 1 1/2" PRESSFIT LEVER BALL VALVE - WRAS	60304212	NA	24.25
54 x 2"	54MM X 2" PRESSFIT LEVER BALL VALVE - WRAS	60305402	NA	37.05
Size	Description	Code	Bag	£
15 x 15	15MM T HANDLE BALL VALVE	60311515	1	3.90
22 x 22	22MM T HANDLE BALL VALVE	60312222	1	5.20
28 x 28	28MM T HANDLE BALL VALVE	60312828	1	
Size	Description	Code	Bag	£
15x15	15MM STANDARD BORE M PROFILE	62101500	10	3.65
22x22	22MM STANDARD BORE M PROFILE	62102200	5	5.65
15x15	15MM FULL BORE M PROFILE	62181500	5	4.25
22x22	22MM FULL BORE M PROFILE	62182200	1	6.40
Size	Description	Code	Bag	£
15x15	15MM PRESSFIT SINGLE CHECK VALVE	62011515	10	1.70
22x22	22M PRESSFIT SINGLE CHECK VALVE	62012222	5	2.45
28x28	28MM PRESSFIT SINGLE CHECK VALVE	62012828	1	4.20
Size	Description	Code	Bag	£
15x15	15MM PRESSFIT DOUBLE CHECK VALVE	62021515	10	2.20
22x22	22M PRESSFIT DOUBLE CHECK VALVE	62022222	5	3.90
28x28	28MM PRESSFIT DOUBLE CHECK VALVE	62022828	1	6.30
Size	Description	Code	Bag	£
15 x 3/4"	15MM X 3/4" STRAIGHT PRESSFIT WASHING MACHINE VALVE	62113400	5	1.49
15 x 15 x 3/4"	15MM X 15MM X 3/4" PRESSFIT TEE WASHING MACHINE VALVE	62113460	1	2.52
15 x 3/4"	15MM X 3/4" PRESSFIT ANGLED WASHING MACHINE VALVE	62113490		
Size	Description	Code	Bag	£
15x15	15MM BS5154 PRESSFIT GATE VALVE		NA	2.10
22x22	22MM BS5154 PRESSFIT GATE VALVE		NA	3.10
28x28	28MM BS5154 PRESSFIT GATE VALVE		NA	4.10
Size	Description	Code	Bag	£
15x15	15MM PRESSFIT STOPCOCK EN213	62151500	1	5.40
22x22	22MM PRESSFIT STOPCOCK EN214	62152200	1	6.75
Size	Description	Code	Bag	£
15x15	15MM PRESSFIT LONG TAIL BRASS DRAIN COCK	16150501	10	1.15
Size	Description	Code	Bag	£
15x15	15MM PRESSFIT ANGLED ISOLATION VALVE			
Size	Description	Code	Bag	£
15 x 1/2"	15MM X 1/2" PRESSFIT ANGLED SERVICE VALVE	62151225		
15 x 1/2"	15MM X 1/2" PRESSFIT STRAIGHT SERVICE VALVE	62151220		

M PROFILE GAS

Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT COUPLER - GAS	65111515	10	0.87
22	22MM PRESSFIT COUPLER - GAS	65112222	10	1.41
28	28MM PRESSFIT COUPLER - GAS	65112828	10	1.86
35	35MM PRESSFIT COUPLER - GAS	65113535	4	4.18
42	42MM PRESSFIT COUPLER - GAS	65114242	2	5.77
54	54MM PRESSFIT COUPLER - GAS	65115454	2	9.09



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT ELBOW - GAS	65411515	10	1.00
22	22MM COPPER PRESSFIT ELBOW - GAS	65412222	10	1.89
28	28MM COPPER PRESSFIT ELBOW - GAS	65412828	5	3.75
35	35MM COPPER PRESSFIT ELBOW - GAS	65413535	2	7.08
42	42MM COPPER PRESSFIT ELBOW - GAS	65414242	2	9.80
54	54MM COPPER PRESSFIT ELBOW - GAS	65415454	2	18.95



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT STREET ELBOW - GAS	65431515	10	1.05
22	22MM COPPER PRESSFIT STREET ELBOW - GAS	65432222	10	2.08
28	28MM COPPER PRESSFIT STREET ELBOW - GAS	65432828	5	4.82
35	35MM COPPER PRESSFIT STREET ELBOW - GAS	65433535	2	6.85
42	42MM COPPER PRESSFIT STREET ELBOW - GAS	65434242	2	9.23
54	54MM COPPER PRESSFIT STREET ELBOW - GAS	65435454	2	17.52



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - GAS	65451515	10	1.29
22	22MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - GAS	65452222	10	1.66
28	28MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - GAS	65452828	5	4.87
35	35MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - GAS	65453535	4	6.52
42	42MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - GAS	65454242	2	8.57
54	54MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - GAS	65455454	2	14.99



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - GAS	65481515	10	1.29
22	22MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - GAS	65482222	10	1.97
28	28MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - GAS	65482828	5	4.38
35	35MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - GAS	65483535	4	5.35
42	42MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - GAS	65484242	2	7.88
54	54MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - GAS	65485454	2	14.83



M PROFILE GAS

Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM PRESSFIT FITTING REDUCING - GAS	65132215	10	1.32
28 x 15	28MM X 15MM PRESSFIT FITTING REDUCING - GAS	65132815	10	2.78
28 x 22	28MM X 22MM PRESSFIT FITTING REDUCING - GAS	65132822	10	2.72
35 x 22	35MM X 22MM PRESSFIT FITTING REDUCING - GAS	65133522	10	3.56
35 x 28	35MM X 28MM PRESSFIT FITTING REDUCING - GAS	65133528	4	3.43
42 x 22	42MM X 22MM PRESSFIT FITTING REDUCING - GAS	65134222	4	4.82
42 x 28	42MM X 28MM PRESSFIT FITTING REDUCING - GAS	65134228	4	5.18
42 x 35	42MM X 35MM PRESSFIT FITTING REDUCING - GAS	65134235	4	5.57
54 x 22	54MM X 22MM PRESSFIT FITTING REDUCING - GAS	65135422	2	10.00
54 x 28	54MM X 28MM PRESSFIT FITTING REDUCING - GAS	65135428	2	9.92
54 x 35	54MM X 35MM PRESSFIT FITTING REDUCING	65135435	1	9.94
54 x 42	54MM X 42MM PRESSFIT FITTING REDUCING	65135442	1	10.01

Size	Description	Code	Bag Qty	£
15	15MM EQUAL PRESSFIT TEE - GAS	65151515	10	1.89
22	22MM EQUAL PRESSFIT TEE - GAS	65222222	10	3.49
28	28MM EQUAL PRESSFIT TEE - GAS	65282828	4	4.70
35	35MM EQUAL PRESSFIT TEE - GAS	65353535	2	10.04
42	42MM EQUAL PRESSFIT TEE - GAS	65424242	2	16.75
54	54MM EQUAL PRESSFIT TEE - GAS	65545454	1	21.45

Size	Code	Bag Qty	£
22 X 22 X 15 (3RD DIMENSION IS BRANCH)	65222215	10	3.65
28 X 28 X 15 (3RD DIMENSION IS BRANCH)	65282815	5	7.04
28 X 28 X 22 (3RD DIMENSION IS BRANCH)	65282822	5	7.18
35 X 35 X 15 (3RD DIMENSION IS BRANCH)	65353515	4	9.91
35 X 35 X 22 (3RD DIMENSION IS BRANCH)	65353522	4	8.86
35 X 35 X 28 (3RD DIMENSION IS BRANCH)	65353528	4	10.35
42 X 42 X 15 (3RD DIMENSION IS BRANCH)	65424215	4	15.65
42 X 42 X 22 (3RD DIMENSION IS BRANCH)	65424222	4	15.82
42 X 42 X 28 (3RD DIMENSION IS BRANCH)	65424228	2	16.02
42 X 42 X 35 (3RD DIMENSION IS BRANCH)	65424235	1	17.06
54 X 54 X 22 (3RD DIMENSION IS BRANCH)	65545422	1	20.99
54 X 54 X 28 (3RD DIMENSION IS BRANCH)	65545428	1	21.23
54 X 54 X 35MM (3RD DIMENSION IS BRANCH)	65545435	1	21.26
54 X 54 X 42 (3RD DIMENSION IS BRANCH)	65545442	1	23.07

M PROFILE GAS

Size	Description	Code	Bag Qty	£
	22 X 15 22MM X 15MM PRESSFIT REDUCING COUPLER - GAS	65112215	10	2.30
	28 X 15 28MM X 15MM PRESSFIT REDUCING COUPLER - GAS	65112815	10	3.55
	28 X 22 28MM X 22MM PRESSFIT REDUCING COUPLER - GAS	65112822	10	3.67
Size	Description	Code	Bag Qty	£
	15 15MM PRESSFIT END CAP -GAS	65811515	10	0.96
	22 22MM PRESSFIT END CAP -GAS	65812222	10	2.26
	28 28MM PRESSFIT END CAP -GAS	65812828	10	2.54
	35 35MM PRESSFIT END CAP -GAS	65813535	5	5.05
	42 42MM PRESSFIT END CAP -GAS	65814242	5	10.03
	54 54MM PRESSFIT END CAP -GAS	65815454	5	13.29
Size	Description	Code	Bag Qty	£
	15 x 1/2 15MM X 1/2" PRESSFIT ELBOW FEMALE - GAS	65531512	10	6.90
	22 x 3/4 22MM X 3/4" PRESSFIT ELBOW FEMALE - GAS	65532234	10	8.35
	28 x 1 28MM X 1" PRESSFIT ELBOW FEMALE - GAS	65532801	10	11.00
Size	Description	Code	Bag Qty	£
	15 x 1/2 15MM X 1/2" PRESSFIT ELBOW MALE - GAS	65511512	10	4.76
	22 x 3/4 22MM X 3/4" PRESSFIT ELBOW MALE - GAS	65512234	10	7.46
	28 x 1 28MM X 1" PRESSFIT ELBOW MALE - GAS	65512801	4	11.65
Size	Description	Code	Bag Qty	£
	15 x 1/2 15MM X 1/2" PRESSFIT WALL PLATE ELBOW - GAS	65591512	10	4.00
	22 x 3/4 22MM X 3/4" PRESSFIT WALL PLATE ELBOW - GAS	65592234	10	8.25
	28 x 1 28MM X 1" PRESSFIT WALL PLATE ELBOW - GAS	65592801	5	11.99
Size	Description	Code	Bag Qty	£
	15 x 1/2 15MM X 1/2" PRESSFIT COUPLER FEMALE - GAS	65231512	10	2.40
	15 x 3/4 15MM X 3/4" PRESSFIT COUPLER FEMALE - GAS	65231534	10	3.59
	22 x 1/2 22MM X 1/2" PRESSFIT COUPLER FEMALE - GAS	65232212	10	4.58
	22 x 3/4 22MM X 3/4" PRESSFIT COUPLER FEMALE - GAS	65232234	10	4.56
	22 x 1 22MM X 1" PRESSFIT COUPLER FEMALE - GAS	65232201	10	5.31
	28 x 3/4 28MM X 3/4" PRESSFIT COUPLER FEMALE - GAS	65232834	10	5.49
	28 x 1 28MM X 1" PRESSFIT COUPLER FEMALE - GAS	65232801	10	9.50
	35 x 1 35MM X 1" PRESSFIT COUPLER FEMALE - GAS	65233501	4	15.70
	35 x 1 1/4 35MM X 1 1/4" PRESSFIT COUPLER FEMALE - GAS	65233514	4	15.31
	42 x 1 1/2 42MM X 1 1/2" PRESSFIT COUPLER FEMALE - GAS	65234212	4	25.95
	54 x 2 54MM X 2" PRESSFIT COUPLER FEMALE - GAS	65235420	2	46.78

M PROFILE GAS

Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT COUPLER MALE - GAS	65211512	10	2.90
15 x 3/4	15MM X 3/4" PRESSFIT COUPLER MALE - GAS	65211534	10	4.02
22 x 1/2	22MM X 1/2" PRESSFIT COUPLER MALE - GAS	65212212	10	4.48
22 x 3/4	22MM X 3/4" PRESSFIT COUPLER MALE - GAS	65212234	10	4.82
22 x 1	22MM X 1" PRESSFIT COUPLER MALE - GAS	65212210	10	4.58
28 x 3/4	28MM X 3/4" PRESSFIT COUPLER MALE - GAS	65212834	10	6.82
28 x 1	28MM X 1" PRESSFIT COUPLER MALE - GAS	65212801	10	6.78
35 x 1	35MM X 1" PRESSFIT COUPLER MALE - GAS	65213501	4	17.60
35 x 1 1/4	35MM X 1 1/4" PRESSFIT COUPLER MALE - GAS	65213514	4	16.57
42 x 1 1/2	42MM X 1 1/2" PRESSFIT COUPLER MALE - GAS	65214212	4	23.78
54 x 2	54MM X 2" PRESSFIT COUPLER MALE - GAS	65215420	2	45.44
Size	Description	Code	Bag Qty	£
15 x 15 x 1/2	15MM X 1/2" X 15MM PRESSFIT TEE - GAS	65281512	10	5.00
22 x 1/2 x 22	22MM X 1/2" X 22MM PRESSFIT TEE - GAS	65282212	10	7.61
22 x 3/4 x 22	22MM X 3/4" X 22MM PRESSFIT TEE - GAS	65282234	10	10.40
28 x 1/2 x 28	28MM X 1/2" X 28MM PRESSFIT TEE - GAS	65282812	10	10.85
28 x 3/4 x 28	28MM X 3/4" X 28MM PRESSFIT TEE - GAS	65282834	4	12.37
28 x 1 x 28	28MM X 1" X 28MM PRESSFIT TEE - GAS	65282801	5	26.64
35 x 1/2 x 35	35MM X 1/2" X 35MM PRESSFIT TEE - GAS	65283512	4	21.17
35 x 3/4 x 35	35MM X 3/4" X 35MM PRESSFIT TEE - GAS	65283534	4	27.32
35 x 1 x 35	35MM X 1" X 35MM PRESSFIT TEE - GAS	65283501	4	28.81
35 x 1 1/4 x 35	35MM X 1 1/4" X 35MM PRESSFIT TEE - GAS	65283514	4	30.44
42 x 1/2 x 42	42MM X 1/2" X 42MM PRESSFIT TEE - GAS	65284212	2	32.61
42 x 3/4 x 42	42MM X 3/4" X 42MM PRESSFIT TEE - GAS	65284234	2	33.41
42 x 1 x 42	42MM X 1" X 42MM PRESSFIT TEE - GAS	65284201	2	34.71
42 x 1 1/2 x 42	42MM X 1 1/2" X 42MM PRESSFIT TEE - GAS	65284112	2	35.05
54 x 1/2 x 54	54MM X 1/2" X 54MM PRESSFIT TEE - GAS	65285412	1	40.07
54 x 1 x 54	54MM X 1" X 54MM PRESSFIT TEE - GAS	65285401	1	50.36
54 x 2 x 54	54MM X 2" X 54MM PRESSFIT TEE - GAS	65285402	1	50.18

AQUAGAS COPPER PRESS FITTINGS

Size	Description	Code	Bag Qty	£
	115 15MM COPPER PRESSFIT COUPLER - WRAS & GAS	68111515	10	1.13
	22 22MM COPPER PRESSFIT COUPLER - WRAS & GAS	68112222	10	1.75
	28 28MM COPPER PRESSFIT COUPLER - WRAS & GAS	68112828	10	3.59
	35 35MM COPPER PRESSFIT COUPLER - WRAS & GAS	68113535	4	4.63
	42 42MM COPPER PRESSFIT COUPLER - WRAS & GAS	68114242	2	8.64
	54 54MM COPPER PRESSFIT COUPLER - WRAS & GAS	68115454	2	10.69
Size	Code	Bag Qty	£	
	15 15MM PRESSFIT SLIP COUPLER - WRAS & GAS	68171515	10	2.55
	22 22MM PRESSFIT SLIP COUPLER - WRAS & GAS	68172222	10	3.52
	28 28MM PRESSFIT SLIP COUPLER - WRAS & GAS	68172828	10	5.19
	35 35MM PRESSFIT SLIP COUPLER - WRAS & GAS	68173535	10	10.36
	42 42MM PRESSFIT SLIP COUPLER - WRAS & GAS	68174242	4	14.69
	54 54MM PRESSFIT SLIP COUPLER - WRAS & GAS	68175454	4	19.05
Size	Code	Bag Qty	£	
	15 15MM COPPER PRESSFIT ELBOW - WRAS & GAS	68411515	10	1.36
	22 22MM COPPER PRESSFIT ELBOW - WRAS & GAS	68412222	10	2.12
	28 28MM COPPER PRESSFIT ELBOW - WRAS & GAS	68412828	5	4.61
	35 35MM COPPER PRESSFIT ELBOW - WRAS & GAS	68413535	2	8.65
	42 42MM COPPER PRESSFIT ELBOW - WRAS & GAS	68414242	2	15.94
	54 54MM COPPER PRESSFIT ELBOW - WRAS & GAS	68415454	2	21.72
Size	Code	Bag Qty	£	
	15 15MM COPPER PRESSFIT STREET ELBOW - WRAS & GAS	68431515	10	1.35
	22 22MM COPPER PRESSFIT STREET ELBOW - WRAS & GAS	68432222	10	2.28
	28 28MM COPPER PRESSFIT STREET ELBOW - WRAS & GAS	68432828	5	5.32
	35 35MM COPPER PRESSFIT STREET ELBOW - WRAS & GAS	68433535	2	8.75
	42 42MM COPPER PRESSFIT STREET ELBOW - WRAS & GAS	68434242	2	17.27
	54 54MM COPPER PRESSFIT STREET ELBOW - WRAS & GAS	68435454	2	22.53
Size	Code	Bag Qty	£	
	15 15MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS & GAS	68411515	10	1.49
	22 22MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS & GAS	68412222	10	2.15
	28 28MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS & GAS	68412828	5	6.16
	35 35MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS & GAS	68413535	4	8.35
	42 42MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS & GAS	68414242	2	13.68
	54 54MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS & GAS	68415454	2	23.55
Size	Code	Bag Qty	£	
	15 15MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS & GAS	68481515	10	1.36
	22 22MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS & GAS	68482222	10	1.96
	28 28MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS & GAS	68482828	5	6.31
	35 35MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS & GAS	68483535	4	8.33
	42 42MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS & GAS	68484242	2	13.71
	54 54MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS & GAS	68485454	2	23.32

AQUAGAS COPPER PRESS FITTINGS

Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM COPPER PRESSFIT REDUCING COUPLER - WRAS & GAS	68112215	10	4.85
28 x 22	28MM X 22MM COPPER PRESSFIT REDUCING COUPLER - WRAS & GAS	68112822	10	10.55
35 x 28	35MM X 28MM COPPER PRESSFIT REDUCING COUPLER - WRAS & GAS	68113528	4	20.83

Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68132215	10	1.39
28 x 15	28MM X 15MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68132815	10	3.43
28 x 22	28MM X 22MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68132822	10	3.56
35 x 22	35MM X 22MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68133522	10	4.03
35 x 28	35MM X 28MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68133528	4	4.29
42 x 28	42MM X 28MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68134228	4	6.48
42 x 35	42MM X 35MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68134235	4	6.77
54 x 35	54MM X 35MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68135435	2	9.56
54 x 42	54MM X 42MM COPPER PRESSFIT FITTING REDUCING - WRAS & GAS	68135442	2	10.08

Size	Description	Code	Bag Qty	£
15	15MM COPPER EQUAL PRESSFIT TEE - WRAS & GAS	68151515	10	2.20
22	22MM COPPER EQUAL PRESSFIT TEE - WRAS & GAS	68222222	10	3.83
28	28MM COPPER EQUAL PRESSFIT TEE - WRAS & GAS	68282828	4	6.83
35	35MM COPPER EQUAL PRESSFIT TEE - WRAS & GAS	68353535	2	12.72
42	42MM COPPER EQUAL PRESSFIT TEE - WRAS & GAS	68424242	2	19.85
54	54MM COPPER EQUAL PRESSFIT TEE - WRAS & GAS	68545454	1	26.44

UK size	Description	Code	Bag Qty	£
15 x 15 x 22	15MM X 15MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68151522	10	
22 x 15 x 15	22MM X 15MM X 15MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68221515	10	
22 x 22 x 15	22MM X 22MM X 15MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68222215	10	
22 x 15 x 22	22MM X 15MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68221522	10	
28 x 28 x 15	28MM X 28MM X 15MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68282815	5	
28 x 22 x 22	28MM X 22MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68282222	10	
28 x 28 x 22	28MM X 28MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68282822	5	
28 x 22 x 28	28MM X 22MM X 28MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68282228	4	
35 x 35 x 15	35MM X 35MM X 15MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68353515	4	
35 x 35 x 22	35MM X 35MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68353522	4	
35 x 35 x 28	35MM X 35MM X 28MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	6835528	4	
42 x 42 x 15	42MM X 42MM X 15MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68424215	4	
42 x 42 x 22	42MM X 42MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68424222	4	
42 x 42 x 28	42MM X 42MM X 28MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68424228	2	
42 x 42 x 35	42MM X 42MM X 35MM (3RD DIMENSION IS BRANCH) COPPERPRESSFIT TEE - WRAS & GAS	68424235	1	
54 x 54 x 22	54MM X 54MM X 22MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68545422	1	
54 x 54 x 28	54MM X 54MM X 28MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68545428	1	
54 x 54 x 35	54MM X 54MM X 35MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68545435	1	
54 x 54 x 42	54MM X 54MM X 42MM (3RD DIMENSION IS BRANCH) COPPER PRESSFIT TEE - WRAS & GAS	68545442	12	

Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT END CAP - WRAS & GAS	68811515	10	2.43
22	22MM COPPER PRESSFIT END CAP - WRAS & GAS	68812222	10	2.83
28	28MM COPPER PRESSFIT END CAP - WRAS & GAS	68812828	10	4.41
35	35MM COPPER PRESSFIT END CAP - WRAS & GAS	68813535	5	7.09

AQUAGAS COPPER PRESS FITTINGS

Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68231512	10	5.47
15 x 3/4	15MM X 3/4" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68231534	10	5.81
22 x 1/2	22MM X 1/2" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68232212	10	7.80
22 x 3/4	22MM X 3/4" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68232234	10	7.57
28 x 1	28MM X 1" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68232801	10	9.74
35 x 1 1/4	35MM X 1 1/4" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68233514	4	18.20
42 x 1 1/2	42MM X 1 1/2" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68234212	4	26.50
54 x 2	54MM X 2" BRASS PRESSFIT COUPLER FEMALE - WRAS & GAS	68235402	2	44.87



Size	Description	Code	Bag Qty	£
15 x 1/2	15MM X 1/2" PRESSFIT COUPLER MALE - WRAS & GAS	68211512	10	3.89
15 x 3/4	15MM X 3/4" PRESSFIT COUPLER MALE - WRAS & GAS	68211534	10	5.45
22 x 1/2	22MM X 1/2" PRESSFIT COUPLER MALE - WRAS & GAS	68212212	10	7.06
22 x 3/4	22MM X 3/4" PRESSFIT COUPLER MALE - WRAS & GAS	68212234	10	6.03
22 x 1	22MM X 1" PRESSFIT COUPLER MALE - WRAS & GAS	68212201	10	8.09
28 x 3/4	28MM X 3/4" PRESSFIT COUPLER MALE - WRAS & GAS	68212834	10	10.76
28 x 1	28MM X 1" PRESSFIT COUPLER MALE - WRAS & GAS	68212801	10	7.92
35 x 1 1/4	35MM X 1 1/4" PRESSFIT COUPLER MALE - WRAS & GAS	68213514	4	14.07
42 x 1 1/2	42MM X 1 1/2" PRESSFIT COUPLER MALE - WRAS & GAS	68214212	4	20.09
54 x 2	54MM X 2" PRESSFIT COUPLER MALE - WRAS & GAS	68215402	2	37.85



V PROFILE WATER

Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT COUPLER - WRAS	64111515	10	1.02
22	22MM PRESSFIT COUPLER - WRAS	64112222	10	1.57
28	28MM PRESSFIT COUPLER - WRAS	64112828	10	4.24
35	35MM PRESSFIT COUPLER - WRAS	64113535	4	5.32
42	42MM PRESSFIT COUPLER - WRAS	64114242	2	9.73
54	54MM PRESSFIT COUPLER - WRAS	64115454	2	13.29



Size	Description	Code	Bag Qty	£
15	15MM PRESSFIT SLIP COUPLER - WRAS	64171515	10	£2.75
22	22MM PRESSFIT SLIP COUPLER - WRAS	64172222	10	£3.85
28	28MM PRESSFIT SLIP COUPLER - WRAS	64172828	10	£4.54
35	35MM PRESSFIT SLIP COUPLER - WRAS	64173535	10	£5.85
42	42MM PRESSFIT SLIP COUPLER - WRAS	64174242	4	£10.09
54	54MM PRESSFIT SLIP COUPLER - WRAS	64175454	4	£12.64



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT ELBOW - WRAS	64411515	10	£1.15
22	22MM COPPER PRESSFIT ELBOW - WRAS	64412222	10	£1.99
28	28MM COPPER PRESSFIT ELBOW - WRAS	64412828	10	£5.05
35	35MM COPPER PRESSFIT ELBOW - WRAS	64113535	4	£10.51
42	42MM COPPER PRESSFIT ELBOW - WRAS	64114242	2	£18.87
54	54MM COPPER PRESSFIT ELBOW - WRAS	64115454	2	£29.75



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT STREET ELBOW - WRAS	64431515	10	£1.47
22	22MM COPPER PRESSFIT STREET ELBOW - WRAS	64432222	10	£2.52
28	28MM COPPER PRESSFIT STREET ELBOW - WRAS	64432828	5	£5.56
35	35MM COPPER PRESSFIT STREET ELBOW - WRAS	64433535	2	£10.45
42	42MM COPPER PRESSFIT STREET ELBOW - WRAS	64434242	2	£19.19
54	54MM COPPER PRESSFIT STREET ELBOW - WRAS	64435454	2	£30.34
67	67MM COPPER PRESSFIT STREET ELBOW	64436767	1	POA
76	76MM COPPER PRESSFIT STREET ELBOW	64437676	1	POA
108	108MM COPPER PRESSFIT STREET ELBOW	64431080	1	POA



Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	15PFOBELB	10	£1.59
22	22MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	22PFOBELB	10	£2.28
28	28MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	28PFOBELB	5	£6.58
35	35MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	35PFOBELB	4	£10.20
42	42MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	42PFOBELB	2	£17.15
54	54MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW - WRAS	54PFOBELB	2	£25.11
67	67MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	67PFOBELB	1	POA
76	76MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	76PFOBELB	1	POA
108	108MM COPPER PRESSFIT OBTUSE (135 DEG) ELBOW	108PFOBELB	1	POA



V PROFILE WATER

Size	Description	Code	Bag Qty	£
15	15MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	15PFOBSTRELB	10	£1.51
22	22MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	22PFOBSTRELB	10	£2.09
28	28MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	28PFOBSTRELB	5	£6.31
35	35MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	35PFOBSTRELB	4	£9.99
42	42MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	42PFOBSTRELB	2	£16.69
54	54MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW - WRAS	54PFOBSTRELB	2	£25.00
67	67MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	67PFOBSTRELB	1	POA
76	76MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	76PFOBSTRELB	1	POA
108	108MM COPPER PRESSFIT OBTUSE (135 DEG) STREET ELBOW	108PFOBSTRELB	1	POA

Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM PRESSFIT REDUCING COUPLER - WRAS	2215PFREDCOU	10	5.21
28 x 15	28MM X 15MM PRESSFIT REDUCING COUPLER - WRAS	2815PFREDCOU	10	6.00
28 x 22	28MM X 22MM PRESSFIT REDUCING COUPLER - WRAS	2822PFREDCOU	10	6.09
35 x 15	35MM X 15MM PRESSFIT REDUCING COUPLER - WRAS	3515PFREDCOU	10	9.69
35 x 22	35MM X 22MM PRESSFIT REDUCING COUPLER - WRAS	3522PFREDCOU	10	14.28
35 x 28	35MM X 28MM PRESSFIT REDUCING COUPLER - WRAS	3528PFREDCOU	4	15.97
42 x 35	42MM X 35MM PRESSFIT REDUCING COUPLER - WRAS	4235PFREDCOU	4	POA
54 x 42	54MM X 42MM PRESSFIT REDUCING COUPLER - WRAS	5442PFREDCOU	2	POA

Size	Description	Code	Bag Qty	£
22 x 15	22MM X 15MM PRESSFIT FITTING REDUCING - WRAS	2215PFFITTRED	10	£1.57
28 x 15	28MM X 15MM PRESSFIT FITTING REDUCING - WRAS	2815PFFITTRED	10	£3.67
28 x 22	28MM X 22MM PRESSFIT FITTING REDUCING - WRAS	2822PFFITTRED	10	£3.86
35 x 22	35MM X 22MM PRESSFIT FITTING REDUCING - WRAS	3522PFFITTRED	10	£4.98
35 x 28	35MM X 28MM PRESSFIT FITTING REDUCING - WRAS	3528PFFITTRED	4	£5.42
42 x 22	42MM X 22MM PRESSFIT FITTING REDUCING - WRAS	4222PFFITTRED	4	£9.28
42 x 28	42MM X 28MM PRESSFIT FITTING REDUCING - WRAS	4228PFFITTRED	4	£8.67
42 x 35	42MM X 35MM PRESSFIT FITTING REDUCING - WRAS	4235PFFITTRED	4	£8.81
54 x 35	54MM X 35MM PRESSFIT FITTING REDUCING - WRAS	5435PFFITTRED	2	£11.43
54 x 42	54MM X 42MM PRESSFIT FITTING REDUCING - WRAS	5442PFFITTRED	2	£10.96
67 x 28	67MM X 28MM PRESSFIT FITTING REDUCING	6728PFFITTRED	1	POA
67 x 35	67MM X 35MM PRESSFIT FITTING REDUCING	6735PFFITTRED	1	POA
67 x 42	67MM X 42MM PRESSFIT FITTING REDUCING	6742PFFITTRED	1	POA
67 x 54	67MM X 54MM PRESSFIT FITTING REDUCING	6754PFFITTRED	1	POA
76.1 x 35	76MM X 35MM PRESSFIT FITTING REDUCING	7635PFFITTRED	1	POA
76.1 x 42	76MM X 42MM PRESSFIT FITTING REDUCING	7642PFFITTRED	1	POA
76.1 x 54	76MM X 54MM PRESSFIT FITTING REDUCING	7654PFFITTRED	1	POA
76.1 x 67	76MM X 67MM PRESSFIT FITTING REDUCING	7667PFFITTRED	1	POA
108 x 54	108MM X 54MM PRESSFIT FITTING REDUCING	10854PFFITTRED	1	POA
108 x 76.1	108MM X 76MM PRESSFIT FITTING REDUCING	10876PFFITTRED	1	POA
108 x 88.9	108MM X 89MM PRESSFIT FITTING REDUCING	10889PFFITTRED	1	POA

V PROFILE WATER



Size	Description	Code	Bag Qty	£
15	15MM EQUAL PRESSFIT TEE - WRAS	15PFTEE	10	2.10
22	22MM EQUAL PRESSFIT TEE - WRAS	22PFTEE	10	3.74
28	28MM EQUAL PRESSFIT TEE - WRAS	28PFTEE	4	7.47
35	35MM EQUAL PRESSFIT TEE - WRAS	35PFTEE	2	12.49
42	42MM EQUAL PRESSFIT TEE - WRAS	42PFTEE	2	23.46
54	54MM EQUAL PRESSFIT TEE - WRAS	54PFTEE	1	31.36
67	67MM EQUAL PRESSFIT TEE	67PFTEE	1	POA
76	76MM EQUAL PRESSFIT TEE	76PFTEE	1	POA
108	108MM EQUAL PRESSFIT TEE	108PFTEE	1	POA



UK Size	Description	Code	Bag Qty	£
115 x 15 x 22	15MM X 15MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	151522PFTEE	10	7.39
22 x 15 x 15	22MM X 15MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	221515PFTEE	10	6.31
22 x 22 x 15	22MM X 22MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	222215PFTEE	10	4.08
22 x 15 x 22	22MM X 15MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	221522PFTEE	10	7.39
28 x 28 x 15	28MM X 28MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	282815PFTEE	5	8.74
28 x 22 x 22	28MM X 22MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	282222PFTEE	10	12.71
28 x 28 x 22	28MM X 28MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	282822PFTEE	5	8.73
28 x 22 x 28	28MM X 22MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	282228PFTEE	4	14.39
35 x 35 x 15	35MM X 35MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	353515PFTEE	4	11.98
35 x 35 x 22	35MM X 35MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	353522PFTEE	4	11.80
35 x 35 x 28	35MM X 35MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	353528PFTEE	4	12.00
42 x 42 x 15	42MM X 42MM X 15MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	424215PFTEE	4	22.44
42 x 42 x 22	42MM X 42MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	424222PFTEE	4	21.51
42 x 42 x 28	42MM X 42MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	424228PFTEE	2	23.23
42 x 42 x 35	42MM X 42MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	424235PFTEE	1	23.49
54 x 54 x 22	54MM X 54MM X 22MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	545422PFTEE	1	29.52
54 x 54 x 28	54MM X 54MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	545428PFTEE	1	31.99
54 x 54 x 35	54MM X 54MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	545435PFTEE	1	33.67
54 x 42 x 42	54MM X 42MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS			39.18
54 x 54 x 42	54MM X 54MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	545442PFTEE	1	36.72
67 x 67 x 28	67MM X 67MM X 28MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	676728PFTEE	1	POA
67 x 67 x 35	67MM X 67MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	676735PFTEE	1	POA
67 x 67 x 42	67MM X 67MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	676742PFTEE	1	POA
67 x 67 x 54	67MM X 67MM X 54MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	676754PFTEE	1	POA
76 x 76 x 35	76MM X 76MM X 35MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	767635PFTEE	1	POA
76 x 76 x 42	76MM X 76MM X 42MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	767642PFTEE	1	POA
76 x 76 x 54	76MM X 76MM X 54MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	767654PFTEE	1	POA
76 x 76 x 67	76MM X 76MM X 67MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	767667PFTEE	1	POA
108 x 108 x 76	108MM X 108MM X 76MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	10810876PFTEE	1	POA
108 x 108 x 89	108MM X 108MM X 89MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	10810889PFTEE	1	POA
67 x 54 x 67	67MM X 54MM X 67MM (3RD DIMENSION IS BRANCH) PRESSFIT TEE - WRAS	675467PFTEE	1	POA

V PROFILE WATER

CONTINUED

UK Size	Description	Code	Bag Qty	£
76 x 35 x 76	76MM X 35MM X 76MM PRESSFIT TEE	763576PFTEE	1	POA
76 x 42 x 76	76MM X 42MM X 76MM PRESSFIT TEE	764276PFTEE	1	POA
76 x 54 x 76	76MM X 54MM X 76MM PRESSFIT TEE	765476PFTEE	1	POA
76 x 67 x 76	76MM X 67MM X 76MM PRESSFIT TEE	766776PFTEE	1	POA
108 x 76 x 108	108MM X 76MM X 108MM PRESSFIT TEE	10876108PFTEE	1	POA
108 x 89 x 108	108MM X 89MM X 108MM PRESSFIT TEE	10889108PFTEE	1	POA

	Size	Description		Bag Qty	£
	115	15MM PRESSFIT END CAP -WRAS	15PFEC	10	£2.48
	22	22MM PRESSFIT END CAP -WRAS	22PFEC	10	£4.04
	28	28MM PRESSFIT END CAP -WRAS	28PFEC	10	£8.45
	35	35MM PRESSFIT END CAP -WRAS	35PFEC	5	£9.69
	42	42MM PRESSFIT END CAP -WRAS	42PFEC	5	£13.73
	54	54MM PRESSFIT END CAP -WRAS	54PFEC	5	£16.23
	67	67MM PRESSFIT END CAP	67PFEC	1	POA
	76	76MM PRESSFIT END CAP	76PFEC	1	POA



	Size	Description		Bag Qty	£
	15	15MM PRESSFIT FULL CROSSOVER -WRAS	15PFFCROSS	10	£5.10
	22	22MM PRESSFIT FULL CROSSOVER -WRAS	22PFFCROSS	5	£10.33

	Size	Description		Bag Qty	£
	15	15MM PRESSFIT PART CROSSOVER -WRAS	15PFPCROSS	10	£3.74
	22	22MM PRESSFIT PART CROSSOVER -WRAS	22PFPCROSS	5	£6.79



MULTIPIPE

Size	Description	Code	Bag Qty	£
16mm x 16mm	16mm x 16mm Hydri Brass Press Coupling	120200		£3.62
20mm x 20mm	20mm x 20mm Hydri Brass Press Coupling	120300		£4.85
25mm x 25mm	25mm x 25mm Hydri Brass Press Coupling	120400		£7.24
32mm x 32mm	32mm x 32mm Hydri Brass Press Coupling	120500		£12.80
40mm x 40mm	40mm x 40mm Hydri Brass Press Coupling	120600		£17.30
50mm x 50mm	50mm x 50mm Hydri Brass Press Coupling	120700		£24.45
63mm x 63mm	63mm x 63mm Hydri Brass Press Coupling	120800		£59.76



Size	Description	Code	Bag Qty	£
20mm x 16mm	20mm x 16mm Hydri Brass Press Reducing Coupling	120320		£4.86
25mm x 16mm	25mm x 16mm Hydri Brass Press Reducing Coupling	120420		£5.90
25mm x 20mm	25mm x 20mm Hydri Brass Press Reducing Coupling	120430		£6.19
32mm x 20mm	32mm x 20mm Hydri Brass Press Reducing Coupling	120530		£12.07
32mm x 25mm	32mm x 25mm Hydri Brass Press Reducing Coupling	120540		£10.74
40mm x 25mm	40mm x 25mm Hydri Brass Press Reducing Coupling	120640		£15.53
40mm x 32mm	40mm x 32mm Hydri Brass Press Reducing Coupling	120650		£17.65
50mm x 32mm	50mm x 32mm Hydri Brass Press Reducing Coupling	120750		£21.39
50mm x 40mm	50mm x 40mm Hydri Brass Press Reducing Coupling	120760		£24.85
63mm x 40mm	63mm x 40mm Hydri Brass Press Reducing Coupling	120860		£49.68
63mm x 50mm	63mm x 50mm Hydri Brass Press Reducing Coupling	120870		£55.35



Size	Description	Code	Bag Qty	£
16mm x 16mm x 16mm	16mm x 16mm x 16mm Hydri Brass Press Equal Tee	122200		£5.47
20mm x 20mm x 20mm	20mm x 20mm x 20mm Hydri Brass Press Equal Tee	122300		£8.51
25mm x 25mm x 25mm	25mm x 25mm x 25mm Hydri Brass Press Equal Tee	122400		£12.48
32mm x 32mm x 32mm	32mm x 32mm x 32mm Hydri Brass Press Equal Tee	122500		£22.09
40mm x 40mm x 40mm	40mm x 40mm x 40mm Hydri Brass Press Equal Tee	122600		£34.57
50mm x 50mm x 50mm	50mm x 50mm x 50mm Hydri Brass Press Equal Tee	122700		£50.32
63mm x 63mm x 63mm	63mm x 63mm x 63mm Hydri Brass Press Equal Tee	122800		£103.38
16mm x 20mm x 16mm	16mm x 20mm x 16mm Hydri Brass Press Reducing Tee	122232		£9.15
20mm x 16mm x 16mm	20mm x 16mm x 16mm Hydri Brass Press Reducing Tee	122322		£8.63
20mm x 16mm x 20mm	20mm x 16mm x 20mm Hydri Brass Press Reducing Tee	122323		£9.08
20mm x 20mm x 16mm	20mm x 20mm x 16mm Hydri Brass Press Reducing Tee	122332		£9.10
20mm x 25mm x 20mm	20mm x 25mm x 20mm Hydri Brass Press Reducing Tee	122343		£11.93
25mm x 16mm x 16mm	25mm x 16mm x 16mm Hydri Brass Press Reducing Tee	122422		£8.92
25mm x 16mm x 20mm	25mm x 16mm x 20mm Hydri Brass Press Reducing Tee	122423		£11.78
25mm x 16mm x 25mm	25mm x 16mm x 25mm Hydri Brass Press Reducing Tee	122424		£11.35
25mm x 20mm x 20mm	25mm x 20mm x 20mm Hydri Brass Press Reducing Tee	122433		£9.83
25mm x 20mm x 25mm	25mm x 20mm x 25mm Hydri Brass Press Reducing Tee	122434		£10.93



MULTIPIPE

Size	Description	Code	Bag Qty	£
25mm x 25mm x 16mm	25mm x 25mm x 16mm Hydriis Brass Press Reducing Tee	122442		£13.12
32mm x 16mm x 32mm	32mm x 16mm x 32mm Hydriis Brass Press Reducing Tee	122525		£15.18
32mm x 20mm x 32mm	32mm x 20mm x 32mm Hydriis Brass Press Reducing Tee	122535		£15.81
32mm x 25mm x 32mm	32mm x 25mm x 32mm Hydriis Brass Press Reducing Tee	122545		£15.99
32mm x 25mm x 25mm	32mm x 25mm x 25mm Hydriis Brass Press Reducing Tee	122544		£16.03
40mm x 32mm x 32mm	40mm x 32mm x 32mm Hydriis Brass Press Reducing Tee	122655		£28.06
40mm x 32mm x 40mm	40mm x 32mm x 40mm Hydriis Brass Press Reducing Tee	122656		£29.32
50mm x 32mm x 50mm	50mm x 32mm x 50mm Hydriis Brass Press Reducing Tee	122757		£50.37
50mm x 40mm x 50mm	50mm x 40mm x 50mm Hydriis Brass Press Reducing Tee	122767		£53.37
63mm x 40mm x 63mm	63mm x 40mm x 63mm Hydriis Brass Press Reducing Tee	122868		£104.31
63mm x 50mm x 63mm	63mm x 50mm x 63mm Hydriis Brass Press Reducing Tee	122878		£104.68



Size	Description	Code	Bag Qty	£
16mm x 16mm	16mm x 16mm Hydriis Brass Press Elbow 90°	121200		£4.01
20mm x 20mm	20mm x 20mm Hydriis Brass Press Elbow 90°	121300		£5.26
25mm x 25mm	25mm x 25mm Hydriis Brass Press Elbow 90°	121400		£8.85
32mm x 32mm	32mm x 32mm Hydriis Brass Press Elbow 90°	121500		£12.74
40mm x 40mm	40mm x 40mm Hydriis Brass Press Elbow 90°	121600		£27.16
50mm x 50mm	50mm x 50mm Hydriis Brass Press Elbow 90°	121700		£35.77
63mm x 63mm	63mm x 63mm Hydriis Brass Press Elbow 90°	121800		£82.43
32mm x 32mm	32mm x 32mm Hydriis Brass Press Elbow 45°	128500		£20.90
40mm x 40mm	40mm x 40mm Hydriis Brass Press Elbow 45°	128600		£32.04
50mm x 50mm	50mm x 50mm Hydriis Brass Press Elbow 45°	128700		£40.65
63mm x 63mm	63mm x 63mm Hydriis Brass Press Elbow 45°	128800		£77.55



Size	Description	Code	Bag Qty	£
16mm x 1/2"	16mm x 1/2" Hydriis Brass Press Connection Male Thread (MT)	123220		£3.32
16mm x 3/4"	16mm x 3/4" Hydriis Brass Press Connection Male Thread (MT)	123230		£4.57
20mm x 1/2"	20mm x 1/2" Hydriis Brass Press Connection Male Thread (MT)	123320		£4.59
20mm x 3/4"	20mm x 3/4" Hydriis Brass Press Connection Male Thread (MT)	123330		£4.98
25mm x 1"	25mm x 1" Hydriis Brass Press Connection Male Thread (MT)	123440		£9.70
25mm x 3/4"	25mm x 3/4" Hydriis Brass Press Connection Male Thread (MT)	123430		£6.56
32mm x 1"	32mm x 1" Hydriis Brass Press Connection Male Thread (MT)	123540		£10.15
40mm x 1 1/4"	40mm x 1 1/4" Hydriis Brass Press Connection Male Thread (MT)	123650		£16.31
50mm x 1 1/2"	50mm x 1 1/2" Hydriis Brass Press Connection Male Thread (MT)	123760		£22.02
63mm x 2"	63mm x 2" Hydriis Brass Press Connection Male Thread (MT)	123870		£50.63
16mm x 1/2"	16mm x 1/2" Hydriis Brass Press Connection Female Thread (FT)	124220		£3.86
16mm x 3/4"	16mm x 3/4" Hydriis Brass Press Connection Female Thread (FT)	124230		£4.57
20mm x 1/2"	20mm x 1/2" Hydriis Brass Press Connection Female Thread (FT)	124320		£4.31



MULTIPIPE

Size	Description	Code	Bag Qty	£
20mm x 3/4"	20mm x 3/4" Hydris Brass Press Connection Female Thread (FT)	124330		£5.68
25mm x 1"	25mm x 1" Hydris Brass Press Connection Female Thread (FT)	124440		£10.95
25mm x 3/4"	25mm x 3/4" Hydris Brass Press Connection Female Thread (FT)	124430		£7.19
32mm x 1"	32mm x 1" Hydris Brass Press Connection Female Thread (FT)	124540		£11.22
40mm x 1 1/4"	40mm x 1 1/4" Hydris Brass Press Connection Female Thread (FT)	124650		£18.65
50mm x 1 1/2"	50mm x 1 1/2" Hydris Brass Press Connection Female Thread (FT)	124760		£27.13
16mm x 1/2"	16mm x 1/2" Hydris Tap Connector & Breakdown Swivel Connector	125220		£6.24
16mm x 3/4"	16mm x 3/4" Hydris Tap Connector & Breakdown Swivel Connector	125230		£7.02
20mm x 1/2"	20mm x 1/2" Hydris Tap Connector & Breakdown Swivel Connector	125320		£7.95
20mm x 3/4"	20mm x 3/4" Hydris Tap Connector & Breakdown Swivel Connector	125330		£8.54
25mm x 1"	25mm x 1" Hydris Tap Connector & Breakdown Swivel Connector	125440		£9.95
25mm x 3/4"	25mm x 3/4" Hydris Tap Connector & Breakdown Swivel Connector	125430		£9.49
32mm x 1 1/4"	32mm x 1 1/4" Hydris Tap Connector & Breakdown Swivel Connector	125550		£19.51

Size	Description	Code	Bag Qty	£
16mm x 1/2" x 16mm	16mm x 1/2" x 16mm Hydris Brass Press Tee Centre Female Thread (FT)	126222		£8.74
20mm x 1/2" x 20mm	20mm x 1/2" x 20mm Hydris Brass Press Tee Centre Female Thread (FT)	126323		£10.09
25mm x 1/2" x 25mm	25mm x 1/2" x 25mm Hydris Brass Press Tee Centre Female Thread (FT)	126424		£11.95
25mm x 3/4" x 25mm	25mm x 3/4" x 25mm Hydris Brass Press Tee Centre Female Thread (FT)	126434		£11.71
63mm x 1" x 63mm	63mm x 1" x 63mm Hydris Brass Press Tee Centre Female Thread (FT)	126848		£85.58
75mm x 1" x 75mm	75mm x 1" x 75mm Hydris Brass Press Tee Centre Female Thread (FT)	126949		£144.47

Size	Description	Code	Bag Qty	£
16mm x 1/2"	16mm x 1/2" Hydris Brass Press Backplate Elbow Female Thread (FT)	132220		£8.65
20mm x 1/2"	20mm x 1/2" Hydris Brass Press Backplate Elbow Female Thread (FT)	132320		£8.09

Size	Description	Code	Bag Qty	£
20mm x 1/2"	16mm x 1/2" Hydris Brass Press Elbow 90° Male Thread (MT)	129220		£4.95
20mm x 1/2"	20mm x 1/2" Hydris Brass Press Elbow 90° Male Thread (MT)	129320		£6.42
20mm x 1/2"	20mm x 3/4" Hydris Brass Press Elbow 90° Male Thread (MT)	129330		£7.07
25mm x 3/4"	25mm x 3/4" Hydris Brass Press Elbow 90° Male Thread (MT)	129430		£9.21
32mm x 1"	32mm x 1" Hydris Brass Press Elbow 90° Male Thread (MT)	129540		£12.59
16mm x 1/2"	16mm x 1/2" Hydris Brass Press Elbow 90° Female Thread (FT)	130220		£4.59
20mm x 1/2"	20mm x 1/2" Hydris Brass Press Elbow 90° Female Thread (FT)	130320		£5.99
20mm x 3/4"	20mm x 3/4" Hydris Brass Press Elbow 90° Female Thread (FT)	130330		£7.96
25mm x 3/4"	25mm x 3/4" Hydris Brass Press Elbow 90° Female Thread (FT)	130430		£9.21
32mm x 1"	32mm x 1" Hydris Brass Press Elbow 90° Female Thread (FT)	130540		£12.81




Pressing Unit ACO103


-  Metal up to 35 mm
Plastic up to 40 mm
-  One-Hand-Operation
-  Rotatable head
-  Illumination of the press area
-  Data transfer via Bluetooth®

Compact and high-performance efficiency

- **NEW** with rotatable head
- Powerful Milwaukee® Lithium-Ion 18V batteries for reliable performance
- Redundant switch-off and press force control with LED indication
- Automatic pressing cycle
- Safe handling with slipproof rubberized housing and ergonomic design
- Illumination of the press area for safe working
- Analysis of the pressing tool performance via NovoCheck app



Press jaw PB1



Pressing Unit ACO203

powered by Brushless Motor Technology



Illumination of the press area



Metal up to 54 mm (M-Contour)
up to 108 mm (V-Contour)
Plastic up to 110 mm



Low weight



Small tool dimensions



Data transfer via Bluetooth®

Fit for the future with the new tool generation

- Light-weight and handy
- Up to 40 % more pressings per battery charge*
- Illumination of the press area for safe working
- Reduced need for maintenance due to new motor technology
- Maintenance interval of 2 years - without limited numbers of press cycles
- Analysis of the pressing tool performance via NovoCheck app

Compatible press jaws and collars



novopress
because quality matters

* in comparison to its predecessor ACO202



Pressing Unit ACO203XL

powered by Brushless Motor Technology

**The all-round talent
even for big dimensions
up to 108 mm**

-  Metal systems up to 108 mm
Plastic systems up to 110 mm
-  40 % more pressings
per battery charge*
-  Status indication
with LED display
-  Rotatable head
-  Data transfer
via Bluetooth®

- Light-weight and handy
- 12 - 108 mm with only one tool
(all materials)
- 40 % more pressings per battery charge*
- Rotatable head
- Back stroke limitation - faster pressings
with compatible jaws by an adaptable
piston stroke
- Reduced need for maintenance due to
new motor technology
- Analysis of the pressing tool performance
via NovoCheck app

Adaptor jaws
ZB221 and ZB222



novopress
because quality matters

* in comparison to its predecessor ACO202XL

PB1 for ACO103	Description	Part Number	Price £
M15	M profile jaw dia. 15	48044-50	134.59
M22	M profile jaw dia. 22	48046-50	134.59
M28	M profile jaw dia. 28	48047-50	134.59
M35	M profile jaw dia. 35	48048-50	193.56

PB1 for ACO103	Description	Part Number	Price £
V15	V profile jaw dia. 15	48051-50	134.59
V22	V profile jaw dia. 22	48054-50	134.59
V28	V profile jaw dia. 28	48055-50	134.59
V35	V profile jaw dia. 35	48056-50	193.56

PB1 for ACO103	Description	Part Number	Price £
U16	U profile jaw dia. 16	48066-50	132.71
U20	U profile jaw dia. 20	48068-50	132.71
U25	U profile jaw dia. 25	48069-50	132.71
U32	U profile jaw dia. 32	48070-50	132.71
U40	U profile jaw dia. 40	48071-50	171.91

PB2 for ACO203 & 203XL	Description	Part Number	Price £
M15	M profile jaw dia. 15	47570-50	162.64
M22	M profile jaw dia. 22	47572-50	162.64
M28	M profile jaw dia. 28	47573-50	162.64
M35	M profile jaw dia. 35	47574-50	162.64

PB2 for ACO203 & 203XL	Description	Part Number	Price £
V15	V profile jaw dia. 15	47576-50	162.64
V22	V profile jaw dia. 22	47578-50	162.64
V28	V profile jaw dia. 28	47579-50	162.64
V35	V profile jaw dia. 35	47580-50	162.64
V42	V profile jaw dia. 42	47581-50	396.26
V54	V profile jaw dia. 54	47582-50	428.05

Slings + adapter jaws for ACO203 & ACO203XL			
	Description	Part Number	Price £
ZB203	adapter jaw PB2	47587-50	192.61
M42	M42 sling ZB203 needed	48585-50	639.27
M54	M54 sling ZB203 needed	48633-50	639.27
V42	PSL V42 ZB203 is needed	48639-50	639.27
V54	PSL V54 ZB203 is needed	48640-50	639.27

Tools	Description	Part Number	Price £
ACO103 solo	ACO103 just the tool. no case	4700080-50	925.75
ACO103 4xM	ACO103 2x2Ah batteries. charger and M15. 22. 28. 35	486208062-50	1,630.77
ACO103 4xV	ACO103 2x2Ah batteries. charger and V15. 22. 28. 35	486278062-50	1,590.55
ACO103 4xU	ACO103 2x2Ah batteries. charger and U16. 20. 25. 32	487178062-50	1,520.01
ACO203 solo	ACO203 just the tool. no case	4600080-50	990.65
ACO203XL 4xM	ACO203XL 2x5Ah battery. charger and M15. 22. 28. 35	485658062-50	2,598.98
ACO203 15mm - 54mm			3,187.62

Maxipro PB1	Description	Part Number	Price £
PB1 1/4"	PB1 ACR BMP 1/4"	49570-19	130.33
PB1 3/8"	PB1 ACR BMP 3/8"	49571-19	130.33
PB1 1/2"	PB1 ACR BMP 1/2"	49572-19	130.76
PB1 5/8"	PB1 ACR BMP 5/8"	49573-19	130.76
PB1 3/4"	PB1 ACR BMP 3/4"	49574-19	131.09
PB1 7/8"	PB1 ACR BMP 7/8"	49575-19	131.09
PB1 1"	PB1 ACR BMP 1"	49576-19	131.09
PB1 1-1/8"	PB1 ACR BMP 1-1/8"	49577-19	131.09

Pivoting adapter jaws	Description	Part Number	Price £
SZB101	adapter jaw SZB101	50765-50	131.09
SZB201	adapter jaw SZB201	50129-50	131.09

Pivoting V-profile	Description	Part Number	Price £
V15	V profile ring diameter 15	50682-50	131.09
V22	V profile ring diameter 22	50683-50	131.09
V28	V profile ring diameter 28	50684-50	131.09
V35	V profile ring diameter 35	50685-50	131.09

Pivoting M-profile	Description	Part Number	Price £
M15	M profile ring diameter 15	50694-50	131.09
M22	M profile ring diameter 22	50695-50	131.09
M28	M profile ring diameter 28	50696-50	131.09
M35	M profile ring diameter 35	50697-50	131.09

MP-1930 Battery Powered Mechanical Press Tool

- up to 35mm Stainless steel pipe, Copper pipe
- up to 40mm Plastic pipe, Multi-layer composite pipe

The MP-1930 is the newest addition of press tool with mechanical system, it is faster and efficient way to join metal pipe and plastic pipe

- The tool is easier to do maintenance
- Enclosed screw structure prevents sand and dust
- Brushless motor with longer motor life and more Run-time
- Screw Drive with high efficient, press more faster
- Ergonomic design, comfortable operation
- ONE KEY control switch, automatically completes press cycles
- The indicator light, with green indicating completion of press cycle, and red indicating press error or tool malfunction
- OLED display shows battery percentage, press cycles, fault code, maintenance note



COPPER PIPE



MULTI-LAYER COMPOSITE PIPE



PEX PIPE



STAINLESS STEEL PIPE



BL
MOTOR

2
YEARS
20000
CYCLES
MP-1930
BATTERY POWERED MECHANICAL
PRESS TOOL

2s
PER CYCLE TIME

Specifications

Capacity:	up to 35mm Stainless steel pipe, Copper pipe	Battery:	18V Li-ion 2.0Ah
	up to 40mm Plastic pipe, Multi-layer composite pipe	Battery Charger:	AC 100V-240V 50-60Hz
Output:	19kN	Charging Time:	Approx. 40mins
Stroke:	30mm	Weight:	Approx. 2.4kgs (tool with battery)
Pressing Cycle Time:	2S	Tool Size:	400x119x76mm
Model No.	Description	Weight (KGS)	Standard Pack
MP-1930	MP-1930 Battery Press Tool Kit without jaws	4.9	1set
ACCESSORIES	18V, 2.0 Ah Li-Ion Batteries	0.3	2pcs
	Charger	0.5	1pc
	Plastic case	1.7	1pc

PZ-1930

BATTERY POWERED PRESS TOOL precise pressing with lighter body

- 15-28mm Stainless steel pipe
- 15-35mm(1/2"-1 3/8") Copper pipe
- 16-40mm PEX&Multi-layer pipe

The PZ-1930 is the newest addition to the mini press tool with in-line grip, it is efficient and reliable way to join copper, stainless steel and PEX&Multi-layer Pipe.



COPPER PIPE



MULTI-LAYER COMPOSITE PIPE



PEX PIPE



STAINLESS STEEL PIPE



2.4s
PER CYCLE TIME

All tools can be controlled by one trigger

Anti-slip handle

180° rotating head

Manual Retract



OLED display

High Performance
18V Li-ion Battery



SPECIFICATIONS

Capacity:	15-28mm Stainless steel pipe	Battery:	18V Li-ion 2.0Ah
	15-35mm(1/2"-1 3/8") Copper pipe	Battery Charger:	AC 100V-240V 50-60Hz
	16-40mm PEX&Multi-layer pipe	Charging Time:	Approx. 40mins
Output:	19kN	Service Interval:	10000cycles
Stroke:	30mm	Weight:	Approx.2.0kgs (tool with battery)
Oil capacity:	Approx. 60ml		Approx. 3.6kgs(tool with battery and jaw)
Crimping Cycle Time:	2-4s	Tool Size:	Tool Size: 363×119×75mm
Crimping Cycles/charge:	180cycles (DN 20 Stainless Steel)		
MODEL NO.	DESCRIPTION	Weight (KGS)	Standard Pack
PZ-1930	PZ-1930 Battery Press Tool Kit without jaws	4.5	1set
ACCESSORIES	18V, 2.0 Ah Li-Ion Batteries	0.3	2pcs
	Charger	0.5	1pc
	Plastic case	1.7	1pc
	Sealing ring of cylinder:		1set
	Sealing ring of safety valve:		1set

PZ-1550

BATTERY POWERED PRESS TOOL

Efficiency and Durability

- Battery press tool with in-line grip.
- SPEED UP 20% compare with old type.
Only 3-4.5S to finish one cycle press
- The tool comes standard with two 18V,4.0Ah Lion-batteries and one charger. It can achieve over 350 cycles per charger.
- Motor drivers, Micro-computer control system, OLED screen and double valve hydraulic system.



COPPER PIPE




MULTI-LAYER COMPOSITE PIPE



PEX PIPE



STAINLESS STEEL PIPE



3s
PER CYCLE TIME



SPECIFICATIONS

Capacity:	15-54mm stainless steel pipe ,	Battery:	18V Li-ion 4.0Ah
	15-108mm PEX, multilayer pipe and copper pipe	Battery Charger:	AC 100-240V
Output:	32kN	Charging Time:	Approx. 80mins
Stroke:	40mm	Service Interval:	10000cycles
Cycle Time:	Approx. 3-4.5 seconds	Weight:	Approx.3.9kgs (tool with battery)
Oil capacity:	115ml		Approx.6.1kgs(tool with battery and jaw)
		Tool Size:	466×126×82mm

PZ-1550 Battery Press Tool Kit

MODEL NO.	DESCRIPTION	Weight(kgs)
PZ-1550	PZ-1550 Battery Press Tool Kit without jaws	9.20
	Battery, 18V, 4.0Ah Li-Ion	0.60
ACCESSORIES	Charger	0.50
	Plastic case	4.20

THE NEW FLEXIBILITY-ANGLE JAWS

Suit for narrow, angled installation areas which are difficult to access

R8 Angle Jaw

Provide with differentiated solutions according to customers requirement

R8 M15, R8 M18, R8 M22, R8 M28, R8 M35
R8 V15, R8 V18, R8 V22, R8 V28, R8 V35.....

R8 Rotating Adaptor Jaw

R8-19[suit for PZ-1930,SL-1930,BZ-1930, etc]

R8-24[suit for PZ-2430,SL-2430]

R8-32[suit for PZ-3240,PZ-1550,CZ-1550,EB-1550, ED-1550, etc]



R8 Angle Jaw



Spherical surface connection
Swiveling 180-degree-flexibility

Precision stamping connecting plate
Security design





Number	Description	Price
60193000	Z-PRESS KIT - 1930	750.00

60193015	JAW ONLY FOR 1930 M - PROFILE 15MM	95.00
60193022	JAW ONLY FOR 1930 M - PROFILE 22MM	95.00
60193028	JAW ONLY FOR 1930 M - PROFILE 28MM	95.00
60193035	JAW ONLY FOR 1930 M - PROFILE 35MM	95.00

60193116	JAW ONLY FOR 1930 TH - PROFILE 16MM	95.00
60193120	JAW ONLY FOR 1930 TH - PROFILE 20MM	95.00
60193126	JAW ONLY FOR 1930 TH - PROFILE 26MM	95.00
60193132	JAW ONLY FOR 1930 TH - PROFILE 32MM	95.00

60193016	JAW ONLY FOR 1930 U - PROFILE 16MM	95.00
60193020	JAW ONLY FOR 1930 U - PROFILE 20MM	95.00
60193026	JAW ONLY FOR 1930 U - PROFILE 25MM	95.00
60193032	JAW ONLY FOR 1930 U - PROFILE 32MM	95.00

60193215	JAW ONLY FOR 1930 V - PROFILE 15MM	95.00
60193222	JAW ONLY FOR 1930 V - PROFILE 22MM	95.00
60193228	JAW ONLY FOR 1930 V - PROFILE 28MM	95.00
60193235	JAW ONLY FOR 1930 V - PROFILE 35MM	95.00

60193180	180 DEGREE ADAPTOR	110.00
60193115	180 DEGREE ADAPTOR M - PROFILE 15MM	110.00
60193122	180 DEGREE ADAPTOR M - PROFILE 22MM	110.00
60193128	180 DEGREE ADAPTOR M - PROFILE 28MM	110.00

60155000	Z-PRESS 15MM - 54MM COMPLETE KIT	975.00
----------	----------------------------------	--------

60155015	JAW ONLY FOR 1550 M - PROFILE 15MM	115.00
60155022	JAW ONLY FOR 1550 M - PROFILE 22MM	115.00
60155028	JAW ONLY FOR 1550 M - PROFILE 28MM	115.00
60155035	JAW ONLY FOR 1550 M - PROFILE 35MM	115.00
60155042	JAW ONLY FOR 1550 M - PROFILE 42MM	115.00
60155054	JAW ONLY FOR 1550 M - PROFILE 54MM	115.00

60155095	ADAPTOR FOR 1550 (REQUIRED FOR 42MM & 54MM JAWS)	105.00
----------	---	--------

60153116	JAWS ONLY FOR 1550 TH - PROFILE 16MM	115.00
60153120	JAWS ONLY FOR 1550 TH - PROFILE 20MM	115.00
60153126	JAWS ONLY FOR 1550 TH - PROFILE 26MM	115.00
60153132	JAWS ONLY FOR 1550 TH - PROFILE 32MM	115.00

60153016	JAWS ONLY FOR 1550 U - PROFILE 16MM	115.00
60153020	JAWS ONLY FOR 1550 U - PROFILE 20MM	115.00
60153025	JAWS ONLY FOR 1550 U - PROFILE 25MM	115.00
60153032	JAWS ONLY FOR 1550 U - PROFILE 32MM	115.00

60206710	PRESS FIT M PROFILE TOOL KIT 67MM - 108MM	3100.00
----------	---	---------

Installation guide for 15mm to 35mm fittings

Preparation



1. Cut the tube square using a rotary tube cutter.



2. Care must be taken to ensure that tube is cut square, properly deburred and free from scores.



3. Deburr both internal and external tube ends then wipe clean of all swarf and debris to avoid damage to the 'O' ring upon tube insertion.



4. If a deburrer is not available use a fine file to prepare the tube end.



5. The tube must be fully inserted to the fitting until it meets the tube stop. Use a depth gauge or ruler to mark the insertion (socket) depth of the fitting onto the tube.

Joining 15mm to 35mm


Please refer to the press-fit tool manufacturers instructions for detailed operating and safety information before pressing joints. Besco Gulpress Fittings recommends Novopress tools.




1. Keep all fittings in their bag prior to installation to ensure the lubrication does not dry out. Ensure the 'O' ring is seated correctly within the fitting socket



2. Assemble the joint, ensuring the tube is inserted into the fitting until it meets the tube stop, using the insertion depth mark as a visual aid. Only when the tube reaches the tube stop should the pressing operation be undertaken.



3. Insert the correctly sized jaws into the press-fit tool and place them over the bead at the mouth of the fitting.



4. A 90° angle between the tube and jaws must be maintained when pressing all joints. The pressing operation should only be carried out when the tube is adequately supported by brackets, not when the tube is suspended in the fitting socket alone.



5. Press the trigger or button to start the jointing cycle. When the jaws fully enclose the mouth of the fitting, the joint is complete. The jaw should then be released from around the fitting.

Spacing

Allow sufficient clearance around each fitting to allow press-fit jaws to be attached without hindrance.

Health and Safety

1. We recommend that eye protection is worn when operating all press-fit tools.
2. Do not activate a press-fit tool without a fitting in the jaws.

Installation guide for 42mm to 108mm fittings

Preparation



1. Cut the tube square using a rotary tube cutter.



2. Care must be taken to ensure that tube is cut square, properly deburred and free from scores.



3. Deburr both internal and external tube ends then wipe clean of all swarf and debris to avoid damage to the "O" ring upon tube insertion.



4. If a deburrer is not available use a fine file to prepare the tube end.



5. The tube must be fully inserted to the fitting until it meets the tube stop. Use a depth gauge or ruler to mark the insertion (socket) depth of the fitting onto the tube

Joining 42mm to 108mm

Please refer to the tool press-fit manufacturers instructions for detailed operating and safety information before pressing joints. Besco Gutpress Fittings recommends Novopress tools. 108mm XPress Copper fittings must only be pressed with sling jaws marked for copper only.



1. Assemble the joint, ensuring the tube is inserted into the fitting until it meets the tube stop, using the insertion depth mark as a visual aid. Only when the tube reaches the tube stop should the pressing operation be undertaken.



2. Select the appropriate size sling jaw, open the sling by depressing the spring loaded pin, pull the sling apart and place over the fitting. Make sure the groove in the sling corresponds to the bead on the fitting and the support plate on the sling fits over the tube side of the joint.



3. Turn the catch mechanism toward the locking pin, depress the spring loaded pin and push the catch into the pin until the mechanism engages. Revolve the sling around the fitting to the desired pressing position.



4. Attach the appropriate adaptor to the press tool and close the breach bolt.



5. Attach the sling by depressing the jaw levers and inserting the claws as far as possible into the grooves of the sling. A 90° angle between the tube and sling must be maintained when pressing all joints. Commence the pressing operation by pressing the trigger or button.



6. When pressing has been completed the adaptor should be disengaged by depressing the jaw levers, and the slings removed from the fitting.

108mm Second press



7. For 108mm fittings, the press sling should be left in place and the secondary adaptor attached. Re-check to ensure the tube is still fully inserted into the fitting and repeat the pressing operation to complete the procedure.

The 108mm joint is not fully made until the fitting has been through two pressing operations.

Lubricant



The use of lubricant is essential when joining large-sized fittings. The pressing profile groove(1) of the sling jaws should be cleaned and lubricated after every 50 joints for 42mm to 76mm sizes, and every 5 joints for 108mm. Dri-slide should also be applied between the main sling arms (2) and the moving segments; and along with the pivot pins (3) between the arms.

Note: Wipe clean any excess lubricant so that it does not come into contact with the fitting "O" ring.

Spacing

Allow sufficient clearance around each fitting to allow press-fit jaws to be attached without hindrance.

Health and Safety

1. We recommend that eye protection is worn when operating all press-fit tools.

2. Do not activate a press-fit tool without a fitting in the jaws.

PRESSFIT DIRECT

PRESS TO IMPRESS

pressfitdirect.com

TO PLACE YOUR ORDER

Call: 0844 656 9880

sales@pressfitdirect.com