



Healthcare Workspace & Storage Solutions

- Sterile Processing
- Laboratories
- Bio-Medical Engineering

Our Adjustable Height Workstations bring the user an unsurpassed level of ergonomic comfort, flexible functionality and enhanced productivity.



With an adjustable height ranging from 27" to 42" (not including worksurface), this workspace solution is designed with the operator in mind. It reduces fatigue, stress and potential injury. The workstation is ideally suited for sterile processing, laboratories, biomedical engineering and other hospital departments.

Innovative features include: Universal platform, which can be adjusted via motor, hand crank or manually adjusted without a lift mechanism (slide leg base) Available for 30", 48", 60", 72" and 90" length worksurfaces, and 24", 30", 36", and 48" depth worksurfaces Load capacity 1000 lbs. dynamic for motorized base and 50 lbs. dynamic for hand crank base



AveeoMedix Healthcare Workspace & Storage Solutions Examples



Sterile Processing Department



Bio-Medical Engineering



Sterile Processing Department



MOTORIZED BASE REAR-JUSTIFIED
WITH OPTIONAL CASTERS



HAND CRANK BASE CENTER-JUSTIFIED

Motorized Bases

Features a low-EMS, low-voltage dual actuator controller for synchronized leg movement and stressless operation. Three height positions can be preset with the programmable switch. Static and dynamic load capacity is 1,000 lbs. Height range (floor to top of base, not including worksurface) is 27"- 42". Stainless steel worksurface. Some assembly required.

Motorized Bases, Rear-Justified

PART NO.	BASE	WORKSURFACE
	WIDTH	LENGTH (MIN.)
24" deep		
ALE/R3024	29"	30"
ALE/R4824	47"	48"
ALE/R6024	59"	60"
ALE/R7224	71"	72"
ALE/R9024	89"	90"
30" deep		
ALE/R3030	29"	30"
ALE/C3030	29"	30"
ALE/C4830	47"	48"
ALE/C6030	59"	60"
ALE/C7230	71"	72"
ALE/C9030	89"	90"
36" deep		
ALE/C3036	29"	30"
ALE/C4836	47"	48"
ALE/C6036	59"	60"
ALE/C7236	71"	72"
ALE/C9036	89"	90"
48" deep		
ALE/C6048	59"	60"
ALE/C7248	71"	72"
ALE/C9048	89"	90"

Motorized Bases, Center-Justified

PART NO.	BASE	WORKSURFACE
	WIDTH	LENGTH (MIN.)
24" deep		
ALC/R3024	29"	30"
ALC/R4824	47"	48"
ALC/R6024	59"	60"
ALC/R7224	71"	72"
ALC/R9024	89"	90"
30" deep		
ALC/R3030	29"	30"
ALC/R4830	47"	48"
ALC/R6030	59"	60"
ALC/R7230	71"	72"
ALC/R9030	89"	90"
36" deep		
ALC/R3036	29"	30"
ALC/R4836	47"	48"
ALC/R6036	59"	60"
ALC/R7236	71"	72"
ALC/R9036	89"	90"
48" deep		
ALC/C6048	59"	60"
ALC/C7248	71"	72"
ALC/C9048	89"	90"

Hand Crank Bases

Hand crank static load capacity is 1,000 lbs, dynamic load capacity is 500 lbs. Height range (floor to top of base, not including worksurface) is 27"- 42". Stainless steel worksurface. Some assembly required.

Hand Crank Bases, Rear-Justified

PART NO.	BASE	WORKSURFACE
	WIDTH	LENGTH (MIN.)
24" deep		
ALC/R3024	29"	30"
ALC/R4824	47"	48"
ALC/R6024	59"	60"
ALC/R7224	71"	72"
ALC/R9024	89"	90"
30" deep		
ALC/R3030	29"	30"
ALC/R4830	47"	48"
ALC/R6030	59"	60"
ALC/R7230	71"	72"
ALC/R9030	89"	90"
36" deep		
ALC/R3036	29"	30"
ALC/R4836	47"	48"
ALC/R6036	59"	60"
ALC/R7236	71"	72"
ALC/R9036	89"	90"
48" deep		
ALC/C6048	59"	60"
ALC/C7248	71"	72"
ALC/C9048	89"	90"

Hand Crank Bases, Center-Justified

PART NO.	BASE	WORKSURFACE
	WIDTH	LENGTH (MIN.)
30" deep		
ALC/C3030	29"	30"
ALC/C4830	47"	48"
ALC/C6030	59"	60"
ALC/C7230	71"	72"
ALC/C9030	89"	90"
36" deep		
ALC/C3036	29"	30"
ALC/C4836	47"	48"
ALC/C6036	59"	60"
ALC/C7236	71"	72"
ALC/C9036	89"	90"
48" deep		
ALC/C6048	59"	60"
ALC/C7248	71"	72"
ALC/C9048	89"	90"



SLIDE LEG BASE CENTER-JUSTIFIED

Slide Leg Bases

Worksurface height is repositioned by sliding leg up or down to desired height and setting a pin. Static load capacity is 1,000 lbs. Height range (floor to top of base, not including worksurface) is 27"- 42". Assembly required.

Slide Leg Bases, Rear-Justified

PART NO.	BASE	WORKSURFACE
	WIDTH	LENGTH (MIN.)
24" deep		
ALS/R3024	28"	30"
ALS/R4824	46"	48"
ALS/R6024	58"	60"
ALS/R7224	70"	72"
ALS/R9024	87/2"	90"
30" deep		
ALS/R3030	28"	30"
ALS/R4830	46"	48"
ALS/R6030	58"	60"
ALS/R7230	70"	72"
ALS/R9030	87/2"	90"
36" deep		
ALS/R3036	28"	30"
ALS/R4836	46"	48"
ALS/R6036	58"	60"
ALS/R7236	70"	72"
ALS/R9036	87/2"	90"

Slide Leg Bases, Center-Justified

PART NO.	BASE	WORKSURFACE
	WIDTH	LENGTH (MIN.)
30" deep		
ALS/C3030	28"	30"
ALS/C4830	46"	48"
ALS/C6030	58"	60"
ALS/C7230	70"	72"
ALS/C9030	87/2"	90"
36" deep		
ALS/C3036	28"	30"
ALS/C4836	46"	48"
ALS/C6036	58"	60"
ALS/C7236	70"	72"
ALS/C9036	87/2"	90"
48" deep		
ALS/C6048	58"	60"
ALS/C7248	70"	72"
ALS/C9048	87/2"	90"



Casters

Casters can be added to any adjustable height base to allow mobility. Caster is 5" diameter, increases overall height 6". 325 lb. capacity per caster.

PART NO.	DESCRIPTION
AL/CAST5X1	5" caster set, (2) swivel, (2) swivel-with-wheel-lock
CAST5X1S-NB	(1) swivel 5" caster
CAST5X1S-WB	(1) swivel-with-wheel-lock
	5" caster



Workstation Hanging Cabinets

16 3/4" (426mm) wide x 19 1/4" (491mm) deep Cabinet is suspended from the worksurface. 50 lb. (22.5kg) weight capacity per drawer. Usable inside dimensions: 13 1/4" (338.5mm) wide x 16 5/16" (430mm) deep. Drawers do not accept AveeoMedix partitions and dividers. Not available for center-justified or 24" deep rear-justified AveeoMedix workstations. Cabinet can not be positioned at same end of bench as keypad or hand crank.



Offset Caster Assembly

Offset caster assemblies do not increase the overall height range of the base. Welded frame replaces standard feet. Includes pair of offset frames with (2) 5" swivel casters and (2) 5" swivel-with-wheel-lock casters. Rear casters extend 4" beyond back of worksurface. Painted to match base. For motorized and hand crank bases only.

PART NO.	DESCRIPTION
AL/CAST5X1-OF	pair of frames

PART NO.	HEIGHT	DRAWERS
WBHC075-1	<input checked="" type="checkbox"/> 5"	(1) 2 3/4"
WBHC150-1	<input checked="" type="checkbox"/> 8"	(1) 5 3/4"
WBHC150-2	<input checked="" type="checkbox"/> 8"	(2) 2 3/4"
WBHC300-1	<input checked="" type="checkbox"/> 13 15/16"	(1) file*
WBHC300-2	<input checked="" type="checkbox"/> 13 15/16"	(2) 5 3/4"
WBHC450-2	<input checked="" type="checkbox"/> 19 7/8"	(1) 5 3/4" + (1) file*
WBHC450-3	<input checked="" type="checkbox"/> 19 7/8"	(3) 5 3/4"

*file drawer includes file hangers

How to order a hanging cabinet

1. Select cabinet.


2. Select lock type.*

NL = none
 KA = keyed-alike
 RG = individual
 MA = master

3. Select paint color. For color chart, see back cover.

*units ordered without lock can not have lock installed at a later date

AveeoMedix Adjustable Height Workstation Accessories



AveeoMedix Bottom Shelves

Provides open storage beneath work-surface. 16" deep. Accepts vertical wire dividers (see below). 150 lb. (68kg) capacity. For motorized and hand crank bases only.

PART NO.	LENGTH
ALBS/F-4816	48"
ALBS/F-6016	60"
ALBS/F-7216	72"
ALBS/F-9016	90"

Vertical Wire Dividers for Bottom Shelves

15" deep dividers are $\frac{1}{4}$ " diameter galvanized wire that fit into pre-punched holes in the 16" deep shelf. No hardware required.

PART NO.	HEIGHT
NXS/WD150-15	6"
NXS/WD250-15	10"
NXS/WD450-15	18"

CPU Holder

Mounts to under-side of worksurface. 9 1/2" wide x 18" deep x 20" high. Painted to match workstation.

PART NO.	
CPU/H	



AveeoMedix Attached Footrest

Ergonomic footrest attaches over Align base stringer. Height adjustable from 3"-12 1/4" (plus height of stringer). Footrest platform is 15" deep x 21 3/4" wide, and adjusts from totally flat to a 25° angle. Ribbed mat included. Not usable for 30" wide AveeoMedix workstations.

PART NO.	
AL/AFR	



Freestanding Footrest

Ergonomic footrest provides support for user's feet. Height adjustable from 3"-12 1/4". Footrest platform is 15" deep x 21 3/4" wide, and adjusts from totally flat to a 25° angle. Ribbed mat included.

PART NO.	
WB/FFR	



Keyboard Holder

Tiltable keyboard holder allows computer keyboard to be stored under worksurface when not in use. Includes swivel pull-out mouse pad which can be attached to either right or left side.

PART NO.	LXW
WB/KBH	21" x 10"

For companion stationary and mobile drawer storage cabinets see pages 9-10.



AveeoMedix Rear-Mount Frames

For use with our rear-justified adjustable height bases only.

Starter frames consist of 2 upright posts, a horizontal rail, brackets and hardware. Adder sets consist of an additional upright, a horizontal rail and a bracket. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Uprights are available in heights of 30" and 48" (height = height above top of base), and widths of 24", 30", 36", 42", 48" and 60". Please specify color when ordering.

30" High* Rear-Mount Frames

PART NO.	SEC. WIDTH CENT.-TO-CENT.
Starter set	
NXF/RM2430	24"
NXF/RM3030	30"
NXF/RM3630	36"
NXF/RM4230	42"
NXF/RM4830	48"
NXF/RM6030	60"
Adder set	
NXF/RM2430A	24"
NXF/RM3030A	30"
NXF/RM3630A	36"
NXF/RM4230A	42"
NXF/RM4830A	48"
NXF/RM6030A	60"

* upright overall height is 48"

48" High* Rear-Mount Frames

PART NO.	SEC. WIDTH CENT.-TO-CENT.
Starter set	
NXF/RM2448	24"
NXF/RM3048	30"
NXF/RM3648	36"
NXF/RM4248	42"
NXF/RM4848	48"
NXF/RM6048	60"
Adder set	
NXF/RM2448A	24"
NXF/RM3048A	30"
NXF/RM3648A	36"
NXF/RM4248A	42"
NXF/RM4848A	48"
NXF/RM6048A	60"

* upright overall height is 60"



AveeoMedix Extended Rear-Mount Frames

For use with our rear-justified adjustable height bases only.

Allows use of the full width of our rear-justified adjustable height workstation for support of our system. The total width of the extended rear-mount frame must equal the width of the AveeoMedix workstation. Extended rear-mount frame is the starter set; use the standard rear-mount adder for (on ??? page) adder unit. Not for use with our workstations that are placed flush side-to-side. Please specify color when ordering.

30" High* Extended Rear-Mount Frames

PART NO.	WIDTH
NXF/RM2430-EXT	24"
NXF/RM3030-EXT	30"
NXF/RM3630-EXT	36"
NXF/RM4230-EXT	42"
NXF/RM4830-EXT	48"
NXF/RM6030-EXT	60"


* upright overall height is 48"

48" High* Extended Rear-Mount Frames

PART NO.	WIDTH
NXF/RM2448-EXT	24"
NXF/RM3048-EXT	30"
NXF/RM3648-EXT	36"
NXF/RM4248-EXT	42"
NXF/RM4848-EXT	48"
NXF/RM6048-EXT	60"

* upright overall height is 60"

AveeoMedix System Back Panels, Marker/Tackboard, Light, and Power Options



Louvered Back Panels

Steel louvered panel is designed to accommodate industry-standard plastic boxes that feature louvered edge or lip.

PART NO. USE WITH SECTION WIDTH

18" high

NXLP/2418 24"

NXLP/3018 30"

NXLP/3618 36"

NXLP/4218 42"

NXLP/4818 48"

NXLP/6018 60"

30" high

NXLP/2430 24"


NXLP/3030 30"

NXLP/3630 36"

NXLP/4230 42"

NXLP/4830 48"

NXLP/6030 60"



Pegboard Panels

Steel pegboard panel accepts all standard pegging devices (i.e. hooks, etc.). Pegboard holes $\frac{1}{4}$ " in diameter. Ideal for placement of commonly used tools.

PART NO. USE WITH SECTION WIDTH

18" high

NXPP/2418 24"

NXPP/3018 30"

NXPP/3618 36"

NXPP/4218 42"

NXPP/4818 48"

NXPP/6018 60"

30" high

NXPP/2430 24"

NXPP/3030 30"

NXPP/3630 36"

NXPP/4230 42"

NXPP/4830 48"

NXPP/6030 60"



Reversible Markerboard/Tackboards

Two-sided reversible board. Features white magnetic markerboard on 1 side and gray fabric tackboard on the other. Also functions as privacy panel and sound dampener. 30" high.

PART NO. USE WITH SECTION WIDTH

NXRMT/2430 24"

NXRMT/3030 30"

NXRMT/3630 36"

NXRMT/4230 42"

NXRMT/4830 48"

NXRMT/6030 60"



Overhead Light Fixtures

- Fluorescent fixture is available in 2-bulb or 4-bulb model in 44" or 56" length.
- Tilts up or down 10°.
- Brackets allow light fixture to be mounted to frame sections 30" to 90" wide.
- Kit includes switch and 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs. Requires NX/OHL-TR/BRK support brackets (see right).
- Fixture available in Light Gray only, but brackets can be ordered in any Lista color. Please specify color when ordering.
- Bracket with fixture can also simultaneously support tool rail.

PART NO. FIXTURE SECTION

WIDTH WIDTH

2-bulb

NX/OHL-R48/2	44"	30"-48"
NX/OHL-R60/2	56"	49"-60"
NX/OHL-R72/2	56"	61"-72"
NX/OHL-R78/2	56"	73"-78"
NX/OHL-R84/2	56"	79"-84"
NX/OHL-R90/2	56"	85"-90"

4-bulb

NX/OHL-R48/4	44"	30"-48"
NX/OHL-R60/4	56"	49"-60"
NX/OHL-R72/4	56"	61"-72"
NX/OHL-R78/4	56"	73"-78"
NX/OHL-R84/4	56"	79"-84"
NX/OHL-R90/4	56"	85"-90"

Overhead Light Fixtures Only

PART NO. BULBS WIDTH

NX/OHL44/2	2	44"
NX/OHL44/4	4	44"
NX/OHL56/2	2	56"
NX/OHL56/4	4	56"

Vertical Power Strips

Mounts vertically to front and back of upright.

Bracket and hardware supplied. Lighted on/off switch, 6' cord with grounded plug and circuit breaker are included. Fixture and brackets are black.



PART NO. DESCRIPTION

NXVPS/15	15 amp with 6 outlets
NXVPS/20	20 amp with 6 outlets
NXVPS/15GF	15 amp GFCI with 6 outlets
NXVPS/20GF	20 amp GFCI with 6 outlets



Horizontal Power Rails

Self-contained, 6-plug electrical outlet strip. Power rail pivots on axis, providing full horizontal adjustability. 110V, 15 amp or 20 amp circuit breaker.

PART NO.

15 amp 20 amp

NXHPS/24-15	NXHPS/24-20
NXHPS/30-15	NXHPS/30-20
NXHPS/36-15	NXHPS/36-20
NXHPS/42-15	NXHPS/42-20
NXHPS/48-15	NXHPS/48-20
NXHPS/60-15	NXHPS/60-20
15 amp GFCI	20 amp GFCI
NXHPS/24-15GF	NXHPS/24-20GF
NXHPS/30-15GF	NXHPS/30-20GF
NXHPS/36-15GF	NXHPS/36-20GF
NXHPS/42-15GF	NXHPS/42-20GF
NXHPS/48-15GF	NXHPS/48-20GF
NXHPS/60-15GF	NXHPS/60-20GF

AveeoMedix System Pivoting Accessories

Articulating arms allow free and simple repositioning of a wide range of AveeoMedix System accessories. Arm swings 180° for easy ergonomic access, and has a 75 lb. capacity. All accessories include arm and mounting bracket. Please specify color when ordering.



Monitor Shelf with Keyboard Holder

Holds computer monitor. Includes retractable wire keyboard holder. 75 lb. capacity. 12 3/8" wide x 12 3/8" deep.

PART NO.

NXA/MS-KB



Optional Mouse Tray

Mouse tray attaches to monitor shelf with keyboard holder (above) to hold computer mouse and/or mouse pad. 75 lb. capacity. 9 1/2" wide x 7 5/8" deep. Ordered separately.

PART NO.

NX/MP



Equipment Shelf

Holds a variety of customer-supplied equipment or tools. 75 lb. capacity. 12 3/8" wide x 12 3/8" deep.

PART NO.

NXA/ES



Document Holder

For displaying papers, plans, etc. 11 7/8" wide x 13 3/4" high. Includes lip for pencils, pens, etc.

PART NO.

NXA/DH



Accessory Shelf

For easy access to small tools, instruments, parts, etc. Ribbed mat optional. 21 1/4" wide x 7 3/8" deep. 75 lb. capacity.

PART NO. DESCRIPTION

NXA/AS	shelf
NX/AS-MAT	ribbed rubber mat



Flat Panel Monitor Arm

For attaching flat panel monitor to station upright. Accepts both 75mm and 100mm square monitor hole patterns. 17 1/2 lb. capacity. Includes bracket.

PART NO.

NXA/FPMA



Bin Container

Holds 3 rows of plastic bins for easy access to parts and components. Interior space per shelf is 20" wide x 6" deep. Top shelf is 3 1/4" high, second and third shelves are 3 3/4" high. Requires accessory shelf (left) for support (not included), or can be used free-standing. 50 lb. capacity. Does not include bin boxes.

PART NO.

NX/AS-BC



Flat Panel Monitor Bracket

Galvanized steel flat bracket for mounting third party flat panel monitor arms to station upright.

PART NO.

NX/BKT-FPM

AveeoMedix Cabinets, Shelves, and Dividers

Overhead cabinet width must match our frame section width. Mounting brackets must be ordered separately.

How to order a AveeoMedix overhead cabinet

1. Select overhead cabinet based on your choice of dimensions.

2. Select door type.

ND = no door

Door for 16" high overhead cabinets

RD = retractable door

Doors for 29" high overhead cabinets

HD = hinged doors

HDP* = hinged doors with steel-framed plexiglas

SD = sliding doors

SDP** = sliding doors with steel-framed plexiglas

*plexiglas doors available for cabinets 30" and wider only

**plexiglas doors available for cabinets 42" and wider only

3. Select lock type.

RG = individual

KA = keyed-alike

MA = master

4. Select paint color (see back cover for color chart).

5. Order mounting brackets.

EXAMPLE: to order an OHC2416 overhead cabinet with a retractable door, an individual lock, and Bright Blue paint, the cabinet part number would be OHC2416-RDRGBB, and the mounting brackets would be NX/OHC-BRK16.

Overhead Cabinets



16" high x 15" deep

Available either with retractable door or no door.

Part No. Width

OHC2416	24"
OHC3016	30"
OHC3616	36"
OHC4216	42"
OHC4816	48"
OHC6016	60"

*plexiglas doors available for

cabinets 30" and wider only

**plexiglas doors available for

cabinets 42" and wider only



29" high x 15" deep

Available either with hinged doors (with or without plexiglas window), sliding doors (with or without plexiglas window) or no door.

Part No. Width

OHC2429	24"
OHC3029	30"
OHC3629	36"
OHC4229	42"
OHC4829	48"

Overhead Cabinet AveeoMedix Mounting Brackets

Brackets must be ordered for each overhead cabinet used. Comes in pairs.

PART NO.	FOR USE WITH
NX/OHC-BRK16	16" high cabinet
NX/OHC-BRK29	29" high cabinet



Variable Angle Shelves

Shelf adjusts from totally flat to a 25° angle and has a capacity of 150 lbs. for evenly distributed loads. Can be mounted in a forward or set-back position between uprights for maximum flexibility.

PART NO.	SHELF WIDTH	SEC. WIDTH
18" deep		
NXS/V2418L	2 1/2"	24"
NXS/V3018L	2 1/2"	30"
NXS/V3618L	3 1/2"	36"
NXS/V4218L	4 1/2"	42"
NXS/V4818L	4 1/2"	48"
NXS/V6018L	5 1/2"	60"
24" deep		
NXS/V2424L	2 1/2"	24"
NXS/V3024L	2 1/2"	30"
NXS/V3624L	3 1/2"	36"
NXS/V4224L	4 1/2"	42"
NXS/V4824L	4 1/2"	48"

Adjustable Shelves

Adjustable, heavy gauge steel shelves can be mounted parallel to the work-surface or at a 15° angle for easy, ergonomic access. They have a 100 lb. weight capacity for evenly distributed loads. Shelves are reversible, with the lip either at the front, or at the rear to act as a back stop. Supports are attached through a simple double-notch system into slots on the uprights.

PART NO.	SHELF WIDTH	SEC. WIDTH
12" deep		
NXS/A2412L	2 3/4"	24"
NXS/A3012L	2 3/4"	30"
NXS/A3612L	3 5/8"	36"
NXS/A4212L	4 1/2"	42"
NXS/A4812L	4 7/8"	48"
NXS/A6012L	5 9/16"	60"
15" deep		
NXS/A2415L	2 3/4"	24"
NXS/A3015L	2 3/4"	30"
NXS/A3615L	3 5/8"	36"
NXS/A4215L	4 1/2"	42"
NXS/A4815L	4 7/8"	48"
NXS/A6015L	5 9/16"	60"



Shelf Dividers

Steel dividers fit over the edge of adjustable shelf when shelf is mounted at 0°. Base of divider can be either to left or right of divider upright. Painted to match shelf.

PART NO.	HEIGHT
For 12" deep adjustable shelves	
NXS/MD100-12/L	4"
NXS/MD100-12/R	4"
NXS/MD150-12/L	6"
NXS/MD150-12/R	6"
NXS/MD200-12/L	8"
NXS/MD200-12/R	8"
For 15" deep adjustable shelves	
NXS/MD100-15/L	4"
NXS/MD100-15/R	4"
NXS/MD150-15/L	6"
NXS/MD150-15/R	6"
NXS/MD200-15/L	8"
NXS/MD200-15/R	8"


AveeoMedix Mobile Cabinets

When you need storage plus mobility, AveeoMedix mobile cabinets provide safe and secure storage and transport for parts and tools.

All Aveeo mobile cabinets now available in your choice of our three most popular colors!



- Includes mobile base with 2 fixed and 2 swivel 6" x 2" casters with wheel locks, and handle(s)
- PrevenTip® locking system – one-drawer-at-a-time feature prevents accidental tipping
- Each drawer includes individual drawer latch to secure it in closed position for safety when moving
- Create keyed-alike cabinet groupings. Choose from individual removable core locks, keyed-alike and master key systems.



To complete your order, fill in the boxes at the end of the part number.

Select lock type

NL = none
RG = individual
KA = keyed-alike
MA = master

Select finish color

BB = Bright Blue
CB = Classic Blue
LG = Light Gray

The same mobile cabinet configurations can also be ordered in our other 7 standard colors at no additional charge. However, they will be shipped in our normal shipping lead time of 3-4 weeks from date of order.

Colors for normal lead time shipping

BE = Beige
BK = Black
GR = Dark Gray
GG = Green

NR = Red
SN = Sand
FW = White



AveeoMedix Mobile Cabinets and Cabinet Tops



XSMPNW0600-0603-

- 39" W x 28 1/2" D x 37 1/4" H
- 4 drawers
- All drawers include mesh liners
- Includes 1 door/shelf compartment
- Full extension drawers with a 165 lb. weight capacity
- Includes butcher block top (Stainless steel optional)

To complete order, include lock and color codes in part number



XSMPNW0600-0703-

- 39" W x 28 1/2" D x 37 1/4" H
- 5 drawers, 57 drawer compartments
- Includes 1 door/shelf compartment
- Full extension drawers with a 165 lb. weight capacity
- Includes butcher block top (Stainless steel optional)

To complete order, include lock and color codes in part number



XSST0750-0505M-

- 28 1/4" W x 22 1/2" D x 41 1/2" H
- 5 drawers
- 44 drawer compartments
- Full extension drawers with a 165 lb. weight capacity

To complete order, include lock and color codes in part number



XSST0750-0602M-

- 28 1/4" W x 22 1/2" D x 41 1/2" H
- 6 drawers
- 58 drawer compartments
- Full extension drawers with a 165 lb. weight capacity

To complete order, include lock and color codes in part number



XSST0750-0701M-

- 28 1/4" W x 22 1/2" D x 41 1/2" H
- 7 drawers
- 72 drawer compartments
- Full extension drawers with a 165 lb. weight capacity

To complete order, include lock and color codes in part number



XSST0750-0801M-


- 28 1/4" W x 22 1/2" D x 41 1/2" H
- 8 drawers
- 90 drawer compartments
- Full extension drawers with a 165 lb. weight capacity

To complete order, include lock and color codes in part number



XSST1BCT

- optional butcher block top for XSST0750 cabinets
- 28 1/4" W x 22 1/2" D x 1 3/4" H



RMAT-ST

- optional top ribbed mat for XSST0750 cabinets
- 28 1/4" W x 22 1/2" D



ST-RT

- optional retainer top with ribbed mat for XSST0750 cabinets
- 28 1/4" W x 22 1/2" D x 3/4" H



AveeoMedix System Stationary Stands and Mobile Trolleys

Our stationary stands and mobile trolleys are the perfect complement to any production, repair or assembly workspace. Hold and/or transport parts, tools, test equipment and almost anything else you can think of, with the convenience of a small footprint.


Designed to accept all our System accessories, these mini-workstations can be configured to exactly suit your needs. For the complete range of our accessories. Inquire with AveeoMedix for more information.

Stands are available in four heights (48", 60", 72" and 84") and six widths (24", 30", 36", 42", 48" and 60"). Trolleys are available in the same widths, and in heights of 48" and 60" (casters add an additional 6" to overall height).

Stands and trolleys can be ordered in either rear-justified or center-justified configurations.

Add a worksurface, and your AveeoMedix stand becomes an economical workbench.

For weight capacities for stationary stands and mobile trolleys, contact AveeoMedix.



REAR-JUSTIFIED STAND OR TROLLEY

FOR 24" DEEP WORKSURFACE

CENTER-JUSTIFIED STAND OR TROLLEY

FOR 12" DEEP SHELVES

REAR-JUSTIFIED STAND OR TROLLEY


FOR 30" DEEP WORKSURFACE

CENTER-JUSTIFIED STAND OR TROLLEY

FOR 15" DEEP SHELVES



Front View
Rear-justified




Trolley


PART NO.

NXF/MTR07


Side View
Rear-justified



Front View
Center-justified



Side View
Center-justified




Trolley

- Includes (2) 12" deep adjustable shelves

PART NO.

NXF/MTC08





Bin Trolley

- 48" high trolley includes (1) 24" high and (1) 18" high louvered panels
- 60" high trolley includes (1) 30" high and (1) 24" high louvered panels

PART NO.

NXF/MTR09




Bin Trolley

- 48" high trolley includes (2) 24" high and (2) 18" high louvered panels
- 60" high trolley includes (2) 30" high and (2) 24" high louvered panels

PART NO.



NXF/MTC10



Shelf Trolley

PART NO.

NXF/MTR11




Shelf Trolley

- Includes (6) 12" deep adjustable shelves

PART NO.

NXF/MTC12



GG (Green paint) LG (Light Gray paint) NR (Red paint) SN (Sand paint) FW (White paint)



CODE COLOR
BE Beige



CODE COLOR
BB* Bright Blue



CODE COLOR
BK* Black



CODE COLOR
CB Classic Blue




CODE COLOR
GR Dark Gray



CODE COLOR
GG Green



CODE COLOR
NR Red



CODE COLOR
FW White



Provided by:

AveeoMedix
650 Pleasant View Road
Chanhassen, MN 55317
Phone: 952.470.8988
Fax: 952.470.8886
Email: customerservice@aveeomedix.com

AveeoMedix: Healthcare's Solution to Workspace and Storage Organization.



AveeoMedix workspace systems help keep hospitals operating at peak efficiency. With our comprehensive range of flexible solutions and our modular building block approach, AveeoMedix can completely address the changing needs of your facility, now and into the future. Whether you require high-density modular storage, productivity-enhancing workspaces, or any other storage or workspace solution, AveeoMedix creates custom solutions without the custom cost.