

RESEARCH

Acupuncture

The effectiveness and safety of acupuncture for scoliosis: A protocol for systematic review and/or meta-analysis, by Choi SK, Jo HR, Park SH, Sung WS, Keum DH, Kim EJ. *Medicine (Baltimore)*. 2020 Dec 11;99(50):e23238. doi: 10.1097/MD.00000000000023238. PMID: 33327244; PMCID: PMC7738006. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7738006/>

Bracing

Minsk MK, Venuti KD, Daumit GL, Sponseller PD. Effectiveness of the Rigo Chêneau versus Boston-style orthoses for adolescent idiopathic scoliosis: a retrospective study. *Scoliosis Spinal Disord*. 2017;12:7. Published 2017 Mar 20. doi:10.1186/s13013-017-0117-z

Costa L, Schlosser TPC, Jimale H, Homans JF, Kruyt MC, Castelein RM. The Effectiveness of Different Concepts of Bracing in Adolescent Idiopathic Scoliosis (AIS): A Systematic Review and Meta-Analysis. *J Clin Med*. 2021;10(10):2145. Published 2021 May 15. doi:10.3390/jcm10102145

Negrini S, Aulisa AG, Cerny P, et al. The classification of scoliosis braces developed by SOSORT with SRS, ISPO, and POSNA and approved by ESPRM [published correction appears in *Eur Spine J*. 2022 Sep;31(9):2456-2457. doi: 10.1007/s00586-022-07273-0]. *Eur Spine J*. 2022;31(4):980-989. doi:10.1007/s00586-022-07131-z

Grivas TB, Negrini S, Aubin CE, et al. Nonoperative management of adolescent idiopathic scoliosis (AIS) using braces. *Prosthet Orthot Int*. 2022;46(4):383-391. doi:10.1097/PXR.0000000000000117

Dolan LA, Weinstein SL, Abel MF, et al. Bracing in Adolescent Idiopathic Scoliosis Trial (BrAIST): Development and Validation of a Prognostic Model in Untreated Adolescent Idiopathic Scoliosis Using the Simplified Skeletal Maturity System. *Spine Deform*. 2019;7(6):890-898.e4. doi:10.1016/j.jspd.2019.01.011

Wanke-Jellinek L, Krenauer A, Wuertinger C, Storzer B, Haasters F, Mehren C. Predictive Parameters for Chêneau Brace Efficacy in Patients with Adolescent Idiopathic Scoliosis. *Global Spine J*. 2024;14(2):519-525. doi:10.1177/21925682221114051

Alsiddiky AM, Alharbi KS, Ababtain OA, et al. Brace-related Stress and Quality of Life Parameters between Chêneau and Boston Braces: A Cross-sectional Comparative Study on Adolescent Idiopathic Scoliosis in Saudi Arabia. *Orthop Surg*. 2024;16(8):2011-2018. doi:10.1111/os.14121

Pepke W, El Zeneiny A, Almansour H, Bruckner T, Hemmer S, Akbar M. Influence of Chêneau-Brace Therapy on Lumbar and Thoracic Spine and Its Interdependency with Cervical Spine Alignment in Patients with Adolescent Idiopathic Scoliosis (AIS). *J Clin Med*. 2021;10(9):1849. Published 2021 Apr 23. doi:10.3390/jcm10091849

Effect of bracing and other conservative interventions in the treatment of idiopathic scoliosis in adolescents: A Systematic review of clinical trials" *Phys ther*. 2005;85:1329-1339
Romano M, et al.

Evaluation of the efficiency of Boston brace on scoliotic curve control: A review of literature, by Karimi MT, Rabczuk T.. *J Spinal Cord Med*. 2020 Nov;43(6):824-831. doi: 10.1080/10790268.2019.1578104. Epub 2019 Feb 27. PMID: 30811316; PMCID: PMC7808318. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7808318/>

Efficacy of the symmetric, patient-oriented, rigid, three-dimensional, active (SPoRT) concept of bracing for scoliosis: a prospective study of the Sforzesco versus Lyon brace, by Negrini S, Marchini G. *Eura Medicophys*. 2007 Jun;43(2):171-81; discussion 183-4. Epub 2006 Sep 24. PMID: 16955065. <https://pubmed.ncbi.nlm.nih.gov/16955065/>

A multicentre study comparing the SPoRT and ART braces effectiveness according to the SOSORT-SRS recommendations, by Zaina, F., de Mauroy, J.C., Donzelli, S. *et al. Scoliosis* **10**, 23 (2015). <https://doi.org/10.1186/s13013-015-0049-4>
<https://scoliosisjournal.biomedcentral.com/articles/10.1186/s13013-015-0049-4>

The Lyon ARTbrace VS. the Lyon brace: a prospective case of 148 consecutive scoliosis with short time results after 1 year compared with a historical retrospective case series of 100 consecutive scoliosis by de Mauroy JC, Journe A, Gagaliano F, Lecante C, Barral F, Pourret S. *winner. Scoliosis*. 2015 Aug 19;10:26. doi: 10.1186/s13013-015-0047-6. PMID: 26300954; PMCID: PMC4545553. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4545553/>

Treatment of thoraco-lumbar curves in adolescent females affected by idiopathic scoliosis with a progressive action short brace (PASB): assessment of results according to the SRS committee on bracing and nonoperative management standardization criteria, by Aulisa AG, Guzzanti V, Galli M, Perisano C, Falciglia F, Aulisa L. *Scoliosis*. 2009 Sep 18;4:21. doi: 10.1186/1748-7161-4-21. PMID: 19765288; PMCID: PMC2754424. <https://pubmed.ncbi.nlm.nih.gov/19765288/>

Brace technology thematic series - the Gensingen brace™ in the treatment of scoliosis, by Weiss HR. *Scoliosis*. 2010 Oct 13;5:22. doi: 10.1186/1748-7161-5-22. PMID: 20942970; PMCID: PMC2967515. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2967515/>

Factors associated with the success of the Rigo System Chêneau brace in treating mild to moderate adolescent idiopathic scoliosis, by Ovadia D, Eylon S, Mashiah A, Wientroub S, Lebel

ED.. J Child Orthop. 2012 Aug;6(4):327-31. doi: 10.1007/s11832-012-0429-8. Epub 2012 Aug 14. PMID: 23904900; PMCID: PMC3425705. <https://pubmed.ncbi.nlm.nih.gov/23904900/>

Effects of bracing in adolescents with idiopathic scoliosis, by Weinstein SL, Dolan LA, Wright JG, Dobbs MB. N Engl J Med. 2013 Oct 17;369(16):1512-21. doi: 10.1056/NEJMoa1307337. Epub 2013 Sep 19. PMID: 24047455; PMCID: PMC3913566. <https://pubmed.ncbi.nlm.nih.gov/24047455/>

Bracing Rigid Vs. Soft Brace

Adolescent idiopathic scoliosis: indications for bracing and conservative treatments, by Kaelin AJ. Ann Transl Med. 2020 Jan;8(2):28. doi: 10.21037/atm.2019.09.69. PMID: 32055619; PMCID: PMC6995912. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6995912/>

Bracing In The Treatment Of Adolescent Idiopathic Scoliosis: Evidence To Date, by Karavidas N. Adolesc Health Med Ther. 2019 Oct 8;10:153-172. doi: 10.2147/AHMT.S190565. PMID: 31632169; PMCID: PMC6790111. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6790111/>

Bracing In The Treatment Of Adolescent Idiopathic Scoliosis: Evidence To Date, by Karavidas N. Adolesc Health Med Ther. 2019 Oct 8;10:153-172. doi: 10.2147/AHMT.S190565. PMID: 31632169; PMCID: PMC6790111. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6790111/>

Difference between Spinecor brace and Thoracolumbosacral orthosis for deformity correction and quality of life in adolescent idiopathic scoliosis, by Ersen O, Bilgic S, Koca K, Ege T, Oguz E, Bilekli AB.. Acta Orthop Belg. 2016 Dec;82(4):710-714. PMID: 29182110. <https://pubmed.ncbi.nlm.nih.gov/29182110/>

Bracing and Congenital Scoliosis

Congenital Scoliosis (Mini-review), by Weiss HR, Moramarco M.. Curr Pediatr Rev. 2016;12(1):43-7. doi: 10.2174/1573396312666151117121011. PMID: 26769614. <https://pubmed.ncbi.nlm.nih.gov/26769614/>

Conservative Treatment of Congenital Scoliosis, by Hans-Rudolf Weiss and Deborah Turnbull Open Orthopedics Journal 2019, Volume: 13 Publisher ID: TOORTHJ-13-8 DOI: 10.2174/1874325001913010008 <https://openorthopaedicsjournal.com/VOLUME/13/PAGE/8/>

Congenital scoliosis – presentation of three severe cases treated conservatively, by H.R. Weiss DOI 10.3233/978-1-58603-888-5-310 Series Studies in Health Technology and Informatics Ebook Volume 140: Research into Spinal Deformities 6 <https://ebooks.iospress.nl/volumearticle/11871>

Wedge vertebrae normalization in congenital scoliosis due to application of external forces by brace, by Chêneau, J., Grivas, T.B., Engels, G. et al. *Scoliosis* 2 (Suppl 1), S29 (2007). <https://doi.org/10.1186/1748-7161-2-S1-S29>

<https://link.springer.com/article/10.1186/1748-7161-2-S1-S29>

Bracing Combined with Scoliosis-Specific Postural Exercise

The effectiveness of combined bracing and exercise in adolescent idiopathic scoliosis based on SRS and SOSORT criteria: a prospective study, by Negrini S, Donzelli S, Lusini M, Minnella S, Zaina F. *BMC Musculoskelet Disord*. 2014 Aug 6;15:263. doi: 10.1186/1471-2474-15-263. PMID: 25095800; PMCID: PMC4132192.

<https://pubmed.ncbi.nlm.nih.gov/25095800/>

2016 SOSORT guidelines: orthopaedic and rehabilitation treatment of idiopathic scoliosis during growth, by Negrini, S., Donzelli, S., Aulisa, A.G. et al. *Scoliosis* **13**, 3 (2018). <https://doi.org/10.1186/s13013-017-0145-8>

<https://scoliosisjournal.biomedcentral.com/articles/10.1186/s13013-017-0145-8#citeas>

The effect of Schroth exercises added to the standard of care on the quality of life and muscle endurance in adolescents with idiopathic scoliosis-an assessor and statistician blinded randomized controlled trial: "SOSORT 2015 Award Winner," by Schreiber S, Parent EC, Moez EK, Hedden DM, Hill D, Moreau MJ, Lou E, Watkins EM, Southon SC. *Scoliosis*. 2015 Sep 18;10:24. doi: 10.1186/s13013-015-0048-5. PMID: 26413145; PMCID: PMC4582716.

<https://pubmed.ncbi.nlm.nih.gov/26413145/>

Whether Orthotic Management and Exercise are Equally Effective to the Patients With Adolescent Idiopathic Scoliosis in Mainland China?: A Randomized Controlled Trial Study, by Zheng Y, Dang Y, Yang Y, Li H, Zhang L, Lou EHM, He C, Wong M. *Spine (Phila Pa 1976)*. 2018 May 1;43(9):E494-E503. doi: 10.1097/BRS.0000000000002412. Erratum in: *Spine (Phila Pa 1976)*. 2020 Sep 15;45(18):E1215. PMID: 28885287.

<https://pubmed.ncbi.nlm.nih.gov/28885287/>

The efficacy of Schroth exercises combined with the Chêneau brace for the treatment of adolescent idiopathic scoliosis: a retrospective controlled study, by Fang MQ, Huang XL, Wang W, Li YA, Xiang GH, Yan GK, Ke CR, Mao CH, Wu ZY, Pan TL, Zhu RB, Xiao J, Yi XH. *Disabil Rehabil*. 2022 Sep;44(18):5060-5068. doi: 10.1080/09638288.2021.1922521. Epub 2021 May 13. PMID: 33984249.

<https://pubmed.ncbi.nlm.nih.gov/33984249/>

CBD

What is Cannabidiol (CBD) <https://medlineplus.gov/druginfo/natural/1439.html>

Consumer Update on Cannabis U.S National Library of Medicine, November 13, 2019, accessed February 6, 2020.

<https://www.fda.gov/consumers/consumer-updates/what-you-need-know-and-what-were-working-find-out-about-products-containing-cannabis-or-cannabis>

FDA Approval of drug derived from marijuana U.S. Food & Drug Administration, June 25, 2018.

<https://www.fda.gov/news-events/press-announcements/fda-approves-first-drug-comprised-active-ingredient-derived-marijuana-treat-rare-severe-forms>

FDA on cannabis and CBD during pregnancy U.S. Food & Drug Administration, accessed March 16, 2020.

<https://www.fda.gov/consumers/consumer-updates/what-you-should-know-about-using-cannabis-including-cbd-when-pregnant-or-breastfeeding>

Genetics

Etiopathogenesis of adolescent idiopathic scoliosis (AIS): Role of genetic and environmental factors. Narra J, 3(3). <https://doi.org/10.52225/narra.v3i3.217>

Adolescent idiopathic scoliosis and genetic testing, by Ogilvie J. Adolescent idiopathic scoliosis and genetic testing. *Curr Opin Pediatr.* 2010 Feb;22(1):67-70. doi: 10.1097/MOP.0b013e32833419ac. PMID: 19949338.

<https://pubmed.ncbi.nlm.nih.gov/19949338/>

A Genetic Test Predicts Providence Brace Success for Adolescent Idiopathic Scoliosis When Failure Is Defined as Progression to >45 Degrees, by Bohl DD, Telles CJ, Ruiz FK, Badrinath R, DeLuca PA, Grauer JN. *Clin Spine Surg.* 2016 Apr;29(3):E146-50. doi: 10.1097/BSD.0b013e3182aa4ce1. PMID: 27007790.

<https://pubmed.ncbi.nlm.nih.gov/27007790/>

Epigenetic and Genetic Factors Related to Curve Progression in Adolescent Idiopathic Scoliosis: A Systematic Scoping Review of the Current Literature, by Faldini C, Manzetti M, Neri S, Barile F, Viroli G, Geraci G, Ursini F, Ruffilli A. *Int J Mol Sci.* 2022 May 25;23(11):5914. doi: 10.3390/ijms23115914. PMID: 35682604; PMCID: PMC9180299.

<https://pubmed.ncbi.nlm.nih.gov/30774488/>

Hormones

Does hormone replacement therapy prevent lateral rotatory spondylolisthesis in postmenopausal women? by Marty-Poumarat C, Ostertag A, Baudoin C, Marpeau M, de Vernejoul MC, Cohen-Solal M. *Eur Spine J.* 2012 Jun;21(6):1127-34. doi: 10.1007/s00586-011-2048-3. Epub 2011 Oct 28. PMID: 22033571; PMCID: PMC3366144.

<https://www.ncbi.nlm.nih.gov/pubmed/22033571>

Melatonin

Could long-term administration of melatonin to prepubertal children affect timing of puberty? By Boafo A, Greenham S, Alenezi S, Robillard R, Pajer K, Tavakoli P, De Koninck J. *Nat Sci Sleep*. 2019 Jan 31;11:1-10. doi: 10.2147/NSS.S181365. PMID: 30774488; PMCID: PMC6362935. <https://pubmed.ncbi.nlm.nih.gov/30774488/>

Pseudoarthrosis

Pseudarthrosis in primary fusions for adult idiopathic scoliosis: incidence, risk factors, and outcome analysis, by Kim YJ, Bridwell KH, Lenke LG, Rinella AS, Edwards C 2nd. *Spine (Phila Pa 1976)*. 2005 Feb 15;30(4):468-74. doi: 10.1097/01.brs.0000153392.74639.ea. Erratum in: *Spine*. 2005 Apr 15;30(8):994. Edward, Charles 2nd [corrected to Edwards, Charles 2nd]. PMID: 15706346. <https://pubmed.ncbi.nlm.nih.gov/15706346/>

Quality of Life After Surgery

Health-related quality-of-life in adolescent idiopathic scoliosis patients 25 years after treatment, by Simony, A., Hansen, E.J., Carreon, L.Y. et al. *Scoliosis* **10**, 22 (2015). <https://doi.org/10.1186/s13013-015-0045-8>
<https://scoliosisjournal.biomedcentral.com/articles/10.1186/s13013-015-0045-8>

Accelerated loss of bone mass density compared with the general population. Akazawa, T., Kotani, T., Sakuma, T. et al. Long-term changes in bone mineral density following adolescent idiopathic scoliosis surgery: a minimum 34-year follow-up. *Eur J Orthop Surg Traumatol* **34**, 425–431 (2024). <https://doi.org/10.1007/s00590-023-03678-9>

Risser 4 / Skeletal Maturity and Treating Scoliosis

The Risser classification: a classic tool for the clinician treating adolescent idiopathic scoliosis, by Hacquebord JH, Leopold SS. *Clin Orthop Relat Res*. 2012 Aug;470(8):2335-8. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3392381/>

Sagittal Plane and Scoliosis

Children's Hospital of Philadelphia study by Saba Pasha: *3D Deformation Patterns of S Shaped Elastic Rods as a Pathogenesis Model for Spinal Deformity in Adolescent Idiopathic Scoliosis*, now supports and expands upon previous publications regarding the sagittal plane, scoliosis and perhaps one explanation regarding the cause of scoliosis.

Scoliometer

Amendt, L. E., Ause-Ellias, K. L., Eybers, J. L., Wadsworth, C. T., Nielsen, D. H., & Weinstein, S. L. (1990). "Validity and Reliability Testing of the Scoliometer®". <https://pubmed.ncbi.nlm.nih.gov/2296610/>

Scoliometer measurements of patients with idiopathic scoliosis, by Coelho DM, Bonagamba GH, Oliveira AS.. *Braz J Phys Ther*. 2013 Mar-Apr;17(2):179-84. doi: 10.1590/S1413-3552012005000081. PMID: 23778766. <https://pubmed.ncbi.nlm.nih.gov/23778766/>

Scoliosis Specific Postural Exercise Programs (SSPE) for Scoliosis

Berdishevsky, H., Lebel, V.A., Bettany-Saltikov, J. et al. Physiotherapy scoliosis-specific exercises – a comprehensive review of seven major schools. *Scoliosis* 11, 20 (2016). <https://doi.org/10.1186/s13013-016-0076-9>

Romano M, Minozzi S, Bettany-Saltikov J, Zaina F, Chockalingam N, Kotwicki T, Maier-Hennes A, Arienti C, Negrini S. Therapeutic exercises for idiopathic scoliosis in adolescents. *Cochrane Database of Systematic Reviews* 2024, Issue 2. Art. No.: CD007837. DOI: 10.1002/14651858.CD007837.pub3. Accessed 20 November 2024.

Negrini, S., Donzelli, S., Aulisa, A.G. et al. 2016 SOSORT guidelines: orthopaedic and rehabilitation treatment of idiopathic scoliosis during growth. *Scoliosis* 13, 3 (2018). <https://doi.org/10.1186/s13013-017-0145-8>

Exercises for adolescent idiopathic scoliosis. *Cochrane Database of Systematic Reviews*. 2009, Issue 2. Art. No.: CD007837. DOI: 10.1002/14651858.CD007837

Otman, S., Kose, N., & Yakut, Y. (2005). The efficacy of Schroth's 3-dimensional exercise therapy in the treatment of adolescent idiopathic scoliosis in Turkey. *Saudi Medical Journal*, 9, 1429-1435.

Exercises reduce the progression rate of adolescent idiopathic scoliosis: results of a comprehensive systematic review of the literature, by Negrini S, Fusco C, Minozzi S, Atanasio S, Zaina F, Romano M.. *Disabil Rehabil*. 2008;30(10):772-85. doi: 10.1080/09638280801889568. PMID: 18432435. <https://pubmed.ncbi.nlm.nih.gov/18432435/>

The efficacy of Schroth 3-dimensional exercise therapy in the treatment of adolescent idiopathic scoliosis in Turkey, by Otman S, Kose N, Yakut Y. *Saudi Med J*. 2005 Sep;26(9):1429-35. PMID: 16155663. <https://pubmed.ncbi.nlm.nih.gov/16155663/>

Active self-correction and task-oriented exercises reduce spinal deformity and improve quality of life in subjects with mild adolescent idiopathic scoliosis. Results of a randomized controlled trial. <https://pubmed.ncbi.nlm.nih.gov/24682356/>

Skeletal Maturity/Curve Progression

Prediction of progression of the curve in girls who have adolescent idiopathic scoliosis of moderate severity, by Peterson LE, Nachemson AL. Logistic regression analysis based on data from The Brace Study of the Scoliosis Research Society. *J Bone Joint Surg Am*. 1995 Jun;77(6):823-7. doi: 10.2106/00004623-199506000-00002. PMID: 7782354. <https://pubmed.ncbi.nlm.nih.gov/7782354/>

The prediction of curve progression in untreated idiopathic scoliosis during growth, by Lonstein JE, Carlson JM. *J Bone Joint Surg Am*. 1984 Sep;66(7):1061-71. PMID: 6480635.

<https://pubmed.ncbi.nlm.nih.gov/6480635/>

Progression risk of idiopathic juvenile scoliosis during pubertal growth, by Charles YP, Daures JP, de Rosa V, Diméglio A. *Spine (Phila Pa 1976)*. 2006 Aug 1;31(17):1933-42. doi: 10.1097/01.brs.0000229230.68870.97. PMID: 16924210.

<https://pubmed.ncbi.nlm.nih.gov/16924210/>

Curve progression in idiopathic scoliosis, by Weinstein SL, Ponseti IV. *J Bone Joint Surg Am*. 1983 Apr;65(4):447-55. PMID: 6833318. <https://pubmed.ncbi.nlm.nih.gov/6833318/>

Natural history of untreated idiopathic scoliosis after skeletal maturity, by Ascani E, Bartolozzi P, Logroscino CA, Marchetti PG, Ponte A, Savini R, Travaglini F, Binazzi R, Di Silvestre M. *Spine (Phila Pa 1976)*. 1986 Oct;11(8):784-9. doi: 10.1097/00007632-198610000-00007. PMID: 3810293. <https://pubmed.ncbi.nlm.nih.gov/3810293/>

Postural Stability & Balance

Catanzariti, JF., Coget, M. & Brouillard, A. A perception bias of the gravitational vertical is confirmed in Adolescent Idiopathic Scoliosis. *Spine Deform* 10, 69–78 (2022). <https://doi.org/10.1007/s43390-021-00390-8>

Dufvenberg M, Adeyemi F, Rajendran I, Öberg B, Abbott A. Does postural stability differ between adolescents with idiopathic scoliosis and typically developed? A systematic literature review and meta-analysis. *Scoliosis Spinal Disord*. 2018 Sep 3;13:19. doi: 10.1186/s13013-018-0163-1. PMID: 30186976; PMCID: PMC6120087.

Antoniadou N, Hatzitaki V, Stavridis SI, Samoladas E. Verticality perception reveals a vestibular deficit in adolescents with idiopathic scoliosis. *Exp Brain Res*. 2018 Jun;236(6):1725-1734. doi: 10.1007/s00221-018-5256-9. Epub 2018 Apr 10. PMID: 29637250.

Surgery

Indication for surgical treatment in patients with adolescent Idiopathic Scoliosis – a critical appraisal, by Weiss, HR., Moramarco, M.. *Patient Saf Surg* 7, 17 (2013). <https://doi.org/10.1186/1754-9493-7-17>

Radiographic outcomes of anterior spinal fusion versus posterior spinal fusion with thoracic pedicle screws for the treatment of Lenke Type I adolescent idiopathic scoliosis curves, by Potter BK, Kuklo TR, Lenke LG. *Spine (Phila Pa 1976)*. 2005 Aug 15;30(16):1859-66. doi: 10.1097/01.brs.0000174118.72916.96. PMID: 16103856.

<https://pubmed.ncbi.nlm.nih.gov/16103856/>

X-ray / EOS / MRI

Imaging in the Diagnosis and Monitoring of Children with Idiopathic Scoliosis, by Ng SY, Bettany-Saltikov J.. *Open Orthop J.* 2017 Dec 29;11:1500-1520. doi: 10.2174/1874325001711011500. PMID: 29399226; PMCID: PMC5759132. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5759132/>

Radiation dose of digital radiography (DR) versus micro-dose x-ray (EOS) on patients with adolescent idiopathic scoliosis. Hui, S.C.N., Pialasse, JP., Wong, J.Y.H. et al. 2016 SOSORT-IRSSD "John Sevastic Award" Winner in Imaging Research. *Scoliosis* 11, 46 (2016). <https://doi.org/10.1186/s13013-016-0106-7>

Causes Of AIS

Various hypotheses and concepts of AIS etiology involving genetics, central nervous system, biomechanics, metabolic pathways, spinal cord growth, and bone metabolism among others. Aulia, T. N., Djufri, D., Gatam, L., & Yaman, A. (2023).

Mechanical - Ant column overgrowth; René M Castelein, Saba Pasha, Jack CY Cheng, Jean Dubousset, Idiopathic Scoliosis as a Rotatory Decompensation of the Spine, *Journal of Bone and Mineral Research*, Volume 35, Issue 10, 1 October 2020, Pages 1850–1857, <https://doi.org/10.1002/jbmr.4137>

Hershkovich, Oded MD MHA; Gordon, Barak MD, MHA; Derazne, Estela MSc; Tzur, Dorit MBA; Afek, Arnon MD, MHA; Lotan, Raphael MD MHA. Hypermobility Among Adolescents and the Association With Spinal Deformities: A Large Cross-Sectional Study. *JAAOS: Global Research and Reviews* 8(7):e24.00047, July 2024. | DOI: 10.5435/JAAOSGlobal-D-24-00047

Grivas TB, Vasiliadis ES, Rodopoulos G, Bardakos N: The role of the intervertebral disc in correction of scoliotic curves. A theoretical model of idiopathic scoliosis pathogenesis. *Stud Health Technol Inform.* 2008, 140: 33-36.

Hypermobility

Bulbena, A., Rosado, S., Cabaleiro, M., Martinez, M., Martin, L., & Batlle, S. (2023). Validation of the neuroconnective endophenotype questionnaire (NEQ): A new clinical tool for medicine and psychiatry resulting from the contribution of Ehlers–Danlos syndrome. *Frontiers in Medicine*, 10, 1039223. <https://doi.org/10.3389/fmed.2023.1039223>

Hershkovich, Oded MD MHA; Gordon, Barak MD, MHA; Derazne, Estela MSc; Tzur, Dorit MBA; Afek, Arnon MD, MHA; Lotan, Raphael MD MHA. Hypermobility Among Adolescents and the Association With Spinal Deformities: A Large Cross-Sectional Study. *JAAOS: Global Research and Reviews* 8(7):e24.00047, July 2024. | DOI: 10.5435/JAAOSGlobal-D-24-00047

Screening Tools:

PROMIS® (Patient-Reported Outcomes Measurement Information System®) is a set of person-centered measures that evaluates and monitors physical, mental, and social health in adults and children. It was established in 2004 with funding from the National Institutes of Health (NIH) as one of the initiatives of the NIH Roadmap for Medical Research. The purpose was to identify major opportunities for medical research and the development of new scientific expertise and technology that would lead to tangible benefits for patients.

<https://www.promishealth.org/>

TAPS: trunk appearance perception scale

TRACE: trunk appearance clinical evaluation

Psychology References

Baker C, Morris N, Tsirikos A, Fotakopoulou O, Parrott F. Adolescent idiopathic scoliosis: interdisciplinary creative art practice and nature connections. *Med Humanit.* 2024;50(1):41-51. Published 2024 Feb 22.

doi:10.1136/medhum-2023-012796 <https://pubmed.ncbi.nlm.nih.gov/38164581/>

Matamalas A, Figueras C, Pizones J, et al. How back pain intensity relates to clinical and psychosocial factors in patients with idiopathic scoliosis. *Eur Spine J.* 2022;31(4):1006-1012.

doi:10.1007/s00586-022-07117-x <https://pubmed.ncbi.nlm.nih.gov/35128586/>

Sanders AE, Andras LM, Iantorno SE, Hamilton A, Choi PD, Skaggs DL. Clinically Significant Psychological and Emotional Distress in 32% of Adolescent Idiopathic Scoliosis Patients. *Spine Deform.* 2018;6(4):435-440.

doi:10.1016/j.jspd.2017.12.014 <https://pubmed.ncbi.nlm.nih.gov/29886916/>

Teles AR, St-Georges M, Abduljabbar F, et al. Back pain in adolescents with idiopathic scoliosis: the contribution of morphological and psychological factors. *Eur Spine J.* 2020;29(8):1959-1971. doi:10.1007/s00586-020-06489-2

<https://pubmed.ncbi.nlm.nih.gov/32519028/>

Tones M, Moss N, Polly DW Jr. A review of quality of life and psychosocial issues in scoliosis. *Spine (Phila Pa 1976).* 2006;31(26):3027-3038. doi:10.1097/01.brs.0000249555.87601.fc

<https://pubmed.ncbi.nlm.nih.gov/17173000/>

Van Niekerk M, Richey A, Vorhies J, Wong C, Tileston K. Effectiveness of psychosocial interventions for pediatric patients with scoliosis: a systematic review. *World J Pediatr Surg.* 2023;6(2):e000513. Published 2023 Mar 7. doi:10.1136/wjps-2022-000513

<https://pubmed.ncbi.nlm.nih.gov/36919027/>

Wong AYL, Samartzis D, Cheung PWH, Cheung JPY. How Common Is Back Pain and What Biopsychosocial Factors Are Associated With Back Pain in Patients With Adolescent Idiopathic Scoliosis?. *Clin Orthop Relat Res.* 2019;477(4):676-686. doi:10.1097/CORR.0000000000000569 <https://pubmed.ncbi.nlm.nih.gov/30516661/>

Zeck EJ, Glahn Castille ME. Clinician-led mental health conversations significantly associated with outcomes for scoliosis patients. *Eur J Phys Rehabil Med.* 2023;59(4):522-528. doi:10.23736/S1973-9087.23.08084-X <https://pubmed.ncbi.nlm.nih.gov/37746784/>

Quality of Life

Taher Babaee, Vahideh Moradi, Ardalan Shariat, Albert T. Anastasio, Alireza Khani, Mahtab Bagheri, Naeimeh Rouhani, Disease-Specific Outcome Measures Evaluating the Health-Related Quality of Life of Children and Adolescents with Idiopathic Scoliosis and Scheuermann's Kyphosis: A Literature Review, *Spine Surgery and Related Research*, 2022 Volume 6 Issue 3 Pages 197-223, DOI <https://doi.org/10.22603/ssr.2021-023> https://www.jstage.jst.go.jp/article/irdr/4/1/4_2014.01032/_article

Asher M, Min Lai S, Burton D, Manna B. The reliability and concurrent validity of the scoliosis research society-22 patient questionnaire for idiopathic scoliosis. *Spine (Phila Pa 1976).* 2003 Jan 1;28(1):63-9. doi: 10.1097/00007632-200301010-00015. PMID: 12544958. <https://pubmed.ncbi.nlm.nih.gov/12544958/>

Matsumoto H, Williams B, Park HY, Yoshimachi JY, Roye BD, Roye DP Jr, Akbarnia BA, Emans J, Skaggs D, Smith JT, Vitale MG. The Final 24-Item Early Onset Scoliosis Questionnaires (EOSQ-24): Validity, Reliability and Responsiveness. *J Pediatr Orthop.* 2018 Mar;38(3):144-151. doi: 10.1097/BPO.0000000000000799. PMID: 27299779; PMCID: PMC5562528. [44://pubmed.ncbi.nlm.nih.gov/27299779/](https://pubmed.ncbi.nlm.nih.gov/27299779/)

Climent JM, Reig A, Sánchez J, Roda C. Construction and validation of a specific quality of life instrument for adolescents with spine deformities. *Spine (Phila Pa 1976).* 1995 Sep 15;20(18):2006-11. doi: 10.1097/00007632-199509150-00011. PMID: 8578377. <https://pubmed.ncbi.nlm.nih.gov/8578377/>

Negrini S, Zaina F, Buyukaslan A, Fortin C, Karavidas N, Kotwicki T, Korbel K, Parent E, Sanchez-Raya J, Shearer K, Yilmaz HG, Donzelli S, Caronni A. Cross-cultural validation of the Italian Spine Youth Quality of Life questionnaire: the ISYQOL international. *Eur J Phys Rehabil Med.* 2023 Jun;59(3):364-376. doi: 10.23736/S1973-9087.23.07586-X. Epub 2023 May 17. PMID: 37195649; PMCID: PMC10272934. <https://pubmed.ncbi.nlm.nih.gov/37195649/>

Doi T, Inoue H, Arai Y, Shirado O, Doi T, Yamazaki K, Uno K, Yanagida H, Takeshita K. Reliability and validity of a novel quality of life questionnaire for female patients with adolescent idiopathic scoliosis: Scoliosis Japanese Questionnaire-27: a multicenter, cross-sectional study.

BMC Musculoskelet Disord. 2018 Apr 3;19(1):99. doi: 10.1186/s12891-018-2025-7. PMID: 29615021; PMCID: PMC5883312. <https://pubmed.ncbi.nlm.nih.gov/29615021/>

Ware JE Jr, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. Med Care. 1992 Jun;30(6):473-83. PMID: 1593914. <https://pubmed.ncbi.nlm.nih.gov/1593914/>

Botens-Helmus C, Klein R, Stephan C. The reliability of the Bad Sobernheim Stress Questionnaire (BSSQbrace) in adolescents with scoliosis during brace treatment. Scoliosis. 2006 Dec 19;1:22. doi: 10.1186/1748-7161-1-22. PMID: 17176483; PMCID: PMC1764899. <https://pubmed.ncbi.nlm.nih.gov/17176483/>

Vasiliadis E, Grivas TB, Gkoltsiou K. Development and preliminary validation of Brace Questionnaire (BrQ): a new instrument for measuring quality of life of brace treated scoliotics. Scoliosis. 2006 May 20;1:7. doi: 10.1186/1748-7161-1-7. PMID: 16759366; PMCID: PMC1481574. <https://pubmed.ncbi.nlm.nih.gov/16759366/>

Auerbach JD, Lonner BS, Crerand CE, Shah SA, Flynn JM, Bastrom T, Penn P, Ahn J, Toombs C, Bharucha N, Bowe WP, Newton PO. Body image in patients with adolescent idiopathic scoliosis: validation of the Body Image Disturbance Questionnaire--Scoliosis Version. J Bone Joint Surg Am. 2014 Apr 16;96(8):e61. doi: 10.2106/JBJS.L.00867. PMID: 24740669; PMCID: PMC6948793. <https://pubmed.ncbi.nlm.nih.gov/24740669/>

Pineda S, Bago J, Gilperez C, Climent JM. Validity of the Walter Reed Visual Assessment Scale to measure subjective perception of spine deformity in patients with idiopathic scoliosis. Scoliosis. 2006 Nov 8;1:18. doi: 10.1186/1748-7161-1-18. PMID: 17090338; PMCID: PMC1654183. <https://pmc.ncbi.nlm.nih.gov/articles/PMC1654183/>

Sanders JO, Harrast JJ, Kuklo TR, Polly DW, Bridwell KH, Diab M, Dormans JP, Drummond DS, Emans JB, Johnston CE 2nd, Lenke LG, McCarthy RE, Newton PO, Richards BS, Sucato DJ; Spinal Deformity Study Group. The Spinal Appearance Questionnaire: results of reliability, validity, and responsiveness testing in patients with idiopathic scoliosis. Spine (Phila Pa 1976). 2007 Nov 15;32(24):2719-22. doi: 10.1097/BRS.0b013e31815a5959. PMID: 18007251. <https://pubmed.ncbi.nlm.nih.gov/18007251/>

Bago J, Sanchez-Raya J, Perez-Grueso FJ, Climent JM. The Trunk Appearance Perception Scale (TAPS): a new tool to evaluate subjective impression of trunk deformity in patients with idiopathic scoliosis. Scoliosis. 2010 Mar 25;5:6. doi: 10.1186/1748-7161-5-6. PMID: 20338048; PMCID: PMC2852387. <https://pubmed.ncbi.nlm.nih.gov/20338048/>

Zaina, F., Negrini, S. & Atanasio, S. TRACE (Trunk Aesthetic Clinical Evaluation), a routine clinical tool to evaluate aesthetics in scoliosis patients: development from the Aesthetic Index (AI) and repeatability. Scoliosis 4, 3 (2009). <https://doi.org/10.1186/1748-7161-4-3> <https://scoliosisjournal.biomedcentral.com/articles/10.1186/1748-7161-4-3>

Lonner, Baron S. MD; Toombs, Courtney S. MD; Shah, Suken A. MD; Bastrom, Tracey MA; Penn, Phedra MD; Bright, Kristin PhD; Stern, Carrie Scharf MD; Roy-Beaudry, Marjolaine PhD; Beausejour, Marie PhD; Neiss, Geraldine PhD; Castillo, Andrea BS; Parent, Stefan MD. What a Patient Sees in the Mirror: Validation of the Truncal Anterior Asymmetry Scoliosis Questionnaire. Journal of Prosthetics and Orthotics 35(3):p 172-179, July 2023. | DOI: 10.1097/JPO.0000000000000433 https://journals.lww.com/jpojournal/abstract/2023/07000/what_a_patient_sees_in_the_mirror_validation_of.7.aspx