

This product is represented in Australia, New Zealand, and PNG by:

InKorr Pty Ltd

Address: Unit 12, 103 Lewis Road,
Knoxfield VIC 3180, Australia

Email: inkorr.service@inkorr.com.au

General: +61 (3) 8201 4868

Service: +61 (0) 478 800 003

Contact us with any enquiries related to:




Heat Transfer Equipment

- Shell & Tube Heat Exchangers - Standard, Custom, Corrugated Tubes.
- Plate Heat Exchangers - Brazed, Gasketed, Semi-Welded, & Welded.
- Graphite Heat Exchangers.
- Plate & Shell Heat Exchangers.
- Spiral Heat Exchangers.
- Crossflow Welded Heat Exchangers.
- Direct Steam Injection Heaters.
- Air Coolers.



Corrosion Resistant Equipment - Valves, Piping, Vessels & Systems


- Polymer-Lined Valves, Piping, and Pressure Vessels.
- Exotic Metal (Ta, Zr, Ti) Fabricated Piping and Pressure Vessels.
- Glass-Lined Vessels.
- Graphite Equipment and System Packages.



Service Maintenance

- Plate Heat Exchangers - Refurbishment, Gas Testing, UV Crack Testing.
- Graphite Equipment - Installation, Refurbishment, Repairs.
- Glass-Lined Vessels - Spark Testing, Lining Repair.
- Quality Spare Parts, both OEM and Aftermarket.

Pulp & Paper Industry Case History



Brown Stock Washing

Application

In the chemical pulping process cooked pulp, referred to as brown stock, discharges from the digester. Cooking liquors (spent liquor) is separated from the pulp for recovery. The use of a rotary vacuum washer is the typical method. Other forms of diffusion washing are also used. Wash water, sprayed onto the pulp stock through nozzles, is heated to around 180°F to enhance the dispersal of cooking liquor.

Process Conditions

Water Flow Rate:	500 GPM
Temperature Rise:	45°F
Steam Pressure:	135 PSIG
Water Pressure:	45 PSIG
Steam Flow:	9,675 lbs./hr.

Solution

Pick Model 6X100-3 Constant Flow Heater is an excellent choice for brown stock washer service. It can be dedicated to a single washer or used as a central supply for multiple units. It responds rapidly to variations in supply water flow rate or temperature to maintain precise control over discharge temperature. Liquor displacement efficiency is maximized. Accurate temperature control eliminates the potential for flashing on vacuum type washers. Compact and straight flow-through design also makes the Pick Heater the correct choice.

Features and Benefits:

- **Precise Temperature Control**
- **Instantaneous Supply of Hot Water**
- **Automatic Operation**

Learn more at www.pickheaters.com

Pick Heaters, Inc. — 730 S. Indiana Ave. — West Bend, WI 53095 USA
Phone: (262) 338-1191 — Email: info1@pickheaters.com