


## **ENCI**

SOPER'S	SALESPERSONDATE SURVEYED
ENGINEERED FABRIC SOLUTIONS	CUSTOMER INFORMATION:
SOFTWALL	DISTRIBUTOR DIRECT
LOSURE / PARTITION	COMPANY NAME:
SURVEY SHEET	ADDRESS:
(to be initiated at site visit)	CONTACT
	E-MAIL:
	SUPPLY ONLY SUPPLY & INSTALL
	(Installation site address or ship to address if different from above)
1. Customer's budget \$	COMPANY NAME:
2. Required by (date)	ADDRESS: MAIN INTERSECTION
	SITE CONTACT #1EXT SITE CONTACT #2EXT
3. Chances of receiving P.O.	
100 % High Low L	REQUIRED INSTALLATION DATE: From to
	Weekend installation: Yes No
	weekend histaliation. Tes 10 10
Installation: Indoor Outdoor	_ <b>[</b>
BUILDING NO DOOF	R NO DEPARTMENT
Directions to site attached: Yes	No No
	nce to install location inside the building.
Door size: Height Widt	h
INCTALLATION CDEW DECLUDE	MENT.
INSTALLATION CREW REQUIRE	
SAFETY TRAINING NEEDED: YES	How long NO
DATE LOCATION	
INSTRUCTOR NAME	TEL . # EXT
WSIB CLEARANCE CERTIFICATE	YES NO
CERTIFICATE OF INSURANCE	YES NO
OTHER FORMS REQ'D	

LIFT	RENTAL REQUIRED (SOPER'S) YES NO LIFT SUPPLIED BY CUSTOMER
IND(	OOR APPLICATION OUTDOOR LOCATION
	SORS LIFT TELESCOPIC BOOM LIFT ARTICULATING BOOM LIFT
ELE	CTRIC PROPANE DIESEL GAS NON MARKING TIRES YES NO
WOF	RKING HEIGHT MAXIMUM REACH AISLE WIDTH
Pleas	te indicate customer's responsibility before Soper's installation crew arrival on site:
Light	ts removal Aisle to be cleared Rails removal High voltage to be shutdown
Lift a	availability (if customer supplied) Heater to be moved
Othe	r obstructions :
NOT	E: WHENEVER POSSIBLE PROVIDE PHOTO
1. PC	OWER AVAILABLE YES NO 110 VOLT OTHER
	D EXISTING STRUCTURE AN WE WELD BOLT LAG CLAMP
O	THER
3.	What is the purpose of the partition / enclosure?
(	Control of: Noise Temperature (high / low) Fumes / dust Overspray
	Physical barrier (welding, grinding, etc.)
4. G	ive a brief description of the activity-taking place inside the enclosure:
_	
Note	: Food Industry special installers appearance, garments and instructions may be required
Fabri	Stock non - stock
Hem	s & Seam: sewn welded welded
Spec	ial hardware to be ordered ( if known)

- \* Draw a plan view of the partition / enclosure indicating the shape and size required.
- \* Indicate the position of the enclosure in relation to the walls, columns, and roof joists.
- \* Indicate the spacing between the roof joists and indicate column # and spacing.
- \* Note: If the partition is to be suspended from ceiling, it is advantageous from an installation standpoint to position walls in line with the roof joists or beams where possible



Fill in the applicable boxes below showing clearances in the area of the enclosure. Draw an elevation view of each side of the enclosure ( label sides A, B, C, etc., corresponding to plan view ), indicating the desired width and height of each side. Indicate whether each side should be stationary or retractable. Show location and size of any access doors, windows, or cutouts required for each side.

