



SORA LIGHTS
ARTIFICIAL SKYLIGHTS
ARCHITECTURAL LUMINAIRES



SORA LIGHTS

Artificial Skylights & Architectural Lighting
Product Catalog



About the Company



Welcome to Sora Lights, where innovation meets illumination. At Sora, we specialize in cutting-edge artificial lighting solutions that perfectly mimic the warmth and brilliance of natural sunlight. Our mission is to bring the beauty of daylight into every space, enhancing well-being and productivity.

Illuminate Your World with Sora Lights. Our artificial lighting is meticulously crafted to replicate the full spectrum of natural sunlight, creating spaces that radiate positivity and energy.

Elevate your commercial spaces with our extensive range of lighting solutions. From kitchens to offices and beyond, Sora offers tailored lighting solutions for every environment.

Discover our diverse product portfolio, including our sleek panel lights, energy-efficient tube lights, premium-grade bulbs, precision spotlights, and flexible track lights for a sophisticated lighting experience.

At Sora, we understand the unique lighting needs of commercial spaces. Our team of experts works closely with architects and designers to create bespoke lighting solutions that enhance functionality and aesthetics.

Sustainability matters to us. Sora is committed to sustainability, and our LED lighting solutions are energy-efficient, reducing your environmental footprint while delivering exceptional performance.

Transform your space with Sora, where every beam is a brushstroke of natural beauty. Illuminate the extraordinary with us.

Nexa

120 degree COB



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 120°
Housing: Aluminium Die Cast



Umbra

Movable Semi concealed lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 24, 36°
Housing: Aluminium Die Cast



Nova

Trimless COB



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W, 15W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Arcus

Movable antiglare focus concealed lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W, 15W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Orbix

Trimless COB



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Eco

Movable focus concealed lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W, 15W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

WATTAGE	6-8W	10-12W	15-18W
DIAMETER	80MM	85MM	110MM
HEIGHT	77MM	78MM	103MM
CUTOUT	55MM	75MM	95MM

Axon

Wall-mounted movable spotlight



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 20W, 30W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast



WATTAGE	10W	20W	30W	40W
DIAMETER	50mm	60mm	80mm	80mm
HEIGHT	135mm	150mm	180mm	195mm

Cylux

Non - Movable focus cylinder lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W, 18W, 20W, 25W
upto 40W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 60°
Housing: Aluminium Die Cast



WATTAGE	3-7W	10W	12-18W	20-24W	25-30W	36-40W
DIAMETER	50MM	50mm	60mm	80mm	80mm	80mm
HEIGHT	105MM	135mm	150mm	150mm	180mm	195mm

Swift

Recessed anti glare honeycomb COB light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 6W - 20W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast



WATTAGE	6-10W	10-15W	15-20W
DIAMETER	85mm	100mm	125mm
HEIGHT	50mm	60mm	73mm
CUTOUT	75mm	92mm	115mm

Eclipt

Recessed pullout spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 8W, 10W, 12W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Aluminium Die Cast



WATTAGE	8W	10W	12W
DIAMETER	72mm	85mm	98mm
HEIGHT	100mm	110mm	120mm
CUTOUT	65mm	75mm	100mm

Cirqa

Trimless Recessed anti glare COB light



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 6W - 20W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Housing: Aluminium die-cast



WATTAGE
DIAMETER
HEIGHT
CUTOUT

12W	15W
82mm	82mm
83mm	83mm
82mm	82mm

Olive

Recessed Downlight



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 8W, 10W, 12W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast
Reflector colours: White, Silver, Gold



WATTAGE	3-7W	3-7W	9W	9W	10-12W	10-12W	15-18W	15-18W
DIAMETER	38MM	40MM	45MM	50MM	55MM	60MM	72MM	75MM
HEIGHT	70MM	72MM	74MM	74MM	72MM	72MM	95MM	95MM
CUTOUT	30MM	35MM	40MM	45MM	50MM	55MM	65MM	70MM

Fiore

Recessed COB light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 6W - 20W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Reflector colours: White, Black, Matte White, Chrome, Rose Gold, Gold



WATTAGE	6-8W	12-15W	15-20W
DIAMETER	70mm	85mm	95mm
HEIGHT	50mm	65mm	75mm
CUTOUT	65mm	75mm	90mm

Acqua

IP65 Recessed Downlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 8W, 10W, 12W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Aluminium Die Cast

WATTAGE	7-12W	12-18W	20-30W	36-50W	55-80W
DIAMETER	85MM	110MM	135MM	180MM	242MM
HEIGHT	70MM	78MM	91MM	106MM	140MM
CUTOUT	75MM	95MM	125MM	155MM	220MM

Suspended linear light

Linear pendant



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 36W, 45W, 48W

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Noir Trimless

30° Tiltable trimless COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 24°

Housing: Aluminium Die Cast

Reflector colours: White, Black,
Matte White, Chrome

WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir Antiglare

30° Tilttable Antiglare COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 36W, 45W, 48W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast



WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir

Movable COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 15°/24°/36°

Housing: Aluminium Die Cast

Reflector colours: White, Black, Matte White, Chrome



WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir Wall Washer

Movable COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast



WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Axis Trimless

Trimless Linear COB Spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium Die Cast



WATT	CUTOUT SIZE	BEAM ANGLE
6W	70X37 MM	36°
12W	127X37 MM	36°

ArCube

Rectangular COB Spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Skyline Profile

Linear Profile



LED: Philips

Driver: Philips/Osram/Fulham

Type: Recessed


CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 24°

Housing: Aluminium Die Cast

Length: 10 Meter



Magnetic Tracks – 10mm (Ultra Narrow) & 23mm Width

Concealed/Surface mounted



Sizes: 1 meter & 2 meter

Installation type: Surface mounted, recessed & suspended

*Drivers available in 100W & 200W specs

Magnetic Linear Profile

Fixture for magnetic tracks



Ratings: 6W, 12W, 18W

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Dotted Linear Light

Fixture for magnetic tracks

Ratings: 12W, 18W & 24W
CCT: 3000K - 5000K
Warranty: 2 Years



Magnetic Spot Light

Fixture for magnetic tracks

Ratings: 10W, 12W, 20W
CCT: 3000K - 5000K
Warranty: 2 Years



Corner L Profile

Fixture for magnetic tracks



Ratings: 12W, 18W

CCT: 3000K - 5000K

Warranty: 2 Years

Magnetic Pendant Light

Fixture for magnetic tracks




Ratings: 10W, 12W

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin tracks

Ultra thin 5mm thick tracks



Sizes: 1 meter, 2 meter & 3 meter

Installation type: Surface mounted

*Drivers available in 100W & 200W specs

Ultra thin Magnetic Spot Light

Fixture for ultra thin magnetic tracks



Ratings: 7W, 12W

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin linear spot fixture - movable

Fixture for ultra thin magnetic tracks



Ratings: 10W

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin Single Spot Light

Fixture for magnetic tracks



Ratings: 6W

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin linear profile fixture

Fixture for ultra thin magnetic tracks



Ratings: 12W, 24W

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin Arc Light

Fixture for magnetic tracks



Ratings: 6W

CCT: 3000K - 5000K

Warranty: 2 Years

Elios

LED Movable Spot Light Fixture



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 9W, 12W, 15W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Plastic body with Aluminium Plate/ Aluminium die-cast

Optra Pro

COB Downlight with reflector



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Aluminium Die Cast

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	62X58 MM	55 MM	38°
12W	85X63 MM	75 MM	38°
18W	105X72 MM	95 MM	38°

Track Light

LED Track Light



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Track Light
Ratings: 10W, 20W, 30W
CCT: 3000K/4000K/6500K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium



WATTAGE	6-10W	15-20W	25-30W	30-40W
DIAMETER	50mm	60mm	80mm	80mm
HEIGHT	135mm	150mm	180mm	195mm

Optra

COB Downlight without reflector



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Recessed
Ratings: 7W, 12W, 18W
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 38°
Housing: Aluminium Die Cast



WATTAGE	3W	7W	12W	18W
DIAMETER	46mm	75mm	85mm	95mm
HEIGHT	44mm	65mm	74mm	93mm
CUTOUT	39mm	65mm	75mm	85mm

Profile Lights



LED strip: Cree/Bridgelux

Driver: Philip

Ratings: 7W, 12W, 18W, 20W, 25W

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

***Custom shapes available**

Axis

Trimless Linear COB Spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed


Ratings: 7W, 12W, 18W, 20W, 25W

CCT: 3000K - 5000K

Housing: Aluminium Die Cast

MODEL	1WAY	2WAY	3WAY	5WAY	10WAY
WATTAGE	2W	4W	6W	10W	20W
DIAMETER	45X45mm	48X45mm	95X45mm	148X45mm	282x45mm
HEIGHT	32mm	32mm	32mm	32mm	32mm
CUTOUT	35X35mm	58X35mm	85X35mm	139X37mm	272X37mm

Triangle Suspended Profile Lights



LED strip: Cree/Bridgelux

Driver: Philips

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

***Custom shapes available**

Round Suspended Profile Lights



LED strip: Cree/Bridgelux

Driver: Philips

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

***Custom shapes available**

Surface Panel

LED Rimless Surface Panel Light DOB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: LED Surface Panel Light

Ratings: 6W, 12W, 18W, 22W

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Housing: Plastic

Slim Panel

LED Slim Panel Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 12W, 18W

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Housing: Plastic

Deep Recessed Light

Deep Recessed Panel



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface

Ratings: 10W, 20W

CCT: 3000K/4000K/6500K

Concealed Down Light

LED Concealed Down Light Series



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 9W

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Our Projects



Kohler Studio, Ahmedabad



Office space in Gurgaon, Sector 27



Cafe in Indiranagar, Bengaluru



Fitness Spa Gym, Defence Colony



Osaanj Flagship Store, Okhla

Contact Us:

- Email: Tussharjethani@soralights.in
- Phone: +91 9958953877
- Website: www.soralights.com
- Display Centre: 846/1, Basement, Gadaipur Farms, Ghitorni, New Delhi - 110030



SORA LIGHTS

Follow Us:

- Instagram: [@soralights](https://www.instagram.com/soralights)
- Facebook: [@soralights](https://www.facebook.com/soralights)
- LinkedIn: [Sora Lights](https://www.linkedin.com/company/sora-lights)

Let's create beautiful spaces together. Contact us for inquiries, customizations, or to place your order today

Sora Lights – Lighting dreams, one room at a time

