



# Building Performance Equipment, Inc.®

Sustainable, Reliable and Energy Efficient Ventilation Systems




**BPE S12, Quiet 12"**  
**Inline Duct Fan**  
**with Speed**  
**Controller -**  
**Ventilation Exhaust**  
**Fan for Heating**  
**Cooling Booster,**  
**Grow Tents,**  
**Hydroponics**

Electric fan	Exhaust Fan
Design	
Power Source	Corded Electric
Room Type	Kitchen, Bathroom
Recommended	Indoor, Home
Uses For	
Product	
Included	Remote, Cord
Components	
Brand	AC Infinity
Indoor/Outdoor	Indoor
Usage	
Color	Black
Number of Speeds	8
Control Method	App

## SPECIFICATIONS

MODEL   CLOUDLINE S12	ENGINE   EC-Motor PWM
DUCT SIZE   Ø 12"	AIRFLOW   1604 CFM
POWER USAGE   129 Watt	NOISE   62 dBA
CONTROLLER   Speed Controller	SPEED   8 + Power Switch



## SPEED CONTROLLER




Eight fan speeds with power switch, controlled by PWM (Pulse Width Modulation).

Backup memory remembers speed settings even with power off and on cycles.

Includes machine and wood mounting screws to secure controller onto a wall.

This controller is designed to upgrade existing wired speed controllers to remotely adjust its settings, optimizing airflow and managing noise in HVAC.

CLS12/CLT12



## About this item

- Designed to ventilate hydroponic grow rooms, transfer heating/cooling, cool AV closets, and exhaust odors.
- Features an 8-speed manual controller utilizing PWM. See T-Series for temperature and humidity controls.
- Mixed flow design combined with a PWM-controlled EC-motor for a truly quiet and energy efficient performance.
- Kit also includes corded sensor probe, AC power plug, two duct clamps, and required mounting hardware.
- Duct Size: 12" | Dimensions: 14.9 x 17.7 x 14.1 in. | Airflow: 1604 CFM | Noise: 62 dBA | Bearings: Dual Ball