



Building Performance Equipment, Inc.®

Sustainable, Reliable and Energy Efficient Ventilation Systems



BPE T12, Quiet 12”
 Inline Duct Fan with
 Temperature Humidity
 Controller, Bluetooth
 App - Ventilation
 Exhaust Fan for
 Heating Cooling
 Booster, Grow Tents,
 Hydroponics


Electric fan	Exhaust Fan
Design	
Power Source	Corded Electric
Room Type	Kitchen, Bathroom
Recommended	Indoor, Home
Uses For	
Product	
Included	Remote, Cord
Components	
Brand	AC Infinity
Mounting type	Clip on
Indoor/Outdoor	Indoor
Usage	
Color	Black

SPECIFICATIONS

MODEL CLOUDLINE T12 (AI-CLT12)	ENGINE EC-Motor PWM
DUCT SIZE Ø 12"	AIRFLOW 1604 CFM
POWER USAGE 139 Watts	NOISE 62 dBA
CONTROLLER 67	SENSORS Temp. & Humidity



Comparison:



Two Fans in One?



Connect up to two AC Infinity fans. Mix and match models from the same or different product series.


You can also have one of each controller to mix and match!

SMART PROGRAMMING

Compatible with CLOUDLINE S and T Series

Automate Airflow to
Temperature and Humidity

Program Grow Cycles,
Timers, and Schedules




Download the AC Infinity App to unlock advance programs, monitor climate data, set notifications, and control remotely through Bluetooth.

The thermal-alloy Probe accurately measures temperature and humidity changes down to the millisecond.

With Power-Failure Memory, it retains all settings even if the controller is cut from power. Automatically resumes previous programs once power returns

CLS12/CLT12



About this item

- Designed to ventilate hydroponic grow rooms, transfer heating/cooling, cool AV closets, and exhaust odors.
- Dynamic temperature and humidity programming, with timers, grow cycles, scheduling, and minimum speed.
- Connect with our app via Bluetooth to access advance programs, alarms, notifications, and view climate data.
- Mixed flow design combined with a PWM-controlled EC-motor for a truly quiet and energy efficient performance.
- Duct Size: 12" | Dimensions: 14.9 x 17.7 x 14.1 in. | Airflow: 1604 CFM | Noise: 62 dBA | Bearings: Dual Ball Bearing