FAA Approved Model List (AML)

for

installation of

P/N 2042 Gear Warning System for Amphibian Aircraft

Specification 2042-AML Rev 4

For use with STC SA00194BO

FAA Approved Notes Survey Surv

Date 1-23-09

	TABLE OF REVISIONS			
Rev No.	Date	Description of Revision and pages changed	Approval	
0	7-01-05	Initial release	R.G. Mann	
1	9-10-05	Added Aircraft with Edo Model 3500 Amphibian Floats Added Sky Enterprises RC-3 aircraft	R.G. Mann	
2	1-10-06	Added Aircraft with Wipaire Floats	R.G. Mann	
3	11-30-07	Added Aircraft with Aeroset Model 3400 floats Added DHC-2 Aircraft with Edo Model 58-4580 floats	R.G. Mann	
4	1-23-09	Added Aircraft with PK Model 2250A floats	At Mario	
		,		

STC SA00194BO	
O I O ONO I OTEO	

This Approved Model List is for use with STC SA00194BO when a P/N 2042 Gear Warning System is installed. The following documents apply to these installations:

- 1. Specification IP-2, Installation Manual for Gear Alert System for Amphibian aircraft P/N 2042-1, Rev 1, dated 05-10-05
- 2. Specification ICA-2042, Instructions for Continued Airworthiness, Rev 1, dated 05-10-05
- 3. Specification MDL-2042, Master Document List, Rev 1, dated 05-10-05
- 4. FAA Approved Airplane Flight Manual Supplement for Aircraft with Installation of Aircraft Components inc. P/N 2042 Gear Alert System, Rev 1
- Specification 2042-PKF, Supplemental Installation Procedure for installing P/N 2042 Gear Alert System in Amphibian Aircraft using PK Floats Model 3050A floats, or PK Floats Model 2250A floats, Rev 1, dated 02-15-09
- 6. Specification 2042-LA, Supplemental Installation Procedure for installing P/ 2042 Gear Alert System in Lake Aircraft, Rev 0, dated 12-04-04
- 7. Specification 2042-BF, Supplemental Installation Procedure for installing P/ 2042 Gear Alert System in Amphibian Aircraft using Baumann floats, Rev 0, dated 06-14-04
- 8. Specification 2042-EDO, Supplemental Installation Procedure for installing P/N 2042 Gear Alert System in Aircraft using Edo Model 3500 amphibian floats, Rev 0, dated 08-16-05
- Specification 2042-WIP, Supplemental Installation Procedure for installing P/N 2042 Gear Alert System in Aircraft using Wipaire Model 2100, 2350, 3000, or 3450 Amphibian Floats, Rev 0, dated 12-16-05
- Specification 2042- Beaver, Supplemental Installation Procedure for installing P/N 2042 Gear Alert System in DHC-2 Aircraft using Edo Model 58-4580 Amphibian Floats, Rev 0, dated 05-08-07
- 11. Specification 2042-Aerocet, Supplemental Installation Procedure for installing P/N 2042 Gear Alert System in Aircraft having Aerocet Model 3400 Amphibian Floats, Rev 0, dated 05-08-07

I. Installation is approved for the following aircraft models when a set of Model BF2550A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	172A,172B,172C, 172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S	3A12

II. Installation is approved for the following aircraft models when a set of Model BF2550A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	175, 175A, R172K	3A17

III. Installation is approved for the following aircraft models when a set of Model BF2150A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	Sky International Inc.	A-1, A-1A, A-1B	A22NM

IV. Installation is approved for the following aircraft models when a set of Model BF2750A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	Maule Aerospace Technology Inc.	M-5-235C, M-6-235, M-7-235, M-7-235A, M-7-235B, M-7-235C, M-7-260, MT-7-235, MT-7-260, MX-7-235	3A23

V. Installation is approved for the following aircraft models when a set of Model 3050A amphibious floats manufactured by P.K. Floats Inc. are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-PKF

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	A185E, A185F	3A24

VI. Installation is approved for the following aircraft models. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-LA

ITEM	TC Holder	Aircraft Model	TC
1	Revo Incorporated	Colonial C-1, Colonial C-2, Lake LA-4, Lake LA-4A, Lake LA-4P, Lake LA-4- 200, Lake Model 250	1A13

VII. Installation is approved for the following aircraft models when a set of Edo Model 3500 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-EDO

Aircraft Components, Inc. 1700 Fostoria Ave. Suite 300 Findlay, OH 45840

FAA Approved JAN 2 3 2009

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	A185F	3A24
2	The Cessna Aircraft Co.	206, U206,U206A, U206B, U206C, U206D, U206E, U206F, TU206, TU206A, TU206B, TU206C, TU206D, TU206E, TP206A, P206, P206A	A4CE

VIII. Installation is approved for the following aircraft models. Installation is to be performed in accordance with specification IP-2, Installation Manual for Gear Alert System for Amphibian aircraft P/N 2042-1, Rev 1, dated 05-10-05

ITEM	TC Holder	Aircraft Model	TC
1	Sky Enterprises Inc.	RC-3 Seabee	A-769

IX. Installation is approved for the following aircraft models when a set of Wipaire Model 2100 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	172, 172A, 172B, 172C, 172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L 172M, 172N, 172P	3A12
2	The Cessna Aircraft Co.	175	3A17
3	Sky International Inc.	A-1, A-1A, A-1B	A22MN
4	The New Piper Aircraft Co.	PA-18-135, PA-18-150, PA-18A-135, PA-18A-150, PA-18S-135, PA-18S- 150, PA-18-AS-135, PA-18S-150	1A2
5	FS 2003 Corp.	PA-12	A-780
6	American Champion Aircraft Corp.	BGCBC	A21CE

X. Installation is approved for the following aircraft models when a set of Wipaire Model 2350 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP.

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S	3A12
2	The Cessna Aircraft Co	175A, 175B, 175C	3A17
3	Maule Aerospace Technology Inc.	MX-7-180B, MX-7-180C, MX-7-420	3A23

XI. Installation is approved for the following aircraft models when a set of Wipaire Model 3000 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP.

ITEM	TC Holder	Aircraft Model	TC
1	Maule Aerospace	MT-7-235, M-7-260, M-7-260C, MT-	3A23
	Technology Inc.	7-260	
2	The Cessna Aircraft Co	185P, 185Q, 185R, 185S	3A24

XII. Installation is approved for the following aircraft models when a set of Wipaire Model 3450 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP.

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co	206Н, Т206Н	A4CE

XIII. Installation is approved for the following aircraft model when a set of Edo Model 58-4580 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-Beaver

ITEM	TC Holder	Aircraft Model	TC
1	Viking Air Limited	DHC-2 Mark I, Mark II, Mark III	

XIV. Installation is approved for the following aircraft model when a set of Aerocet Model 3400 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-Aerocet

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	180A,180B,180C,180D,180E, 180F, 180G, 180H, 180J, 180K, 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F	

XV. Installation is approved for the following aircraft models when a set of Model 2250A amphibious floats manufactured by P.K. Floats Inc. are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-PKF

ITEM	TC Holder	Aircraft Model	TC
1	Sky International Inc.	A-1, A-1A, A-1B, A-1C-180, A-1C- 200	A22MN