

Rebyota® (Fecal microbiota, live-jslm)

Referring Physician Orders Rev. 03.2023

Please fax completed referral form & all required documents to (843) 212-8280



LOWCOUNTRY
INFECTIOUS DISEASES

PATIENT DEMOGRAPHICS

Patient Name: _____ DOB: _____ Phone: _____
Address: _____ City/ST/Zip: _____
Allergies: _____ NKDA Weight: _____ lbs kg Height: _____ in cm

INSURANCE INFORMATION: Please attach copy of insurance card (front and back).

DIAGNOSIS*

*ICD 10 Code Enterocolitis due to *Clostridium difficile*, recurrent, A04.71
Required Other: _____, ICD-10 _____

INFUSION ORDERS

MEDICATION	DOSE	DIRECTIONS/DURATION
Rebyota® (fecal microbiota, live-jslm)	150 mL	Administer rectally via gravity over 3-5 minutes x 1 dose. *Observe patient for 15 minutes following administration*

Has patient received therapy above from another facility? Yes No
If yes, Facility Name: _____
Date of Last Treatment: _____ Date of Next Treatment: _____

PRE-MEDICATION ORDERS

No premeds ordered at this time
 Acetaminophen 650mg PO Diphenhydramine 25mg PO
 Promethazine 25mg PO Ondansetron 4mg PO/IV
 Other: _____

LAB ORDERS

Labs to be drawn by: Infusion Center Referring Physician
 No labs ordered at this time
 Blood glucose q _____ CBC with diff/platelet q _____
 CMP q _____ Other: _____

REFERRING PHYSICIAN INFORMATION

Physician Signature: _____ Date: _____
Physician Name: _____ Provider NPI: _____ Specialty: _____
Address: _____ City/ST/Zip: _____
Contact Person: _____ Phone #: _____ Fax #: _____
Email Where Follow Up Documentation Should Be Sent: _____

REQUIRED CLINICAL DOCUMENTATION

Please attach medical records: Initial H&P, current MD progress notes, medication list, and labs/test results to support diagnosis.

Clinical Information, select all that apply:

- H&P indicates clear evidence of recurrent *C. difficile* infection (CDI).
 - Number of previous CDI episode(s) within the last year: _____
 - Date(s) of previous CDI episode(s) within the last year: _____
- The patient will have completed a full course of antibiotic therapy for the most recent CDI episode 24 to 72 hours prior to Rebyota® administration.

Specify current antibacterial therapy:

Antibacterial therapy for CDI	Dose	Route	Frequency	Date Started	Anticipated Stop Date
<input type="checkbox"/> Fidaxomicin (Dificid®)					
<input type="checkbox"/> Vancomycin					
<input type="checkbox"/> Metronidazole					
<input type="checkbox"/>					

- Current CDI episode is well controlled (i.e., reduced stool frequency).
- Current CDI episode is confirmed with a positive stool test for *C. difficile* toxin. (**Attach copy of test result.**)
 - Date stool sample collected: _____

LAB AND TEST RESULTS (required)

Positive *C. difficile* stool test