

LAB SHEET No.


Doctor's Name:

Address:

Patient: Female Male

TYPE OF RESTORATION	
<input type="checkbox"/> PFM <input type="checkbox"/> Full Cast	<input type="checkbox"/> All Ceramic
<input type="checkbox"/> Non-Precious <input type="checkbox"/> Semi-Precious <input type="checkbox"/> Gold 88% <input type="checkbox"/> Captec	<input type="checkbox"/> Zirconia <input type="checkbox"/> E Max <input type="checkbox"/> Gradia / Adoro <input type="checkbox"/> Composite

SHADE:
Occlusal Staining
 Yes No




TYPE OF RESTORATION

<input type="checkbox"/> Single Unit Crown	<input type="checkbox"/> Laminate	<input type="checkbox"/> Temporary
<input type="checkbox"/> Telescope	<input type="checkbox"/> Inlay / onlay	<input type="checkbox"/> Crown / Bridge
<input type="checkbox"/> Bridge	<input type="checkbox"/> Post and Core Separate	
<input type="checkbox"/> Maryland Bridge	<input type="checkbox"/> Shoulder porcelain	


<input type="checkbox"/> Extend margins 0.5/1 mm	<input type="checkbox"/> Metal try-in
<input type="checkbox"/> Spacer layers: 0 / 2 / 3 / 4	<input type="checkbox"/> Don't trim abutments
<input type="checkbox"/> Send Pics before shipping	<input type="checkbox"/> More than 1/2 mm
<input type="checkbox"/> According to Silicon Key	<input type="checkbox"/> Below gingiva

IMPLANTS	SPECIAL WORKS
<input type="checkbox"/> Cemented <input type="checkbox"/> Screwed <input type="checkbox"/> Screwed Bar <input type="checkbox"/> Surgical Guide <input type="checkbox"/> Cast Implant abutment	<input type="checkbox"/> Attachments <input type="checkbox"/> Adoro fused to metal <input type="checkbox"/> Rests: - Occlusal - Mesial - Distal - Lingual

REMOVABLE PROSTHETICS

<input type="checkbox"/> Tray	
<input type="checkbox"/> Bite Rim	Upper / Lower
<input type="checkbox"/> Full Denture	Upper / Lower
<input type="checkbox"/> Metallic Net Regular / Cast	Upper / Lower
<input type="checkbox"/> Partial Acrylic	Upper / Lower
<input type="checkbox"/> Cast Partial + Acrylic	Upper / Lower
<input type="checkbox"/> Valplast	Upper / Lower
<input type="checkbox"/> Cast Partial + Valplast	Upper / Lower

PONTIC DESIGN



A B C D E

CROWN DESIGN

Lingual Margin	Full Porcelain Coverage	Metal Occlusal	
Standard		Excluding Buccal Cusp	Including Buccal Cusp



OCCULUSAL CONTACT	INTERPROXIMAL CONTACT	GINGIVAL EMRASURE
<input type="checkbox"/> 0.5mm Clearance <input type="checkbox"/> No Contact <input type="checkbox"/> Light Contact <input type="checkbox"/> Heavy Contact	<input type="checkbox"/> Light <input type="checkbox"/> Medium <input type="checkbox"/> Heavy	<input type="checkbox"/> Close <input type="checkbox"/> Natural <input type="checkbox"/> Open

OLD CASE Number:

Rx - SPECIFIC INSTRUCTIONS: