



2022 **PRODUCT CATALOG**

cosmoappliances.com

Turning dream kitchens **into realities.**

COSMO Appliances has been in business as a wholesale manufacturer and distributor of major kitchen appliances for almost a decade.

Headquartered in Montclair, California we bring our products directly from the factory to an authorized network of dealers throughout the country, and our ability to do so helps us provide such competitive pricing on quality goods.

Aesthetics and innovation are the service of function and it's the reason we design with our customers' needs in mind.

OUR STORY

Cosmo Appliances, the new name in modern luxury kitchen appliances is fast becoming a leader in manufacturing premium products known for seamlessly integrating performance, technology and design to advance the kitchen beyond mere form and function.

Cosmo makes state of the art living possible with our cost-effective portfolio of aesthetically pleasing and high-performing stainless steel appliances. We believe the heart and soul of any home is the kitchen, and a well-crafted kitchen makes for a happy home.

We are driven to produce products that inspire people to come together and create unforgettable moments. We are turning dream kitchens into realities for more consumers. Ultimately, Cosmo makes luxury appliances accessible to all.

RANGE HOODS



COS-5U30

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Multi-layer aluminum mesh filters
- Noise level as low as 40 dB



COS-5MU30

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- Rear LED light
- 2 x Multi-layer aluminum mesh filters
- Noise level as low as 50 dB



COS-5MU36

- 36 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Rear LED lights
- 3 x Multi-layer aluminum mesh filters
- Noise level as low as 50 dB



COS-QB75

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 40 dB



COS-QB90

- 36 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 40 dB



COS-QB48

- 48 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 40 dB



COS-QS75

- 30 in.
- Under cabinet installation
- 4 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 40 dB



COS-QS90

- 36 in.
- Under cabinet installation
- 4 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 40 dB



COS-QS48

- 48 in.
- Under cabinet installation
- 4 Fan speeds
- Soft touch controls
- 3 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 40 dB



UC30

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



UC36

- 36 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



UMC30

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



UMC36

- 36 in.
- Under cabinet installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-KS6U30

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-KS6U36

- 36 in.
- Under cabinet installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-30IRHP

- 30 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-36IRHP

- 36 in.
- Under cabinet installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-6324EWH

- 24 in.
- Wall mount installation
- 3 Fan speeds
- Push button controls
- 2 x Rear LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-63175

- 30 in.
- Wall mount installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-63175S

- 30 in.
- Wall mount installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-63190

- 36 in.
- Wall mount installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-63190S

- 36 in.
- Wall mount installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-668A750

- 30 in.
- Wall mount installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Glass canopy



COS-668AS750

- 30 in.
- Wall mount installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Glass canopy



COS-668A900

- 36 in.
- Wall mount installation
- 3 Fan speeds
- Push button controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Glass canopy



COS-668AS900

- 36 in.
- Wall mount installation
- 3 Fan speeds
- Soft touch controls
- 2 x Front LED lights
- 2 x Stainless steel permanent filters
- Glass canopy



COS-668ICS750

- 30 in.
- Island mount installation
- 3 Fan speeds
- Soft touch controls
- 4 x LED lights
- 2 x Stainless steel permanent filters
- Glass canopy



COS-668ICS900

- 36 in.
- Island mount installation
- 3 Fan speeds
- Soft touch controls
- 4 x LED lights
- 2 x Stainless steel permanent filters
- Glass canopy



COS-63ISS75

- 30 in.
- Island mount installation
- 3 Fan speeds
- Soft touch controls
- 4 x LED lights
- 2 x Stainless steel permanent filters
- Noise level as low as 45 dB



COS-63ISS90

- 36 in.
- Island mount installation
- 3 Fan speeds
- Soft touch controls
- 4 x LED lights
- 3 x Stainless steel permanent filters
- Noise level as low as 45 dB

RANGES



COS-305AERC

- 30 in.
- 5 Electric surface burners
- 5.0 cu. ft. electric oven
- 7 Oven functions
- Soft touch controls with knobs
- Lower storage drawer
- Self cleaning
- LP Convertible



F965

- 36 in.
- 5 Sealed gas burners
- 3.8 cu. ft. electric oven
- 7 Oven functions
- Metal constructed knobs
- Digital display with clock and timer
- LP Convertible



F965NF

- 36 in.
- 5 Sealed gas burners
- 3.8 cu. ft. electric oven
- 7 Oven functions
- Metal constructed knobs
- Digital display with clock, timer
- Lower storage drawer
- LP Convertible



COS-305DFSC

- 30 in.
- 5 Sealed Italian-made gas burners
- 5.0 cu. ft. electric oven
- 7 Oven functions
- Soft touch controls with knobs
- Lower storage drawer
- Self-cleaning



COS-DFR304

- 30 in.
- 4 Sealed Italian-made gas burners
- 3.9 cu. ft. electric oven
- 5 Oven functions
- Full metal knobs
- Wok grate attachment
- LP Convertible



COS-DFR366

- 36 in.
- 6 Sealed Italian-made gas burners
- 4.5 cu. ft. electric oven
- 5 Oven functions
- Full metal knobs
- Wok grate attachment
- LP Convertible



COS-305AGC

- 30 in.
- 5 Sealed gas burners
- 5.0 cu. ft. convection oven
- 4 Oven functions
- Full metal knobs
- Wok grate attachment
- Lower storage drawer
- LP Convertible



COS-965AGC

- 36 in.
- 5 Sealed gas burners
- 3.8 cu. ft. convection oven
- 4 Oven functions
- Full metal knobs
- Wok grate attachment
- Lower storage drawer
- LP Convertible



COS-965AGFC

- 36 in.
- 5 Sealed gas burners
- 3.8 cu. ft. convection oven
- 4 Oven functions
- Full metal knobs
- Wok grate attachment
- Digital display & timer
- LP Convertible



COS-EPGR244

- 24 in.
- 4 Sealed gas burners
- 3.7 cu. ft. convection oven
- 4 Oven functions
- Black porcelain cooktop
- 304-Grade stainless steel
- Removable backsplash
- LP Convertible



COS-EPGR304

- 30 in.
- 5 Sealed gas burners
- 4.5 cu. ft. convection oven
- 4 Oven functions
- Black porcelain cooktop
- 304-Grade stainless steel
- Removable backsplash
- LP Convertible



COS-EPGR366

- 36 in.
- 6 Sealed gas burners
- 6.0 cu. ft. convection oven
- 4 Oven functions
- Black porcelain cooktop
- 304-Grade stainless steel
- Removable backsplash
- LP Convertible



COS-EPGR486G

- 48 in.
- 6 Sealed gas burners & griddle
- 4.6 cu. ft. main convection oven
- 2.2 cu. ft. standard bake secondary oven
- Black porcelain cooktop
- Removable backsplash
- LP Convertible



COS-GRP366

- 36 in.
- 6 Sealed Italian-made gas burners
- 4.5 cu. ft. convection oven
- 6 Oven functions
- Full metal knobs
- Auto re-ignition
- LP Convertible



COS-GRP486G

- 48 in.
- 8 Sealed Italian-made gas burners & griddle attachment
- 3.5 cu. ft. main convection oven
- 2.0 cu. ft. secondary standard bake oven
- Full metal knobs
- LP Convertible

MICROWAVES



COS-2413ORMISS

- 24 in.
- 1.34 cu. ft. capacity
- 10 Power levels
- Over-the-range installation
- Vent fan
- Digital display
- Touch presets
- Sensor cooking



COS-3016ORMISS

- 30 in.
- 1.6 cu. ft. capacity
- 10 Power levels
- Over-the-range installation
- Vent fan
- Digital display
- Touch presets
- Sensor cooking



COS-3019ORM2SS

- 30 in.
- 1.9 cu. ft. capacity
- 11 Power levels
- Over-the-range installation
- Vent fan
- Digital display
- Touch presets
- Sensor cooking



COS-BIM22SSB


- 24 in.
- 2.2 cu. ft. capacity
- 10 Power levels
- Countertop or built-in installation
- Digital display
- Express cook buttons
- Sensor cooking



COS-12MWDSS


- 24 in.
- 1.2 cu. ft. capacity
- 11 Power levels
- Built-in installation
- Touch control panel
- Automatic presets
- Weight and time defrost
- Defrosting rack

COOKTOPS



COS-244ECC

- 24 in.
- Drop-in installation
- 4 Electric surface burners
- 1 x Dual zone burner
- Hot surface indicator light
- Black ceramic glass surface
- Knob controls
- 240V / 60Hz




COS-304ECC

- 30 in.
- Drop-in installation
- 4 Electric surface burners
- 2 x Dual zone burners
- Hot surface indicator light
- Black ceramic glass surface
- Knob controls
- 240V / 60Hz



COS-365ECC

- 36 in.
- Drop-in installation
- 5 Electric surface burners
- 2 x Dual zone burners
- Hot surface indicator light
- Black ceramic glass surface
- Knob controls
- 240V / 60Hz



COS-640STX-E

- 24 in.
- Drop-in installation
- 4 Sealed gas burners
- Cast iron grates
- Metal constructed knobs
- Flame failure technology
- Stainless steel surface
- LP Convertible



COS-850SLTX-E

- 30 in.
- Drop-in installation
- 5 Sealed gas burners
- Cast iron grates
- Metal constructed knobs
- Flame failure technology
- Stainless steel surface
- LP Convertible



COS-DIC304

- 30 in.
- Drop-in installation
- 4 Sealed Italian-made gas burners
- Cast iron grates
- Metal constructed knobs
- Stainless steel surface
- LP Convertible



COS-DIC366

- 36 in.
- Drop-in installation
- 6 Sealed Italian-made gas burners
- Cast iron grates
- Metal constructed knobs
- Stainless steel surface
- LP Convertible



COS-GRT304

- 30 in.
- Slide-in installation
- 4 Italian-made gas burners
- Cast iron grates
- Metal constructed knobs
- Electronic ignition
- Black porcelain cooktop
- LP Convertible



COS-GRT366

- 36 in.
- Slide-in installation
- 6 Italian-made gas burners
- Cast iron grates
- Metal constructed knobs
- Electronic ignition
- Black porcelain cooktop
- LP Convertible

REFRIGERATORS



COS-FDR225RHSS

- 22.5 cu. ft. capacity
- French door design
- Electronic temperature controls
- Adjustable bins and shelves
- LED lighting
- Built-in automatic ice maker
- Controllable alarm setting
- Soft-close door mechanism



COS-FDR225RHSS-G

- 22.5 cu. ft. capacity
- French door design
- Electronic temperature controls
- Adjustable bins and shelves
- LED lighting
- Built-in automatic ice maker
- Controllable alarm setting
- Soft-close door mechanism



COS-SBSR263RHSS

- 26.3 cu. ft. capacity
- Side-by-side design
- Electronic temperature controls
- Adjustable bins and shelves
- LED lighting
- Built-in automatic ice maker
- Water dispenser
- Controllable alarm setting



COS-FDR223GWSS

- 22.4 cu. ft. capacity
- French door design
- Electronic temperature controls
- LED lighting
- Built-in automatic ice maker
- Water dispenser
- Controllable alarm setting
- Soft-close door mechanism

WALL OVENS



C51EIX

- 24 in.
- Built-in installation
- 2.5 cu. ft. capacity
- 8 Oven functions
- Knob and push button controls
- Turbo true convection
- Triple layer glass
- Auto-off safety feature



C106SIX-PT

- 24 in.
- Built-in installation
- 2.5 cu. ft. capacity
- 8 Oven functions
- Soft touch controls
- LED Display
- Turbo true convection
- Triple layer glass



COS-30ESWC

- 30 in.
- Built-in installation
- 5.0 cu. ft. capacity
- 7 Oven functions
- Soft touch controls
- LED Display
- Self-cleaning
- Blue porcelain interior



COS-30EDWC

- 30 in.
- Built-in installation
- 2 x 5.0 cu. ft. capacity ovens
- 7 Oven functions
- Soft touch controls
- LED Display
- Self-cleaning
- Blue porcelain interior

AIR FRYERS



COS-23AFABK

- 2.3 QT. capacity
- Knob controls
- Temperature range from 180°F to 400°F
- Timer from 0 to 30 minutes
- Auto shut-off feature
- Non-stick coated parts
- 120V / 60Hz



COS-58AFABKSS

- 5.8 QT. capacity
- Knob controls
- Temperature range from 180°F to 400°F
- Timer from 0 to 30 minutes
- Auto shut-off feature
- Non-stick coated parts
- 120V / 60Hz



COS-317AF0SS

- 32 QT. capacity
- 8 Oven functions
- Knob and button controls
- Air fryer rack, rotisserie forks and handle, oven rack, grill pan and handle, and crumb tray
- Interior light
- 120V / 60Hz



APPLIANCES

Visit us online at:

www.cosmoappliances.com