OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

1 Identification

- · Product Identifier
- Trade Name: Red Oil Base Sweep with Grit
- · Product Number: 203
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: A heavy product suitable for all rough surface floors not damaged by oil.
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Superior Sweeps, Inc.
 430 Lower Boundary Street
 Macon, GA 31206
 Phone: 1-800-503-2213
 1-478-746-0908
 Emergency telephone number: 1-800-503-2213

2 Hazard(s) Identification

· Classification of the substance or mixture:

Eye Irritation 2B H320 Causes eye irritation.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Warning
- · Hazard statements:
- H320 Causes eye irritation.
- Precautionary statements:
- P264+P265 Wash thoroughly after handling. Do not touch eyes.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P337+P317 If eye irritation persists: Get medical help.
- Unknown acute toxicity:
- This value refers to knowledge of known, established toxicological or ecotoxicological values.
- 6 % of the mixture consists of component(s) of unknown toxicity.
- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH*1Health = *1FIRE0Fire = 0REACTIVITY0Physical Hazard = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

[•] Chemical characterization: Substance

· **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

· Dangerous Components:		
	Quartz (SiO2)	40-60%
RTECS: VV 7330000	Specific Target Organ Toxicity - Repeated A Specific Target Organ Toxicity - Repeated	
	Exposure 1, H372; () Acute Toxicity - Inhalation 4, H332; Specific Target	
	Organ Toxicity - Single Exposure 3, H335; Eye Irritation 2B, H320	

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

• Description of first aid measures

- General information: If symptoms persist, call a physician.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation occurs, consult a doctor.
- · After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor. If easy to do so, remove contact lenses if worn.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor

· Most important symptoms and effects, both acute and delayed:

Quartz: Can cause silicosis, a fibrosis (scarring) of the lungs. Silicosis may be progressive; it may lead to disability and death; inhaled from occupational sources is classified as carcinogenic to humans. Some studies show in workers exposed to respirable quartz excess numbers of cases of scleroderma, connective tissue disorders, lupus, rheumatoid arthritis, chronic kidney diseases and end-stage kidney disease, chronic bronchitis and emphysema.

• Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Dispose of the collected material according to regulations.
- Reference to other sections:
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· PAC-1:

14808-60-7 Quartz (SiO2)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	140 mg/m³
· PAC-2:	
14808-60-7 Quartz (SiO2)	33 mg/m³
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	1,500 mg/m³
· PAC-3:	
14808-60-7 Quartz (SiO2)	200 mg/m ³
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic	8,900 mg/m ³
7 Handling and Storage	

· Handling

· Precautions for safe handling: No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage
- *Requirements to be met by storerooms and receptacles:* Store in the original container.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

• Control parameters:

· Components with occupational exposure limits:

14808-60-7 Quartz (SiO2)

- PEL Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2
- REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A TLV Long-term value: 0.025* mg/m³
- *respirable particulate matter, A2

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

• Exposure controls:

- Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Breathing equipment: Not required.
- Protection of hands: Not required.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.

(Contd. on page 4)

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

· Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

 Information on basic physical and c General Information Appearance: 	hemical properties
Form:	Solid
Color:	Red
· Odor: · Odor threshold:	Petroleum-like Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not determined.
· Auto igniting:	Not applicable
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. 0.0 Vol %
· Vapor pressure @ 20 °C (68 °F):	≤23 hPa (≤17.3 mm Hg)
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with: Water: 	Insoluble.
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.
 Solvent content: VOC content: 	0.00 %
Solids content:	0 %

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

· Other information:

No further relevant information available.

10 Stability and Reactivity

- · *Reactivity:* Reacts with strong oxidizing agents.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.

· Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects:

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

14808-60-	7 Quartz (SiO2)	
Oral	LD50	>22,500 mg/kg (Rat)
		mg/kg (rabbit)
Inhalative	LC50/96 hours	1,033 mg/l (Trout)

- · Primary irritant effect:
- · On the skin: No irritating effect.
- On the eye: Irritating effect.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

"In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicate dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis will also reduce the cancer risk." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled"

14808-60-7 Quartz (SiO2)

(Contd. on page 6)

1

Κ

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

• NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

- Toxicity:
- Aquatic toxicity:
- 14808-60-7 Quartz (SiO2)
- EC50 218 mg/l (Green algae)
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- *Mobility in soil:* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

· Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

 · UN-Number: · DOT, ADR/ADN, ADN, IMDG, IATA · UN proper shipping name: · DOT, ADR/ADN, ADN, IMDG, IATA · Transport hazard class(es): 	Non-Regulated Material Non-Regulated Material
· DOT, ADR/ADN, ADN, IMDG, IATA · Class: · Packing group:	Non-Regulated Material
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
· Environmental hazards:	Not applicable.
 Special precautions for user: 	Not applicable.
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code:	Not applicable.
· UN "Model Regulation":	Non-Regulated Material

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

ARA (Superfund Amendments and Reauthorization): ection 355 (extremely hazardous substances): one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act): 4808-60-7 Quartz (SiO2) 7732-18-5 Water, distilled water, deionized water 4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic azardous Air Pollutants One of the ingredients are listed. one of the ingredients are listed. Stances Concer: 4808-60-7 Quartz (SiO2) Phemicals known to cause cancer: Adotsologo (SiO2) Themicals known to cause reproductive toxicity for females: One of the ingredients are listed. Themicals known to cause reproductive toxicity for females: One of the ingredients are listed. Themicals known to cause reproductive toxicity for males: One of the ingredients are listed.	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act): 4808-60-7 Quartz (SiO2) 7732-18-5 Water, distilled water, deionized water 4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic azardous Air Pollutants one of the ingredients are listed. alifornia Proposition 65: themicals known to cause cancer: 4808-60-7 Quartz (SiO2) themicals known to cause reproductive toxicity for females: one of the ingredients are listed. themicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act): 4808-60-7 Quartz (SiO2) 7732-18-5 Water, distilled water, deionized water 4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic azardous Air Pollutants one of the ingredients are listed. alifornia Proposition 65: themicals known to cause cancer: 4808-60-7 Quartz (SiO2) themicals known to cause reproductive toxicity for females: one of the ingredients are listed. alifornia Proposition 65: themicals known to cause reproductive toxicity for females: one of the ingredients are listed. and the ingredients are listed.	
one of the ingredients are listed. SCA (Toxic Substances Control Act): 4808-60-7 Quartz (SiO2) 7732-18-5 Water, distilled water, deionized water 4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic azardous Air Pollutants one of the ingredients are listed. alifornia Proposition 65: themicals known to cause cancer: 4808-60-7 Quartz (SiO2) themicals known to cause reproductive toxicity for females: one of the ingredients are listed. themicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
SCA (Toxic Substances Control Act): 4808-60-7 Quartz (SiO2) 7732-18-5 Water, distilled water, deionized water 4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic azardous Air Pollutants Image: Control 65: one of the ingredients are listed. Image: Control 65: themicals known to cause cancer: Image: Control 65: themicals known to cause reproductive toxicity for females: Image: Control 65: themicals known to cause reproductive toxicity for females: Image: Control 65: themicals known to cause reproductive toxicity for females: Image: Control 65: one of the ingredients are listed. Image: Control 65: themicals known to cause reproductive toxicity for females: Image: Control 65: one of the ingredients are listed. Image: Control 65: themicals known to cause reproductive toxicity for males: Image: Control 65: one of the ingredients are listed. Image: Control 65: themicals kn	
4808-60-7 Quartz (SiO2) 7732-18-5 Water, distilled water, deionized water 4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic azardous Air Pollutants one of the ingredients are listed. one of the ingredients are listed. california Proposition 65: chemicals known to cause cancer: 4808-60-7 Quartz (SiO2) chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the in	
7732-18-5Water, distilled water, deionized water4742-52-5Distillates (petroleum), hydrotreated heavy naphthenicazardous Air Pollutantsone of the ingredients are listed.alifornia Proposition 65:themicals known to cause cancer:4808-60-7Quartz (SiO2)themicals known to cause reproductive toxicity for females:one of the ingredients are listed.themicals known to cause reproductive toxicity for males:one of the ingredients are listed.themicals known to cause reproductive toxicity for males:one of the ingredients are listed.	ACTIV
4742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic lazardous Air Pollutants one of the ingredients are listed. chemicals Proposition 65: chemicals known to cause cancer: 4808-60-7 Quartz (SiO2) chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed.	ACTIV
Pazardous Air Pollutants one of the ingredients are listed. Palifornia Proposition 65: Chemicals known to cause cancer: 4808-60-7 Quartz (SiO2) Chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: one of the ingredients are listed.	ACTIV
one of the ingredients are listed. alifornia Proposition 65: themicals known to cause cancer: 4808-60-7 Quartz (SiO2) themicals known to cause reproductive toxicity for females: one of the ingredients are listed. themicals known to cause reproductive toxicity for males: one of the ingredients are listed.	ACTIV
Falifornia Proposition 65: Chemicals known to cause cancer: 4808-60-7 Quartz (SiO2) Chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
chemicals known to cause cancer: 4808-60-7 Quartz (SiO2) chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed. one of the ingredients are listed.	
4808-60-7 Quartz (SiO2) chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. chemicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
chemicals known to cause reproductive toxicity for females: one of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
one of the ingredients are listed. hemicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
themicals known to cause reproductive toxicity for males: one of the ingredients are listed.	
one of the ingredients are listed.	
hemicals known to cause developmental toxicity:	
one of the ingredients are listed.	
lew Jersey Right-to-Know List:	
4808-60-7 Quartz (SiO2)	
ew Jersey Special Hazardous Substance List:	
4808-60-7 Quartz (SiO2)	C
ennsylvania Right-to-Know List:	
4808-60-7 Quartz (SiO2)	
ennsylvania Special Hazardous Substance List:	
one of the ingredients are listed.	
arcinogenic categories:	
PA (Environmental Protection Agency):	
one of the ingredients are listed.	
LV (Threshold Limit Value established by ACGIH):	
4808-60-7 Quartz (SiO2)	A
IOSH-Ca (National Institute for Occupational Safety and Health):	
4808-60-7 Quartz (SiO2)	

Hazard pictograms: Non-Regulated Material
 Signal word: Warning

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/30/2024

Reviewed on 04/30/2024

Trade Name: Red Oil Base Sweep with Grit

· Hazard statements:

H320 Causes eye irritation.

Precautionary statements:

P264+P265 Wash thoroughly after handling. Do not touch eyes.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

· National regulations:

P337+P317

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Toxicity - Inhalation 4: Acute toxicity - Category 4 Eye Irritation 2B: Serious eye damage/eye irritation - Category 2B Carcinogenicity 1A: Carcinogenicity - Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1 * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106