



## 15.0 References

- Alford, R., Cunningham, M., Hoskin, C. and McDonald, K. (2004). *Cophixalus infacetus*. The IUCN Red List of Threatened Species 2004: e.T41122A10403346. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T41122A10403346.en> . Accessed on 04 August 2022.
- Alford, R., Cunningham, M., McDonald, K., Retallick, R. and Richards, S. (2008). *Mixophyes schevilli*. The IUCN Red List of Threatened Species 2008: e.T41170A10408607. <https://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T41170A10408607.en>. Accessed on 05
- Aplin, K., Dickman, C., Salas, L., Burnett, S. & Winter, J. (2016). *Cercartetus caudatus*. The IUCN Red List of Threatened Species 2016: e.T4192A21963339. <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T4192A21963339.en> . Accessed on 15 October 2022.
- Armstrong, K.N. 2021. *Rhinolophus philippinensis*. The IUCN Red List of Threatened Species 2021: e.T19560A21992817. <https://dx.doi.org/10.2305/IUCN.UK.2021-3.RLTS.T19560A21992817.en>. Accessed on 05 October 2022.
- Armstrong, K.N. & Aplin, K. 2021. *Hipposideros semoni* (amended version of 2017 assessment). The IUCN Red List of Threatened Species 2021: e.T10160A209537564. <https://dx.doi.org/10.2305/IUCN.UK.2021-3.RLTS.T10160A209537564.en>. Accessed on 05 October 2022.
- Arnaiz-Villena, A, Ruiz-del-Valle V, Gomez-Prieto P, Reguera R, Parga-Lozano C, Serrano-Vela I (2009). "Estrildinae Finches (Aves, Passeriformes) from Africa, South Asia and Australia: a Molecular Phylogeographic Study". *The Open Ornithology Journal*. **2**: 29–36. doi:10.2174/1874453200902010029.
- Attexo Group Pty Ltd (2021). Ecological Assessment Report, Chalumbin Wind Farm, 2021. Prepared for Chalumbin Wind Farm Pty Ltd.
- Aumann, T. and Baker-Gabb, D.. (1991). The ecology and status of the Red Goshawk in northern Australia. RAOU Report No.75, Melbourne
- Australian Broadcasting Corporation (ABC) (2022) *Origin to Shut Eraring Power Station Early* <https://www.abc.net.au/news/2022-02-17/origin-to-shut-eraring-power-station-early/100838474>
- Australian Bureau of Statistics (ABS) (2016). Census of Population and Housing, Working Population Profiles
- ABS (2016b). 2016 Census of Population and Housing, Community Profiles; Table Builder
- ABS (2016c). Population Estimates by LGA, 2001 to 2020
- Australian Chief Scientist (2009), *Which plants store more carbon in Australia: forests or grasses?*,
- Australian Electricity Market Operator (AEMO) (2022) *Quarterly Energy Dynamics Q4 2021* <https://aemo.com.au/-/media/files/major-publications/qed/2021/q4-report.pdf?la=en>
- AEMO (2021a) *Draft 2022 Integrated System Plan* <https://aemo.com.au/-/media/files/major-publications/isp/2022/draft-2022-integrated-system-plan.pdf?la=en>
- AEMO (2021b) *Fact Sheet: The National Electricity Market* <https://aemo.com.au/-/media/files/electricity/nem/national-electricity-market-fact-sheet.pdf>
- Baerwald, E., D'Amours, G., Baerwald, B. and Barclay, R. (2008). Barotrauma is a significant cause of bat fatalities at wind farms. *Current Biology* 18(16): 695-696.



Barlow, Maisie 2003. Jirrbal Elder interviewed at her home in Ravenshoe by Åsa Ferrier for her PhD research.

Bean, A.R. (1995). Reinstatement and revision of *Triplarina* Raf. (Myrtaceae) in *Austrobaileya*, vol. 4, no. 3, pp. 353-367.

Beruldsen G (2003) *Australian Birds: Their Nests and Eggs* (2nd ed.). Kenmore Hills, Qld: self. p. 364. ISBN 0-646-42798-9.

Beyer, G. and Goldingay, R. (2006). The value of nest boxes in the research and management of Australian hollow-using arboreal marsupials. *Wildlife Research* 33(3).

BirdForum Opus Contributors (2022) Atherton Scrubwren. In: BirdForum, the forum for wild birds and birding. Retrieved 1 August 2022 from [https://www.birdforum.net/opus/Atherton\\_Scrubwren](https://www.birdforum.net/opus/Atherton_Scrubwren).

Bird JP, Martin R, Akcakaya HR, Gilroy J, Burfield IJ, Garnett ST, Symes A, Taylor J, Sekercioglu CH, Butchart SHM (2020) Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* **34**, 1252-1261. Doi:10.1111/cobi.13486.

BirdLife International. (2016a). *Monarcha melanopsis*. *The IUCN Red List of Threatened Species* 2016: e.T22707243A94112953. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22707243A94112953.en>. Accessed on 10 January 2022.

BirdLife International. (2016b). *Bolemoreus frenatus*. *The IUCN Red List of Threatened Species* 2016: e.T22704043A93949704. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22704043A93949704.en>. Accessed on 01 August 2022.

BirdLife International. (2016c). *Tyto multipunctata*. *The IUCN Red List of Threatened Species* 2016: e.T22688435A93197565. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22688435A93197565.en>. Accessed on 01 August 2022.

BirdLife International. (2016d). *Xanthotis macleayanus*. *The IUCN Red List of Threatened Species* 2016: e.T22704110A93953356. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22704110A93953356.en>. Accessed on 01 August 2022.

BirdLife International. (2016e). *Arses kaupi*. *The IUCN Red List of Threatened Species* 2016: e.T22707351A94118989. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22707351A94118989.en>. Accessed on 01 August 2022.

BirdLife International. (2016f). *Zoothera lunulata*. *The IUCN Red List of Threatened Species* 2016: e.T22708512A94162437. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22708512A94162437.en>. Accessed on 01 August 2022.

BirdLife International. (2017a). *Myiagra cyanoleuca* (amended version of 2016 assessment). *The IUCN Red List of Threatened Species* 2017: e.T22707403A118760627. <https://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T22707403A118760627.en>. Accessed on 10 January 2022.

BirdLife International. (2017b). *Symphysichrus trivirgatus* (amended version of 2016 assessment). *The IUCN Red List of Threatened Species* 2017: e.T22707277A118762990. <https://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T22707277A118762990.en>. Accessed on 10 March 2022

BirdLife International. (2017c). *Orthonyx spaldingii* (amended version of 2016 assessment). *The IUCN Red List of Threatened Species* 2017: e.T22704977A118670720. <https://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T22704977A118670720.en>. Accessed on 01 August 2022.



BirdLife International (2018a) *Tyto novaehollandiae*. *The IUCN Red List of Threatened Species* 2018: e.T62172196A132190206 <https://www.iucnredlist.org/species/62172196/132190206> Downloaded on 12 February 2021.

BirdLife International. (2018b). *Erythrura trichroa*. *The IUCN Red List of Threatened Species* 2018: e.T22719712A131996890. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22719712A131996890.en>. Accessed on 01 August 2022.

BirdLife International. (2018c). *Ptilonorhynchus violaceus*. *The IUCN Red List of Threatened Species* 2018: e.T22703679A130219832. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22703679A130219832.en>. Accessed on 01 August 2022.

BirdLife International. (2022a). *Turnix olivii*. *The IUCN Red List of Threatened Species* 2022: e.T22680572A210960314. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22680572A210960314.en>. Accessed on 03 October 2022.

BirdLife International. (2022b). *Sericornis keri*. *The IUCN Red List of Threatened Species* 2022: e.T22704546A211231978. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22704546A211231978.en>. Accessed on 01 August 2022.

BirdLife International. (2022c). *Colluricincla boweri*. *The IUCN Red List of Threatened Species* 2022: e.T22705553A211325531. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22705553A211325531.en>. Accessed on 01 August 2022.

BirdLife International. (2022d). *Oreoscopus gutturalis*. *The IUCN Red List of Threatened Species* 2022: e.T22704520A210662799. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22704520A210662799.en>. Accessed on 01 August 2022.

BirdLife International. (2022e). *Prionodura newtoniana*. *The IUCN Red List of Threatened Species* 2022: e.T22703661A211085173. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22703661A211085173.en>. Accessed on 01 August 2022.

BirdLife International. (2022f). *Heteromyias cinereifrons*. *The IUCN Red List of Threatened Species* 2022: e.T103753555A211462345. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T103753555A211462345.en>. Accessed on 01 August 2022.

BirdLife International. (2022g). *Acanthiza katherina*. *The IUCN Red List of Threatened Species* 2022: e.T22704627A211281981. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22704627A211281981.en>. Accessed on 01 August 2022.

BirdLife International. (2022h). *Scenopoeetes dentirostris*. *The IUCN Red List of Threatened Species* 2022: e.T22703627A211059844. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22703627A211059844.en>. Accessed on 01 August 2022.

BirdLife International. (2022i). *Lophorina victoriae*. *The IUCN Red List of Threatened Species* 2022: e.T22706193A211335991. <https://dx.doi.org/10.2305/IUCN.UK.2022-1.RLTS.T22706193A211335991.en>. Accessed on 01 August 2022.

Bispo, R., Bernardino, J., Marques, T. and Pestana, D. (2013). Modelling carcass removal time for avian mortality assessment in wind farms using survival analysis. *Environmental and Ecological Statistics* 20(1):147-65.

Boutilier, R. and Thomson, I. (2011). *Modelling and measuring the social license to operate: fruits of a dialogue between theory and practice*



Brett Lane & Associates Pty Ltd (2005). *Wind Farms and Birds: Interim Standards for Risk Assessment – Australian Wind Energy Association Report*.

Bruce, M.D. and Marks, J.S. (2020). Australian Masked-Owl (*Tyto novaehollandiae*), version 1.0. In *Birds of the World* (Billerman, S.M., Keeny, B.K., Rodewald, P.G. and Schulenberg, T.S. (Eds). Cornell Lab of Ornithology, Ithaca, NY. <https://doi.org/10.2173/bow.aumowl1.01>

Buhrich, A. and Ferrier, A. (2021) *Preliminary Scoping Study Report Chalumbin Wind Farm, Ravenshoe*, Report to Jirrbal #4, Wabubadda Aboriginal Corporation and Epuron Pty Ltd V2 .

Burbidge, A.A. & Woinarski, J. 2016. *Bettongia tropica* (errata version published in 2017). *The IUCN Red List of Threatened Species* 2016: e.T2787A115063540. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T2787A21961037.en>. Accessed on 05 October 2022.

Burbidge, A.A. and Woinarski, J. (2020). *Petauroides volans* (amended version of 2016 assessment). *The IUCN Red List of Threatened Species* 2020: e.T40579A166500472. <https://dx.doi.org/10.2305/IUCN.UK.2020-1.RLTS.T40579A166500472.en>. Accessed on 08 August 2022.

Bureau of Meteorology (BOM) (2022) Climate Data Online <http://www.bom.gov.au/climate/data/index.shtml> accessed 5 March 2022.

Burnett, S. (2001). The mammals of Mount Molloy Stock Route Reserves and Spear Creek. Environmental Earthworks Services, Townsville.

Burnett, S. (2008). Atherton Antechinus, *Antechinus godmani*. In: S. Van Dyck and R. Strahan (eds), *The mammals of Australia. Third Edition*, pp. 89-90. Reed New Holland, Sydney, Australia.

Burnett, S. and Crowther, M. S. (2008). Rusty Antechinus, *Antechinus adustus*. In: S. Van Dyck and R. Strahan (eds), *The mammals of Australia. Third Edition*, pp. 81-82. Reed New Holland, Sydney, Australia.

Burnett, S. & Dickman, C. (2018). *Dasyurus maculatus*. *The IUCN Red List of Threatened Species* 2018: e.T6300A21946847. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T6300A21946847.en>. Accessed on 15 January 2022

Burnett, S. & Winter, J. (2016a). *Pseudochirulus herbertensis*. *The IUCN Red List of Threatened Species* 2016: e.T18509A21962231. <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T18509A21962231.en>. Accessed on 10 January 2022.

Burnett, S. & Winter, J. (2016b). *Antechinus adustus*. *The IUCN Red List of Threatened Species* 2016: e.T13655A21946505. <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T13655A21946505.en> . Accessed on 05 August 2022.

Burnett, S. & Winter, J. (2019a). *Antechinus godmani*. *The IUCN Red List of Threatened Species* 2019: e.T1583A21945986. <https://dx.doi.org/10.2305/IUCN.UK.2019-1.RLTS.T1583A21945986.en> . Accessed on 05 August 2022.

Burnett, S. & Winter, J. (2019b). *Hemibelideus lemuroides*. *The IUCN Red List of Threatened Species* 2019: e.T9869A21962427. <https://dx.doi.org/10.2305/IUCN.UK.2019-1.RLTS.T9869A21962427.en> . Accessed on 06 August 2022.

Burnett, S., Winter, J. & Martin, R. (2016a). *Petaurus gracilis*. *The IUCN Red List of Threatened Species* 2016: e.T16727A21959531. <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T16727A21959531.en>. Accessed on 05 October 2022.



Burnett, S., Winter, J. & Martin, R. (2016b). *Hypsiprymnodon moschatus*. The IUCN Red List of Threatened Species 2016: e.T40559A21963734. <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T40559A21963734.en> . Accessed on 07 August 2022.

Calvert, G. (2016). *Wetland Plants of the Wet Tropics*. Terrain NRM, Innisfail

Campbell, W.W. (1923). *Theodolite Traverse of the Tully River*. Field notes, Cwl. 555 and 6, Department of Natural Resources and Mines, Queensland Government.

Campbell, Iain, and Sam Woods. *Wildlife of Australia*, Princeton University Press, 2013. *ProQuest Ebook Central*, <https://ebookcentral-proquest-com.ezproxy.newcastle.edu.au/lib/newcastle/detail.action?docID=1131674>

Chen, I.C., Hill, J.K., Ohlemüller, R., Roy, D.B. and Thomas, C.D. (2011). *Rapid Range Shifts of Species Associated with High Levels of Climate Warming*. Science Volume 333

Christidis, L. and Boles, W.E. 2008. *Systematics and Taxonomy of Australian Birds*. CSIRO Publishing, Collingwood, Australia.

Claus König, Friedhelm Weick: *Owls of the World*. Christopher Helm, London 2008,

Clayton, M., Wombey, J.C., Mason, I.J., Chesser, R.T. & Wells, A. 2006, CSIRO List of Australian Vertebrates: A Reference with Conservation Status, iv 162 pp., CSIRO Publishing, Melbourne.

Clean Energy Council (2018) *Best Practice Guidelines for Implementation of Wind Energy Projects in Australia*.

Clean Energy Council (2021), *Clean Energy Australia Report 2021*.

Coates B, Dutson G, Filardi C, Clement P, Gregory P, Moeliker K (2007). Family Monarchidae (Monarch-flycatchers). In Josep del H, Andrew E, David C (Eds.). *Handbook of the Birds of the World 11, Old World Flycatchers to Old World Warblers*. Barcelona: Lynx Editions. pp. 315–16.

Commonwealth of Australia (2009) *Australia's Biodiversity and Climate Change: A strategic assessment of the vulnerability of Australia's biodiversity to climate change – Technical Synthesis*, <https://www.awe.gov.au/sites/default/files/documents/biodiversity-technical-synthesis.pdf>, Department of Climate Change, Australia.

Commonwealth of Australia (Geoscience Australia) (2019). *Australian Rainfall and Runoff – A guide to flood estimation*. Barton, ACT.

Cosgrove, R. (1996). Origin and development of Australian Aboriginal tropical rainforest culture: A reconsideration. *Antiquity* 70: 900-912.

Cosgrove, R., Field, J. and Ferrier, Å. (2007). The archaeology of Australia's tropical rainforest. *Paleogeography Paleoclimatology, Palaeoecology* 251:150-173.

Couper, P., Hoskin, C., Amey, A. & Vanderduys, E. (2018a). *Lygisaurus malleolus*. The IUCN Red List of Threatened Species 2018: e.T47155029A47155038. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T47155029A47155038.en> . Accessed on 21 August 2022.

Couper, P., Hoskin, C., Cogger, H. & Amey, A. (2018b). *Saltuarius cornutus*. The IUCN Red List of Threatened Species 2018: e.T178216A83324062. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T178216A83324062.en> . Accessed on 21 August 2022.

Craig, MD. (2003) An ecological study of the Blue-faced Parrot-Finch (*Erythrura trichroa macgillivrayi*) near Yungaburra, Australia. *Emu – Austral Ornithology*, 103(4): 363-368. Doi: <https://doi.org/10.1071/MU02047> .



Crawford, R. (2009), 'Life cycle energy and greenhouse emissions analysis of wind turbines and the effect of size on energy yield', *Renewable and Sustainable Energy Reviews*, 13, pp. 2653-2660.

Cropper, S. (1993). *Management of Endangered Plants*. CSIRO Publications, Melbourne.

Crowley GM, Garnett ST, Shephard S (2009) Impact of storm-burns on *Meleleuca viridiflora* invasion of grasslands and grassy woodlands on Cape York Peninsula, Australia. *Austral Ecology* **34**, 196-209. Doi:10.1111/j.1442-9993.2008.01921.x

Czechura, G.V. 1997. *A preliminary study of Red Goshawk Erythrotriorchis radiatus community relationships, Conondale Range, southeast Queensland*. Unpublished report to the Queensland Department of Environment

Czechura, G.V. 2001. *The status and distribution of the Red Goshawk Erythrotriorchis radiatus on Cape York Peninsula, Queensland*. Unpublished report to Birds Australia.

Czechura, G.V., Hobson, R.G. & Stewart, D.A. 2010. *Distribution, status and habitat of the red goshawk Erythrotriorchis radiatus in Queensland* *Corella* 2010, 35(1):3-10

Debus, S. and Czechura, G. (1988). The Red Goshawk *Erythrotriorchis radiatus*: a review. *Australian Bird Watcher* 12:175-99.

Debus, S. and G. M. Kirwan (2020). Buff-breasted Buttonquail (*Turnix olivii*), version 1.0. In *Birds of the World* (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.bubbut1.01>

Dennis, A.J. (2001) Recovery plan for the northern bettong, *Bettongia tropica*, 2000-2004. Queensland Parks and Wildlife Service, Brisbane.

Dennis, A. J. and Johnson, P. M. 2008. Musky Rat-kangaroo, *Hypsiprymnodon moschatus*. In: S. Van Dyck and R. Strahan (eds), *The mammals of Australia. Third Edition*, pp. 281-283. Reed New Holland, Sydney, Australia.

Department of Agriculture, Fisheries and Forestry (DAFF) (2013). *Vehicle and Machinery Inspection Procedure – Biosecurity Queensland Checklists 2013*. State of Queensland.

Department of Agriculture, Water and the Environment (DAWE) (2022a). *Conservation Advice for Phascolarctos cinereus (Koala) combined populations of Queensland, New South Wales and the Australian Capital Territory*. Australian Government.

DAWE (2022b) National Recovery Plan for the Koala *Phascolarctos cinereus* (combined populations of Queensland, New South Wales and the Australian Capital Territory). Australian Government, Canberra

DAWE (2022c) Australian Heritage Database – Wet Tropics of Queensland. National Heritage Place Available at [https://www.environment.gov.au/cgi-bin/ahdb/search.pl?mode=place\\_detail;search=place\\_name%3Dwet%2520tropics%3Bkeyword\\_PD%3Don%3Bkeyword\\_SS%3Don%3Bkeyword\\_PH%3Don%3Blatitude\\_1dir%3DS%3Blongitude\\_1dir%3DE%3Blongitude\\_2dir%3DE%3Blatitude\\_2dir%3DS%3Bin\\_region%3Dpart;place\\_id=105689](https://www.environment.gov.au/cgi-bin/ahdb/search.pl?mode=place_detail;search=place_name%3Dwet%2520tropics%3Bkeyword_PD%3Don%3Bkeyword_SS%3Don%3Bkeyword_PH%3Don%3Blatitude_1dir%3DS%3Blongitude_1dir%3DE%3Blongitude_2dir%3DE%3Blatitude_2dir%3DS%3Bin_region%3Dpart;place_id=105689)

DAWE (2022d) National Flying Fox Monitoring Viewer accessed at: <http://www.environment.gov.au/webgis-framework/apps/ffc-wide/ffc-wide.jsf>

Department of Climate Change, Energy, the Environment and Water (DCCEEW) (2022). *Conservation Advice for Petauroides minor (greater glider (northern))*. Australian Government.

Department of Environment and Energy (DoEE) (2016). Threat abatement plan for infection of amphibians with chytrid fungus resulting in chytridiomycosis. Australian Government.



DoEE (2017) Threat abatement plan for predation, habitat degradation, competition and disease transmission by feral pigs (*Sus scrofa*). Australian Government

Department of Environment, Land, Water and Planning (DELWP) (2016). National Recovery Plan for the Spotted-tailed Quoll *Dasyurus maculatus*. Australian Government

DELWP (2019). Greater Glider (*Petauroides volans* subsp. *volans*) Action Statement No. 267. Victorian Government.

Department of Energy and Public Works (DEPW) (2021) *Local Benefits in Queensland Renewable Energy Zones – Principles for delivering local benefits in QREZ*. Community Consultation Paper 2021. State of Queensland.

Department of Environment and Resource Management (DERM) (2010). National Recovery Plan for the spectacled flying-fox *Pteropus conspicillatus*. Report to the Department of Sustainability, Environment, Water, Population and Communities, Canberra.

DERM (2011). National recovery plan for the yellow-bellied glider (Wet Tropics) *Petaurus australis* unnamed subspecies. Report to the Department of Sustainability, Environment, Water, Population and Communities, Canberra.

DERM (2012). National Recovery Plan for the red goshawk *Erythrotriorchis radiatus*. Report to the Department of Sustainability, Environment, Water, Population and Communities, Canberra.

Department of Environment and Science (DES) (2014). Wet sclerophyll forest management guide – Description. Available online: <https://www.qld.gov.au/environment/plants-animals/habitats/regrowth/regrowth-guides/wet-sclerophyll/wet-sclerophyll-description> (accessed on 8 June 2022).

DES (2019a). Climate change in the Far North Queensland Region. Queensland Government. Available online: [www.qld.gov.au/data/assets/pdf\\_file/0025/68371/far-north-qld-climate-change-impact-summary.pdf](http://www.qld.gov.au/data/assets/pdf_file/0025/68371/far-north-qld-climate-change-impact-summary.pdf) (accessed on 29 November 2021)

DES (2019b) Wet Tropics Region: Herbert catchment water quality targets, Reef 2050 Water Quality Improvement Plan, [https://www.reefplan.qld.gov.au/data/assets/pdf\\_file/0017/46061/catchment-targets-wet-tropics-herbert.pdf](https://www.reefplan.qld.gov.au/data/assets/pdf_file/0017/46061/catchment-targets-wet-tropics-herbert.pdf)

DES (2019c) *A spatial representation of selected natural Outstanding Universal Values of the Wet Tropics World Heritage Area*. Available at: <https://nla.gov.au/nla.obj-2836032318/view>

DES (2020) Flora Survey Guidelines – Protected Plants. State of Queensland.

DES (2020b) *Code of Practice – Care of Sick, Injured or Orphaned Protected Animals in Queensland*, Nature Conservation Act 1992, State of Queensland.

DES (2020c) *Noise Measurement Manual*, State of Queensland.

DES (2022) *Regional ecosystem details for 7.12.16*, Queensland Government, <https://apps.des.qld.gov.au/regional-ecosystems/details/?re=7.12.16>

DoR 2021 RE mapping

Department of Sustainability, Environment, Water, Population and Communities (DSEWPC) (2011a) Survey guidelines for Australia's threatened mammals. Commonwealth of Australia.

DSEWPC (2011b) Survey guidelines for Australia's threatened reptiles. Commonwealth of Australia.

DSEWPC (2011c). *Threat Abatement Plan for the Biological Effects, Including Lethal Toxic Ingestion, Caused by Cane Toads*. Commonwealth of Australia.



DSEWPC (2012a) *Threat Abatement Plan to reduce the impacts on northern Australia's biodiversity by the five listed grasses*. Commonwealth of Australia

DSEWPC (2012b) *Approved Conservation Advice for Broad Lead Tea-Tree Woodlands in High Rainfall Coastal North Queensland*. Commonwealth of Australia.

DSEWPC (2012c) *Approved Conservation Advice for Phascolarctos cinereus*. Canberra

Department of the Arts, Sport, the Environment, Tourism and Territories (DASETT) (1987). *Nomination of Wet Tropical Rainforests of North-east Australia by the Government of Australia for inclusion in the World Heritage List*.

Department of the Environment (DoE) (2013) *Matters of National Environmental Significance – Significant Impact Guidelines 1.1 Environment Protection and Biodiversity Conservation Act 1999*. Australian Government.

DoE (2014) *EPBC Act referral guidelines for the vulnerable koala (combined populations of Queensland, New South Wales and the Australian Capital Territory)*. Australian Government.

DoE (2015a). *Draft referral guideline for 14 birds listed as migratory species under the EPBC Act*. Commonwealth of Australia.

DoE (2015b) *Conservation Advice Prostanthera clotteniana*. Canberra: Department of the Environment.

DoE (2015c) *Threat abatement plan for predation by feral cats*. Australian Government.

DoE (2016) *EPBC Act referral guideline for the endangered northern quoll Dasyurus hallucatus*. Commonwealth of Australia

Department of the Environment, Water, Heritage and the Arts (DEWHA) (2008a). *Approved Conservation Advice for Triplarina nitchaga*. Canberra: Department of the Environment, Water, Heritage and the Arts.

DEWHA (2008b). *Approved Conservation Advice for Homoranthus porteri*. Canberra: Department of the Environment, Water, Heritage and the Arts.

DEWHA (2008c) *Approved Conservation Advice for Aponogeton bullosus*. Canberra: Department of the Environment, Water, Heritage and the Arts.

DEWHA (2008d) *Threat abatement plan for predation by the European red fox*. Australian Government.

DEWHA (2010a) *Survey guidelines for Australia's threatened bats*. Commonwealth of Australia.

DEWHA (2010b) *Survey guidelines for Australia's threatened birds*. Commonwealth of Australia.

DEWHA (2010c) *Survey guidelines for Australia's threatened frogs*. Commonwealth of Australia.

DEWHA (2010d) *Significant impact guidelines for the endangered southern cassowary (Casuarius casuarius johnsonii) Wet Tropics Population*. Commonwealth of Australia.

Department of Transport and Main Roads (DTMR) (2010). *Technical Document – Fauna Sensitive Road Design Manual: Volume 2: Preferred Practices*.

DTMR (2017). *Guideline – Completing the Animal Breeding Place Register for a Species Management Program*.

Dixon, B. (1972). *The Dyirbal language of North Queensland*. Cambridge: Cambridge University Press.

Dixon, B. (1991). *Words of our Country: Stories, place names and vocabulary in Yidinji, the Aboriginal language of the Cairns-Yarrabah Region*. St Lucia, QLS: Queensland University Press.





Duke, A. & Collins, S. (1994). *Jirrbal Heritage and History Project Cultural Mapping*, Prepared for Jiddabul Aboriginal Corporation.

Durant, R., Luck, G. and Matthews, A. (2009). Nest-box use by arboreal mammals in a peri-urban landscape. *Wildlife Research* 36: 565-73.

Eldridge, M. D. B., Johnson, P. M., Hensler, P., Holden, J. K. and Close, R. L. 2008. The distribution of three parapatric, cryptic species of rock-wallaby (*Petrogale*) in north-east Queensland: *P. assimilis*, *P. mareeba* and *P. sharmani*. *Australian Mammalogy* 30: 37-42.

Environmental Protection Agency (2001) *Tropical Topics: Wet sclerophyll forests* No 69. State of Queensland

Estbergs, J.A. & Braithwaite, R.W. (1985). The diet of the Rufous Owl *Ninox rufa* near Coinda in the Northern Territory. *Emu* 85, 202-205.

Eyre T.J., Ferguson D.J., Hourigan C.L., Smith G.C., Mathieson M.T., Kelly A.L., Venz M.F., Hogan L.D. & Rowland J. (2018) Terrestrial Vertebrate Fauna Survey Assessment Guidelines for Queensland. Department of Environment and Science, Queensland Government.

Ferrier, Å. (2015). Journeys into the Rainforest. Archaeology of Culture Change and Continuity on the Evelyn Tableland, North Queensland. *Terra Australis* 43. Canberra: ANU E Press.

Ferrier, Å & Cosgrove, R. (2012). Aboriginal exploitation of toxic nuts as a late-Holocene subsistence strategy in Australia's tropical rainforests. In S.G. Haberle and B. David (eds.), *Peopled Landscapes. Archaeological and Biogeographic Approaches to Landscapes*, *Terra Australis* 34, pp. 103-120. Canberra: ANU E Press.

Flannery, T.F. 1995. *The Mammals of New Guinea, 2nd edition*. Reed Books, Sydney, Australia.

Flegg J, Madge S (1995) *Birds of Australia (Field Guide)*. New Holland Publishers Ltd, Gloucester, GLOS, United Kingdom.

Forde, K. (2021) Environmental professional interviewed by N. O'Donnell for the purposes of this PER.

Freeman AND, Vinson MF (2008) The effect of Tropical Cyclone Larry on tooth-billed bowerbird *Scenopoeetes dentirostris* court attendance and decoration. *Austral Ecology* **33**, 570-572. Doi:10.1111/j.1442-9993.2008.01912.x.

Freeman AND, Catterall CP, Freebody K (2015) Use of restored habitat by rainforest birds is limited by spatial context and species' functional traits but not by their predicted climate sensitivity. *Biological Conservation* **186**, 107-114. Doi:10.1016/j.biocon.2015.03.005.

Frith CB (1992) Immature bare part colours in the pied monarch *Arses kaupi*. *Corella* **17**(4), pp. 122-123.

Frith CB, Frith DW (1984) Courts and seasonal activities at them by male tooth-billed bowerbirds, *Scenopoeetes dentirostris* (Ptilonorhynchidae). *Emu* **95**, 84-98. Doi:10.1071/MU9950084.

Frith CB, Frith DW (1995) Notes on the nesting biology and diet of Victoria's riflebird *Ptiloris victoriae*. *Emu* **95**, 162-174. Doi:10.1071/MU9950162.

Frith CB and Frith DW (2001) Nesting biology of the spotted catbird, *Ailuroedus melanotis*, a monogamous bowerbird (Ptilonorhynchidae), in Australian Wet Tropics upland rainforests. *Australian Journal of Zoology* **49**(3), pp. 279-310. Doi:10.1071/ZO00061.

Frith CB, Frith DW (2004) *The Bowerbirds*. Oxford University Press, Oxford.



- Frith CB (2016) Bowerbird display site nomenclature: The court case for the Tooth-billed Bowerbird. *North Queensland Naturalist* **46**, 107-114.
- Frith CB, Frith DW (2016) Parental care and investment in the Tooth-billed Bowerbird *Scenopoeetes dentirostris* (Ptilonorhynchidae). *Australian Field Ornithology* **11**, 103-113.
- Garden, J.G., O'Donnell, T. and Catterall, C.P. (2015) *Changing habitat areas and static reserves: challenges to species protection under climate change*. In Landscape Ecology Vol. 30, No. 5
- Garnett ST, Szabo JK, Dutson G (2011) *The Action Plan for Australian Birds 2010*. CSIRO Publishing, Melbourne.
- Garnett, S. and Baker, G. (2021) *The Action Plan for Australian Birds 2020*. CSIRO Publishing
- GHD (2017). *Sugarloaf Pipeline Project Toolangi Habitat Linkage Monitoring – Effectiveness of glider pole linkages*. For Melbourne Water Corporation. May 2017.
- Graham, P., Hayward, J., Foster, J. and Havas, L. (2020), *GenCost 2020-21: Consultation draft*, CSIRO, Australia.
- Gregory, P. (2020). Atherton Scrubwren (*Sericornis keri*), version 1.0. In Birds of the World (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.athscr1.01>
- Griffiths, S., Lentini, P., Semmens, K., Watson, S., Lumsden, L. and Robert, K. (2018). Chainsaw-carved cavities better mimic the thermal properties of natural tree hollows than nest boxes and log hollows. *Forests* 9: 235.
- Haberle, S.G., Rule, S., Roberts, P., Heijnis, H., Jacobsen, G., Turney, C., Cosgrove, R., Ferrier, Å., Moss, P., Mooney, S., and Kershaw, P. (2010). Paleofire in the wet tropics of northeast Queensland, Australia. *PAGES* 18: 78-80.
- Haffenden, A. T. and Atherton, R. G. 2008. Long-tailed Pygmy-possum, *Cercartetus caudatus*. In: S. Van Dyck and R. Strahan (eds), *The mammals of Australia. Third Edition*, pp. 213-214. Reed New Holland, Sydney, New South Wales, Australia.
- Hansen, C. and Goelzer, B. (1996). *Engineering Noise Control*.
- Harris, D.R. (1978). Adaptation to a tropical rain-forest environment: Aboriginal subsistence in northeastern Queensland. In N.G. Blurton Jones and V. Reynolds (eds.), *Human Behaviour and Adaptation*, pp. 113-134, London: Taylor & Francis.
- Harris, D.R. (1987). Aboriginal subsistence in a tropical rain forest environment: Food procurement, cannibalism, and population regulation in northeastern Australia. In M. Harris and E.B. Ross (eds.), *Food Evolution: Toward a theory of human food habits*, pp. 357-385, Philadelphia, PA: Temple University Press.
- Harris, J.M. and Maloney, K. S. (2010). *Petauroides Volans* (Diprotodontia: Pseudocheiridae) in Mammalian Species 42(866):207-219
- Heiner, I. & Grundy, M. 1994. Land resources of the Ravenshoe – Mt Garnet area north Queensland. Vol 1 – Land resource inventory. DPI, Queensland
- Henderson, R.A. and Stephenson, P.J. (1980). *The Geology and Geophysics of Northeastern Australia*. Brisbane: Geological Society of Australia, Queensland Division.
- Hero, J.M. (2006) *Litoria jungguy*. The IUCN Red List of Threatened Species 2006: e.T61782A12543224. <https://dx.doi.org/10.2305/IUCN.UK.2006.RLTS.T61782A12543224.en> .Accessed on 27 July 2022.



Hero, J.M. and Retallick, R. (2004a) *Uperoleia altissima*. The IUCN Red List of Threatened Species 2004: e.T41191A10400138. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T41191A10400138.en> . Accessed on 05 August 2022.

Hero, J.M. and Retallick, R. (2004b). *Litoria xanthomera*. The IUCN Red List of Threatened Species 2004: e.T41116A10401801. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T41116A10401801.en> . Accessed on 04 August 2022.

Hero, J.M. and Retallick, R. (2004c.) *Austrochaperina pluvialis*. The IUCN Red List of Threatened Species 2004: e.T54350A11127800. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T54350A11127800.en> . Accessed on 04 August 2022.

Hero, J.M. and Retallick, R. (2004d.) *Austrochaperina robusta*. The IUCN Red List of Threatened Species 2004: e.T54351A11127932. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T54351A11127932.en> . Accessed on 04 August 2022.

Hero, J.M. and Retallick, R. (2004e) *Litoria nannotis*. The IUCN Red List of Threatened Species 2004: e.T12148A3326626. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T12148A3326626.en> . Accessed on 04 August 2022.

Hero, J.M., Cunningham, M., Alford, R., McDonald, K. and Retallick, R. (2004a) *Litoria nyakalensis*. *The IUCN Red List of Threatened Species* 2004: e.T12149A3326835. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T12149A3326835.en>. Accessed on 16 January 2022.

Hero, J.M., Cunningham, M., Alford, R., McDonald, K. and Retallick, R. (2004b). *Litoria rheocola*. The IUCN Red List of Threatened Species 2004: e.T12153A3327812. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T12153A3327812.en>. Accessed on 04 August 2022.

Hero, J.M., Retallick, R. and Hoskin, C. (2004c). *Cophixalus neglectus*. The IUCN Red List of Threatened Species 2004: e.T41040A10392729. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T41040A10392729.en>. Accessed on 04 August 2022.

Hero, J.M., Hoskin, C. and Retallick, R. (2004d) *Cophixalus ornatus*. The IUCN Red List of Threatened Species 2004: e.T41123A10403478. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T41123A10403478.en> . Accessed on 04 August 2022.

Hero, J.M., McDonald, K., Cunningham, M, Alford, R. and Retallick, R. (2004e). *Taudactylus acutirostris*. The IUCN Red List of Threatened Species 2004: e.T21529A9298297. <https://dx.doi.org/10.2305/IUCN.UK.2004.RLTS.T21529A9298297.en> . Accessed on 04 August 2022.

Higgins, P.J. (Hrsg): Handbook of Australian, New Zealand & Antarctic Bird, Band 4, Parrots to Dollarbird, Oxford University Press, Oxford 1999

Higgins, P. J., L. Christidis, and H. Ford (2020). Bridled Honeyeater (*Bolemoreus frenatus*), version 1.0. In Birds of the World (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.brihon1.01>

Higgins PJ, Peter JM (Eds) (2002) *Handbook of Australian, New Zealand and Antarctic Birds. Volume 6: Pardalotes to Shrike-thrushes*. Oxford University Press, Melbourne

Higgins PJ, Peter JM, Cowling SJ (eds) (2007) *Handbook of Australian New Zealand and Antarctic Birds. Volume 7: Boatbill to Starlings*. Oxford University Press, Melbourne.



Hill, B.M. and Ward, S.J. (2010). National Recovery Plan for the Northern Quoll *Dasyurus hallucatus*. Department of Natural Resources, Environment, The Arts and Sport, Darwin.

Hollands, D. (1991). *Birds of the Night*. Reed, Sydney.

Hooper, R., Taylor, W. and Loeb, S. (2004). Long-term efficacy of artificial cavities for red-cockaded woodpeckers: lessons learned from Hurricane Hugo. Pages 430–438. In: Costa R, Daniels Susan J (eds) *Red-cockaded woodpecker. Road to recovery*. Hancock House Publishers, Blaine, Washington

Horsfall, N. (1987). *Living in rainforest: The prehistoric occupation of North Queensland's humid tropics*. Unpublished PhD thesis, James Cook University, Townsville.

Horsfall, N. (1988). *Tully Millstream Hydro-Electric Scheme feasibility investigation. Report* to Environment Science & Services

Horsfall, N. (1996). Holocene occupation of the tropical rainforests of North Queensland. *Tempus 4*: 174- 190. for the Queensland Electricity Commission, Queensland.

Horsfall, N., and Hall, J. (1990). People and the rainforest: An archaeological perspective. In Webb, L. J., and Kikkawa, J. (eds.), *Australian Tropical Rainforests*, CSIRO, Melbourne, pp. 33–39.

Hoskin, C. and Shea, G. (2018a) *Concinnia frerei*. The IUCN Red List of Threatened Species 2018: e.T109452204A109452214. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109452204A109452214.en> . Accessed on 19 August 2022.

Hoskin, C. & Shea, G. (2018b). *Concinnia queenslandiae*. The IUCN Red List of Threatened Species 2018: e.T109452257A109452272. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109452257A109452272.en> . Accessed on 19 August 2022.

Hoskin, C. & Shea, G. (2018c). *Concinnia tigrinus*. The IUCN Red List of Threatened Species 2018: e.T109452375A109452378. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109452375A109452378.en> . Accessed on 19 August 2022.

Hoskin, C. & Shea, G. (2018d) *Glaphyromorphus fuscicaudis*. The IUCN Red List of Threatened Species 2018: e.T42484696A42484706. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T42484696A42484706.en> . Accessed on 21 August 2022.

Hoskin, C. & Shea, G. (2018e). *Glaphyromorphus mjobergi*. The IUCN Red List of Threatened Species 2018: e.T42484712A42484720. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T42484712A42484720.en> . Accessed on 21 August 2022.

Hoskin, C. & Shea, G. (2018f). *Lampropholis robertsi*. The IUCN Red List of Threatened Species 2018: e.T109473231A109473236. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109473231A109473236.en> . Accessed on 21 August 2022.

Hoskin, C. & Shea, G. (2018g). *Lygisaurus laevis*. The IUCN Red List of Threatened Species 2018: e.T47154605A47154648. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T47154605A47154648.en> . Accessed on 21 August 2022.

Hoskin, C. & Shea, G. (2018h). *Techmarscincus jigurru*. The IUCN Red List of Threatened Species 2018: e.T109481391A109481400. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109481391A109481400.en> . Accessed on 21 August 2022.



- Hoskin, C., Couper, P. & Amey, A. (2018a). *Delma mitella*. The IUCN Red List of Threatened Species 2018: e.T102830813A102830819. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T102830813A102830819.en>. Accessed on 05 October 2022.
- Hoskin, C., Couper, P. & Amey, A. (2018b). *Cacophis churchilli*. The IUCN Red List of Threatened Species 2018: e.T102706454A102706816. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T102706454A102706816.en> . Accessed on 19 August 2022.
- Hoskin, C., Couper, P. & Amey, A. (2018c). *Carphodactylus laevis*. The IUCN Red List of Threatened Species 2018: e.T102662790A102662811. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T102662790A102662811.en>. Accessed on 19 August 2022.
- Hoskin, C., Couper, P., Vanderduys, E. & Amey, A. (2018d). *Lophosaurus boydii*. The IUCN Red List of Threatened Species 2018: e.T22528830A22528836. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T22528830A22528836.en>. Accessed on 21 August 2022.
- Hotker, H. (2017). Birds: displacement in Perrow, M. (ed) *Wildlife and Wind Farms – Conflicts and Solutions: Onshore: Potential Effects*.
- Hurley, V. and Harris, G. (2015). *A manual of techniques to create simulated natural cavities in Slender Cypress Pine (Callitris gracilis murrayensis) for use by Major Mitchell's Cockatoo (Lophochroa leadbeateri leadbeateri)*. Department of Environment and Primary Industries, Mildura.
- Hurley, V. and Stark, EM (2015) *Characteristics and uptake of simulated natural cavities for Major Mitchell's Cockatoo (Lophochroa leadbeateri leadbeateri) in Slender Cypress-pine*. Department of Environment, Land, Water and Planning, Victoria, Melbourne
- International Erosion Control Association (IECA) (2009). *Best Practice Erosion and Sediment Control*.
- International Union for Conservation of Nature (IUCN). 1988. World Heritage nomination – IUCN summary wet tropical rainforests (north-east Australia).
- Jackson, S.M. and Diggins, J. (2021) National Recovery Plan for the Mahogany Glider *Petaurus gracilis*. Australian Government, Canberra.
- Johnson, P. M. and Eldridge, M. D. B. 2008. Proserpine Rock-wallaby, *Petrogale persephone*. In: S. Van Dyck and R. Strahan (eds), *The mammals of Australia. Third Edition*, pp. 385-386. Reed New Holland, Sydney, New South Wales, USA.
- Jones, K. M. W., Mackagan, S. J., and Krockenberger, A. K. 2006. Diet selection in the green ringtail possum (*Pseudochirops archeri*): a specialist folivore in a diverse forest. *Austral Ecology* 31: 799-807.
- Kanowski, J. 2001. Effects of elevated CO<sub>2</sub> on the foliar chemistry of seedlings of two rainforest trees from north-east Australia: implications for folivorous marsupials. *Austral Ecology* 26: 165-172.
- Kanowski, J., Irvine, A. K., and Winter, J. W. 2003. The relationship between the floristic composition of rain forests and the abundance of folivorous marsupials in north-east Queensland. *Journal of Animal Ecology* 72: 627-632.
- Keast A (1978) The status of the mountain thornbill *Acanthiza katherina*. *Emu* **78**, 7-10. Doi:10.1071/MU9780007.
- Keith DA, Butchart SHM, Regan HM, Harrison I, Akcakaya HR, Solow AR, Burgman MA (2017) Inferring extinctions I: a structured method using information on threats. *Biological Conservation* **214**, 320-327. Doi:10.1016/j.biocon.2017.07.026.



- Kell K. G. (2006). Measuring community structure of a forest using the wandering quarter method. *Association of Biology Laboratory Education (ABLE)*, Vol. 27: 31-46
- Kelly, Roger, 2022. Previous landowner of Glen Gordon Station interviewed in Mareeba by Åsa Ferrier during the Chalumbin engagement process.
- Kim, H.C., Wallington, T.J., Arsenault, R., Bae, C., Ahn, S. & Lee, J. (2016). 'Cradle-to-gate emissions from a commercial electric vehicle Li-ion battery: a comparative analysis', *Environmental science & technology*, 50(14), pp. 7715-7722.
- Krockenberger, A. K., Edwards, W., and Kanowski, J. 2012. The limit to the distribution of a rainforest marsupial folivore is consistent with the thermal intolerance hypothesis. *Oecologia* 168: 889-899.
- Latch, P. (2007) National recovery plan for the southern cassowary *Casuarius casuarius johnsonii* DEWHA, Canberra
- Latch, P. (2008) *Recovery Plan for Mabi Forest*. Report to the Department of the Environment, Water, Heritage and the Arts, Canberra. Environmental Protection Agency, Brisbane.
- Laurance, W.F., Laurance, S.G., and Hilbert, D.W. 2008. Long-term dynamics of a fragmented rainforest mammal assemblage. *Conservation Biology* 22: 1154-1164.
- Leary, T., Singadan, R., Menzies, J., Wright, D., Aplin, K. & Helgen, K. (2016). *Pogonomys macrourus* (errata version published in 2017). The IUCN Red List of Threatened Species 2016: e.T17884A115141567. <https://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T17884A22431277.en> . Accessed on 02 October 2022.
- Lee, B., Trcka, M. & Hensen, J. (2011). 'Embodied energy of building materials and green building rating systems : a case study for industrial halls', *Sustainable Cities and Society*, 1(2), pp. 67-71.
- Li J, Hilbert DW, Parker T, Williams S (2009) How do species respond to climate change along an elevation gradient? A case study of the grey-headed robin (*Heteromyias albispecularis*). *Global Change Biology* **15**, 255-267. Doi:10.1111/j.1365-2486.2008.01737.x.
- MacHunter, J., Brown, G., Loyn, r. and Lumsden, L. (2011) Approved Survey Standards: Greater Glider *Petauroides Volans*. Victorian Department of Sustainability and Environment
- Martin, W.E. (2009) Species profile – *Litoria rheocola* (common mist frog) in the Department of Environment and Science species database, <https://apps.des.qld.gov.au/species-search/details/?id=598> accessed on 4<sup>th</sup> August 2022
- Mathieson, T.M and Smith, G.C. (2009). *National recovery plan for the buff-breasted button-quail Turnix olivii*. Department of Environment and Resource Management, Brisbane.
- Mathieson MT, Smith GC (2017) Indicators for Buff-breasted Button-quail '*Turnix olivii*'. *The Sunbird* **47**, 1-9.
- Maxwell, S., Burbidge, A.A. and Morris, K. 1996. *The 1996 Action Plan for Australian Marsupials and Monotremes*. Australasian Marsupial and Monotreme Specialist Group, IUCN Species Survival Commission, Gland, Switzerland.
- May, D. (1983). *From Bush to Station. Studies in North Queensland History no. 5*. James Cook University of North Queensland.
- McDonald, K.R., Bolitho, E., Dennis, A., Simpson, N. and Winter, J.W. (2000). Recovery Plan for the Magnificent Brood Frog *Pseudophryne covacevichae*. State of Queensland, Environmental Protection Agency.
- McDonald, J., Reynen, W., Petchey, F., Ditchfield, K., Byrne, C., Vannieuwenhuyse, D., Leopold, M., and Veth, P. (2018). Karnatukul (Serpent's Glen): A new chronology for the oldest site in Australia's Western Desert. *PLoS One* **13**, e0202511, doi:10.1371/journal.pone.0202511.



McDonald, K., Richards, S. and Alford, R. (2008). *Mixophyes coggeri*. The IUCN Red List of Threatened Species 2008: e.T136037A4237790. <https://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T136037A4237790.en>. Accessed on 05 August 2022.

McDonald, J., Reynen, W., Petchey, F., Ditchfield, K., Byrne, C., Vannieuwenhuysse, D., Leopold, M., and Veth, P. (2018). Karnatukul (Serpent's Glen): A new chronology for the oldest site in Australia's Western Desert. *PLoS One* 13, e0202511, doi:10.1371/journal.pone.0202511.

McKay, G. 1987. Fauna of Australia. Family Petauridae.

Menkhorst, P. and Knight, F. (2011). *A Field Guide to the Mammals of Australia*. Oxford University Press.

Menkhorst P, Rogers D, Clarke R, Davies J, Marsack P, Franklin K (2019) *The Australian Bird Guide*. Revised Ed. CSIRO Publishing, Victoria, Australia.

Mjöberg, E. (1913). *The unpublished diaries from the second Australia expedition*. Eric Mjöberg collection, Accession numbers 26851, 26852 and 26858, Box 5, California Academy of Sciences, San Francisco, CA.

Mjöberg, E. (1918). *Bland Stenåldersmänniskor i Queenslands Vildmarker (Among Stone Age People in the Queensland Wilderness)*. Stockholm: Albert Bonniers Boktryckeri.

Mo M. and Waterhouse D. R. (2016) Notes on the Bassian Thrush '*Zoothera lunulata*' in the Illawarra region, South-Eastern Australia. *Australian Field Ornithology* 33, pp. 25-27.

Morcombe, M (2003) Field Guide to Australian Birds: Complete Compact Edition. *Steve Parish Publishing, Archerfield, QLD*

Neldner, V.J., Wilson, B.A., Dillewaard, H.A., Ryan, T.S., Butler, D.W., McDonald, W.J.F, Addicott, E.P. and Appelman, C.N. (2020) Methodology for surveying and mapping regional ecosystems and vegetation communities in Queensland. Version 5.1. State of Queensland.

Neldner, V.J., Niehus, R.E., Wilson, B.A., McDonald, W.J.F., Ford, A.J. and Accad. A. (2021). *The Vegetation of Queensland. Descriptions of Broad Vegetation Groups. Version 5.0*. Queensland Herbarium, Department of Environment and Science.

Nielsen, L. (1995). Notes on the Rufous Owl in north Queensland. *Sunbird* 25, 71-72.

Nix HA, Switzer MA (1991). *Rainforest Animals: Atlas of the Vertebrates Endemic to Australia's Wet Tropics*. Canberra: Kowari.

North Queensland Threatened Frogs Recovery Team (NQTFR) (2001). Recovery plan for the stream-dwelling rainforest frogs of the Wet Tropics biogeographic region of north-east Queensland 2000-2004. State of Queensland, Environmental Protection Agency.

NSW National Parks & Wildlife Service (2002). *Approved Recovery Plan for the Red Goshawk (Erythrotriorchis radiatus)*. NSW National Parks & Wildlife Service, Hurstville

O'Leary, M. (2019) [1918]. The Aboriginals Parts I-X by Coyyan. In: The Northern Herald, January-May 1918, R. Raders (ed). (Eacham Historical Society Publication).

Pedley, H. (1992). *Aboriginal Life in the Rainforest: by the Aboriginal People of Jumbun*. Brisbane, QLD: Department of Education, Queensland.

Peeters, P.J. and Butler, D.W. (2014) *Wet sclerophyll forest: regrowth benefits management guideline*. Department of Science, Information Technology, Innovation and the Arts, Brisbane.



Phillott, A., Speare, R., Hines, H. and Skerratt, L. (2010). Minimising exposure of amphibians to pathogens during field studies. *Diseases of Aquatic Organisms* 92(2-3): 175-85.

Powerlink Queensland (PQ) (2022) *Queensland Renewable Energy Zones*. <https://www.powerlink.com.au/queensland-renewable-energy-zones>

PQ (no date) *Northern Queensland Renewable Energy Zone – Powerlink Queensland Transmission System* <https://www.powerlink.com.au/sites/default/files/2021-05/QREZ-map.pdf>

Queensland Government (2013). *Erosion control on property roads and tracks – managing runoff*. Science Notes, Land Series L240.

Queensland Government (2013b). *Erosion control on property roads and tracks – cross-sections and locations*. Science Notes, Land Series 239.

Queensland Government (2018) Projected population, by local government area, Queensland, 2016-2041.

Queensland Government (no date). *Fact Sheet – Northern QREZ* [https://www.epw.qld.gov.au/\\_data/assets/pdf\\_file/0025/17449/Northern-QREZ-factsheet.pdf](https://www.epw.qld.gov.au/_data/assets/pdf_file/0025/17449/Northern-QREZ-factsheet.pdf)

Queensland Government (2022). *Queensland Energy and Jobs Plan* [https://www.epw.qld.gov.au/\\_data/assets/pdf\\_file/0029/32987/queensland-energy-and-jobs-plan.pdf](https://www.epw.qld.gov.au/_data/assets/pdf_file/0029/32987/queensland-energy-and-jobs-plan.pdf)

Queensland Herbarium (2021). *Regional Ecosystem Fire Guidelines (December 2021)*, Queensland Department of Environment and Science, Brisbane.

Richards. J. (2008). *The Secret War: A True History of Queensland's Native Police*.

Roberts, B., Eby, P. & Westcott, D. 2020. *Pteropus conspicillatus*. The IUCN Red List of Threatened Species 2020: e.T18721A22080456. <https://dx.doi.org/10.2305/IUCN.UK.2020-3.RLTS.T18721A22080456.en>. Accessed on 16 January 2022.

Roberts. P. et al. (2021). Reimagining the relationship between Gondwanan forests and Aboriginal land management in Australia's 'Wet Tropics'. *iScience* 24(3): 102190.

Roth, W.E. (1898). *Some ethnological notes on the Atherton Blacks*. Scientific report to the under secretary, Brisbane.

RPS. (2011). *Fauna, Vegetation & Flora Assessment - Proposed Mt Emerald Wind Farm*. Prepared by RPS Australia East Pty Ltd. Prepared for Transfield Services Pty Ltd.

RPS (2014) *Environmental Impact Statement – Mount Emerald Wind Farm*, Prepared by RPS Australia East Pty Ltd. Prepared for Transfield Services Pty Ltd.

Safe Work Australia (2016). *Guide to Managing Risks of Tree Trimming and Removal Work*. July 2016.

Saenz, D., Conner, R., Collins, C. and Rudolph, D. (2001) Initial and long-term use of inserts by red-cockaded woodpeckers. *Wildlife Society Bulletin* 29:165–170

Schodde, R. & Mason, I.J. (1980). *Nocturnal Birds of Australia*. Landsdowne, Melbourne.

Shea, G. & Hoskin, C. (2018a). *Carlia rubrigularis*. The IUCN Red List of Threatened Species 2018: e.T178275A101753203. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T178275A101753203.en>. Accessed on 19 August 2022.





- Shea, G. & Hoskin, C. (2018b). *Coeranoscincus frontalis*. The IUCN Red List of Threatened Species 2018: e.T102967293A102967376. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T102967293A102967376.en> . Accessed on 19 August 2022.
- Shea, G. & Hoskin, C. (2018c). *Saproscincus basiliscus*. The IUCN Red List of Threatened Species 2018: e.T109481162A109481186. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109481162A109481186.en>. Accessed on 21 August 2022.
- Shea, G. & Hoskin, C. (2018d). *Saproscincus czechurai*. The IUCN Red List of Threatened Species 2018: e.T178334A101745621. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T178334A101745621.en>. Accessed on 21 August 2022.
- Shea, G. & Hoskin, C. (2018e). *Saproscincus tetradactylus*. The IUCN Red List of Threatened Species 2018: e.T109481342A109481353. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T109481342A109481353.en>. Accessed on 21 August 2022.
- Shea, G., McDonald, P. & Fenner, A. (2018). *Anilius broomi*. The IUCN Red List of Threatened Species 2018: e.T102838171A102838294. <https://dx.doi.org/10.2305/IUCN.UK.2018-1.RLTS.T102838171A102838294.en>. Accessed on 19 August 2022.
- Shoo LP, Wilson R, Williams YM, Catterall CP (2014) Putting it back: Woody debris in young restoration plantings to stimulate return of reptiles. *Ecological Management and Restoration* **15**(1), pp. 84-88.
- Skiba, R. (2020). Use of Cool Burning as a Contributor to Bushfire Mitigation. *Natural Resources* 11: 307-16.
- SKM (2012). *Wind Farm Investment, Employment and Carbon Abatement in Australia*, prepared for the Clean Energy Council.
- Smith, B. (2008). Still under the Act? Subjectivity and the State in Aboriginal North Queensland. *Oceania* 78(2):199-216.
- Sorensen, A. (1990) Virtuous Cycles of Growth and Vicious Cycles of Decline: Regional Economic Change in Northern NSW. In *Change and Adjustment in Northern New South Wales*. Ed D.J. Walmsley, University of New England, Armidale.
- Speare, R., Berger, L., Skerratt, L., Alford, R., Mendez, D., Cashins, S., Kenyon, N., Hauselberger, K. and Rowley, J. (2004). *Hygiene protocol for handling amphibians in field studies*. Unpublished report by the Amphibian Diseases Group, James Cook University, Townsville.
- Species Profile and Threats Database (SPRAT) 2021. Department of Agriculture, Water and the Environment. <https://www.environment.gov.au/cgi-bin/sprat/public/sprat.pl>
- Thompson CJ, Koshkina V, Burgman MA, Butchart SHM, Stone L (2017) Inferring extinctions II: a practical, iterative model based on records and surveys. *Biological Conservation* **214**, 328-335. Doi:10.1016/j.biocon.2017.07.029.
- Threatened Species Scientific Committee (TSSC) (2002) *Commonwealth Listing Advice on Mabi Forest (Complex Notophyll Vine Forest 5b)*.
- Tobias, J. et al. 2022. AVONET: morphological, ecological and geographical data for all birds. *Ecology Letters*. <https://doi.org/10.1111/ele.13898> <https://onlinelibrary.wiley.com/doi/full/10.1111/ele.13898>
- Toohey, E. (2001). *From Bullock Team to Puffing Billy: The settling of the Atherton Tableland and its Hinterland*. Rockhampton. Central Queensland University Press.
- Torr, Geordie (1997). "Forest dragons". *Nature Australia*. **25**: 32–39.



- Torr, Geordie (2003). "Here be dragons". *Australian Geographic*. **69**: 68–77.
- Trembath, Dane; Fearn, Simon; Undheim, Eivind Andreas Baste (2009). "Natural history of the slaty grey snake (*Stegonotus cucullatus*) (Serpentes: Colubridae) from tropical north Queensland, Australia". *Australian Journal of Zoology*. **57** (2): 119–124
- TSSC (2005). *Commonwealth Listing Advice on Northern Quoll*. Canberra.
- TSSC (2012a) Commonwealth Listing Advice on Broad leaf tea-tree (*Melaleuca viridiflora*) woodlands in high rainfall coastal north Queensland. Department of Sustainability, Environment, Water, Population and Communities. Canberra, ACT.
- TSSC (2012b) Listing Advice for *Phascolarctos cinereus* (koala). Canberra
- TSSC (2015b). Conservation Advice *Tyto novaehollandiae kimberlii* (masked owl (northern)). Canberra.
- TSSC (2015c). Conservation Advice *Erythrotriorchis radiatus* (red goshawk). Canberra
- TSSC (2016a). Conservation Advice *Macroderma gigas* (ghost bat). Canberra: Department of the Environment and Energy.
- TSSC (2016b). Conservation Advice *Petauroides volans* (greater glider). Canberra: Department of the Environment and Energy.
- TSSC (2017). Conservation Advice *Pseudophryne covacevichae* (magnificent brood frog). Canberra: Department of the Environment and Energy.
- TSSC (2019a). Conservation Advice *Litoria nyakalensis* (mountain mistfrog). Canberra: Department of the Environment and Energy.
- TSSC (2019c) Conservation Advice *Pteropus conspicillatus* (spectacled flying fox). Canberra, Department of the Environment and Energy.
- TSSC (2020) Conservation Advice *Petaurus australis* (Wet Tropics subspecies). Canberra: Department of Agriculture, Water and the Environment.
- Tracey, J. (1982). *The Vegetation of the Humid Tropical Region of North Queensland*. CSIRO, Melbourne.
- Tracey, J. and Webb, L. (1975). *Vegetation of the humid tropical region of North Queensland*. (15 maps at 1:100 000 scale and key). CSIRO, Brisbane.
- Tucker IJ, Simmons T (2009) Restoring a rainforest habitat linkage in north Queensland: Donaghy's Corridor. *Ecological Management and Restoration* **10**(2), pp. 98-112.
- Tuechler, A., Ferrier, Å., and Cosgrove, R. (2014). Transforming the inedible to the edible: An analysis of the nutritional returns from Aboriginal nut processing in Queensland's Wet Tropics. *Australian Archaeology* 79: 26-33
- UNESCO (2021) Outstanding Universal Value of the Wet Tropics of Queensland (Australia). Downloaded from <https://whc.unesco.org/en/list/486/> on 07/04/2021.
- United States Department of Agriculture (USDA) (1983). *National Soil Survey Handbook*. No. 430, US Department of Agriculture, USDA, Washington DC.
- University of Melbourne (2019), EPiC Database – Concrete 40 MPa, accessed 25 February 2022: [https://melbourne.figshare.com/articles/dataset/EPiC\\_database\\_-\\_Concrete\\_40\\_MPa/9979385/1](https://melbourne.figshare.com/articles/dataset/EPiC_database_-_Concrete_40_MPa/9979385/1)



Van der Ree, R., Bennett, A., and Gilmore, D. (2004). Gap-crossing by gliding marsupials: Thresholds for use of isolated woodland patches in an agricultural landscape. *Biological Conservation* 115(2): 241-249.

VanDerWal, J., Murphy, H.T., Kutt, A. S., Perkins, G.C., Bateman, B.L., Perry J.J. and Reside A.E. (2012). *Focus on poleward shifts in species' distribution underestimates the fingerprint of climate change*. Nature Climate Change Volume 3

Waterrka Foundation (2022). Aboriginal Fire Management: What is Cool Burning? <https://www.watarrkafoundation.org.au/blog/aboriginal-fire-management-what-is-cool-burning>

Weber, E., Catterall, C., Locke, J., Ota, L., Prideaux, B., Shirreffs, L., Talbot, L., Gordon, I. (2021) Managing a World Heritage Site in the Face of Climate Change. A Case Study of the Wet Tropics in Northern Queensland. Earth. <https://doi.org/10.3390/earth2020015>

Webster, Patrick T.D., Leseberg, Nicholas P., Murphy, Stephen A., Joseph, Leo, and Watson, James E. M. (2022). A review of specimens of Buff-breasted Button-quail *Turnix olivii* suggests serious concern for its conservation outlook. *Emu - Austral Ornithology* 122(2)1-10. <https://doi.org/10.1080/01584197.2022.2090962>

West, G. (1993) *Input-Output Analysis for Practitioners, Version 7.1, User's Guide*.

Wet Tropics Management Authority (WTMA) (2019). *Accept, Act, Adapt: Climate Adaptation Plan for the Wet Tropics, 2020–2030*. Cairns, Australia.

WTMA (2021) National Heritage Listing available at <https://www.wet Tropics.gov.au/national-heritage-listing>

WTMA (2022) *Wet sclerophyll forests* <https://www.wet Tropics.gov.au/wet-schlerophyll>

Whitehead, P. (2003). Geological Tables: The Atherton Tablelands. *The Edinburgh Geologist*. Issue 41. Edinburgh

Williams SE, de la Fuente A (2021) Long-term changes in population of rainforest birds in the Australian Wet Tropics bioregion: a climate biodiversity emergency. *Proceedings. Biological Sciences*, (In press)

Williams SE & Bolitho EE, F (2003) Climate change in Australian tropical rainforest: an impending environmental catastrophe. *Proceedings of the Royal Society of London. Series B, Biological Sciences* **270**, 1887-1892. doi:10.1098/rspb.2003.2464.

Williams SE, de la Fuente A, Frith CB, Frith DW, D Chaplin, Garnett ST (2021) Grey-headed robin *Heteromyias cinereifrons*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 489-491. CSIRO Publishing, Melbourne.

Williams SE, de la Fuente A, Garnett ST (2021) Atherton Scrubwren *Sericornis keri*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 672–674, CSIRO Publishing, Melbourne.

Williams SE, de la Fuente A, Freeman AND, Garnett ST (2021) Mountain Thornbill *Acanthiza katherina*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 695-697. CSIRO Publishing, Melbourne.

Williams SE, de la Fuente A, Freeman AND, Craig M, Frith DW, Frith CB, Garnett ST (2021) Grey-headed Robin *Heteromyias cinereifrons*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 744-746. CSIRO Publishing, Melbourne. Williams SE, de la Fuente A, Harrington GN, Frith CB, Chaplin D, Freeman AND, Craig M, Garnett ST (2021) Tooth-billed Bowerbird *Scenopoeetes dentirostris*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 483-486. CSIRO Publishing, Melbourne.

Williams SE, de la Fuente A, Frith CB, Frith DW, Garnett ST (2021) Victoria's Riflebird *Lophorina victoriae*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 737-739. CSIRO Publishing, Melbourne.



Williams SE, de la Fuente A, Grant JDA, Garnett ST (2021) Fernwren *Oreoscopus gutturalis*. In *The Action Plan for Australian Birds 2020*. (Eds ST Garnett and GB Baker) pp. 644-646. CSIRO Publishing, Melbourne. Willy Weather <https://www.willyweather.com.au/climate/weather-stations/qld/far-north/south-johnstone.html?superGraph=grain:daily,startDate:2022-02-04,endDate:2022-03-05&climateRecords=period:all-time&longTermGraph=plots:temperature,period:all-time,month:all&windRose=period:5-year,month:all-months>

Williams SE, Shoo LP, Henriod R, Pearson RG (2010) Elevational gradients in species abundance, assemblage structure and energy use of rainforest birds in the Australian Wet Tropics bioregion. *Austral Ecology* **35**, 650-664. doi:10.1111/J.1442-9993.2009.02073.x

Wilson, P. R. & Taylor, P. M. (2012). Land Zones of Queensland. Queensland Herbarium, Queensland Department of Science, Information Technology, Innovation and the Arts, Brisbane. P.75-76.

Wilson SK (2022) A Field Guide to Reptiles of Queensland (3<sup>rd</sup> Edn.). *Reed New Holland Publishing, Sydney, Australia*.

Winter, J.W., Bell, F., Pahl, L., Atherton, R., (1984). The specific habitat requirements of selected rainforest mammals of north-eastern Australia. Report to World Wildlife Fund-Australia, Sydney.

Winter, J. W., Krockenberger, A. K., and Moore, N. J. (2008). Green Ringtail Possum *Pseudocheirops archeri*. In: S. Van Dyck and R. Strahan (eds), *The mammals of Australia*, pp. 245-247. Reed New Holland, Sydney.

Woinarski, J.C.Z. 2004. *National Multi-Species Recovery Plan for the Partridge Pigeon [eastern subspecies] Geophaps smithii smithii, Crested Shrike-tit [northern subspecies] Falcunculus (frontatus) whitei, Masked Owl [north Australian mainland subspecies] Tyto novaehollandiae kimberlii, and Masked Owl [Tiwi Island subspecies] Tyto novaehollandiae melvillensis* 2004-2009. Northern Territory Department of Infrastructure Planning and Environment, Darwin

Woinarski, J.C.Z. (2004). National Multi-Species Recovery Plan for the Partridge Pigeon [eastern subspecies] *Geophaps smithii smithii*, Crested Shrike-tit [northern subspecies] *Falcunculus (frontatus) whitei*, Masked Owl [north Australian mainland subspecies] *Tyto novaehollandiae kimberlii*, and Masked Owl [Tiwi Island subspecies] *Tyto novaehollandiae melvillensis* 2004-2009. Northern Territory Department of Infrastructure Planning and Environment, Darwin

Woinarski, J. & Burbidge, A.A. (2016a). *Uromys hadrourus*. The IUCN Red List of Threatened Species 2016: e.T22802A22446971. <https://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T22802A22446971.en> . Accessed on 07 August 2022.

Woinarski, J. & Burbidge, A.A. (2016b) *Dendrolagus lumholtzi*. *The IUCN Red List of Threatened Species* 2016: e.T6432A21957815.

Woinarski, J. & Burbidge, A.A. (2016c). *Mesembriomys gouldii*. *The IUCN Red List of Threatened Species* 2016: e.T13211A22448856. <https://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T13211A22448856.en>. Accessed on 04 October 2022.

Woinarski, J. & Burbidge, A.A. (2016d) *Petrogale mareeba*. The IUCN Red List of Threatened Species 2016: e.T136509A21954621. <https://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T136509A21954621.en> . Accessed on 15 October 2022.

Wood, Lizzie, 2003. Jirrbal Elder interviewed at her home in Ravenshoe by Åsa Ferrier for her PhD research.

World Health Organisation (WHO) (2021). *Climate change and health*, <https://www.who.int/news-room/fact-sheets/detail/climate-change-and-health>

Youngentob, K.N., Marsh, K.F., Skewes, J. (2021) *A review of koala habitat assessment criteria and methods*. Report prepared for the Department of Agriculture, Water and the Environment, Canberra



Zwart, M.C., McKenzie, A.J., Minderman, J. and Whittingham, M.J. (2016) *Conflicts between birds and on-shore wind farms*. In Angelici, F.M. (ed) *Problematic Wildlife*. Springer International Publishing. Switzerland