

Silver Stone Buildings

t/a Alpha Centauri A B N 17 0 11 960 912

PO Box 214 Turramurra NSW 2074 Australia Mobile: + 61 412 769 353

 $email: info@silverstonebuildings.com.au; silversbuilding@gmail.com\\ https://silverstonebuildings.com.au$

Café Series and Bars (Commerical)

Manufacturing Dimensions - 20ft(6058mm*2438mm*2591mm)

40ft(12192mm*2438mm*2591mm)

Or Customised versions.

Category A

2 (two) storey 20 ft café / restaurant / bar etc. (Manufactured as shown with stair way access, safety rails, front and rear deck and fully fitted out service counter.



Category B


20 ft café / bar / snack bar (Manufactured as shown with front deck, counter and full fitted out service counter.



Category C




Schematic examples of fit outs are optional extras.





2









TECHNICAL SPECIFICATIONS

- If not pop-up, building area is 15 sqm
- If pop-up, the open platform can enlarge the building area by about three times.
- Roof terrace can be built to attend customer
- Weight: 3.4 ton









Technical Specifications


Floor space, first level: 480 sf.
Floor space, second level: 160 sf.

Total surface: 640 sf.
Weight: 10,000 lbs.

40 Feet







Technical Specifications

Floor space, first level: 960 sf.
Floor space, second level: 320 sf.

Total surface: 1,280 sf.Weight: 15,000 lbs.

Stable frame of light steel coffee shop design

- Wind load 0.6 KN/sqm
- Fireproof degree B2-A1
- Anti-earthquake capacity 8 Grade
- Offer practical advantages of business operations
- Experienced building team to assist with installation &provide customer instructions and reference material
- High quality and aesthetical in design.
- Quick installation, easy disassembly and transportable
- Flexible layout, beautiful appearances, and higher space efficiency
- Efficient professional design.

