





COMPLIANT




Silverstone Building



Silver Stone Buildings



No.	Size
1	4X3X3-2BB
2	4X3.5X3-2BB
3	4X4X3-2BB
4	4.5X4X3-2BB
5	4.5X4.5X3-2BB
6	5X3X3-2BB
7	5X3.5X3-2BB
8	5X4X3-2BB
9	5X4.5X3-2BB
10	4X3X3-2BB
11	4X3.5X3-2BB
12	4X4X3-2BB
13	4.5X4X3-2BB
14	4.5X4.5X3-2BB
15	5X3X3-2BB
16	5X3.5X3-2BB
17	5X4X3-2BB
18	5X4.5X3-2BB





Silver Stone Buildings

Stainless Steel Hinge

TBD001



φ 11-3X2X2.0mm


Stainless steel two ball bearing hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 11-3X2X2.0mm
φ 11-3X2.5X2.0mm
φ 11-3X3X2.0mm
φ 12-3X3X2.5mm
φ 14-3X3X3.0mm



TBD002



φ 14-3X3X3.0


Stainless steel radii corner hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 11-3X3X2.0mm
φ 12-3X3X2.5/3X3X3.0mm
φ 11-3.5X3.5X2.0mm
φ 12-3.5X3.5X2.5mm
φ 14-3.5X3.5X3.0mm
φ 11-4X4X2.0mm
φ 12-4X4X2.5/4x4x3mm



TBD003



φ 14-3.5X3.5X3.0mm


Stainless steel two ball bearing hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 11-3.5X3.5X2.0mm
φ 12-3.5X3.5X2.5mm
φ 14-3.5X3.5X3.0mm
φ 12-3.5X3X2.5mm
φ 14-3.5X3X3.0mm



TBD004



φ 14-4X3X3.0mm


Stainless steel two ball bearing hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:


Dimension(L"xW"xT")
φ 11-4X3X2.0mm
φ 12-4X3X2.5mm
φ 14-4X3X3.0mm
φ 14-4X4X3.0mm



Silver Stone Buildings

Stainless Steel Hinge

TBD005



φ 14-4X3.5X3.0mm


Stainless steel two ball bearing hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 14-4X3X3.0mm
φ 14-4X3.5X3.0mm



TBD006



φ 14-4X4X3.0mm


Stainless steel four ball bearing hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 11-4X4X2.0mm
φ 12-4X4X2.5mm
φ 14-4X4X3.0mm



TBD007



φ 13-4X3.5X2.7mm


Stainless Steel three knuckle hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 13-4X3.5X2.7mm
φ 14-4X3.5X3.0mm



TBD008



φ 12-4X3X2.5mm


Stainless steel flush hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ 12-4X3X2.5mm
φ 14-4X3X3.0mm



Stainless Steel Hinge

TBD009



φ12-4X3X2.5mm


Stainless steel flush hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ12-4X3X2.5mm
φ12-100X70X2.5
φ12-101.6X74X2.5mm
φ14-4X3X3.0mm



TBD010



φ14-5X3X3.0mm


Stainless steel flush hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ12-5X3X2.5mm
φ14-5X3X3.0mm



TBD011



φ12-80X80X2.5L


Stainless steel lift-off hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ11-80X80X2.0mm
φ12-80X80X2.5mm



TBD012



φ12-90X65X2.5 L


Stainless steel lift-off hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC


Optional Size:

Dimension(L"xW"xT")
φ12-90X65X2.5mm
φ12-100X65X2.5mm



Stainless Steel Hinge

TBD013



φ15-4.5X4X3.5mm


Stainless steel two ball bearing hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel


Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-4.5X4X3.0mm
φ15-4.5X4X3.5mm
φ14-4.5X4.5X3.0mm
φ15-4.5X4.5X3.5mm
φ18-4.5X4.5X4.6mm



TBD014



φ14-5X3X3.0mm


Stainless steel four ball bearing hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ12-5X3X2.5mm
φ14-5x3x3.0mm
φ14-5x4x3.0mm
φ14-5x4.5x3.0mm



TBD015



φ14-6X4X3.0mm


Stainless steel four ball bearing hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-6X3X3.0mm
φ14-6X4X3.0mm
φ15-6X4X3.5mm
φ18-6X4X4mm



TBD016



φ14-8X4X3.0mm


Stainless steel ball bearing hinge.

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-8X4X3.0mm
φ15-8X4X3.5mm
φ18-8X4X4mm



Stainless Steel Hinge

TBD017




φ 12-4X3.5X2.5

Stainless steel flush hinge.
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")

φ 12-4X3.5X2.5mm



TBD018



φ 14-4X3.5X3.0mm L


Stainless steel lift-off hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:


Dimension(L"xW"xT")

φ 13-4X3.5X2.7mm

φ 14-4X3.5X3.0mm



TBD019




φ 11-4X3X2.0mm

Stainless Steel flexure hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")

φ 11-4X3X2.0mm



TBD020




φ 14-4X4X3.0mm

Stainless Steel flexure hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")

φ 14-4X3X3.0mm



Stainless Steel Hinge

TBD021




φ 14-127X158X3.0mm

Stainless Steel flexure hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC


Optional Size:

Dimension(L"xW"xT")

φ 14-127X158X3.0mm



TBD022



φ 18-4X4X3.0mm


Stainless steel single action spring hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:


Dimension(L"xW"xT")

φ 18-4X3X3.0mm

φ 18-4X4X3.0mm



TBD023



φ 16-4X4X3.0mm

Stainless Steel electronic hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC


Optional Size:

Dimension(L"xW"xT")

φ 16-4X4X3.0mm

φ 16-5X4X3.0mm

φ 16-6X4X3.0mm



TBD024



φ 12-100X75X2.5MM

Stainless steel plain hinge
Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:


Dimension(L"xW"xT")

φ 12-100X75X2.5mm

φ 14-100X75X3.0mm

φ 12-100X100X2.5mm

φ 14-100X100X3.0mm






Silver Stone Buildings

Stainless Steel Hinge

TBD025




φ15-100X150X3.5mm

Stainless Steel hinge


Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ15-100X150X3.5mm
φ15-100X180X3.5mm
φ15-100X200X3.5mm
φ15-100X230X3.5mm



TBD026




φ14-100X125X3.0mm

Stainless Steel hinge


Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-100X125X3.0mm
φ14-100X150X3.0mm
φ15-100X180X3.5mm
φ15-100X200X3.5mm



TBD027




φ14-4X4X3.0mm

Stainless Steel anti-theft buckle hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-4X3X3.0mm
φ14-4X4X3.0mm
φ14-5X4X3.0mm
φ14-6X4X3.0mm



TBD028




φ14-5X4X3.0mm

Stainless Steel anti-theft hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-4X3X3.0mm
φ14-4X4X3.0mm
φ14-5X4X3.0mm
φ14-6X4X3.0mm



Silver Stone Buildings

Stainless Steel Hinge

TBD029




φ14-5X3X3.0mm

Stainless Steel double anti-theft hinge


Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-4X4X3.0mm
φ12-5X3X3.0mm
φ14-5X4X3.0mm



TBD030




φ18-6X4X3.0mm

Stainless Steel anti pry hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ14-6X4X3.0mm
φ18-6X4X3.0mm



TBD031




φ12-4X3X2.5mm

Stainless Steel plating hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
φ12-4X3X2.5mm
φ14-4X3X3.0mm



TBD032




φ14-4X3X3.0mm

Stainless Steel plating hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel
Finish: SS, PSS, PVD, AB, AC


Optional Size:

Dimension(L"xW"xT")
φ12-4X3X2.5mm
φ14-4X3X3.0mm





TBD033

**Φ12-4X3X2.5mm**


Stainless Steel plating hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
Φ12-4X3X2.5mm
Φ14-4X3X3.0mm



TBD034

**Φ14-4X3X3.0mm**


Stainless Steel plating hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
Φ11-4X3X2.0mm
Φ12-4X3X2.5mm
Φ14-4X3X3.0mm
Φ14-4X3.5X3.0mm
Φ14-4X4X3.0mm



TBD035

**Φ14-4X3X3.0mm**


Stainless Steel plating hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel


Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
Φ11-4X3X2.0mm
Φ12-4X3X2.5mm
Φ14-4X3X3.0mm
Φ14-4X3.5X3.0mm
Φ14-4X4X3.0mm



TBD036

**Φ4X4X3.0mm**


Stainless Steel plating hinge

Material: SUS201#, SUS304#, SUS316#Stainless steel

Finish: SS, PSS, PVD, AB, AC

Optional Size:

Dimension(L"xW"xT")
4X4X3.0mm




TBD006B

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 180KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of 3.0mm
- Left and right adjustment 4.0mm
- Front and rear adjustment of 2.0mm

Product Data

- Length: 156.7/159.8 Width: 86
- Opening angle: ≤180°




TBD03D

**Overview**

- The product is made of 304 stainless steel material
- Can bear a maximum door weight of 150KG
- The maximum opening angle is 180°

Product Data

- Length: 200 Width: 89
- Opening angle: ≤180°




TBD002B

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 180KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of +3.0mm
- Left and right adjustment 4.0mm
- Front and rear adjustment +2.0mm

Product Data

- Length: 199.5/159.8
- Width: 87.2 Opening angle: <180°




TBD040D

**Overview**


- The product is made of 304 stainless steel material
- Can bear a maximum door weight of 160KG
- The maximum opening angle is 180°

Product Data

- Length: 128/128 Width: 71/66
- Opening angle: ≤180°



TBD037



TBD038



TBD039




TBD040



TBD041




TBD042



TBD043



TBD044





03




TBD045



Overview

- Suitable for ultra-high and ultra-heavy wooden doors
- with a central shaft, as well as profile doors
- Easily adjust the door leaf
- Load capacity: 500KG
- 304 crafted with precision
- Stable operation for 200,000 openings
- 360° free rotation
- Capable of passing cables with a diameter of 8MM




TBD046



Overview

- Suitable for ultra-high and ultra-heavy wooden doors
- with a central shaft, as well as profile doors
- Easily adjust the door leaf
- Load capacity: 500KG
- 304 crafted with precision
- Stable operation for 200,000 openings
- 360° free rotation
- Capable of passing cables with a diameter of 8MM




TBD047



Overview

- Suitable for ultra-high and overweight central axis wooden doors, profile doors
- Easily adjust the door leaf
- Easy adjustment of door leaf
- Bidirectional damping buffer door opening and closing
- Adjustable closing speed
- Load capacity: 300KG
- Bidirectional buffering enabled
- Rotate 360°
- Maximum opening angle 360°
- 0°, 90°, 180°, 270° positioning
- Adjustable closing speed




TBD048



Overview

- Indoor wooden door/aluminum-framed door
- Black Stable operation for 200,000 openings
- Maximum load capacity: 60kg-100kg
- Maximum width from axis to edge: <700mm <1200mm






TBD-X01

**Overview**

- The product is made of 304 stainless steel material
- Can bear a maximum door weight of 200KG
- The maximum opening angle is 120°
- Can achieve up and down adjustment of $\pm 3\text{mm}$
- Left and right adjustment $\pm 3\text{mm}$
- Front and rear adjustment $\pm 1\text{mm}$

Product Data

- Length: 204/239 Width: 30/30
- Opening angle: $\leq 120^\circ$




TBD-X02

**Overview**

- The product is made of 304 stainless steel material
- Can bear a maximum door weight of 200KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 3\text{mm}$
- Left and right adjustment $\pm 3\text{mm}$
- Front and rear adjustment $\pm 1.5\text{mm}$

Product Data

- Length: 240/240 Width: 32/32
- Opening angle: $\leq 180^\circ$




TBD-X09

**Overview**

- The product is made of 304 stainless steel material
- Can bear a maximum door weight of 150KG
- The maximum opening angle is 135°
- Can achieve up and down adjustment of $\pm 2.0\text{mm}$
- Left and right adjustment $\pm 1.5\text{mm}$

Product Data

- Length: 160/160 Width: 45/45
- Opening angle: $\leq 135^\circ$




TBD-X13X

**Overview**

- The product is made of stainless steel material
- Can bear a maximum door weight of 200KG
- The maximum opening angle is 160°
- Can achieve up and down adjustment of $\pm 5.0\text{mm}$
- Left and right adjustment 4.0mm
- Front and rear adjustment $\pm 2.5\text{mm}$

Product Data

- Length: 213/220 Width: 35/35
- Opening angle: $\leq 160^\circ$






TBD-X19A

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 200KG
- The maximum opening angle is 150°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Left and right adjustment $\pm 4.0\text{mm}$
- Front and rear adjustment $\pm 2.0\text{mm}$

Product Data

- Length: 227/227 Width: 36/36
- Opening angle: $\leq 150^\circ$




TBD-X19E

**Overview**

- The product is made of stainless steel material
- Can bear a maximum door weight of 160KG
- The maximum opening angle is 150°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Left and right adjustment $\pm 4.0\text{mm}$
- Front and rear adjustment $\pm 2.0\text{mm}$

Product Data

- Length: 200/200 Width: 36/36
- Opening angle: $\leq 150^\circ$




TBD-X19L

**Overview**

- The product is made of stainless steel material
- Can bear a maximum door weight of 200KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Left and right adjustment $\pm 2.0\text{mm}$
- Front and rear adjustment 4.0mm

Product Data

- Length: 216/216 Width: 36/36
- Opening angle: $\leq 180^\circ$




TBD-X22

**Overview**

- The product is made of stainless steel material
- Can bear a maximum door weight of 180KG
- The maximum opening angle is 160°
- Can achieve up and down adjustment of $\pm 4.0\text{mm}$
- Left and right adjustment 3.0mm

Product Data

- Length: 242/242 Width: 31.8/30.5
- Opening angle: $\leq 160^\circ$




TBD-X23

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 120KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Left and right adjustment $\pm 2.5\text{mm}$
- Front and rear adjustment $\pm 1.5\text{mm}$

Product Data

- Length: 160/160 Width: 29.5/29.5
- Opening angle: $\leq 180^\circ$




TBD-X24

**Overview**

- The product is made of zinc alloy material
- Can bear a maximum door weight of 80KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Left and right adjustment $\pm 2.5\text{mm}$
- Front and rear adjustment $\pm 1.5\text{mm}$

Product Data

- Length: 160/160 Width: 28/28
- Opening angle: $\leq 180^\circ$




TBD-X200

**Overview**

- The product is made of zinc alloy material
- Can bear a maximum door weight of 160KG
- The maximum opening angle is 150°
- Can achieve up and down adjustment of 4.0mm
- Left and right adjustment $\pm 3.0\text{mm}$

Product Data

- Length: 200/200 Width: 35/35
- Opening angle: $\leq 133^\circ$




TBD-Y02

**Overview**

- The product is made of stainless steel and zinc alloy
- Can bear a maximum door weight of 180KG
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 2.0\text{mm}$
- Left and right adjustment $\pm 1.0\text{mm}$
- Front and rear adjustment 3mm

Product Data

- Length: 246/242 Width: 41/41
- Opening angle: $\leq 180^\circ$






TBD-1340

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 150KG
- The maximum opening angle is 120°
- Can achieve up and down adjustment of $\pm 2.5\text{mm}$
- Left and right adjustment $\pm 4.0\text{mm}$
- Front and rear adjustment $\pm 2.0\text{mm}$

Product Data

- Length: 200/140 Width: 36/34
- Opening angle: $\leq 120^\circ$




TBD-1345

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 150KG
- The maximum opening angle is 100°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Front and rear adjustment $\pm 1.0\text{mm}$
- Left and right adjustment 3.0mm

Product Data

- Length: 190/160 Width: 40/30
- Opening angle: $< 100^\circ$




TBD-1346

**Overview**

- The product is made of stainless steel
- Can bear a maximum door weight of 150KG
- The maximum opening angle is 130°
- Can achieve up and down adjustment of $\pm 4.0\text{mm}$
- Front and rear adjustment $\pm 5.0\text{mm}$
- Left and right adjustment $\pm 5.0\text{mm}$

Product Data


- Length: 200/190 Width: 46/68
- Opening angle: $\leq 130^\circ$




TBD-MM01

**Overview**

- The product is made of cast steel/zinc alloy
- Aluminum-wood door/wooden door
- The maximum opening angle is 110°
- The margin between the door leaf and the door frame is less than 13mm
- Precision cast stainless steel swing arm (2 pieces $\leq 80\text{KG}$)
- Up, down, left, right, front and rear door seam adjustment
- Extra large opening and closing gap ($> 2\text{mm}$)
- Ultra thin thickness (the hinge thickness on one side of the door frame is only 7.8-11.5mm)




TBD-G40

**Overview**

- Material: Zinc Alloy, Alum
- Finishes: Chrome, Nickel, Brass and Painting
- Can bear a maximum door weight of 40KG
- For wooden doors / flush doors
- Concealed installation
- Adjustable after installed
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 3.0\text{mm}$
- Left and right adjustment $\pm 2.0\text{mm}$
- Front and rear adjustment $\pm 1.0\text{mm}$

Product Data

- Length: 132.5/150 Width: 25/25
- Opening angle: $\leq 180^\circ$




TBD-H60

**Overview**

- Material: Zinc Alloy, Alum
- Finishes: Chrome, Nickel, Brass and Painting
- Can bear a maximum door weight of 60KG
- For wooden doors / flush doors
- Concealed installation
- Adjustable after installed
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 2.5\text{mm}$
- Left and right adjustment $\pm 2.0\text{mm}$
- Front and rear adjustment $\pm 1.0\text{mm}$

Product Data

- Length: 140 Width: 29/29
- Opening angle: $< 180^\circ$




TBD-GE80

**Overview**


- Material: Zinc Alloy, Alum
- Finishes: Chrome, Nickel, Brass and Painting
- Can bear a maximum door weight of 80-100KG
- For wooden doors / flush doors
- Concealed installation
- Adjustable after installed
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 2.5\text{mm}$
- Left and right adjustment $\pm 2.0\text{mm}$
- Front and rear adjustment $\pm 1.0\text{mm}$

Product Data

- Length: 140/165 Width: 29/29
- Opening angle: $\leq 180^\circ$




TBD-G80

**Overview**

- Material: Zinc Alloy, Alum
- Finishes: Chrome, Nickel, Brass and Painting
- Can bear a maximum door weight of 80KG
- For wooden doors / flush doors
- Concealed installation
- Adjustable after installed
- The maximum opening angle is 180°
- Can achieve up and down adjustment of $\pm 3\text{mm}$
- Left and right adjustment $\pm 2.0\text{mm}$
- Front and rear adjustment $\pm 1.0\text{mm}$

Product Data

- Length: 154/177 Width: 128/28
- Opening angle: $\leq 180^\circ$






TBD-B333



Overview

- Smart lock
- Material: Zinc alloy
- Function: Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door
- Technical Index:
- Supports 360° press fingerprint recognition;
- 30 units maximum fingerprint input;




TBD-A666



Overview

- Smart lock
- Material: Zinc alloy
- Function: Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door
- Technical Index:
- Supports 360° press fingerprint recognition;
- 30 units maximum fingerprint input;




TBD-8801



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Feature: Screw left-right structure
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8802



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door






TBD-8803

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8805

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8806

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-B8807

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8808

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8809

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8812

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8813

**Overview**

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8815



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8818



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8819



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-B8819



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8820



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8822



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8823



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8827



Overview

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door






TBD-8828

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8829

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8832E

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-B8832F

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8833

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8835

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8836

**Overview**


- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8837

**Overview**

- Heavy-duty lever lock series
- Material: Zinc alloy
- Function: Entrance / Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door






TBD-6621+D101



Overview

- Combo set lock series
- Material: steel /Zinc alloy
- Function: Gate lock +Single cylinder deadbolt lock
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-6007+D101



Overview

- Combo set lock series
- Material: steel
- Function: Gate lock +Single cylinder deadbolt lock
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-6608+D101



Overview

- Combo set lock series
- Material: Zinc alloy / Steel
- Function: Gate lock +Single cylinder deadbolt lock
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-8801+FD101



Overview

- Combo set lock series
- Material: Zinc alloy
- Function: Gate lock +Single cylinder deadbolt lock
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-50mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-1101



Overview

- Deadbolt lock series
- Material: Zinc alloy
- Function: Single cylinder deadbolt
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-1102



Overview

- Deadbolt lock series
- Material: Zinc alloy
- Function: Double cylinder deadbolt
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-YD101



Overview

- Deadbolt lock series
- Material: Zinc alloy
- Function: Single cylinder deadbolt
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-FD102



Overview

- Deadbolt lock series
- Material: Zinc alloy
- Function: Double cylinder deadbolt
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door






TBD-9166

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-9171

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-9169

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-8801+9163

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-9101

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-9162

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-9102

Overview


- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



TBD-9103

Overview

- Auto-release lever lock series
- Material: Zinc alloy
- Function: Privacy / Passage / Dummy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door






TBD-587



Overview

- Cylindrical knob lock series
- Material: 201 / 304 Stainless steel
- Function: Entrance / Passage / Privacy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-5871



Overview

- Cylindrical knob lock series
- Material: 201 / 304 Stainless steel
- Function: Entrance / Passage / Privacy
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-5880



Overview

- Cylindrical knob lock series
- Material: Zinc alloy / steel
- Function: Entrance / Passage / Privacy
- Finish: SN / BN / PB
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-5881



Overview

- Cylindrical knob lock series
- Material: Zinc alloy / steel
- Function: Entrance / Passage / Privacy
- Finish: SN / BN / PB
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-WA5831



Overview

- Cylindrical knob lock series
- Material: Wood / Steel
- Function: Privacy / Passage / Entrance
- Finish: PB
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-5886



Overview

- Cylindrical knob lock series
- Material: Zinc alloy / Steel
- Function: Privacy / Passage / Entrance
- Finish: PB / AB / AC / SN / SC / CP / ORB / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-5792



Overview

- Tubular knob lock series
- Material: 201 / 304 Stainless steel
- Function: Privacy / Passage / Dummy / Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-6007



Overview

- Tubular knob lock series
- Material: 201 / 304 Stainless steel
- Function: Privacy / Passage / Dummy / Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-6009



Overview

- Tubular knob lock series
- Material: 201 / 304 Stainless steel
- Function: Privacy / Passage / Dummy / Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN / PB
- Standard door thickness:35-45mm
- Special door thickness:45-55mm
- Suitable for:Wooden door and steel door




TBD-6010



Overview

- Tubular knob lock series
- Material: 201 / 304 Stainless steel
- Function: Privacy / Passage / Dummy / Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN / PB
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door




TBD-577



Overview

- Tubular knob lock series
- Material: 201 / 304 Stainless steel
- Function: Privacy / Passage / Dummy / Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN / PB
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door





























TBD-5793


































Overview



- Tubular knob lock series
- Material: 201 / 304 Stainless steel
- Function: Privacy / Passage / Dummy / Entrance
- Finish: SN / MB / ORB / AB / AC / SC / CP / AN / PB
- Standard door thickness: 35-45mm
- Special door thickness: 45-55mm
- Suitable for: Wooden door and steel door



 H001 Renaissance 	 H002 Raphael 	 H003 Bordeaux 	 H004 Rembrandt 
 H005 Baron 	 H006 Tequila 	 H007 Taj 	 H008 Aztec 
 H009 Margarita 	 H010 Vase 	 H011 Da Vinci 	 H012 Copernicus 
 H013 Baroque 	 H014 Cognac 	 H015 Gin 	 H016 Cannon 
 H017 Modern Feel 	 H018 Mountain Gun 	 H019 Steel Barrel 	 H020 Rococo 
 H021 Hazel 	 H022 Laurel 	 H023 Grand Canyon 	 H024 Niagara 
 H025 Dante 	 H026 Prairie 	 H027 Vodka 	 H028 Ivy 

 H029 Blunderbuss 	 H030 Hyacinth 	 H032 Blunderbuss II 	 H036 Petrarca 
 H037 Nanking 	 H038 Hongkong 	 H039 Seoul 	 H040 Campari 
 H041 Boccaccio 	 H042 Concerto 	 H043 Burgundy 	 H044 Daffodil 
 H129 Corbana 	 H130 Spinder 	 H131 Squacure 	 H132 Boby 
 H133 Shanjaky 	 H134 Shinnier 	 H135 Arcy 	 H136 Slimmy 
 H161 quadrel 	 H162 Surreal 	 H163 Badge 	 H164 Skylight 
 H165 Sailing 	 H166 Quadratic 	 H167 Elegant 	 H169 Hema 

 H126 Tchaikovsky 130 x 47	 H175 Everhf 118 x 48	 H601 Kowlon 118 x 48	 H602 Urban 118 x 48
 H603 Continental 143 x 60	 H604 Adagio 126 x 48	 H605 Terrestrial 140 x 58	 H607 Oute Spare 130 x 57
 H609 Muffler 126 x 62	 H610 Sokaby 122 x 60	 H611 Square 134 x 48	 H612 Ancient Square 135 x 55
 H613 Variant 134 x 69	 H614 Tango 134 x 54	 H615 Timmor 133 x 50	 H616 Squala 130 x 50
 H617 Thebes 130 x 52	 H618 Schappi 151 x 53	 H620 Clou 129 x 52	 H621 Pan 128 x 52
 H622 Mousai 126 x 57	 H623 Hebe 124 x 47	 H624 Dionysus 130 x 48	 H625 Watch 149 x 50
 H668 140 x 55	 H669 135 x 45	 H670 126 x 48	 H671 126 x 48

 HP001 135 x 80	 HP002 135 x 80	 HP003 135 x 80	 HP004 135 x 80
 HP005 135 x 80	 HP006 140 x 80	 HP007 135 x 80	 HP008 135 x 80
 HP009 135 x 80	 HP010 135 x 80	 HP011 138 x 70	 HP012 135 x 80
 HP013 135 x 80	 HP014 135 x 80	 HP015 135 x 80	 HP016 135 x 80
 HP017 150 x 80	 HP030 135 x 80	 HP031 135 x 80	 HP008 135 x 80
 Product Code: QU-PS50 Material: Brass Dimensions: Overall H:183 x W:119.5 x D:51 mm Fixing: Through bolt fixing, fully concealed. Self adjusting spindle 7.6mm to 8mm. Fits any lock or latch. Door thickness: Suits from 32mm to 52mm door as standard. For thicker doors longer screws and spindles are available.			

Concealed pin

A-stainless steel concealed pin(stamped)

Model: HAX

Model	HAX001	HAX002	HAX003	HAX004
Size	150x25mm	200x25mm	250x25mm	300x25mm
Specification	6inch	8inch	10inch	12inch

Model: HCX

Model	HCX001	HCX002	HCX003
Size	150x19mm	200x19mm	250x19mm
Specification	6inch	8inch	10inch
Model	HCX004	HCX005	HCX006
Size	300x19mm	450x19mm	600x19mm
Specification	12inch	18inch	24inch

Model: HBX

Model	HBX001	HBX002	HBX003	HBX004
Screw length	150mm	200mm	250mm	300mm
Specification	6inch	8inch	10inch	12inch

HBX dock plug (adjustable plug) (optional two-hole or four-hole panel)
The screw length is generally 6 inches (150mm), 8 inches (200mm), 10 inches (250mm), 12 inches (300mm), and can be processed to any length (within 1500mm)
Panel fixing size: 171x25mm

Four-hole panel

Special connector

With special screw

Special processing available for bolt insertion as follows:

Model: HDX (Pointed tip insertion)

Model	HDX001	HDX002	HDX003	HDX004
Size	160x17mm	200x17mm	250x17mm	300x17mm
Specification	6inch	8inch	10inch	12inch


Model: HEX (Nail insertion)

Model	HEX001	HEX002	HEX003	HEX004
Size	150x22mm	200x22mm	250x22mm	300x22mm
Specification	6inch	8inch	10inch	12inch


Model: HTX (Safety pin insertion)

Model	HTX001	HTX002	HTX003	HTX004
Size	150x22mm	200x22mm	250x22mm	300x22mm
Specification	6inch	8inch	10inch	12inch

Special safety pin insertion



Model: HFX001 (6-inch special safety pin insertion)
Size: 147X25X40mm



Model: HFX002 (8-inch special safety pin insertion)
Size: 200X25X40mm

B-Zinc alloy bolt insertion (stainless steel material optional)

Model: HMB

Model	HMB001	HMB002	HMB003	HMB004
Screw length	150mm	200mm	250mm	300mm
Specification	6inch	8inch	10inch	12inch

HMB zinc alloy bolt insertion (adjustable insertion) panel fixed size: 144 x 22 mm.
The screw length is usually 6 inches (150mm), 8 inches (200mm), 10 inches (250mm), 12 inches (300mm). The screw length can be processed to any length (within 1500mm).

C-zinc alloy pig cage insert



Model: HMC001(zinc alloy 6inch)
Size: 150X19mm



Model: HMC002(zinc alloy 8inch)
Size: 200X19mm



Model: HMC003(zinc alloy 10inch)
Size: 250X19mm



Model: HMC004(zinc alloy 12inch)
Size: 300X19mm

D-Precision cast stainless steel pins (optional with or without edges), the length of edge free precision cast pins can be specially customized within the range of 200-1000mm



Model: HMD001(Stainless steel precision casting 6inch)
Size: 150X19mm



Model: HMD002(Stainless steel precision casting 8inch)
Size: 200X19mm



Model: HMD003(Stainless steel precision casting 10inch)
Size: 250X19mm



Model: HMD004(Stainless steel precision casting 12inch)
Size: 300X19mm



Model: HMD005(Stainless steel precision casting 18inch)
Size: 450X19mm




Model: HMD006(Stainless steel precision casting 24inch)
Size: 600X19mm



Model: HMD007(Stainless steel precision casting 40inch)
Size: 1000X19mm

E-Fire doors and passage automatic doors (divided into left and right)




F-HGX(central control plug)

(1) Twisted tooth structure (regular M8 thread, particular M10 thread can be customized)




(2) Hooked structure



G-HMTPrecision cast stainless steel open bolt



Model	HMT001	HMT002	HMT003	HMT004
Overall length	150mm	200mm	250mm	300mm
Specification	6inch	8inch	10inch	12inch



From bottom to top:
8 inches, 10 inches, 12 inches, 24 inches




Model	HMT005	HMT006	HMT007
Overall length	200mm	250mm	300mm
Specification	8inch	10inch	12inch










H-HMG copper rod plug








Model	HMG001	HMG002	HMG003	HMG004
Screw length	150mm	200mm	250mm	300mm
Specification	6inch	8inch	10inch	12inch










I-precision-cast short latches









 Model: TBDS001 Pyramid Zinc alloy	 Model: TBDS002 Semi-spherical door stop Zinc alloy	 Model: TBDS003 Semi-spherical door stop Zinc alloy	 Model: TBDS004 Oval door stop Zinc alloy
 Model: TBDS005 Hourglass door stop Zinc alloy	 Model: TBDS006 Large cylinder Zinc alloy	 Model: TBDS007 Small cylinder Zinc alloy	 Model: TBDS008 With hook Zinc alloy
 Model: TBDS009 Floor-mounted door stop Zinc alloy	 Model: TBDS010 Stainless Steel	 Model: TBDS011 Lighthouse Zinc alloy	 Model: TBDS012 Zinc alloy
 Model: TBDS013 Zinc alloy	 Model: TBDS014 Zinc alloy	 Model: TBDS018B Zinc alloy	 Model: TBDS023 Stainless steel
 Model: TBDS031 Zinc alloy	 Model: TBDS027 Zinc alloy	 Model: TBDS026 Zinc alloy	 Model: TBDS025 Zinc alloy



 Model: TBDS032 Pyramid Zinc alloy	 Model: TBDS033 Stainless steel	 Model: TBDS035 Stainless steel precision casting	 Model: TBDS045 Zinc alloy
 Model: TBDS046 Zinc alloy	 Model: TBDS048B Stainless steel	 Model: TBDS49 Stainless steel	 Model: TBDS054 Stainless steel
 Model: TBDS059 Stainless steel	 Model: TBDS066 Stainless Steel	 Model: TBDS072 Stainless steel (Left / Right)	 Model: TBDS075 Concealed door stop stainless steel
 Model: TBDS078 Stainless steel	 Model: TBDS081 Stainless steel	 Model: TBDS091 Stainless steel	 Model: TBDS095 Stainless steel
 Model: TBDS096 Stainless steel	 Model: TBDS097 Zinc alloy	 Model: TBDS099 Stainless steel	 Model: TBDS101 Stainless steel

 Model: TBDS121 Stainless steel	 Model: TBDS122 Stainless steel	 Model: TBDS125 Stainless steel	 Model: TBDS126 Stainless steel
 Model: TBDS127 Aluminum alloy	 Model: TBDS129 Stainless steel	 Model: TBDS132 Stainless steel	 Model: TBDS140 Stainless steel sword-shaped door stop
 Model: TBDS141 Stainless steel	 Model: TBDS147 Stainless Steel	 Model: TBDS144 Stainless steel	 Model: TBDS156 Stainless steel
 Model: TBDS157 Stainless steel	 Model: TBDS158 Stainless steel	 Model: TBDS161 Stainless steel	 Model: TBDS153 Stainless steel
 Model: TBDS162 Stainless steel (Left / Right)	 Model: TBDS167 Stainless steel	 Model: TBDS803B 80x80mm	 Model: TBDS168 Stainless steel / Zinc alloy

 Model:TBDM001 Pyramid Zinc alloy	 Model:TBDM002 Stainless steel	 Model:TBDM003 Chain size:210mm Zinc alloy	 Model:TBDM004 Zinc alloy
 Model:TBDX003 120X40X13mm 150X50X15mm	 Model:TBDX005 102X50X12mm 118X51X12mm 120X40X12mm	 Model:TBDX001 Stainless steel Size: Ø75X12mm	 Model:TBDX002 Stainless steel Size: Ø75X12mm
 Model:TBDM013 Stainless steel	 Model:TBDM014 Stainless Steel	 Model:TBDM015 Stainless steel	 Model:TBDM016 stainless steel
 Model:TBDM018 Stainless steel	 Model:TBDM020 Stainless steel	 Model:TBDM023 Stainless steel	 Model:TBDM025 Stainless steel
 Model:TBDE001 Size:100X300X1.5mm Stainless steel	 Model:TBDE002 Size:60X15mm Stainless steel	 Model:TBDE003 Size:100X100X1.5mm Stainless steel	 Model:TBDE005 Size:100X100X1.5mm Stainless steel

Quality Guarantee Service

- ◆ Material: Steel / Zinc Alloy / SUS201 / SUS304 / SUS316
- ◆ Stainless Steel Salt Spray Test: 72 Hours
- ◆ Handle Lock Test Cycles: 100,000 Times
- ◆ OEM & customized design supported
- ◆ Warranty: 2 Years

1. Contact	 >>>
2. Order Guide	 >>>
3. Billing Terms & Conditions	 >>>
4. Terms & Conditions	 >>>
5. Privacy Policy	 >>>
6. Warranty	 >>>
7. Refund Policy	 >>>

1. *Customer Support*

Phone: +61 468 734 744

Email: info@silverstonebuildings.com.au

2. *Order Guide*

How to Order

Ordering with SSB is straightforward. Whether you prefer to pay a deposit or in full upfront, our process is designed to keep things clear and on schedule. From confirming your dispatch date through to delivery. Here's what to expect.

Visit our website - <https://silverstonebuildings.com.au/>

You can place orders online, over the phone or by email on info@silverstonebuildings.com.au

Pay a 20% deposit to secure your place in our production schedule or pay your balance in full at the time of ordering.

Deposits are refundable only if your order hasn't been packed which is generally 2 to 3 days prior to your Scheduled Dispatch Date.

Final Payment

Your remaining balance is due before your order is dispatched.

FINANCE OPTIONS

Looking for finance options? SSB has partnered with Handypay so you can get your project started sooner. Plans are available from \$2,000 to \$75,000, with weekly, fortnightly or monthly repayments across terms of up to 12 months. There are no monthly fees, no early exit fees, and no early repayment fees.

To be eligible you must be over 18, an Australian citizen or permanent resident, in receipt of employment income, and financing for personal use only.

Getting started takes around 30 minutes, fill in a quick online application, discuss your options with the Handypay team, and once verified, funds are typically settled within 24 hours. A quote won't impact your credit score.

Ready to get started? Visit: <https://app.handypay.com.au/portal/register-get-started/SilverstoneBuildings>
Terms and conditions apply.

3. *Billing Terms & Conditions*

Unless otherwise negotiated, payment for Goods and/or Services is to be received in full by the Seller prior to dispatch.

4. *Terms & Conditions*

Find all the details, entry rules, and prize information for our latest promotions EOFY 2026 – Free delivery within Sydney

5. *Privacy Policy*

SSB Privacy Policy

This following document sets forth the Privacy Policy for the SSB website,

<https://silverstonebuildings.com.au/>

SSB is committed to providing you with the best possible customer service experience.

SSB is bound by the Privacy Act 1988 (Cth), which sets out a number of principles concerning the privacy of individuals.

Collection of your personal information

There are many aspects of the site which can be viewed without providing personal information, however, for access to future SSB customer support features you are required to submit personally identifiable information. This may include but not limited to a unique username and password or provide sensitive information in the recovery of your lost password.

Sharing of your personal information

We may occasionally hire other companies to provide services on our behalf, including but not limited to handling customer support enquiries, processing transactions or customer freight shipping. Those companies will be permitted to obtain only the personal information they need to deliver the service. SSB takes reasonable steps to ensure that these organisations are bound by confidentiality and privacy obligations in relation to the protection of your personal information.

Use of your personal information

For each visitor to reach the site, we expressively collect the following non-personally identifiable information, including but not limited to browser type, version and language, operating system, pages viewed while browsing the Site, page access times and referring website address. This collected information is used solely internally for the purpose of gauging visitor traffic, trends and delivering personalized content to you while you are at this Site.

From time to time, we may use customer information for new, unanticipated uses not previously disclosed in our privacy notice. If our information practices change at some time in the future we will use for these new purposes only, data collected from the time of the policy change forward will adhere to our updated practices.

Changes to this Privacy Policy

SSB reserves the right to make amendments to this Privacy Policy at any time. If you have objections to the Privacy Policy, you should not access or use the Site.

6. ***Warranty Record***

Please keep a copy of the receipt for validation of your SSB product’s warranty.

7. ***Refund Policy***

In the event that your order has left our warehouse and you decide you no longer need your product, send us an email within 14 days of receiving the product to start the refund process, you will be liable for all freight costs and a 20% restocking fee, your product will be picked up within two weeks from receiving your return request and you will be refunded once we receive the goods back to our warehouse. The refund will go back to the original payment method within 7 days of SSB receiving the goods. If your order has not left the warehouse and is a standard stocked item order and you would like to cancel, we can refund you in full and cancel the order.

1. Stainless Steel Hinge	01	>>>
2. Heavy-duty Stainless Steel Hinge	12	>>>
3. Steel Hinge	13	>>>
4. Heavy-duty Pivot Hinge	15	>>>
5. Stainless Steel Hidden Hinge	17	>>>
6. Zinc Alloy Hidden Hinge	20	>>>
7. Invisible Door Hinge	21	>>>
8. Concealed Door Hinge	24	>>>
9. Heavy-duty Lever Lock Series	26	>>>
10. Combo Set Lock Serise	33	>>>
11. Deadbolt Lock Series	34	>>>
12. Auto-release Lever Lock Series	35	>>>
13. Cylindrical Knob Lock Series	37	>>>
14. Tubular Knob Lock Series	39	>>>
15. Solid Handle	41	>>>
16. Tubular Handle	44	>>>
17. Flush Bolt	45	>>>
18. Door Stopper	49	>>>
19. Door Security Chain	53	>>>