



NEVER HAND INSERT SLATS AGAIN!

**Hit The Mark With
"Factory Inserted Slats"™**

NOODLE LINK™



Patent Pending

75% privacy (Approximate)

NOODLE LINK PLUS™



Patent Pending

98% privacy (Approximate)

PRIVACYLINK®



98% privacy (Approximate)

INDUSTRIALLINK®



75% privacy (Approximate)



2021-2022

CATALOG

Customer Service and Support

WE OFFER MARKETING TOOLS THAT WILL HELP YOU SELECT THE CORRECT fence products and complete successful fence projects. Some of these are:

- Quotes in 20 minutes or less
- Customer service second to none
- A vast inventory of products ready for immediate shipping
- Highly informative product support materials

Our ultimate goal is to help you achieve your financial goals and come away with happy, satisfied customers.



Chain Link Fence with "Factory Inserted Slats"

Decorative Privacy Fence Slats

Use this handy Selection Guide to choose the fencing that best fits your needs.

CHAIN LINK FENCE WITH "FACTORY INSERTED SLATS"

PrivacyLink® (3 1/2" x 5" mesh — near total privacy)

Technical Data

PrivacyLink Specifications

Material	High strength galvanized steel (minimum 100 lbs. yield)	✓
Mesh	3 1/2" x 5"	✓
Standard Wire Colors	Black, Green, White, Brown, Silver, Blue, Red, Orange, Yellow, Purple, Grey, Tan, Bronze, Copper, Gold, Silver, Chrome, Aluminum, Zinc, Tin, Lead, Cadmium, Nickel, Cobalt, Manganese, Silicon, Boron, Phosphorus, Sulfur, Selenium, Tellurium, Iodine, Bromine, Fluorine, Chlorine, Oxygen, Nitrogen, Carbon, Hydrogen, Helium, Neon, Argon, Krypton, Xenon, Radon, Francium, Radium, Actinium, Thorium, Protactinium, Uranium, Neptunium, Plutonium, Americium, Curium, Berkelium, Californium, Einsteinium, Fermium, Mendelevium, Nobelium, Lawrencium, Rutherfordium, Dubnium, Seaborgium, Bohrium, Hassium, Meitnerium, Darmstadtium, Roentgenium, Copernicium, Nihonium, Flerovium, Oganesson	✓

Standard Wire Colors

Standard Slat Colors

HDPE Technical Properties

YOUR TOTAL FENCING SOURCE

1.800.574.1076 • www.privacylink.com

DETAILED CUT SHEETS that contain complete information about each product. They provide valuable information like the materials used in manufacture, durability, privacy, available colors, warranty, and much more.

FREE custom printed, full-color **SELECTION GUIDES** with your company name and address. Sales people can use it as a reference, or it can be given to potential customers to help them select the best fence product for their projects.

INSTALLATION INSTRUCTIONS
(Suggested installation instructions. Instructions vary per job site conditions)

Step 1: Thread the locking strip through the chain link mesh, 2 diamonds down from the top of the fence, with the ridge on the locking strip facing to the front of the fence.

Step 2: Insert the slats vertically from top to bottom of the fence with the locking notch on top and facing to the back of the fence. The slats securely lock in place when the ridge slips into the groove of the slat.

SLAT NAME	SLAT WIDTH	MESH SIZE	WIRE GAUGE	COVERAGE AREA
ULTIMATE SLAT 2"	1 7/8"	2"	9	1.5 SQUARE FEET
ULTIMATE SLAT 2 1/4"	1 7/8"	2 1/4"	11	1.5 SQUARE FEET

Ultimate Slot™ Specifications

Ultimate™ Fence Slats

PROJECT: _____ SUBMITTED BY: _____ ORDERING NO: _____

OWNER/GENERAL CONTRACTOR: _____ DATE: _____

Noodle Link™ Installation Instructions
Assemble the frame work, top rail, loop caps, etc.

Step 1: Insert the needle and connect the rolls same as regular chain link fence. Stand the fence up to the posts and top rail, loosely attach to the top rail, attach tension bar and stretch wire into place. **Do not cut the noodle until you have stretched the wire.**

Step 2: Install the three (3) slats that come with each roll in the space created as a result of hooking the two rolls or sections together with the wire needs provided.

Step 3: Cut the excess noodle halfway between the two selvages where the two rolls or sections come together, so both ends of the noodle touch. Using the hog ring pliers, hog ring both ends of the noodle to the wire very tightly, making sure both ends are still touching, keeping the noodle secure from moving in the wire.

Step 4: Do not overlap the noodle, make sure the noodle ends are touching and then hog ring tightly. The hog rings must be very, very tight to prevent the noodle from moving in the wire.

Caution: If you trim the Noodle before stretching the wire, you may end up with not enough Noodle.

YOUR TOTAL FENCING SOURCE

COMMERCIAL, INDUSTRIAL & RESIDENTIAL FENCE PRODUCTS AND ACCESSORIES FOR THE FENCE PROFESSIONAL!

1.800.574.1076 • www.noodlelinkfence.com

INSTALLATION INSTRUCTIONS that give detailed directions for correctly installing each fence. They provide step-by-step directions and information that makes installation simple and easy and eliminates headaches and mistakes in the final appearance.

SHOP DRAWINGS that not only show the components of each fence but also provide exact specifications and valuable installation instructions.

Table of Contents

<p>CHAIN LINK FENCE WITH “FACTORY INSERTED SLATS”™ pages 4-15</p> <p>Introduction to Factory Inserted Slats, page 4; PrivacyLink, page 5; IndustrialLink, page 6; VinylWood, page 7; Noodle Link, page 8; Noodle Link Plus, page 9; Noodle Link Lite, page 10; Flat Noodle Link, page 11; Noodle Link Testimonials, page 12; PrivacyMaster, page 13; SlatLink, page 14; HedgeMaster, page 15</p>	P
<p>DECORATIVE PRIVACY SLATS pages 16-22</p> <p>Features and specifications, page 16; Bottom Locking Double Wall Slats, page 17; EZ Slat, page 17; Ultimate Slat, page 18; Winged Slats, page 18; FeatherLock, page 19; HedgeLink, page 19; Top-Locking Slats, page 20; Aluminum Slats, page 20; FinLink, page 21; Fin2000, page 21; Industrial Slats, page 22; Safety Top Cap, page 22</p>	P
<p>WINDSCREEN, CORRUGATED SAFETY TOP CAP, AND SPORTS NETTING</p> <p>page 23</p>	P
<p>CHAIN LINK FENCE</p> <p>page 24</p>	P
<p>ORNAMENTAL FENCING</p> <p>Aluminum and Welded Wire Fence, page 25</p>	P
<p>COMPOSITE FENCING</p> <p>Trex Seclusions and Horizons, page 26</p>	P
<p>SIMULATED STONE AND WOOD FENCE</p> <p>Bufftech Molded Fence, page 27</p>	P
<p>FENCE FITTINGS, GATE HARDWARE AND TOOLS</p> <p>page 28</p>	P
<p>MagnaLatch®, LokkLatch®, TruClose® GATE HARDWARE AND MOWSTRIP GRASS & WEED BARRIER</p> <p>page 29</p>	P
<p>VINYL FENCING</p> <p>page 30</p>	P
<p>VINYL BALUSTERS</p> <p>page 31</p>	P
<p>PRE-FORMED FAUX ROCK PILLARS</p> <p>pages 32-33</p>	P
<p>VINYL RAILING SYSTEMS</p> <p>pages 34-35</p>	P
<p>MISSION STATEMENT pages 36-37</p> <p>Mission Statement, page 36; Our People, page 37</p>	P
<p>ARCHITECTURAL REFERENCE SPECIFICATIONS</p> <p>pages 38-39 (<i>Factory Inserted Products only</i>)</p>	P

"Factory Inserted Slats"™

PrivacyLink® Chain Link Fence with "Factory Inserted Slats"™ is the perfect choice when you want privacy, security and easy installation.

You'll hit the bullseye every time you install any one of our ten popular styles of fence with "Factory Inserted Slats"™.



Chain Link Fence with "Factory Inserted Slats"™



Factory inserted PrivacyLink® fencing rolling off the assembly line at our Smithfield, Utah manufacturing facility.



A roll of factory inserted fence ready for loading on shipping pallet.



Rolls of factory inserted slats on a shipping pallet ready to be loaded on a trailer for shipping to a customer.



Fence installer installing a roll of chain link fence with factory inserted slats already in the wire.

Features and Benefits

- Simpler, faster installation – just stand the fence up, stretch it out and tie it down.
- Eliminates the need to insert slats on the job site – the slats are in the wire when you receive your order
 - Cuts lost revenue • Increases profits • 10 popular styles • 9 vivid slat and wire colors

**Why insert slats by hand on the job site when you don't have to?
Go with chain link fencing that has the slats already in the wire.**

Call for a FREE quote today.


See pages 5 - 15 to choose the best "Factory Inserted" fence for your projects.

PrivacyLink® (3 1/2" x 5" mesh – near total privacy)

PrivacyLink® IS A STRONG, DURABLE CHAIN LINK FENCE WITH "FACTORY INSERTED SLATS"™ THAT works well for commercial and residential projects. It is constructed using 9 or 10 gauge galvanized or vinyl coated wire and Fin2000 slats designed with fins to fit snugly in the wire mesh and provide approximately 98 percent privacy. Choose the wire color and complement it with a corresponding color of slat or you can mix and match the two.



Chain Link Fence with "Factory Inserted Slats"™



General Features and Specifications:

- Double-wall "Factory Inserted Slats"™
- Approximately 98% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 3 1/2" x 5" mesh
- Manufactured up to 12' high
- Available in 9 or 10 gauge galvanized before weaving (GBW), Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Self-locking double-wall slats (with or without staples)
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year pro-rata limited warranty



ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Chain Link Wire Colors



Slat Colors




Mix any color of slat with any color of wire. Colors are approximations. Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

IndustrialLink[®] (3 1/2" x 5" mesh – semi-privacy)

IndustrialLink[®] FENCE IS ALSO BUILT USING 9 OR 10 GAUGE GALVANIZED OR VINYL COATED WIRE and "Factory Inserted Slats"[™]. The slats have one additional center support for strength, are stapled into the chain link, and provide approximately 75 percent privacy. IndustrialLink[®] is an excellent choice for a boundary or security fence.



Chain Link Fence with "Factory Inserted Slats"[™]



"Factory Inserted Slats"[™] already in the 3 1/2" x 5" wire!

General Features and Specifications:

- Double-wall "Factory Inserted Slats"[™]
- Approximately 75% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 3 1/2" x 5" mesh
- Chain link manufactured up to 16' high
- Available in 9 or 10 gauge galvanized before weaving (GBW), Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire – 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire – 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Double wall slats with staples
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year pro-rata limited warranty



ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Chain Link Wire Colors



Slat Colors



Mix any color of slat with any color of wire. Colors are approximations. Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

VinyWood®

(3 1/2" x 5" mesh – near total privacy)
Patent Pending

VinyWood® IS A DURABLE CHAIN LINK FENCE WITH WOOD-GRAINED DOUBLE-WALL SLATS. THE "Factory Inserted Slats"™ look just like real wood, yet they are stronger than wood, require no staining or painting, and require little or no maintenance. It is an excellent choice for fencing when you want the look and feel of wood but not the headaches of natural wood upkeep. **VinyWood®**, like all of our "Factory Inserted"™ products, is easy to install.



P

Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™
already in the 3 1/2" x 5" wire!

General Features and Specifications:

- Double-wall "Factory Inserted Slats"™
- Approximately 98% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 3 1/2" x 5" mesh
- Manufactured up to 12' high
- Available in 9 or 10 gauge galvanized before weaving (GBW), Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW) per ASTM A392 and A817, Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire per ASTM F668, class B
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type I
- Self-locking double-wall slats with or without staples
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year pro-rata limited warranty



ACCESS PRIVACYLINK
ARCHITECTURAL SUPPORT AT



Sweets™



Slat Color
Wood grain

Chain Link Wire Color
Galvanized or wood grain

NOODLE LINK™ (2" mesh – semi privacy)

Patent Pending

NOODLE LINK™ FEATURES STURDY DOUBLE-WALL "Factory Inserted Slats"™ THAT PROVIDES approximately 75% privacy. It is easy to install, costs less than most other chain link fence systems, and creates a beautifully finished fence your customers will love and appreciate.



P

Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™ and locking noodle already in the 2" wire!

General Features and Specifications:

- Double-wall "Factory Inserted Slats"™
- Approximately 75% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 2" mesh
- Manufactured up to 12' high (Special heights available upon request)
- Available in 9 galvanized before weaving (GBW), per ASTM A392 and A817, Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), per ASTM A393 and A817, Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type I
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year pro-rata limited warranty
- **Patent pending**



Noodles now available in matching wire colors plus standard silver for galvanized.

ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Noodle/Chain Link Wire Colors



Mix any noodle and wire color combination with any color of slat. Colors are approximations. Exact representation of

NOODLE LINK PLUS™ *(2" mesh - near total privacy)*

Patent Pending

NOODLE LINK PLUS™ PROVIDES THE GREATEST AMOUNT OF PRIVACY OF ALL THE **NOODLE LINK™** products. It features double-wall "**Factory Inserted Slats™**" with specially designed wings on each side of the slat that provide near-total privacy. **NOODLE LINK PLUS™** is easy to install, costs less than most other chain link fence systems, and your customers will appreciate its significant privacy and exceptional appearance.



Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™ and locking noodle already in the 2" wire!

General Features and Specifications:

- Double-wall "**Factory Inserted Slats™**"
- Approximately 98% wind load and privacy factor *(based on wire/mesh used-stretch tension)*
- Available in 2" mesh
- Manufactured up to 12' high
- Available in 9 or 11 gauge galvanized before weaving (GBW), per ASTM A392 and A817, Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), per ASTM A393 and A817, Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year pro-rata limited warranty
- **Patent pending**



Noodles now available in matching wire colors plus standard silver for galvanized.

ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Slat Colors



colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

NOODLE LINK LITE™ (2" mesh – semi-privacy)

Patent Pending



NOODLE LINK LITE™ IS THE LIGHTWEIGHT MEMBER OF THE NOODLE LINK FAMILY. ITS SINGLE-WALL "Factory Inserted Slats"™ offer approximately 85% privacy. It is easy to install, costs less than most other chain link fence systems, and is an excellent choice when you want an inexpensive fence system.

P

Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™ and locking noodle already in the 2" wire!

General Features and Specifications:

- Single-wall "Factory Inserted Slats"™
- Approximately 85% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 2" mesh
- Manufactured up to 12' high (Special heights available upon request)
- Available in 9 gauge galvanized before weaving (GBW), per ASTM A392 and A817, Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), per ASTM A393 and A817, Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, type 1
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Seven year pro-rata limited warranty
- **Patent pending**






Noodles now available in matching wire colors plus standard silver for galvanized.

ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Noodle/Chain Link Wire Colors



Mix any noodle and wire color combination with any color of slat. Colors are approximations. Exact representation of

FLAT NOODLE LINK™ (2" mesh - semi-privacy)

Patent Pending

FLAT NOODLE LINK™, UNLIKE THE OTHER THREE NOODLE LINK PRODUCTS, INCORPORATES A FLAT noodle that is "Factory Inserted"™ into the top of the fence to lock the slats securely in place. It features the same easy installation and benefits as the other **NOODLE LINK™** products, and it too is a good choice for fencing.



P

Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™ and locking noodle already in the 2" wire!

General Features and Specifications:

- Double-wall "Factory Inserted Slats"™
- Approximately 75% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 2" mesh
- Manufactured up to 12' high
- Available in 9 or 11 gauge galvanized before weaving (GBW), per ASTM A392 and A817, Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), per ASTM A393 and A817, Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire per ASTM F668, class 2B - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year pro-rata limited warranty
- **Patent pending**



ACCESS PRIVACYLINK
ARCHITECTURAL SUPPORT AT



Slat Colors



colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

NOODLE LINK[™] Testimonials

People everywhere are talking about Noodle Link[™] - how easy it is to install, how fast it goes up, and how good it looks when it's finished. Here are comments from our customers and what they had to say about this revolutionary new 2" fence with "Factory Inserted Slats"[™]:

P

Chain Link Fence with "Factory Inserted Slats"[™]

"I push PrivacyLink products. The cost of the material is offset by labor costs putting in slats. Everyone says putting in slats is a 'real a** woopin'."

Scott in Texas

"We liked it. Crews liked it too. It was faster and they liked it a whole lot better than putting slats in themselves."

Spencer in North Carolina

"We just finished a Noodle Link job for Arby's and it went very well. My installation guys like how easy the product was to work with. The customer was very pleased with the end product. Will let you know on the next Noodle Link job opportunity."

Rick in Minnesota

"You have a hit with Noodle Link. My crews loved installing it, and it looks great when it's up. The slats are nice and even and not choppy. I like that it's locked on bottom and top. We will definitely be buying more."

Tim in Wisconsin

"I like buying from you. Your material always comes in clean and wrapped up nice. I don't like buying from other vendors because it's always dirty and looks like it's been sitting in a dirt field for a while. It's hard to explain that to a customer."

Phil in California

"The guys really liked Noodle Link. It was easy to work with and it went up fast."

Chris in New Mexico

"We proposed using Noodle Link on a large job for a major company, which was approved. The company has two locations (approx. 2000 ft of fence each) that are very close together. We were only awarded one location. The other location was awarded to another fence company that put up chain link only and hand inserted the slats afterwards. We both started at the same time. We finished more than two weeks earlier than the company that hand inserted the slats. The general contractor and the company we put the fence in for were very pleased. They were amazed on how fast we put up the Noodle Link fence and how nice it looked. They thought the Noodle Link fence looked better than the fence where the slats were hand inserted."

Jeff in Pennsylvania

"Really liked the concept and like the idea of saving so much time and so much more on labor costs."

Jim in Illinois

"What a time saver Noodle Link is. We will certainly use Noodle Link on our next job. We can't believe how beautiful this job turned out and it was a 10' installation. It was a no-brainer to consider and use this product."

Denise in Florida

"I showed our installation crew your Noodle Link YouTube videos and gave them your cut sheet with installation instructions and they installed the fence with no problems. It looks really nice and the owners were very happy."

Sheri in California

"Just finished our first Noodle Link job, my guys really liked using the material. It was very easy to stretch and weave together. Most of all, our customer was very pleased with the installation and the final look."

Tom in Arizona

"We used 460ft. of 8ft. tall Noodle Link and we saved ourselves a week's worth of work stuffing slats in 100 degree weather. We loved it and will use it again."

Tommy in Arkansas

"Went great! No hiccups! Noodle Link is so much more effective to use. Our customer (Border Patrol) is more than pleased with the final look of Noodle Link. We had to buy a gate from somewhere else and our customer decided to slide the slats in themselves, but they soon realized how much of a waste of time it was to do that instead of using Noodle Link. Always looking for opportunities to push Noodle Link."


Rilie in North Dakota

PrivacyMaster® (2" mesh - near total privacy)

PrivacyMaster® FENCE IS MADE USING RUGGED 9 OR 11 GAUGE GALVANIZED OR VINYL COATED WIRE and double-wall Winged Slats. These "Factory Inserted Slats"™ have two center legs for added support and specially-designed "wings" that make for a tight, snug fit in the chain link. And they provide approximately 95 percent privacy.



Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™ already in the 2" wire!

General Features and Specifications:

- Double-wall "Factory Inserted Slats"™
- Approximately 95% wind load and privacy factor (based on wire/mesh used/stretch tension)
- Available in 2" x 2" mesh
- Manufactured up to 12' high
- Available in 9 or 11 gauge galvanized before weaving (GBW), Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Self-locking double wall slats without staples
- Slat meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year, pro-rata limited warranty



ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Chain Link Wire Colors



Slat Colors



Mix any color of slat with any color of wire. Colors are approximations. Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

SlatLink[®] (2" mesh – semi privacy)

SlatLink[®] IS A TWO-INCH CHAIN LINK FENCE THAT INCORPORATES UNIQUELY DESIGNED FeatherLock[®] slats. These double-wall slats have two widths - a wider 10" self-locking section at the top that locks the slats tightly in position and a bottom portion of the slat that is narrower than the top part for privacy. SlatLink[®] provides approximately 85 percent privacy.



Chain Link Fence with "Factory Inserted Slats"[™]



"Factory Inserted Slats"[™] already in the 2" wire!

General Features and Specifications:

- Double-wall "Factory Inserted Slats"[™]
- Approximately 80% wind load and privacy factor (based on wire/mesh used-stretch tension)
- Available in 2" x 2" mesh
- Manufactured up to 12' high
- Available in 9 or 11 gauge galvanized before weaving (GBW), Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Self-locking double wall slats without staples
- Slats meet ASTM F3000 and F3000M designations
- Available in 25' rolls, 5' minimum increments after that
- Fifteen year, pro-rata limited warranty



ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT



Chain Link Wire Colors



Slat Colors



Mix any color of slat with any color of wire. Colors are approximations. Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

HedgeMaster™ (2" mesh – semi privacy)

HedgeMaster™ IS DESIGNED TO PROVIDE A NATURAL LOOKING HEDGE THAT OFFERS PRIVACY AND security. It requires no maintenance, water, or trimming. The materials used in the HedgeLink slats are UV stabilized to protect against the sun's harmful rays, and they are flame retardant.



Chain Link Fence with "Factory Inserted Slats"™



"Factory Inserted Slats"™ already in the 2" wire!

General Features and Specifications:

- "Factory Inserted Slats"™
- Approximately 95% wind load and privacy factor (based on wire/mesh used/stretch tension)
- Available in 2" x 2" mesh
- Manufactured up to 8' high
- Available in 9 gauge galvanized before weaving (GBW), Type II, class IV wire (1.20 oz.)
- Available in 9 gauge galvanized before weaving (GBW), Type II, class V wire (2.0 oz.)
- Available in 9 gauge finish 10 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 8 gauge finish 9 gauge core fused & bonded vinyl coated wire - 7 colors available
- Available in 9 gauge aluminized before weaving wire per ASTM A491, Type 1
- Available in 25' rolls, 5' minimum increments after that
- Ten year, pro-rata limited warranty



Available Slat Color - Blue Spruce colored PVC needles

ACCESS PRIVACYLINK
ARCHITECTURAL SUPPORT AT



Decorative Privacy Slats



OUR HIGH-QUALITY, FENCE SLATS ARE JUST THE THING to fill your chain link fence and provide the privacy and security you need. They add color and wind protection to any fence application, and they accentuate the rugged chain link mesh very well. They also add significantly to the appearance of almost every property.



Decorative Privacy Slats

General Features and Specifications

Materials:

SlatSource® slats are extruded from High-Density Polyethylene (HDPE), color pigments, and ultraviolet (UV) inhibitors specifically formulated to retard the sun's harmful effects and lengthen the life of the slat.

Durability

HDPE slats are resistant to severe weather conditions, saltwater, sand, road dirt, most acids, alcohol, alkaline, ammonia, petroleum distillates, and common environmental pollutants.

Maintenance

Our slats are nearly maintenance-free. They may be pressure cleaned of surface contaminants with plain water.

Wind Load Disclaimer

We will not be held responsible for fence damage resulting from wind load conditions.

Designations

Meets ASTM Designation: F3000/F3000M (except HedgeLink and Aluminum Slat)

How to Measure Chain Link Mesh



Measure your chain link fence diagonally (inside measurements) as shown in the drawing. If the measurement is 2" then the gauge of the wire is typically 9 or 11.

If the measurement is 2 1/4" or 2 3/8", then the gauge of the wire is usually 11 1/2, 12 or 12 1/2.

We have the World's Largest Slat Inventory with the biggest selection of slats anywhere!



- Lowest price guaranteed
- 15 unique styles to choose from
- Quotes returned in approximately 20 minutes or less
- Our vast inventory allows shipping usually within 24 hours
- Available in nine attractive colors
- We ship slats quickly and promptly from our east and west coast warehouses.



ACCESS PRIVACYLINK ARCHITECTURAL SUPPORT AT




Slat Colors



Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

Many patents and patents pending.



Decorative Privacy Slats

Bottom Locking Double Wall Slats



Bottom Locking Double Wall Slats are an economical and attractive way to enhance any chain link fence. The bottom locking design makes this one of the easiest slats to install and assures a clean level finish.

Design – Flat tubular shape with two (2) inside reinforced legs for extra durability. The locking channel creates a “snap-in” locking effect for security and deters vandalism.

Installation – Insert the locking channel horizontally through the bottom of the fence, then simply slide the slats vertically from the top towards the bottom channel and they will automatically lock into place.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft., and 12 ft. *Special heights available upon request*

Slat Length – 3 1/2” shorter than the standard chain link fence height

Wind Load and Privacy Factor – Approximately 75%
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Bottom Lock 2”	1 3/32”	2”	9 or 11	10 linear feet
Bottom Lock 2 1/4”	1 1/4”	2 1/4”	11 1/2 or 12	10 linear feet
Bottom Lock 1 3/4”	7/8”	1 3/4” 2”	9 or 11 6	10 linear feet

EZ™ Slat



EZ Slat™ is one of the most economical chain link enhancement products available on the market today. The single-wall “M” shaped slat will give you the visual screening and color enhancement you desire at a very affordable price. They also incorporate a patented, bottom-locking system for fast and easy installation.

Design – The unique shape of this compact and lightweight slat enables it to self stack. A package the size of a 2 x 4 contains enough material to cover approximately 10 linear feet, making this product easy to ship and efficient to store.

Fast Installation – Slide the slats into the wire vertically and snap them into the bottom-locking channel.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft., and 12 ft. *Special heights available upon request*

Slat Length – 3 1/2” shorter than the standard chain link fence height

Wind Load and Privacy Factor – Approximately 85%
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
EZ Slat™	1 1/4”	2” & 2 1/4”	9, 11 or 11 1/2	10 Linear feet



Decorative Privacy Slats



Ultimate Slat™ (Patented)

Ultimate Slat™ provides more privacy than any other slat. This top-locking double-wall slat combines the proven quality and durability of our standard slats with four unique “wings” for extra screening and security.

Design – Includes a rigid, flat tubular body with inside legs for extra support. These flexible and resilient four wing portions are positioned two on each side of the slat body. There are no serrations thereby giving a more beautiful, aesthetic look.

Installation – Easy “3-step” process.

- Step 1: Insert the patented locking strip horizontally into the top section of the 2nd diamond down from the top.
- Step 2: Insert the slats vertically until the patented notch snaps itself into the locking strip.
- Step 3: Go home early today!

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., and 8 ft. *Special heights available upon request*

Slat Length – 3” shorter than the standard chain link fence height

Wind Load and Privacy Factor – Approximately 95% on 2” mesh and approximately 90% on 2 1/4” mesh
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Ultimate Slat 2”	1 7/16”	2”	9	10 linear feet
Ultimate Slat 2 1/4”	1 7/16”	2 1/4”	11	10 linear feet



Winged Slat®

Winged Slat® provides increased privacy over most other slats. These self-locking double-wall slats (no locking channels needed) combine the proven quality and durability of our standard slats with unique “wings” for extra screening and security. This uniquely styled, patented slat can be purchased by the bag or factory inserted into the chain link wire during the weaving process.

Design – Includes a rigid, flat tubular body with inside “legs” for extra support. These flexible and resilient wing portions are positioned on each side of the slat body. Serrations are added to the wings for easier installation and locking power.

Installation – Insert the slats vertically into the fence from top to bottom. No tools are necessary. The serrated wings grip the knuckles of the wire mesh securing the slat in place.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., and 8 ft. For heights exceeding 7 feet, we recommend using (2) two half sizes (i.e. for 10 foot fence use two 5 foot slats) *Special heights available upon request*

Slat Length – 2” shorter than the standard chain link fence height

Wind Load and Privacy Factor – Approximately 95%
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Winged Slat	1 7/16”	2” only	9 gauge only	10 Linear feet



FeatherLock®

The consumer's choice of all slats. Self-locking • Easiest to install

FeatherLock® double-wall slats are the most "user-friendly" slat on the market today. It is totally self-locking and does not need a locking device at the top or bottom. It locks in at the top 10" of the fence by itself (2" mesh locking width is 1 1/2" and 2 1/4" mesh locking width is 1 11/16"). And, FeatherLock® can be installed faster than any other slat. This uniquely styled, patented slat can be purchased by the bag or pre-inserted into the chain link wire during the weaving process.

Design – The unique design features a 10" self-locking section at the top of the slat which holds it in place without the need of a top or bottom track.

Installation – Insert the narrow end of each slat into the fence vertically. All slats should line up horizontally at the top of the fence. The locking device is the feather portion at the top of the slat.


Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft., and 12 ft. *Special heights available upon request*

Slat Length – 1 1/2" shorter than the standard chain link fence height

Wind Load and Privacy Factor – Approximately 85%
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
FeatherLock 2"	1 1/4"	2"	9 or 11	10 linear feet
FeatherLock 2 1/4"	1 5/16"	2 1/4"	11 1/2	10 linear feet



HedgeLink™

HedgeLink™ creates a natural hedge look on chain link fence, which requires no maintenance, water, or trimming. Materials are UV stabilized to protect against the harmful rays of the sun, and they are flame retardant.

Design – The core is made with 16-gauge, braided wire and the "needles" are made with 3 mil PVC.

Installation – Requires no locking device or tools. HedgeLink™ installs much like our classic Bottom-Locking or Top-Locking slats.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., and 8 ft. *Special heights available upon request*

Slat Length – same height as the standard chain link fence height

Wind Load and Privacy Factor – Approximately 95%
(Based on wire/mesh used-stretch tension)

Color – Blue Spruce colored PVC needles


Note – We do not recommend mixing HedgeLink™ with any other manufacturer's inferior hedge product. Color shades are usually different and the durability of HedgeLink™ will outlast others.

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
HedgeLink™		2" & 2 1/4"	9, 11 or 11 1/2	10 Linear feet





Decorative Privacy Slats



Top-Locking Slats

Double-wall Top-Locking Slats provide an economical and attractive way to enhance any chain link fence. They feature a self-locking system near the top of the fence that ensures a clean, straight edge along the top of the fence.

Design – Top-Locking Slats are flat and tubular in shape, with circular, notched holes located near the top of the slat.

Installation – Simply insert the slats vertically from top to bottom, keeping the locking holes on top. Then thread the flexible locking channel horizontally through the notched holes in the slats. These holes are elliptical in shape to ensure they always stay open for fast and easy threading.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft., and 12 ft. *Special heights available upon request*

Slat Length – 2” shorter than the standard chain link fence height

Flexible, Top-Locking Channel – Also available on a continuous 200 foot reel for larger jobs

Wind Load and Privacy Factor – Approximately 75% *(Based on wire/mesh used-stretch tension)*

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Top Lock 2”	1 3/32”	2’	9 or 11	10 linear feet
Top Lock 2 1/4”	1 1/4”	2 1/4”	11 1/2 or 12	10 linear feet
Top Lock 1 3/4”	7/8”	1 3/4” 2”	9 or 11 6	10 linear feet



Aluminum Slats

We now manufacture Aluminum Slats in our production facility, which allows us to offer greater availability, competitive pricing, shorter delivery times, and our usual high-quality product.

Aluminum slats offer the classic lattice look. Its beautiful design enhances any chain link fence for years to come.

Design – Manufactured of extruded aluminum with a gloss-baked enamel finish. These durable slats add contrast without sacrificing style.

Installation – Insert the slats diagonally, then lock into place.

Standard Chain Link Fence Heights – 3 ft., 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft., and 12 ft. *Special heights available upon request*


Wind Load and Privacy Factor – Approximately 95% *(Based on wire/mesh used-stretch tension)*

Colors – Beige, Redwood, Black, Egg Shell, White, Green, Fawn, Gray and Brown

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Aluminum 2”	1 7/8”	2”	9 or 11	10 linear feet
Aluminum 2 1/4”	2”	2 1/4”	11 1/2 or 12	10 linear feet



90% Privacy
(Approx)



98% Privacy
(Approx)

AVAILABLE
FACTORY
INSERTED!
SEE PAGE 5



Decorative Privacy Slats

FinLink®



The double-wall FinLink® slat provides an increased degree of coverage with a unique configuration of three privacy fins. FinLink® provides a quality looking installation for many years and is used together with the patented bottom-locking channel. This process ensures that all slats are even in the wire and will not slip to the ground.

Design – Our unique patented design includes a rigid, flat tubular body, with “legs” inside for extra support. Three flexible fins (two on one side and one on the other) are positioned on the side of the slat body. The FinLink® fins are not serrated, which provides a smooth finished look.

Installation – Insert the slats vertically into the fence from top to bottom. No tools are required. Then slip each slat into the bottom locking channel for a clean, level look.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., and 8 ft. *Special heights available upon request*

Slat Length – 3 1/2” shorter than the standard chain link fence height

Wind Load and Privacy Factor – Approximately 90%
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
FinLink®	1 3/8"	2" & 2 1/4"	11	10 Linear feet

Fin2000®



When you need extra privacy for commercial or industrial applications, our double-wall Fin2000® slat is the answer. This uniquely styled slat can be purchased by the bag or factory inserted into the chain link wire during the weaving process.

Design – Flat tubular plastic with fins for added privacy.

Durability – The Fin2000® is resistant to severe weather conditions, salt, water, sand, road dirt, most acids, alcohol, alkaline, ammonia, petroleum distillates, and common environmental pollutants.

Installation – Insert the slats vertically into the fence from top to bottom. No tools are necessary. The wings grip the knuckles of the wire mesh securing the slat in place.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft. and 12 ft. *Special heights available upon request*



Slat Length – 1” shorter than the standard chain link fence height

Upon Special Request – Available in bags that cover 25 linear feet for hand installation jobs.

Wind Load and Privacy Factor – Approximately 98%
(Based on wire/mesh used-stretch tension)

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Fin2000®	2 13/16"	3 1/2 x 5" only	9 or 10 gauge only	25 Linear feet



Industrial Slats



This uniquely styled double-wall slat can be purchased by the bag or factory inserted into the chain link wire during the weaving process.

Design – Slats are flat, tubular plastic.

Installation – Insert the bottom channel (must be purchased separately) horizontally through the bottom of the fence. Then simply slide the slats vertically from the top of the fence into the bottom channel and the slat will be secured into place. The slats may also be secured by manually stapling or hog-ringing them into place.

Standard Chain Link Fence Heights – 4 ft., 5 ft., 6 ft., 7 ft., 8 ft., 10 ft. and 12 ft. *Special heights available upon request*

Slat Length – 1” shorter than the standard chain link fence height

Upon Special Request – Industrial slats are available in bags that cover 25 linear feet for hand installation jobs.

Wind Load and Privacy Factor – Approximately 75% *(Based on wire/mesh used-stretch tension)*

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue

Slat Name	Slat Width	Mesh Size	Wire Gauge	Coverage Area
Industrial Slats	2 3/8"	3 1/2 x 5" only	9 or 10 gauge only	25 Linear feet

Safety Top Caps™



The Safety Top Cap™ serves two primary purposes. First, its unique design protects against bodily injury by covering the exposed knuckles or barbs on the top of a chain link fence. Secondly, it displays nicely as a decorative trim piece to complement any galvanized or color chain link fence system and give it a finished look.

Design – Durable, flexible plastic in an open tubular shape.

Installation – Simply “snap” over the top of the fence and lock to the wire mesh with the steel hog rings (included with each package) through the pre-drilled holes.

Uses – Primarily used in a safety-yellow color for baseball outfields, but is also growing in popularity at all athletic fields, parks, playgrounds, and recreational facilities, as well as in residential and commercial applications.

Durability – Manufactured using HDPE plastic with UV stabilizers, Top Caps are designed to endure high impact and to resist the harmful effects of the sun and severe weather conditions for many years of continued use.

Colors – Beige, Redwood, Black, White, Royal Blue, Forest Green, Gray, Dark Brown, Sky Blue, Red and Safety Yellow.

Height	Width	Length Per Bag	Pieces Area	Coverage	Hog Rings
5 1/2"	2 3/4"	8 feet	5	40 linear feet	10 per bag

Wind Screen and Sports Netting



Windscreen, Corrugated Safety Top Cap, Sports Netting

PrivaScreen90

Most Popular • Economical • Versatile

High Density Knitted Polyethylene with Hem & Grommets All Four Sides

- 3-ply 1-3/8" Hem, 12" Grommet Spacing
- 3'-8" for 4' chain link (Black & Green only)
- 5'-8" for 6' chain link
- **4 Year Warranty**
- Custom Lengths up to 150'
- 7'-8" for 8' chain link

ALSO GROMMETS TOP/BOT ONLY & RAW (SIMPLE HEM, NO GROMMETS)

90% Opacity



PrivacyPlus 98%

Maximum Visual Block!

- Standard Heights: 5'-8" and 7'-8"
- 3-ply Reinforced Hems
- #2 Brass Grommets every 12"
- **4 Year Warranty**

Green Black

ExtremeScreen 78%

Toughest Windscreen
High Density Knitted Polyethylene

- **7 Year Warranty – Best in the Industry**
- 1.75" 3-ply Reinforced Hem
- #2 Brass Grommets every 12"

6'(t) Green Black Royal Blue Navy Blue

9'(t) Green Black

V.C.P.

80% Opacity

Vinyl Coated Polyester
Top Choice of Tennis Courts & Athletic Sites

- Standard Heights: 6' and 9'
- 1.25" wide 3-ply Hems Reinforced with 18 oz. Vinyl
- #2 Brass Grommets every 12"
- **4 Year Warranty**

Green Black Royal Blue Navy Blue Red
White Burgundy Purple Yellow

Corrugated Safety Top Cap



Heavy Duty Fence Guard

- Roll Lengths – 100' and 250'
- Diameter – 4.5"
- Wall thickness – 1/16" (1/4" ridge depth)
- Material – UV Resistant Polyethylene
- Colors – BLACK • ORANGE • YELLOW



Sports Netting

U.V. Treated
Black Only

Baseball & Softball Netting 1 1/4" Square Mesh

- #21 Knotted Nylon ~ Barrier netting for foul ball & outfield netting.
- #36 Knotted Nylon ~ Direct impact netting for **High School** backstops and batting cages.
- #42 Knotted Nylon ~ High impact netting for **College and Professional** backstops and batting cages.

Golf Netting 7/8" Square Mesh

- #18 Knotted Nylon ~ **Commercial** direct impact netting.

Soccer and Basketball Netting 4" Square Mesh

- #18 Knotted Nylon ~ Barrier netting for **Schools and Colleges**.

Chain Link Fence

OUR GALVANIZED AND VINYL COATED CHAIN LINK FENCE OFFERS LONG-TERM DURABILITY AND SECURITY. BOTH TYPES OF wire are available in several wire gauges, and the vinyl-coated wire comes in seven bright colors.



P

Chain Link Fence

Galvanized Wire Specifications:

- Available heights: 3' through 16'
 - Galvanized Before Weaving (GBW) meeting ASTM A392 and A817 specifications, 1.2 oz. type II, Class 4, 9 gauge and 11 gauge
 - Aluminized 9 gauge, ASTM A491, type 1
 - Special fabric diameters and finishes quoted upon request

Vinyl Coated Wire Specifications:

- Available heights: 3' through 16' (Special heights available on request)
- Fabric diameters and finishes available including:
 - Fused and bonded, 9 gauge finish (10 gauge core) vinyl coated by thermally fused and bonded method per ASTM F668 specifications, class 2b
 - Fused and bonded, 8 gauge finish (9 gauge core) vinyl coated by thermally fused and bonded method per ASTM F668 specifications, class 2b

Benefits and Features:

- Manufactured in the USA
- Available by the job or by the truckload
- Discounts for truckload orders
- Certifications supplied when needed on state, local and federal jobs

Chain Link Wire Colors



Mix any color of slat with any color of wire. Colors are approximations. Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

Ornamental Aluminum Fence

Ornamental aluminum fences add style and elegance to residential, commercial and industrial properties. Similar in style to traditional wrought iron, aluminum ornamental fences are prefabricated from tubular bars instead of being hand forged to enhance affordability. We have three manufacturers that are at the top of their industry so we can make sure you are getting the best quality and price. ***ASK ABOUT FREE SHIPPING!***



R

Ornamental Fencing



- Residential ~ Standard
- Residential ~ Premium
- Commercial **6ft in Stock!**
- Pool Safety ~ Premium

- Industrial ~ Standard
- Industrial ~ Premium
- Industrial ~ Security
- Cantilever & Estate Gates



Black (Glossy or Matte), Florida Bronze, Matte Bronze, Light Bronze, White & Gray



- Residential
- Commercial
- Eclipse Aluminum Privacy Panels
- Eclipse Aluminum Frame System for Vinyl T&G Panel Inserts
- Industrial ~ Standard & Security
- Matching Gates and Arbors



Black (Glossy or Satin), Bronze (Glossy or Satin), Beige, White (Glossy or Satin), Forest Green



ASSA ABLOY

- Residential ~ Standard
- Residential ~ Premium
- Pool Fence ~ Premium
- Swing Gates & Hardware
- Aero ~ Premium (delgard)
- Puppy Panels & Puppy Wire Mesh
- Industrial ~ Standard
- Estate Gates ~ Industrial



Glossy Black, Matte Bronze, Glossy White

~ Ask about **Jerith PATRIOT** Welded **STEEL** Wire Fence (black only) ~

Trex® Composite Fence



TREX IS AN INDUSTRY-LEADING, LOW-MAINTENANCE COMPOSITE FENCING PRODUCT. IT HAS STUNNING LOOKS AND A true neighbor-friendly design, plus all of the wood's beauty without the upkeep. And it is stronger and more durable than vinyl. Softer and richer in color than other products.

Call for a **FREE** Sample!



Trex® Seclusions®

Trex Seclusions® fence is smartly desinged fence that enhances residential or commercial property.

- Designed with interlocking panels that provide extra strength
- Won't bend or warp with time.
- Contains an aluminum insert in the bottom rail to maintain rigidity no matter what the circumstance.
- A 6 foot Trex Seclusions® fence is certified to withstand 110 mph sustained winds and 130 mph gusts.
- Won't break or crack like vinyl fencing products.

Trex Seclusions® comes with a 25 year limited residential or 10 year limited commercial warranty.

Trex® Horizons

Trex® Horizons offers a unique new eye-catching design with horizontal boards rather than vertical ones.

- The top, bottom, and side rails are protected by a black powder-coated finish so that it never needs painting or staining.
- Won't warp, rot, or splinter.
- It is easy to install with an interlocking picket system,
- Customize the height, style, and slope.

P

Composite Fencing



Matching Gate and Hardware
Available on request.

Post Caps



Pyramid Cap






Flat Cap



Crown Cap

Available Colors



Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching.

Samples available upon request.

Trex® fencing will weather naturally over time to its final color. www.trefencing.com/colors/

Bufftech® Privacy Molded Fence

THESE BEAUTIFUL FENCES ARE MOLDED WITH 100% VIRGIN RESIN AND EXPERTLY DESIGNED to have the appearance of natural wood or stone, with the benefits of durable fencing. Plus, they come with a lifetime residential warranty.



Allegheny™ Simulated Stone Fence



Available Colors



Allegheny is a durable, simulated stone fence with the look and beauty of a natural stone fence. Each panel features internally reinforced galvanized steel that provides strength and durability. It is impact-resistant and creates an excellent sound barrier.

Installation is quick and easy, and it is also virtually maintenance-free and never needs staining or painting.

Sherwood™ Simulated Wood Fence



SHERWOOD FEATURES RICH COLORS AND DRAMATIC TEXTURE, which gives its panels a realistic wood appearance.

It will not warp, fade or crack and never need staining. And, Sherwood is literally maintenance-free.



Exact representation of colors in printing is difficult. Please refer to actual color samples for accurate matching. **Samples available upon request.**

PrivacyLink® is an Authorized Master Distributor of Allegheny and Sherwood Fence!



Simulated Stone and Wood Fence

Fence Fittings, Gate Hardware and Tools

WE OFFER JUST ABOUT EVERYTHING FROM TENSION BANDS TO HINGES TO latches. We invite you to call our toll-free number and request a copy of our Fittings and Accessories Product Catalog to see the entire line.



Donuts

Chain Link Fittings




Nylon Cantilever Rollers



Chain Link Gate Hardware



Vinyl Gate Hardware - Stainless Steel and Zinc Coated Steel



Wood Hardware



Tools



D&D Technologies

Worlds Most Trusted Gate Hardware



Magnetic Gate Latches & Locks • TruClose® Adjustable Self-Closing Hinges



Mowstrip

MOWSTRIP IS AN EASY-TO-INSTALL WEED BARRIER THAT BLOCKS GRASS AND WEEDS FROM GROWING UNDER FENCING. It works equally well under commercial or residential chain link, vinyl, wood, composite, and ornamental fence.

Mowstrip panels are made from a high-quality, flexible molded plastic with a UV-block so they will not rot, rust, or lose their shape. Each 10 1/2 inch wide panel covers unwanted growth on both sides of the fence.

Installing Mowstrip panels reduces the need for string trimmers and chemicals to control unwanted growth. Mowstrip also allows riding or walk-behind mowers to mow up close to the fence for a clean, finished look.

Possible applications:

Residential & commercial, chain link, vinyl, wood, ornamental steel & aluminum fencing. Perfect for dog kennels, play yards, ball fields, parks, churches, daycare centers and schools.

Available Lengths:

6', 8' & 10'

Available Color: Green



Fence Fittings, Gate Hardware and Tools



Mowstrip

Vinyl Fence

VINYL FENCE IS ONE OF THE MOST POPULAR FENCING SOLUTIONS IN AMERICA TODAY. IT HAS ATTAINED ITS POPULARITY because of its beautiful appearance, long-term durability and very little maintenance. It is UV protected from the sun's rays, strong enough to withstand normal wind loads and guaranteed against rotting, rust, corrosion, abnormal discoloration, or weathering.



Scalloped Picket Fence

General Features and Specifications:

- Very low maintenance
- Will not peel, flake, splinter or rot - ever
- Requires no painting or staining
- Impervious to moisture and termites
- Will maintain its beauty year after year
- Save money over the long term
- Will enhance the appearance and value of your property



Full Privacy

PrivacyLink® VINYL FENCE SYSTEMS ARE DESIGNED TO LOOK GOOD WHERE EVER THEY ARE INSTALLED. Choose from several styles, heights, and color combinations.

P

Vinyl Fence



Full Privacy with Lattice Top



Semi-Privacy



Ranch Rail

Available Colors



White Almond Adobe Gray Mocha Walnut Green Teak Honey Maple Chai Gray

*These color swatches are only approximations. Contact us for color samples.
Custom colors available upon request.*

Vinyl Balusters



Porch railing shown with Twist balusters

TaperEdge® (Patented)


An innovative design of our balusters is **TaperEdge®**. This new feature is significant because each baluster slides into place, reducing installation time up to 75 percent.



TaperEdge®


"Faster & Easier Installation"

We offer balusters in many different styles and in a variety of colors and sizes



* IMPORTANT: Installer must consult local code officials for compliance to building code requirements

Available Colors



Custom colors are available

These color swatches are only approximations. Please refer to the actual color samples for final matching.

Patents & Patents Pending

Baluster Features

- Superior Strength
- Superior Quality
- Aggressive Pricing
- Unique Patented Designs
- Fast Delivery

Rapid Ship Program

Most orders ship same day!

Optional Features

- Custom Colors
- Custom Lengths
- Private Label and Designs



Vinyl Balusters

Pre-Formed Faux Rock Pillars

"If you can't tell the difference, what difference does it make!"™

OUR REPRODUCTION ROCK POSTS LOOK LIKE REAL STONE BUT ARE MUCH MORE RESISTANT TO WEATHER, SIMPLER to install, cost less, and are easier to maintain. Choose from two different patterns and sizes - River Rock (12" square) and Ledge Stone (21" square). Each can be used in many different applications.



General Features and Specifications

- Formed with heavy wall MDPE
- Compatible with ALL TYPES of fencing - vinyl to ornamental
- Won't crack or crumble
- No mason required - keep control over your job site
- Impact resistant and durable
- One person installation - no heavy equipment required
- Hundreds of applications
- Can be shipped by UPS

Here are some possible applications

- | | |
|----------------------|------------------|
| • Ornamental Fencing | • Mail Box Posts |
| • Vinyl Fencing | • Lamp Posts |
| • Vinyl Railings | • Sign Pillars |
| • Ranch Railings | • Wood Fence |
| • Aluminum Fences | • Horse Fence |
| • Privacy Fences | • Horse Jumps |




P

Pre-Formed Pillars

River Rock Pattern

12" Wide Pillars

- Available in River Rock pattern
- Available colors: Brown, Gray and Rustic Calico
- Can be ordered with a mailbox



Gray

Calico

Brown

Pillar
12" x 12" x 59" high
(Add 5" for cap)



Pillar Riser
12" x 12" x 17 3/8" high
(Same color as cap)

Installation

Each pillar can be buried for shorter applications. The pillar is slid over a pre-installed 4 x 4 or other existing post and secured into place by putting additional concrete or gravel inside the pillar. The simulated concrete cap is removable and is designed to accept different lighting applications. Contact us for complete installation instructions.



Structural Post

Concrete

Pyramid Cap



Main Pillar Section
21" x 21" x 46" high
(Add 10 1/2" for pyramid cap and 4" for flat cap)

Flat Cap



Ledge Stone Pattern

21" Wide Stackable Pillars

- Available in Ledge Stone pattern
- Available colors: Brown and Gray
- Stack as high as your internal structure will support



Stack Section
21" x 21" x 15 1/2" high
When ordering stack sections, please order at the same time as the main pillar to ensure correct color match.

Vinyl Railing Systems

Railing Kit Contents

- Reinforced aluminum top rail (T-Rail or 2" x 3 1/2")
- Bottom rail (2" x 3 1/2")
- Decorative balusters (4 styles)
- Foot block (6' and over)
- Four (4) rail brackets (SS screws included)

Optional Components

- Post caps
- Posts
- Gate kits
- Screws
- Post skirt/base trim
- Colonial Newel post
- Glue - vinyl adhesive
- Solar post caps
- Post mounts
- Gate hardware
- Post wrap

Railing Kit Advantages

- Heavy-duty top rails reinforced with aluminum for added strength and safety
- Pre-packaged, easy to install
- Maintenance-free
- Easy installation
- Durable covered brackets provide strength and safety
- Four (4) baluster styles to choose from
- No painting, staining or splinters
- Limited lifetime warranty

**Railing
Box Kits**


Aluminum
P-Channel



Standard Rail




T-Rail



Hidden bracket fasteners provide a clean installation. (Meets AC-174 Code)



Foot blocks are included with 6' and 8' level sections. Foot blocks help prevent bottom rails from sagging over time.

Available Colors



Kit Size	Colors	Reinforced Aluminum Top Rail	Length Level Kit	Length Stair Kit	Baluster Styles
36" High	White & Tan	Yes Standard or T-Rail	4', 6' & 8'	6' & 8'	Square, Colonial Twist & Classic
42" High	White & Tan	Yes Standard or T-Rail	4', 6' & 8'	6' & 8'	Square & Colonial

Heavy-duty Balusters



Shop drawing shown for 36" (H) x 72" (L) level railing kit. Other drawings available upon request.

*** Important:** Installer must consult local code officials for compliance to building code requirements.

An Open Letter To Our Valued Customers.



With our company pledge!

PrivacyLink® wants to make a difference in our customer's bottom line by providing quality products and impeccable service, which they should expect.

As a company, we realize we are in a very competitive industry; having said that, we want to assure our customers **PrivacyLink®** will not be undersold, and our customers can take that to the bank.

Please give me a call if we need to discuss any quote or pricing you need to be competitive. We

want to partner with our customers and never compromise quality or service as we strive diligently to make each one successful.

My commitment to each customer is just a phone call away - (800) 574-1076.

Sincerely,
Steve Crosgrove
VP Marketing/Sales

May we express our thanks to our customers, the very best in the fence industry.

We are so grateful for each business relationship and partnership we have established over the years. We express our sincere appreciation to each of them, hoping this relationship will continue well into the future. And we hope to create many new relationships in the coming months.

"Service" and "Quality" at a "Competitive Price" are at the core of our relationships, and we will do our very best to maintain these essential priorities in 2021. Our goal will remain to be very proactive and help in any way we can to make this another banner year for each one of our customers.

If you need a listening ear on any issue, or if we can assist you in any way, we are just a phone call away. (800) 574.1076.

Sincerely,
The **PrivacyLink®** Family

Our people make the difference!

WE TAKE A LOT OF PRIDE IN ALL OF THE INDIVIDUALS WORKING AT **PrivacyLink®**. IN FACT, WE BELIEVE WE have some of the most qualified people in the fence industry today. And that includes everyone from our knowledgeable sales force to our caring and thorough office and inside sales staff to our hard-working production crew and those who fill orders in our shipping department.

Each one strives to make your experience with **PrivacyLink®** one that will bring you back again and again. We sincerely believe our happy, satisfied customers directly result from our team's commitment to our company and to the customers they serve.



Give us a call at 800-574-1076 and let us show you how we can satisfy all of your fencing needs.

Architectural Reference Specifications ("Factory Inserted Slat"™ Products Only)

Reinforced Vinyl Fence

While it is the intent of this specifications to assist the professional specifier in making an informed choice of components and installation techniques, this is still a general specification. Certain details such as framework sizes, post spacing and concrete footer sizes must be tailored to the specifics of the job site. Wind loading data, freeze-thaw rates and other site conditions must be considered.

PART 1: GENERAL

1.1 Summary

This specification details the components and requirements for complete fence systems incorporating:

Noodle Link™
Noodle Link™ Plus
Noodle Link™ Lite
Flat Noodle Link™
PrivacyLink®
VinylWood®
IndustrialLink®
PrivacyMaster®
SlatLink®

1.2 Work Included

The contractor shall provide labor, materials and all necessary accessory items for the installation of the privacy fencing systems specified herein.

1.3 Related Work

General Conditions - Earthwork - Concrete

1.4 System Description

The privacy fencing system shall be a complete system made up of chain link fence fabric (Reinforced Vinyl Fence Fabric) with factory inserted polyethylene slats, framework, fittings, gates and incidental accessory items.

1.5 Quality Assurance

Installer Qualifications: Company specializing in performing the work of this section with minimum five (5) years documented experience.

1.6 References

ASTM D638 Standard Test Method for Tensile Properties of Plastics
ASTM D746 Standard Test Method for Brittleness
ASTM D747 Standard Test Method for Apparent Bending Modulus of Plastics by Means of a Cantilever Beam ASTM D1238 Standard Test Method for Flow Rates of

ASTM D1505

Thermoplastics by Extrusion Plastometer Standard Test Method for Density of Plastics by the Density-Gradient Technique

(All ASTM Standards referenced in this specification)

1.7 Submittals

Shop drawings, manufacturer's product data and samples, plan layout including spacing of components, accessories and post details shall be submitted for approval.

PART 2: PRODUCTS

2.1 Manufacturer

The Reinforced Vinyl Fence fabric with factory inserted slats shall be manufactured by PrivacyLink®, LLC, P.O. Box 295, Hyde Park, Utah 84318. The manufacturer may be contacted at 800-574-1076, 435-563-1058 or via fax at 435-563-1062.

The manufacturer's web site is www.eprivacylink.com and email may be sent to info@eprivacylink.com. All other components of the system such as framework, fittings and gates shall be manufactured by various standard fence industry manufacturers.

2.2 3 1/2" x 5" Mesh Products

Reinforced vinyl fence fabric



A. PrivacyLink® Ultra™, PrivacyLink®, IndustrialLink™ & VinylWood

The fence fabric shall be:

- Height {choose one}
3', 42", 4', 5', 6', 7', 8', 10', 12' high.
Fabric Diameter & Finish {choose one}
- 3 1/2" x 5" mesh by 9 ga. (0.148") galvanized before weaving per ASTM A392 & A817, 1.2 oz. Type II Class 4.
OR
 - 3 1/2" x 5" mesh by 10 ga. (0.135") galvanized before weaving per ASTM A392 & A817, 1.2 oz. Type II Class 4.
OR

- 3 1/2" x 5" mesh by 9 ga. finish (10 ga. Core) vinyl coated by the thermally fused and bonded method per ASTM F668, Class 2B.
OR
- 3 1/2" x 5" mesh by 8 ga. finish (9 ga. Core) vinyl coated by the thermally fused and bonded method per ASTM F668, Class 2B
OR
- 3 1/2" x 5" mesh by 9 ga. (0.148") aluminumized before weaving per ASTM A491, Type I.
OR
- 3 1/2" x 5" mesh by 9 ga. (0.148") galvanized before weaving per ASTM A392 & A817, 2.0 oz. Type II Class 5.

Fabric Color {choose one when using #3 or #4 above}: The vinyl coated chain link fabric shall be beige, redwood, black, white, galvanized, forest green, gray, dark brown or "Cedar Tone".

The privacy slats for PrivacyLink® Ultra™, which are factory inserted, shall be double-wall, self locking and 2 13/16" wide (approx.) to provide a tight fit in the fence fabric and produce a 99% (approx.) or near total wind load and privacy factor.

The privacy slats for PrivacyLink®, which are factory inserted, shall be double-wall, self locking and 2 13/16" wide (approx.) to provide a tight fit in the fence fabric and produce a 98% (approx.) wind load and privacy factor.

The privacy slats for IndustrialLink®, shall be double-wall and 2 3/8" wide (approx.) and produce a 98% (approx.) wind load and privacy factor. The slats shall be held in position in the chain link fabric by either a staple or a stitch.


The privacy slats for VinylWood®, which are factory inserted, shall be double-wall, fluted to give wood-like appearance, self-locking and 2 13/16" (approx.) wide and produce a 98% (approx.) wind load and privacy factor.

The slats shall be manufactured from virgin, high-density polyethylene (HDPE) and shall be {choose one} beige, redwood, black,

white, royal blue, forest green, gray, dark brown, sky blue and "Cedar Tone" (color chart available from the manufacturer on request).

2.3 2" x 2" Mesh Products

Reinforced vinyl fence fabric



A. Noodle Link™, Noodle Link Plus™, Noodle Link Lite™, Flat Noodle Link™, PrivacyMaster®, SlatLink® & HedgeLink™
The fence fabric shall be:

Height {choose one}
3', 42", 4', 5', 6', 7', 8', 10', 12' high.
Fabric Diameter & Finish {choose one}

1. 2" mesh by 9 ga. (0.148")
galvanized before weaving per ASTM A392 & A817, 1.2 oz. Type II Class 4.
OR
2. 2" mesh by 11 ga. (0.120")
galvanized before weaving per ASTM A392 & A817, 1.2 oz. Type II Class 4.
OR
3. 2" mesh by 9 ga. finish (10 ga. Core)
vinyl coated by the thermally fused and bonded method per ASTM F668, Class 2B.
OR
4. 2" mesh by 8 ga. finish (9 ga. Core)
vinyl coated by the thermally fused and bonded method per ASTM F668, Class 2B
OR
5. 2" mesh by 9 ga. (0.148")
aluminized before weaving per ASTM A491, Type I
OR
6. 2" mesh by 9 ga. (0.148")
galvanized before weaving per ASTM A392 & A817, 2.0 oz. Type II Class 5.

Fabric Color {choose one when using #3 or #4 above}: The vinyl coated chain link fabric shall be beige, redwood, black, white, galvanized, forest green, gray or dark brown.

The privacy slats for Noodle Link™, which are factory inserted and secured in place by a flexible round noodle, shall be double wall and 2 1/2" wide (approx.) to provide a 75% (approx.) wind load and privacy factor.

The privacy slats for Noodle Link Plus™, which are factory inserted and secured in place by a flexible round noodle, shall be double-wall and 2 1/2" wide (approx.) to produce a 98% (approx.) wind load and privacy factor.

The privacy slats for Noodle Link Lite™, which are factory inserted and secured in place by a flexible round noodle, shall be single-wall and 1 1/4" wide (approx.) to produce a 75% (approx.) wind load and privacy factor.

The privacy slats for Flat Noodle Link™, which are factory inserted and secured in place by a flexible flat noodle, shall be double-wall and 1 1/4" wide (approx.) to produce a 75% (approx.) wind load and privacy factor.

The privacy slats for PrivacyMaster®, which are factory inserted, shall be double-wall, self-locking and 2 1/2" wide (approx.) to provide a tight fit in the fence fabric and produce a 90% (approx.) wind load and privacy factor.

The privacy slats for SlatLink®, which are factory inserted, shall be double-wall and 1 1/4" wide (approx.) to provide a tight fit in the fence fabric and produce a 80% (approx.) wind load and privacy factor.

The privacy slats for HedgeLink®, which are factory inserted, shall provide a tight fit in the fence fabric and produce a 90% (approx.) wind load and privacy factor. All slats shall be manufactured from virgin, high-density polyethylene (HDPE) and

shall be blue spruce colored PVC needles (color chart available from the manufacturer on request).

2.4 Framework, Fittings & Gates

Framework, per ASTM F1043 - Standard Specification for Strength and Protective Coatings on Metal Industrial Chain Link Fence Framework (special consideration to wind loading should be considered).

Fence Fittings, per ASTM F626 - Standard Specification for Fence Fittings.

Swing and Slide Gates, per ASTM F900 and F01184 - Standard Specification for Industrial and Commercial Swing Gates and Slide Gates.

Part 3 EXECUTION

3.1 Preparation

Prepare the grade and remove surface irregularities, if any, which may interfere with the installation of the fence.

3.2 Installation

Per ASTM F567 - Standard Practice for Installation of Chain Link Fence

3.3 Clean-Up

Contractor shall clean the job site of excess materials and debris. Material from posthole excavations shall be scattered uniformly away from the posts.

Before Weaving	After Weaving
1.2 oz. is class 1	1.2 oz. is type II class 4
2.0 oz. is class 2	2.0 oz. is type II class 5



WE WANT YOUR NEXT JOB!™
We **GUARANTEE** to beat your best price!
Quotes in 20 Minutes.




1-800-574-1076 • www.eprivacylink.com

P. O. Box 295, Hyde Park, Utah 84318
P: 435-563-1058 • F: 435-563-1062
E-Mail: info@eprivacylink.com

An Architect and Specifier Resource! **32** FENCE



Your authorized **PrivacyLink**® dealer is:



© 2021 PrivacyLink®

Hablamos Español!