

## EGPL / ESPL / EFPL

Four-way high lift truck

- Carrying Capacities:  
1 600 bis 4 000 kg
- Lift-Heights:  
1 500 bis 5 500 mm



### Genkinger modular system for your special application

#### Series EGPL, ESPL und EFPL

Our electric four-way high-lift trucks are equipped with the most advanced technical equipment and can be used for the handling of pallets as well as for long loads up to 3,5 to.

Due to the four-way chassis, long loads can be easily handled even in narrow aisles. The trucks are flexible, robust and manoeuvrable all-purpose trucks and easy to operate. These trucks are particularly suitable for the transport of long and bulky loads in narrow aisles e.g in timber industry, furniture industry, materials industry, window fabricators, steel industry and other applications where a versatile truck is required. Due to the modular design of our trucks you can choose between following drive units:

- pedestrian controlled (EG)
- with driver's stand (ES)
- with driver's seat (EF)

Apart from a large number of options which are available pre engineered, Genkinger-HUBTEX four-way high lift trucks can also be customized to meet specific requirements with regard to load pick up device, chassis, lifting height etc.

- uncompromisingly solid
- silent and environmentally friendly
- sturdy but compact design
- powerful
- cost-effective and efficient
- only for indoor use
- low operating and maintenance costs due to AC technology
- precise positioning operation due to smooth regulation of the travelling and lifting speed



Driver seated truck, type EFPL



Stand-up truck, type ESPL



Pedestrian-controlled truck, type EGPL

### Maintenance

The maintenance effort is considerably reduced due to the modern three-phase AC technology. Therefore service costs are appreciably lower and reliability is improved. Modular constructions of Genkinger-HUBTEX trucks ensures easy access for servicing and repairs. All assemblies are easily accessible reducing down-time and improving service engineer acceptance.



### Four-way stacker at a glance

TYPE	CAPACITY kg	LIFT-HEIGHT mm	INNER WIDTH OF OF LOAD ARMS mm	FORK CARRIAGE LENGTH mm
EGPL 16	1600	up to 5500	1100 - 1700	1000-1600
EGPL 20	2000	up to 5500	1300 - 1700	1225 - 1625
EGPL 25	2500	up to 6500	1300 - 1700	1225 - 1625
EGPL 30	3000	up to 6500	1300 - 1700	1225 - 1625
EGPL 35	3500	up to 6500	1300 - 1700	1225 - 1625
ESPL 16	1600	up to 5500	1100 - 1700	1000 - 1600
ESPL 20	2000	up to 5500	1300 - 1700	1225 - 1625
ESPL 25	2500	up to 6500	1300 - 1700	1225 - 1625
ESPL 30	3000	up to 6500	1300 - 1700	1225 - 1625
ESPL 35	3500	up to 6500	1300 - 1700	1225 - 1625
EFPL 16	1600	up to 5500	1100 - 1700	1000 - 1600
EFPL 20	2000	up to 5500	1300 - 1700	1225 - 1625
EPFL 25	2500	up to 6500	1300 - 1700	1225 - 1625
EPFL 30	3000	up to 6500	1300 - 1700	1225 - 1625
EPFL 35	3500	up to 6500	1300 - 1700	1225 - 1625

### Here you are on the safe side

Genkinger-HUBTEX supplies you with quality products Made in Germany. Our trucks are assembled by qualified specialists using the best raw materials. Compliance with the highest quality and safety requirements as well as international standards is a matter of course for us. Genkinger-HUBTEX is certified according to DIN ISO 9001.



### Our four-way high lift truck in various applications



Transport of long and bulky loads through narrow aisles and doors.



Easy switch over from lengthwise to crosswise driving via push button in the drawbar head.

#### Genkinger GmbH

Albstraße 49, D-72525 Münsingen  
Telefon: +49 (0) 7381 186-0  
Fax: +49 (0) 7381 186-44  
[www.genkinger.de](http://www.genkinger.de)  
[info@genkinger.de](mailto:info@genkinger.de)