

UW SERIES POCKET HARDMOUNT WASHER-EXTRACTORS


Our robust machines are designed to maximize throughput, minimize costs and deliver the best return on laundry investment.

UW SERIES AT A GLANCE

- 400 G-Force extraction for maximum water removal, allowing your laundry to run at premium efficiency
- OPTIspray™ reduces water use as well as the time necessary to complete the rinse cycle by using a powerful spray rinse to pull wash chemistry through the load and down the drain
- A ten-year warranty protects the bearings, seals, frame, and cylinder shaft assembly from failure or breakage during normal operation due to defects in material or workmanship. A limited three-year warranty is offered on all other parts.



UNILINC™ TOUCH CONTROL



Ease of use drives the ultimate user experience with the UniLinc™ Touch control. UniMac's premium control brings simplicity, flexibility and intelligence to every laundry room.

- Bright, capacitive touch screen
- 34 language options
- Seamless user experience
- Staff training is quick and simple
- Delayed start allows maximum efficiency
- Count-up timer
- Quick diagnostics and machine audit data

M30 CONTROL



Customizable programs give you the flexibility to meet your specific needs, including 30 programmable water levels and 30 programmable cycles designed to reduce your utility costs.

UC SERIES HARDMOUNT WASHER-EXTRACTORS

For on-premises laundries managing lighter daily volumes, but still requiring superior finished quality, UniMac's UC range delivers great results and even better value. Our UC models are built with the same attention to detail as all UniMac machines. That legendary UniMac reliability comes backed by peace of mind from industry-leading warranties.

UC SERIES AT A GLANCE

- Improved cycle times
- Reduced drying time and increased throughput with up to 200 G-Force extraction speed
- Computer-optimized frame design stronger than ever before, with quieter operation
- Stainless-steel top and front panels
- Heavy-duty bearings and seals
- Engineered for quick troubleshooting and ease of service
- Self-cleaning, four-compartment dispenser
- Large, heavy-duty loading door



M9 CONTROL



Offers nine cycles that can be modified to meet your laundry's unique demands. Three water levels and up to five supply signals for automated dispensing of laundry chemicals. Cycle counter and test cycle for self-diagnostics.

UY SERIES SOFTMOUNT WASHER-EXTRACTORS


Our UY series is built with unyielding construction to ensure industrial strength. Our cutting-edge innovations and technologies reduce costs and maximize throughput. And we're constantly improving. It's all part of our commitment to providing the lowest cost of ownership in the industry.

UY SERIES AT A GLANCE

- Sleek, modern design with a slanted control panel
- 13 chemical ports of various sizes, including 1/2" manifold flush connections
- Unique drum increases mechanical action for better washing results and optimized water extraction
- Large drain valve for increased throughput
- Large door opening for easy loading and unloading
- Easy control access – no need to remove top panel
- Durable micro-v belt for long life



UNILINC™ TOUCH CONTROL



Ease of use drives the ultimate user experience with the UniLinc™ Touch control. UniMac's premium control brings simplicity, flexibility and intelligence to every laundry room.

- Bright, capacitive touch screen
- 34 language options
- Seamless user experience
- Staff training is quick and simple
- Delayed start allows maximum efficiency
- Count-up timer
- Quick diagnostics and machine audit data


UY SERIES SOFTMOUNT WASHER-EXTRACTORS

Our UY series is built with unyielding construction to ensure industrial strength. Our cutting-edge innovations and technologies reduce costs and maximize throughput. And we're constantly improving. It's all part of our commitment to providing the lowest cost of ownership in the industry.

UY SERIES AT A GLANCE

- Sleek, modern design
- 13 chemical ports of various sizes, including 1/2" manifold flush connections
- Unique drum increases mechanical action for better washing results and optimized water extraction
- Large drain valve for increased throughput
- Large door opening for easy loading and unloading
- Durable micro-v belt for long life

UNILINC™ TOUCH CONTROL



Ease of use drives the ultimate user experience with the UniLinc™ Touch control. UniMac's premium control brings simplicity, flexibility and intelligence to every laundry room.

- Bright, capacitive touch screen
- 34 language options
- Seamless user experience
- Staff training is quick and simple
- Delayed start allows maximum efficiency
- Count-up timer
- Quick diagnostics and machine audit data



UT SERIES SINGLE 75 LB TUMBLE DRYERS


Our UT series are in a league of their own in terms of performance and efficiency. These durable commercial laundry machines achieve the perfect balance between drying temperature, airflow pattern and usable cylinder space for optimal drying results while significantly reducing utility and labor costs.

UT SERIES AT A GLANCE

- OPTidry™ Over-Dry Prevention Technology
- High-grade, heavy-duty steel door and two-point hinges
- Galvanized, pre-coated steel cylinder
- Electrostatically applied paint, available in white or gray
- Extended tumble helps prevent wrinkling
- Long-lasting, 7/8" heavy-duty, rubber door gasket



UNILINC™ TOUCH CONTROL



Ease of use drives the ultimate user experience with the UniLinc™ Touch control. UniMac's premium control brings simplicity, flexibility and intelligence to every laundry room.

- Bright, capacitive touch screen
- 34 language options
- Seamless user experience
- Staff training is quick and simple
- Count-up timer
- Quick diagnostics and machine audit data

PROCAPTURE™ BY UNIMAC®

Through an industry-first patented process, ProCapture by UniMac captures 98 percent of tumble dryer lint. This breakthrough technology produces a number of benefits including real dollars in savings.

UT SERIES SINGLE 75 LB TUMBLE DRYERS

In a busy on-premises laundry environment, speed and efficiency are non-negotiable and durability is a must. Our classic tumble dryers deliver exceptional performance and legendary UniMac® durability for operations that don't require advanced control platforms and networking. Intuitive, basic control options ensure flexibility to deliver quality results every cycle.

UT SERIES AT A GLANCE

- High-grade, heavy-duty steel door and two-point hinges
- Galvanized, pre-coated steel cylinder
- Electrostatically applied paint
- Extended tumble helps prevent wrinkling
- Long-lasting, 7/8" heavy-duty, rubber door gasket



M SERIES CONTROL



Our programmable control allows any combination of up to 30 auto-dry and time-dry cycles to be saved, providing easy user interface.

DUAL DIGITAL CONTROL



This economy control allows for the operator to select the ideal temperature, heating time and cooling time for each use.

PROCAPTURE™ BY UNIMAC®

Through an industry-first patented process, ProCapture by UniMac captures 98 percent of tumble dryer lint. This breakthrough technology produces a number of benefits including real dollars in savings.

UT SERIES SINGLE 120, 170, 200 LB TUMBLE DRYERS


Our UT series are in a league of their own in terms of performance and efficiency. These durable commercial laundry machines achieve the perfect balance between drying temperature, airflow pattern and usable cylinder space for optimal drying results while significantly reducing utility and labor costs.

UT SERIES AT A GLANCE

- OPTidry™ Over-Dry Prevention Technology
- High-grade, heavy-duty steel door and two-point hinges
- Galvanized, pre-coated steel cylinder
- Electrostatically applied paint, available in white or gray
- Extended tumble helps prevent wrinkling
- Long-lasting, 7/8" heavy-duty, rubber door gasket



UNILINC™ TOUCH CONTROL



Ease of use drives the ultimate user experience with the UniLinc™ Touch control. UniMac's premium control brings simplicity, flexibility and intelligence to every laundry room.

- Bright, capacitive touch screen
- 34 language options
- Seamless user experience
- Staff training is quick and simple
- Count-up timer
- Quick diagnostics and machine audit data

M SERIES CONTROL



Our programmable control allows any combination of up to 30 auto-dry and time-dry cycles to be saved, providing easy user interface.

UT SERIES SINGLE 120, 170, 200 LB
TUMBLE DRYER PACKAGES

■ STANDARD

□ AVAILABLE

— NOT AVAILABLE

SOLUTIONS		1	2	3	4	5
		UNILINC TOUCH / OPTIDRY / REV / WHITE	UNILINC TOUCH / OPTIDRY / CARE / REV / WHITE	M SERIES / REV / WHITE	M SERIES /OPTIDRY / REV / WHITE	M SERIES / CARE / REV / WHITE
18-Digit SKU		UTxxxNVN0RQA6W0000	UTxxxNVN0RQC6W0000	UTxxxNNN0RQG6W0000	UTxxxNNN0RQA6W0000	UTxxxNNN0RQK6W0000
FEATURES	Reversing Cylinder	■	■	■	■	■
	Non-Reversing Cylinder	—	—	—	—	—
	CARE Fire Suppression	—	■	—	—	■
	Moisture Sensing	■	■	—	■	—
	(N) Natural Gas Heating	■	■	■	■	■
	(L) Liquid Propane Heating	□	□	□	□	□
	(E) Electric Heating	□	—	□	□	—
	(S) Steam Heating	□	□	□	□	□
	Voltage Options (see chart below)	□	□	□	□	□
APPEARANCE	White Front & Side Panels	■	■	■	■	■
	Gray Front & Side Panels	□	—	—	—	—
	Stainless Steel Door	■	■	■	■	■
	Stainless Steel Cylinder	—	—	—	—	—
	Galvanized Cylinder	■	■	■	■	■
WARRANTY	3-Years Limited	■	■	■	■	■
	5-Years Limited	—	—	—	—	—

18-DIGIT SKU (FIRST 5 DIGITS)	CAPACITY (LB / KG)	LIST PRICE				
UT120	120 / 55	\$18,214	\$19,060	\$17,607	\$18,394	\$18,453
UT170	170 / 77	\$25,211	\$26,057	\$24,670	\$25,457	\$25,516
UT200	200 / 90	\$35,754	\$36,600	\$35,317	\$36,104	\$36,163

MODIFIER OPTIONS

			UT120	UT170	UT200
VOLTAGE	GAS/STEAM	(N) 440-480V/50-60Hz/3Ph	□	□	□
		(Q) 200-240V/50-60Hz/3Ph	■	■	■
	ELECTRIC	(G) 230-240V/50-60Hz/3Ph	□	—	—
		(L) 460-480V/50-60Hz/3Ph	□	—	—
HEATING	(L) Liquid Propane		□	□	□
	(E) Electric		+ \$5,426	—	—
	(S) Steam		+ \$3,072	+ \$6,170	+ \$6,585

COLOR

(S) Gray□

Color option change position 14 in SKU
Only available for packages 1

Voltage change position 11 in SKU, Heating change position 6 in SKU

Please specify any modifier options when ordering.
Prices subject to change without notice.
All prices are in F.O.B. Ripon, WI – In U.S dollars.

SINGLE 30, 55 LB AND STACKED 30, 45, 55 LB TUMBLE DRYERS


Our UT series are in a league of their own in terms of performance and efficiency. These durable commercial laundry machines achieve the perfect balance between drying temperature, airflow pattern and usable cylinder space for optimal drying results while significantly reducing utility and labor costs.

UT SERIES AT A GLANCE

- OPTidry™ Over-Dry Prevention Technology
- High-grade, heavy-duty steel door and two-point hinges
- Galvanized, pre-coated steel cylinder
- Electrostatically applied paint
- Extended tumble helps prevent wrinkling
- Long-lasting, 7/8" heavy-duty, rubber door gasket



UNILINC™ TOUCH CONTROL




Ease of use drives the ultimate user experience with the UniLinc™ Touch control. UniMac's premium control brings simplicity, flexibility and intelligence to every laundry room.

- Bright, capacitive touch screen
- 34 language options
- Seamless user experience
- Staff training is quick and simple
- Count-up timer
- Quick diagnostics and machine audit data

M SERIES CONTROL

Our programmable control allows any combination of up to 30 auto-dry and time-dry cycles to be saved, providing easy user interface.



PROCAPTURE™ BY UNIMAC®

Through an industry-first patented process, ProCapture by UniMac captures 98 percent of tumble dryer lint. This breakthrough technology produces a number of benefits including real dollars in savings.


STACKED WASHER-EXTRACTOR/ TUMBLE DRYER

UniMac's stacked washer-extractor/tumble dryer is a unique commercial-grade product that washes and dries in a small footprint.

- Ideal for small OPL settings with limited space
- Increases wash capacity
- Improves throughput
- Minimal front fasteners give quick access to key washer-extractor components to improve serviceability
- Supports a higher volume than typical retail and light commercial products are able to support
- Reliability and durability that drastically outperforms retail or light commercial options



OPL TOUCH CONTROL



The UniMac OPL Touch control has clear, easy to use, easy to understand directions and simple cycle programming

- User-friendly screen with operating instructions built in as part of the control
- Easy-to-understand
- 30+ languages available
- On-screen timer


FIREFIGHTER'S PPE DRYING CABINET

The Firefighter's Personal Protective Equipment (PPE) Drying Cabinet provides fire stations the means to effectively, efficiently and safely dry protective gear – at the lowest cost of ownership in the industry.

PPE DRYING CABINET AT A GLANCE

- Five standard cycles
- Doors open at complete 180° angle
- Adjustable leveling legs
- Space for up to 15 boots/gloves
- Unique rack design for maximum water removal
- Electrostatically-applied paint for superior bonding and corrosion resistance
- 100% front-serviceable
- Optional utility shelf
- Contributes to compliance with NFPA 1851 guidelines

M SERIES CONTROL



The M Series Control is designed to manage the drying and cooling cycles of the gear cabinet. The controller is programmed to meet NFPA standards with the flexibility for the operator to adjust the time settings.

