



Galaxie™

WINDOW FILM

Solar Gard® Galaxie is a non-reflective, color-stable window film made from state-of-the-art technology that produces optimum heat and glare rejection from a non-metal film. Galaxie produces superior optical clarity and its bold black hue complements most factory glass.

Fast Facts:

- Non-reflective, color-stable
- Optical clarity for unaltered vision
- Electronic signal-friendly: GPS, satellite, AM radio, cellular and TPM systems
- Impressive solar heat and glare rejection from NR film
- Ultimate UV protection
- 285+ sun protection factor (SPF)
- Scratch-resistant coating extends "new" look

Warranty:

- Limited lifetime transferable
- Replacement product and labor
- National dealer network



See actual warranty certificate for details and coverage activation.



Performance Results:



	Visible Light Transmittance @550nm	Visible Light Reflectance	Total Solar Energy Rejected	Glare Reduction	Ultraviolet Rejected	Sun Protection Factor
Galaxie 50	54	7	28	40	>99	285+
Galaxie 45	47	7	30	49	>99	285+
Galaxie 35	39	6	32	57	>99	285+
Galaxie 30	32	6	34	65	>99	285+
Galaxie 20	22	6	37	76	>99	285+
Galaxie 12	13	5	39	86	>99	285+
Galaxie 5	5	5	42	94	>99	285+

Definitions

- *Visible Light Transmittance* is the percent of visible light transmitted through glass with film.
- *Visible Light Reflectance (exterior)* is the percent of visible light reflected by glass with film.
- *Total Solar Energy Rejected* is the percent of total solar energy (heat) rejected by glass with film.
- *Glare Reduction* is the percent of glare blocked by adding film to glass.
- *Ultraviolet Rejected* is the percent of ultraviolet light (UVA/UVB) rejected by glass with film.
- *Sun Protection Factor (SPF)* helps calculate extended time of protection before skin begins to burn. To estimate, multiply SPF by the minutes it takes your skin to turn red. Although skin and sun strength will vary, skin with unprotected exposure typically burns in 20 minutes.
- Hybrid window films are constructed with metal and colored film.
- Performance results are based on 1/8" (3mm) clear glass using Window 5.2 and NFRC methodology.



Vehicle

Year	Make	Model

Quote	Appointment

Notes

Dealer

www.solargard.com/us

Saint-Gobain Performance Plastics
 4540 Viewridge Avenue
 San Diego, CA 92123
 Tel: 877.273.4364
 E-mail: info@solargard.com

SK0168GX 06/14

© Copyright 2014, Saint-Gobain Performance Plastics Corporation and/or its affiliates
 All Rights Reserved • www.solargard.com

