

CHOCTAW ELECTRIC COOPERATIVE, INC.
Storm Shelter Loan Application Guidelines

Loan Eligibility

1. Depending upon the availability of funds, storm shelter loans may be made to members in good standing with the cooperative.
2. Any member in good standing with the Cooperative is eligible for a "CEC Storm Shelter Loan" subject to certain guidelines outlined on the loan application.
 - a. The member must have a prompt pay history with the Cooperative.
 - b. An "A" or "B" credit rating with the Cooperative is required for immediate approval. A "C" credit rating will be reviewed prior to being approved/denied.
 - c. The member must own the real estate and structure to which the storm shelter is to be installed and may be asked to provide proof of ownership.
 - d. Must be a Choctaw Electric Cooperative member for a minimum of one (1) year.

Loan Application Process

1. The member must complete the loan application and return to a Choctaw Electric Cooperative office.
2. Upon receipt of the application, the cooperative will determine approval of the Storm Shelter loan.
3. Upon approval the member will be required to sign:
 - a. A promissory note.
 - b. An agreement that if full payment is not made on the electric bill, the loan payment will be deducted first.
4. When all necessary forms have been signed, an appointment will be made to have the storm shelter installed.
 - a. The cooperative will notify the member of the date and time of installation.
 - b. Installation of Storm Shelters will be at the discretion of the Contractor, due to the types of terrain throughout Choctaw Electric Cooperatives system.

Loan Terms and Conditions

1. The maximum scheduled repayment will not exceed five (5) years, sixty (60) months.
2. Interest rate on Storm Shelter Loans will be eight percent (8%).
3. The monthly payment will be added to the member's electric bill.
 - a. The due date of the first payment will be established by the Customer Service Department and will be dependent upon the member's billing cycle.

I understand that if I sell or vacate the premises, or if I disconnect this account, CEC shall bill me for the remaining unpaid balance of the storm shelter loan.

Choctaw Electric, Inc.

Utility Representative: _____

Date: _____

I have read, understand and agree to all of the above guidelines:

Member: _____

Date: _____

STATEMENT OF NON-DISCRIMINATION

The Cooperative will not discriminate against any member in a protected category (race, color, religion, sex, national origin, age, disability or certain classifications based on genetic information, or any other characteristic protected by federal, state, or local law).

CHOCTAW ELECTRIC COOPERATIVE
Storm Shelter Application

Date of Application: _____ CEC Account Number: _____

Name(s) on CEC Account _____

Billing Address: _____

911 Address for Contractor: _____

City: _____ State: _____ Zip Code: _____

Phone Numbers: Home _____ Cell _____ Business

Months to Finance: _ _ _ _ DownPayment: No_ Yes \$. _____

Hausner Slope Front Storm Shelter	
<input type="checkbox"/> 6' x 8' (holds up to 10)	<input type="checkbox"/> EZ Entry 6' x 8' (holds up to 10)
<input type="checkbox"/> Jumbo 6' 10" x 10' (holds up to 14)	<input type="checkbox"/> Jumbo EZ Entry 6' 10" x 10' (holds up to 14)
<input type="checkbox"/> \$50 - Outside Hand Rail - (available for all shelters)	

Driving Directions to Your Home:

Map: (Please be detailed)

For Office Use Only:

Hausner's in ground slope front storm shelter are precast concrete with a 10-year warranty not to leak. (See warranty information below) Shelters are reinforced with fiber as well as steel rebar.

- Standard shelters and EZ Entry include a double handrail on inside metal steps, spring loaded door opener allowing easy door opening, 8" wind turbine for ventilation and a 6" vent.
- EZ Entry shelters have a taller door and the steps are not as steep as on standard units.

6' x 8' (holds up to 10)	Jumbo 6' 10" x 10' (holds up to 14)	EZ Entry 6' x 8' (holds up to 10)	Jumbo EZ Entry 6' 10" x 10' (holds up to 14)	Area
\$3450	\$4650	\$3850	\$5050	Boswell
\$3450	\$4650	\$3850	\$5050	Soper
\$3450	\$4650	\$3850	\$5050	Hugo, Centerpoint, Lane, Sawyer
\$3450	\$4650	\$3850	\$5050	Grant, Antlers, Farris
\$3600	\$4800	\$4000	\$5200	Ft. Towson, Rattan, Valliant
\$3600	\$4800	\$4000	\$5200	Swink, Cloudy, Moyers, Garvin
\$3700	\$4800	\$4100	\$5300	Rufe, Clayton, Nashoba, Forest Grove, Wright City, Idabel, Lukfata, Ringold, Finley
\$3850	\$5050	\$4250	\$5450	Broken Bow, Bethel, Battiest, Ludlow, Haworth, Tom
\$4050	\$5250	\$4450	\$5650	Eagletown
\$4500	\$5250	\$4450	\$5650	Smithville
\$4500	\$5250	\$4450	\$5650	Watson
Outside Handrail available for an additional \$50				

**** PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE ****



HAUSNER
RELIABILITY SINCE 1954

gohausner.com

580.924.6988

580.924.6742 FAX

Maintenance Tips for Your New Shelter

It is very important to keep dirt packed around your shelter. After the first few rains, following installation, you will see considerable settling of the dirt around the unit. This is normal. It is necessary to rake the dirt back up against the shelter on all sides. It is recommended by the manufacturer that the dirt remains over halfway up the sides and back of your shelter.

To extend the life of the steel door hinges, it is recommended to lubricate them at least twice a year. Failure to do so may cause hinges to freeze up and/or break off of the door or door frame. Hinge replacement **IS NOT** covered by our Limited Warranty.

The steel door of your shelter has been painted with a metal primer. To prevent rusting, you may wish to re-prime and/or paint when needed. You may also choose to put weather-stripping around the inside of your shelter door to keep the water from leaking in during heavy wind-driven rains.

Our Limited Warranty does not cover water leaking in around the door or around the door handle.

It is not necessary to put any type of waterproofing agent on the outside of your shelter.

Hausner's Storm Shelter Limited Warranty

Hausner's Limited of Durant, Oklahoma, warrants to the original consumer purchaser of a Hausner's underground concrete storm shelter that it will repair or, at its sole discretion, replace the shelter if there is substantial water leakage into the shelter caused by a defect in material or workmanship in the concrete structure or in the seal between the two concrete subunits. The Limited Warranty is in effect for ten (10) years from the documented date of purchase as established by a written sales order or receipt.

Exclusions from Limited Warranty: (1) all incidental or consequential damages (2) all implied warranties, including any warranty of fitness for a particular purpose and warranty of merchantability (3) all defects, damages, or injuries caused by misuse, abuse, improper installation, improper maintenance, alteration, neglect, or uses other than those for which products were intended. (4) All conditions, damages, or injuries caused by normal wear and tear, cosmetic issues, small cracks, climatic conditions, or water leakage around the door and ventilator (5) Door hinges, ventilators and any other components that may be subject to another manufacturer's warranty

Hausner's cannot predict, and does not warrant in any way, actual performance of any storm shelter under any conditions, including conditions of tornadoes or severe storms.

There is no other express warranty on this product.