

WILDTHING



WHEN PROTECTION MEANS EVERYTHING.



HEIMANFIRE.COM



BLOOMFIELD RURAL FIRED DEPT., NE



WILDTHING

Built on a Ford F-550 4x4 XL chassis or a Dodge Ram 5500, the next generation of ultimate wildland firefighting technology has been unleashed! This powerful Wildland rig comes packed with heavy-duty features to tackle any situation and is completely customizable.

Contact your sales rep or call us at 605.543.5510 for more details.
View more photos of all our Wildthing units at heimanfire.com

OPTIONS

- 41" on/off highway tires, 11" x 20" steel wheels that exceeds SAE specifications
- 8" custom front fender flares
- Heavy duty bumper/grille guard with receiver
- 400 Gallon G3 Fire® copoly tank with a lifetime warranty and 10 gallon foam cell
- LED Lighting package
- High pressure 4-stage centrifugal pump powered by a 24HP gas engine, enclosed and heated pump compartment
- Scotty Class "A" around-the-pump foam system
- Electric Hannay booster hose reel with 100' hose
- Side compartments with ROM roll up doors
- Rear underbody compartment storage with slide out poly tray
- NFPA compliant design for on-board pump-and-roll fire fighting position-rollover protection.
- 3rd party tested and certified per NFPA 1906 & SAEJ1194
- Upper coffin compartments
- FRC inView 360 degree view video system
- Rear receiver
- & MUCH MORE!



MANY ADDITIONAL OPTIONS AVAILABLE!

CHOOSE YOUR OPTIONS:

Name: _____ Dept: _____
 Phone: _____ Email: _____

NFPA Compliant Transverse Roll-Over Protection Design
 Standard: Buckstop - Super Single Kit
 Includes: 4 steel wheels, 4 MPT 81Tires, 3" Lift Kit, Front Bumper and brushguard, Oversized Fender Flares, Custom Running Boards

Additional Options -

- Spare Wheel Tire Forged Aluminum Wheels (all)
- Underbody Protection
- Aluminum flatbed, no standing areas
- Aluminum flatbed with standing areas
- Standing area with mansaver bars or swing gate
- Crosswalk between both standing areas
- Compartments: Painted Diamond Plate
- Driver's side compartment- approx size: D _____ L _____ H _____
- Door style:
- Roll-up Flip-up Side hinged Pull down

List of specialty tools and sizes:

- Passenger side compartment- approx size: D _____ L _____ H _____
- Door style:
- Roll-up Flip-up Side hinged Pull down

List of specialty tools and sizes:

- Upper coffin compartments, approx size: D _____ L _____ H _____
- Coffin compartment material:
- Diamond Plate Slotted Diamond
- Coffin compartment top:
- Open Hinged Lid

List of specialty tools and sizes:

- Rear under body storage compartment
- Poly under body pull-out tray
- Adjustable shelves: Qty: _____ Compartment: (D _____) (P _____)
- Roll out trays: Qty: _____ Compartment: (D _____) (P _____)
- SCBA walkaway brackets in compartments, Qty: _____
- Compartment floor tile
- Pump
 - High pressure or High Volume
- Pump Engine
 - 20 HP 24 HP Honda Gas or 23.5 Diesel Kubota
- Foam systems
 - Scotty Foam Pro Hale CAFS

- Booster reel with electric rewind
 - Reel Location: _____
- Booster hose
 - 100' 150' custom length: _____
- Roller assembly
- Poly booster tank (gallons)
 - 250 300 400 Custom _____
- Top Control Poly Tank
- LED light package
- Automatic compartment lights
 - Single Double
- LED Scene lights - Qty: _____
- Light bar:
 - R/C/R R/C/B
- Mounting Location:
 - Headache Rack Chassis Cab Roof
- LED Telescoping lights- Qty: _____
- Perimeter Warning lights
- Ground Lighting
- Siren
- 100 watt speaker
- Cole Hersee master battery disconnect
- Kussmaul auto charge battery conditioner with auto eject
- Class 1 Water Level gauge Qty: _____
 - Locations: _____
- Rear receiver hitch with wiring harness
- Front receiver hitch with wiring harness
- Front monitors with joystick
- Bumper spray bar with cab control
- Tow hooks
- Polypropylene control console
- Rear Mud flaps
- SCBA seat backs with lock-n-loads brackets- (rear 4 door)
- Winch- Size: _____
- Reflective trim: 4" Scotchlite 1"- 4"- 1"
- Chevron NFPA approved stripping
- Lettering
- New chassis
- Customer supplied chassis
 - Make: _____ Model: _____
 - Gas or Diesel Fuel

Additional features/options: _____

