

QUOTATION

Heiman

Heiman Stock WK254

22590_Heiman Stock WK254 2k tanker PROD
OK EH_EO
10/30/2025

Exp. Date:	03/27/2025	
Quote No:	10002-0034	
Job/Order No:	22590 OK	
PUMPER:	C0-00-0100	ROSENBAUER FX/FL SNGL AXL PMPR/TNKR
BID PREP:	C0-01-0010	Pumper/Tanker Bid Prep Forms
WARRANTY:	C0-01-1010	Pumper/Tanker Warranties
CHASSIS:	RBM CHASSI	Use Drop Down to Add RBM Chassis
ELEC-DC:	C0-50-0000	Pumper/Tanker-DC Electrical System
CHS MODS:	C0-02-0000	Pumper/Tanker-Chassis Modifications
PLUMBING:	C0-20-0000	Midship Pumper/Tanker Pump & Plumbing
PUMP COMPT:	C0-26-0000	Pumper/Tanker-Side Mount Pump Compt
BODY-PMPR:	C0-30-1100	SA LL/LR Pumper/Tanker
BODY-CMMN:	C0-44-0000	Pumper/Tanker-Common Body Parts
ELEC-AC:	C0-60-0000	Pumper/Tanker-AC Electrical System
EQUIP-SYST:	C0-70-0000	Pumper/Tanker-Equipment Systems
PAINT:	C0-80-0000	Pumper/Tanker - Single Axle - Pnt/Ltr/St
EQUIP-LSE:	C0-90-0000	Pumper/Tanker - Loose Equipment

11/03/2025

Page 1

PART NO	QTY	S	DESCRIPTION	PG
00-00-1300	1	S	Heiman WK 254	1
00-00-1499	1		Overall Height Restriction, NONE	2
00-00-1509	1		Overall Length Restriction, NONE	2
00-00-1519	1		Overall Width Restriction, NONE	2
00-00-1529	1		Wheelbase Restriction, NONE	2
00-00-1539	1		Angle of Approach, NFPA Minimum, 8 Degrees	2
00-00-1549	1		Angle of Departure, NFPA Minimum, 8 Degrees	2
00-00-1640	1		NFPA Mobile Water Equipment Allowance 1000#	2
00-00-1799	1			2
00-00-3220	1		Contract Change Notice	2
01-06-0500	1		Calculated Center of Gravity	3
01-07-0060	1		-- Representative Technical Drawings (3-View) (Left/Right/Rear)	3
01-07-1100	1		Change Orders	4
			== Pumper/Tanker Warranties - 1242.024 12/04/24 ==	4
01-16-0100	1	>	-- Apparatus, Body Warranty, 1 Year	4
01-19-0250	1		-- Aluminum Body Warranty, 5 Years	4
01-19-2800	1		-- Galvanized Subframe Warranty, Lifetime	5
01-20-0250	1		-- PPG Paint Warranty, 5 Years	6
01-21-0150	1		-- Lettering and Striping Warranty, 1 Year	7
01-18-0900	1		-- G3 Water Tank Warranty	7
01-33-3100	1	S <	-- S.O.R./ Body Manuals Complete, 1 Set Printed	7
			--ship manual materials loose. Dealer to assemble manual.	
02-90-1100	1	>	Freightliner M2, 2-Door Chassis	8
			== Use Drop Down to Add RBM Chassis - 1242.024 12/04/24 ==	8
			== Pumper/Tanker-DC Electrical System - 1242.024 12/04/24 ==	8
50-03-1000	1	>	Electrical Base, Standard, W/O Load Management	8

PART NO	QTY	S	DESCRIPTION	PG
50-05-1510	1		-- Electrical Junction Box, Weather Resistant	11
50-12-1100	1	<	Switch Panel/Electrical Console, Between Cab Seats, Natural Finish -G3 console	11
50-15-1100	1		Batteries, With Supl'd Chs	11
50-15-3100	1		Battery Switch, Master Disconnect, Chassis Sppld	11
50-20-1210	1	<	Shore Power Inlet, 120V, Manual --terminate wiring in center console receptacle	11
50-20-1124	1		-- Shore Power Inlet, Below Left Front Cab Door, Commercial	12
51-00-1700	2	S	-- S.O.R./ 12V Power/Ground, 30A, Left and Right body electrical box	12
51-00-4000	2		-- Switched Power, Thru Master	12
51-05-6290	1		Light, Engine Compmt, Chassis Supplied	
52-01-1200	1		Back Up Alarm	12
52-02-1100	1		Back Up Camera, Install Chassis Supl'd	12
52-08-1009	1		-- Hand Lights, NFPA Compliance - Spl'd/Instl'd by DEPT	12
53-01-1200	1		Marker Lts, LED, DOT Requirements	12
53-02-1300	1		License Plate Bracket, SST, No Light, Rear	12
53-03-0060	1		Whelen Rear DOT LED Lighting Package (4x6) 600's	
53-03-2600	1		-- Tail/Brake Lights, Whelen, 600's 4"x6" (Pair) 604BTT	13
53-04-2600	1		-- Turn Signals, Whelen, 600's LED w/ Arrow, 4"x6" (Pair) 604T	13
53-06-3500	1		-- Backup Lights, Whelen, 600's LED, 4"x6" (Pair) 604BU	13
53-07-1200	1	>	-- (4) Light Bezel, Tail Lights (Pair)	13
53-05-1800	1		Turn Signals, Mid Body, LED Marker Light (Pair)	13
54-02-1400	1		-- Ground Lights, Cab, 2 Door, LED Pair	13
54-02-2320	1		-- Step Lights, Cab, (2) Pair LED Four	13
54-03-1600	1		-- Ground Lights, Rear Step, LED, Pair	13
54-04-1999	1		-- Light Switch, Ground Lights w/ Park Brake	13
54-10-1450	2		Step Light, Rear Tailboard, LED, Ea	14
54-11-2100	1		Light Switch, Step/Walkway Lights Wired Park Brake Switch	14
54-15-5924	1		-- Scene Light - Body Left Side	14
54-15-1290	1	>	-- Scene Light, Whelen, M9LZC LED, w/Chrome Bezel	14
54-15-1460	1		-- Scene/Warn Light, Mounting Plate, Tread Plate	14
54-15-6400	1		-- Scene Light Switch, Left Scene Lights, Cab Switch Panel	14
54-15-5928	1		-- Scene Light - Body Right Side	14

PART NO	QTY	S	DESCRIPTION	PG
54-15-1290	1	>	-- Scene Light, Whelen, M9LZC LED, w/Chrome Bezel	14
54-15-1460	1		-- Scene\Warn Light, Mounting Plate, Tread Plate	15
54-15-6500	1		-- Scene Light Switch, Right Scene Lights, Cab Switch Panel	15
54-15-5932	1		-- Scene Light - Rear Body	15
54-15-1290	1	>	-- Scene Light, Whelen, M9LZC LED, w/Chrome Bezel	15
54-15-6600	1		-- Scene Light Switch, Rear Scene Lights, Cab Switch Panel	15
54-15-6700	1		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	15
55-11-2100	1		Door Open/Hazard Warning Light, Flashing LED Whelen OS (OSROOFCR)	15
56-01-1380	1		Siren, Electronic, Fed-Sig PA300-100	16
56-02-1750	1		Speaker, Whelen SA315P, 100 Watt	16
56-03-1800	1		-- Speaker Location, To Be Determined by Body Mfg	16
57-02-1900	1	>	-- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	16
57-10-0600	1		-- Warning Light Control, with E-Master Warning Switch	17
58-71-1820	1		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N L31*F	17
57-20-8100	1		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	17
57-20-8101	1		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	17
58-74-5100	1		-- Stanchions, Rear Warning Light, Cast Alum	17
58-03-2100	1		-- Warning Lights, Whelen, Low Front, (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
58-09-2100	1	>	-- Warning Lights, Whelen, Intersection, (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-26-2100	1		-- Warning Lights, Whelen, Lower Mid Body (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-36-2100	1		-- Warning Lights, Whelen, Lower Rear Side (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-81-1520	1		-- Warning Lights, Whelen, Lower Rear Body (2) #600 S-LED	18
57-20-4010	1		-- Warn Light, Driver, Whelen, 600 Red LED, Color Lens, Ea	18
57-20-4011	1		-- Warn Light, Officer, Whelen, 600 Red LED, Color Lens, Ea	18
09-90-9901	1	S	== Pumper/Tanker-Chassis Modifications - 1242.024 12/04/24 == S.O.R./ Dealer supplied chassis	18 18

PART NO	QTY	S	DESCRIPTION	PG
10-02-1100	1		-- Label, Data, Fluid Levels	19
10-02-1300	1		-- Label, Data, "No Ride" Rear Step	19
10-02-1500	1		-- Label, Data, Height x Length, Weight - Seating	19
10-02-2500	1		-- Label, "Caution: Do Not Wear Helmet While Seated"	19
10-03-6000	1		-- Tow Plates (2), Rear Frame Rail, Under Step	19
80-43-2400	1		-- Painting, Tow Plates, Black	20
10-04-0002	1		-- Bumper, Existing Commercial Bumper	20
10-04-2110	1		-- Bumper Extension, None, With Chassis, Commercial	
10-04-3560	1		-- Bumper, w/Chassis	
10-06-1110	1		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle	20
10-07-0100	1		-- Exhaust, Horizontal Supplied With Chassis	
10-08-2100	1		-- Mud Flaps, Rear Wheels, Black, w/ Body	20
10-19-4000	1		-- Air Inlet, Manual, Cab Exterior, Driver Step	20
			== Midship Pumper/Tanker Pump & Plumbing - 1242.024 12/04/24 ==	20
20-00-1600	1		-- Auxiliary Pumps - Engine-Driven	
22-51-3200	1	S >	-- 2-1/2" NPTF Port for Future Tank to Pump Valve	20
22-50-0100	1		-- Single Tank to Pump Control - Pump Operator's Panel	20
24-61-1250	1	S	-- S.O.R./ 2" NPTF Port for Future Tank Fill	20
20-31-1000	1		-- Fire Pump Testing - Pumpers/Tankers	
20-31-1400	1	S >	-- S.O.R./ Pump Test, DEALER SUPPLIED	20

[illegible]

PART NO	QTY	S	DESCRIPTION	PG
25-62-2100	1		-- Quick Dump, Rear 10", Manual Open/Close Controls	23
25-62-2600	1		-- Quick Dump, Rear 10", SST	23
29-10-1000	1		Hosebed, Grating, Extruded Alum, <180" Long	23
29-10-5100	1		-- Hosebed Storage Capacity, 55 Cubic Feet, Minimum	24
30-01-1800	1		Body Construction - Rosenbauer FX - 1/8" Alum - SA Pumper/Tanker	24
30-01-2250	1		-- Electrolysis Corrosion Control	25
30-02-2200	1		-- Smooth Alum Compt Floors	25
30-10-1100	1		-- Sub-Frame, Hot-Dip Galv	25
31-01-1300	1		-- Body, Formed Alum, Pumper/Tanker, Up to 220"	26
44-06-2200	1		-- Wheel Well Panel, Alum Painted, Single Axle - Alum	26
44-06-4100	1		-- Fenderette, Polished Aluminum	26
31-01-2105	1		102" OAW, 26" Lower Depth Both Sides, SA LL/LR	26
29-00-1300	1		-- Hosebed, Pumper, <180" L, 74" Wide	27
32-03-0033	1		-- Compt Height, 33" High Left	27
32-03-1033	1		-- Compt Height, 33" High Right	27
32-04-1200	1		Roll Up Doors, LL/LR	
30-02-1150	2	>	-- Roll-Up Doors - ROM Mfg	27
32-05-1030	1		-- Ahead Rear Wheels - Low Comp't - Roll Up Door	28
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	28
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	28
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	28
32-06-1030	1		-- Ahead Rear Wheels - Low Comp't - Roll Up Door	28
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	28
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	28
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	29
33-60-1100	1		Rear Body - Flat Back	29
32-08-0600	1		-- No Rear Compt	29
33-61-1400	1	<	-- Rear Step 30-Degree Angle - Pumper/Tanker Body - Bolt-On - 14"	29
			--NO drop tailboard	
== Pumper/Tanker-Common Body Parts - 1242.024 12/04/24 ==				29
44-01-1450	1		-- Body Trim, Front Compt, Height of Side Compts, Alum T/P	29
44-01-6000	1	>	-- Catwalks, Top of Side Compts, Door Header, Alum Treadplate	29
44-01-4000	1		-- Body Trim, Entire Rear Body, Smooth for Chevron Stripe	29
44-02-1100	1		-- Rub Rails, Lower Body, Extruded Alum	30
44-02-2000	1		-- Rub Rails, Spacers, Nylon	30

[illegible]

[illegible]