

QUOTATION

Heiman

Heiman Stock CT229
25814 Rudolph Circle
Sioux Falls, South Dakota 57107
605-543-5098

22506_Heiman Stock CT229 PROD W_CO1,2
OK EH_EO
9/12/2024

Exp. Date: 05/22/2024
Quote No: 10028-0006
Job/Order No: 22506 OK W_CO1-2
PUMPER: C0-00-0100 ROSENBAUER FX/FL SNGL AXL PMPR/TNKR
BID PREP: C0-01-0010 Pumper/Tanker Bid Prep Forms
WARRANTY: C0-01-1010 Pumper/Tanker Warranties
CHASSIS: RBM CHASSI Use Drop Down to Add RBM Chassis
ELEC-DC: C0-50-0000 Pumper/Tanker-DC Electrical System
CHS MODS: C0-02-0000 Pumper/Tanker-Chassis Modifications
PLUMBING: C0-20-0000 Midship Pumper/Tanker Pump & Plumbing
PUMP COMPT: C0-26-0000 Pumper/Tanker-Side Mount Pump Compt
BODY-PMPR: C0-30-1100 LL/LR Single Axle Pumper/Tanker
BODY-CMMN: C0-44-0000 Pumper/Tanker-Common Body Parts
ELEC-AC: C0-60-0000 Pumper/Tanker-AC Electrical System
EQUIP-SYST: C0-70-0000 Pumper/Tanker-Equipment Systems
PAINT: C0-80-0000 Pumper/Tanker - Single Axle - Pnt/Ltr/St
EQUIP-LSE: C0-90-0000 Pumper/Tanker - Loose Equipment

09/18/2024

Page 1

PART NO	QTY	S	DESCRIPTION	PG
00-00-0120	1		> -- CONFIGURATION ID: 2021B-XXXXX	
00-00-1300	1	S	Fire Department Name	1
00-00-1499	1		Overall Height Restriction, NONE	2
00-00-1509	1		Overall Length Restriction, NONE	2
00-00-1519	1		Overall Width Restriction, NONE	2
00-00-1529	1		Wheelbase Restriction, NONE	2
00-00-1539	1		Angle of Approach, NFPA Minimum, 8 Degrees	2
00-00-1549	1		Angle of Departure, NFPA Minimum, 8 Degrees	2
00-00-1640	1		NFPA Mobile Water Equipment Allowance 1000#	2
00-00-3220	1		Contract Change Notice	2
01-06-0650	1		Tilt Angle Testing	3
01-07-0060	1		-- Representative Technical Drawings (3-View) (Left/Right/Rear)	3
01-07-1100	1		Change Orders	4
02-13-7400	1		Toll Free Service Number	4
01-16-0100	1		> -- Apparatus, Body Warranty, 1 Year	5
01-19-0250	1		-- Aluminum Body Warranty, 5 Years	5
01-19-2800	1		-- Galvanized Subframe Warranty, Lifetime	6
01-21-0150	1		-- Lettering and Striping Warranty, 1 Year	6
01-17-0100	1		-- Darley Pump Warranty,, 10 Years	7
01-17-1050	1		-- Stainless Steel Plumbing Warranty, 10 Years	7
01-18-0900	1		-- G3 Water Tank Warranty	7
01-33-3100	1		-- Body Manuals Complete, 1 Set Printed	7
02-90-1100	1		> Freightliner M2, 2-Door Chassis	8
50-03-1000	1		> Electrical Base, Standard, W/O Load Management	8
50-05-1510	1		-- Electrical Junction Box, Weather Resistant	11
50-12-1200	1		Switch Panel, Cab Dash	11
50-15-1100	1		Batteries, With Supl'd Chs	11
50-15-3100	1		Battery Switch, Master Disconnect , Chassis Sppld	11
50-15-7900	1	S	Battery Charger/Compressor, KUSS, Pump Plus KIT 53-21-1100	11
50-20-1500	1		> Shore Power Inlet, KUSS Super Auto-Eject 20 Amp	11

PART NO	QTY	S	DESCRIPTION	PG
50-20-1120	1		-- Shore Power Inlet, Left Front Cab Door, Commercial	12
51-00-1200	1		-- 12V Power/Ground, 20A, Inside Center Console (commercial)	12
51-00-4000	1		-- Switched Power, Thru Master	12
51-05-6290	1		Light, Engine Compt, Chassis Supplied	
52-01-1200	1		Back Up Alarm	12
52-02-4000	1		Back Up Camera, Zone Defense, Rear Camera System EZ-ZD.323.1	12
52-15-1200	1		> Radio Antenna Base, Supply and Install, Ea	12
53-01-1200	1		Marker Lts, LED, DOT Requirements	12
53-02-1300	1		License Plate Bracket, SST, No Light, Rear	12
53-03-0060	1		Whelen Rear DOT LED Lighting Package (4x6) 600's	
53-03-2600	1		-- Tail/Brake Lights, Whelen, 600's 4"x6" (Pair) 604BTT	13
53-04-2600	1		-- Turn Signals, Whelen, 600's LED w/ Arrow, 4"x6" (Pair) 604T	13
53-06-3500	1		-- Backup Lights, Whelen, 600's LED, 4"x6" (Pair) 604BU	13
53-07-1200	1		> -- (4) Light Bezel, Tail Lights (Pair)	13
53-05-1800	1		Turn Signals, Mid Body, LED Marker Light (Pair)	13
54-02-1400	1		-- Ground Lights, Cab, 2 Door, LED Pair	13
54-02-2320	1		-- Step Lights, Cab, (2) Pair LED Four	13
54-03-1200	1		-- Ground Lights, Pump Panel, LED, Pair	13
54-03-1600	1		-- Ground Lights, Rear Step, LED, Pair	14
54-04-1999	1		-- Light Switch, Ground Lights w/ Park Brake	14
54-10-1300	2		Step Light, Fixed /Folding Step, LED, Ea	14
54-10-1450	2		Step Light, Rear Tailboard, LED, Ea	14
54-11-2100	1		Light Switch, Step/Walkway Lights Wired Park Brake Switch	14
54-12-1918	1		Deck Lights, Rear Of Hosebed	14
54-12-1320	1		-- Deck Lights, Code 3, LED, 1-Spot #CW2450 & 1-Flood #CW2451, Black	14
55-11-2100	1		Door Open/Hazard Warning Light, Flashing LED Whelen OS (OSROOFCR)	14
56-01-1380	1		Siren, Electronic, Fed-Sig PA300-100	14
56-02-1750	1		Speaker, Whelen SA315P, 100 Watt	15
56-03-1800	1		-- Speaker Location, To Be Determined by Body Mfg	15
57-02-1900	1		> -- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	15
57-10-0600	1		-- Warning Light Control, with E-Master Warning Switch	15
58-71-1820	1		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N	15
			L31*F	
57-20-8100	1		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	16
57-20-8101	1		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	16
58-74-5100	1		-- Stanchions, Rear Warning Light, Cast Alum	16
58-03-2100	1		-- Warning Lights, Whelen, Low Front, (2) LINZ6 LED	16
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	16
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	16
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	16
58-09-2100	1		> -- Warning Lights, Whelen, Intersection, (2) LINZ6 LED	16
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	16
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	16
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	16
58-26-2100	1		-- Warning Lights, Whelen, Lower Mid Body (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	17
58-36-2100	1		-- Warning Lights, Whelen, Lower Rear Side (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	17
58-81-1520	1		-- Warning Lights, Whelen, Lower Rear Body (2) #600 S-LED	17
57-20-4010	1		-- Warn Light, Driver, Whelen, 600 Red LED, Color Lens, Ea	17
57-20-4011	1		-- Warn Light, Officer, Whelen, 600 Red LED, Color Lens, Ea	17
10-02-1100	1		-- Label, Data, Fluid Levels	17
10-02-1300	1		-- Label, Data, "No Ride" Rear Step	18
10-02-1500	1		-- Label, Data, Height x Length, Weight - Seating	18
10-02-2500	1		-- Label, "Caution: Do Not Wear Helmet While Seated"	18
10-03-6000	1		-- Tow Plates (2), Rear Frame Rail, Under Step	18

PART NO	QTY	S	DESCRIPTION	PG
80-43-2400	1		-- Painting, Tow Plates, Black	19
10-04-0002	1		-- Bumper, Existing Commercial Bumper	19
10-04-2110	1		-- Bumper Extension, None, With Chassis, Commercial	
10-04-3560	1		-- Bumper, w/Chassis	
10-06-1110	1		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle	19
10-06-1600	1	>	-- Tire Pressure Indicator, Single Axle, Commercial, RWTG1235	19
10-07-0100	1		-- Exhaust, Horizontal Supplied With Chassis	
10-07-1500	1		-- Exhaust Heat Shield, Under Body Compartments	19
10-08-2100	1		-- Mud Flaps, Rear Wheels, Black, w/ Body	19
10-10-0400	1	>	-- Cab Step Overlay, 2 Door Driver Side	19
10-10-0500	1	>	-- Cab Step Overlay, 2 Door Passenger Side	19
20-04-2200	1	< >	-- Pump, Darley, HM, 1 Stage, PTO	19
All Pump Manufactures recommend that their Pumps are drained after every use and be stored dry. End user is responsible to follow this recommendation.				
20-04-2120	1	>	-- Pump Flow Rating, Darley, HM, 500 GPM	21
22-03-1300	1		-- Intake, Ungated, 4", LH Side	21
22-41-5400	1		-- Cap, 4", Chrome Long Handle	21
20-05-2800	1		-- Pump Seal, Mech, Darley, HM PTO	21
20-05-3200	1	>	-- Pump Shift, Darley, Elec, PTO, "Pump and Roll"	21
27-03-1700	1	>	-- Gauge, Discharge, 2-1/2" (0-400 PSI), In Cab, Pump and Roll	22
20-05-5100	1	S	-- S.O.R. / Primer, Trident Air Primer, Manual	22
27-10-3100	1	>	-- Pressure Governor, FRC, Pump Boss 400 Series, w/Body	22
21-00-2000	1		-- Screens/Anodes, Pump	23
21-00-3200	1		-- Piping, SST - Up to 1000 GPM	23
21-01-0200	1	>	-- Pump Drain, Master, Manifold, Push Pull Type	24
21-01-5500	1		-- Intake Manifold, Stainless Steel	24
21-01-6500	1		-- Discharge Manifold, Stainless Steel	24
21-01-7100	1		-- Painting, Pump & Piping, Silver	24
21-01-8100	1		-- Threads, National Hose (NST)	24
22-51-5100	1	>	-- Tank-To-Pump, Water Tank, 3" Valve/3" Piping, PTO/Crossmount	25
22-50-0100	1		-- Single Tank to Pump Control - Pump Operator's Panel	25
24-62-1300	1		-- Valve, AKR, 8000, (3")	25
22-55-4012	1		-- Intake Valve Control, Pull Rod, 1/4 Turn, AKR - IC	25
23-02-1300	1		-- Tank Fill/Cooling Line, Water Tank, 2"	25
24-62-1200	1		-- Valve, AKR, 8000, (2")	25
22-55-4012	1		-- Intake Valve Control, Pull Rod, 1/4 Turn, AKR - IC	25
20-30-3200	1		-- Pump Installation, Midship PTO, By Body Builder	25
20-31-3600	1		Dump-Relief Valve, Suction Side, TFT A18	25
20-31-4100	1		Pump Cooler, Bypass-To-Tank, 3/8"	26
20-31-5100	1	>	Heat Exchanger, Engine, Hook-Up Only	26
20-31-1000	1		-- Fire Pump Testing - Pumpers/Tankers	
20-31-1400	1	>	-- Pump Test, Factory Test Only	26
22-12-1100	1		Intake, Auxiliary, Gated, 2-1/2", NST, Left Side	26
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	26
22-41-1100	1		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	27
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	27
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	27
23-09-4100	1		Discharge, 2-1/2", Left Side, Pump Panel, NST	27
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	27
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	27
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	27
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	27
24-53-0020	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	27
27-02-1500	1	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	28
23-10-4100	1	<	Discharge, 2-1/2", Right Side, Pump Panel, NST	28
--inside R1 compartment				
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	28
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	28

PART NO	QTY	S	DESCRIPTION	PG
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	28
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	28
24-53-0020	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	28
27-02-1500	1	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	29
26-02-4100	1	>	Pump Enclosure, Side Mount, Front Compt Tanker Style	29
26-35-3200	1		Pump Panel, SST, LH/RH, SM	29
26-35-1100	1		-- Pump Panel, Bolted, LH	29
26-36-5100	1		Trim Panels, SST, Intakes and Discharges	30
26-50-1020	1	>	Heater, Pump Enclosure, 20,000BTU, w/Switch on Pump Operator's Panel	30
26-50-1230	1		-- Heater Fan Switch, Pump Operator's Panel	30
26-50-3200	1		Heat Pan, Pump Enclosure, Midship, Slide Out Panel, Alum	30
26-55-1100	1		Labels, Test Data and Safety Placards	30
26-55-2400	1		Labels, Innovative Controls Color Coded	30
26-56-1125	1		Pump Panel LED Lights, (3) Tecniq E10-W0001-1, Midship LH w/Switch on Operator P	31
26-56-2000	1		Pump Panel Light (1), Actuated w/Pump Engagement	31
27-01-1200	1	>	-- Master Gauges, Class 1, 4-1/2" PSI, WF, Pair	31
27-01-4100	1	>	Gauge, Test Taps	31
27-35-4012	1		Water Tank Gauge, IC, 10-LED, Pump Panel (straight) 3030358-04	31
47-01-0500	1		G3 Water Tank, Base Specs	32
47-01-1055	1		-- Water Tank, 2000 Gallon	33
47-01-1900	1		-- Water Tank, "T" Tank	33
25-50-2500	1	>	Direct Tank Fill, 2-1/2" Right Rear	33
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	33
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	33
25-50-2670	1	>	-- NH 2-1/2" Swivel, Plug & Screen	33
25-62-1260	1		-- Quick Dump, Rear 10", External Mount w/Swivel Dump	33
25-62-2100	1		-- Quick Dump, Rear 10", Manual Open/Close Controls	34
25-62-2650	1		-- Quick Dump, Rear 10", SST	34
25-62-4300	1		-- Quick Dump Chute, Rear, Swivel Dump, Rosenbauer	34
25-62-4310	1		-- Handle, Cast, Lower Chute, Swivel Dump	34
29-10-1000	1		Hosebed, Grating, Extruded Alum, <180" Long	34
29-10-5100	1		-- Hosebed Storage Capacity, 55 Cubic Feet, Minimum	35
29-20-0099	1		=== NO Hosebed Cover - PTS ===	35
30-00-0299	1		Raw Material Surcharge - Single Axle	
30-01-1800	1		Body Construction - Rosenbauer FX - 1/8" Alum - SA Pumper/Tanker	35
30-01-2250	1		-- Electrolysis Corrosion Control	36
30-02-2200	1		-- Smooth Alum Compt Floors	36
30-10-1100	1		-- Sub-Frame, Hot-Dip Galv	36
31-01-1200	1		-- Body, Formed Alum, Pumper/Tanker, Up to 160"	37
44-06-2200	1		-- Wheel Well Panel, Alum Painted, Single Axle - Alum	37
44-06-4100	1		-- Fenderette, Polished Aluminum	37
31-01-2105	1		102" OAW, 26" Lower Depth Both Sides, SA LL/LR	37
29-00-1300	1		-- Hosebed, Pumper, <180" L, 74" Wide	38
32-03-0033	1		-- Compt Height, 33" High Left	38
32-03-1033	1		-- Compt Height, 33" High Right	38
32-04-1200	1		Roll Up Doors, LL/LR	
30-02-1150	2	>	-- Roll-Up Doors - ROM Mfg	38
32-05-1030	1		-- Ahead Rear Wheels - Low Comp't - Roll Up Door - Natural Finish	39
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	39
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	39
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	39
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	39
32-06-1030	1		-- Ahead Rear Wheels - Low Comp't - Roll Up Door - Natural Finish	39
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	39
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	40
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	40
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	40
33-60-1100	1		Rear Body - Flat Back	40
32-08-0600	1		-- No Rear Compt	40

PART NO	QTY	S	DESCRIPTION	PG
33-61-1400	1		-- Rear Step - Pumper/Tanker Body - Bolt-On - 14"	40
90-25-7100	2		Suction Hose Tray, Driver Side Over Cmpts (Ea)	40
90-25-9115	1		> Suction Hose Provided By, Body Builder, SD	40
90-30-3400	1		> Folding Tank Mounting, Fold Down Enclosed, Passenger Side, Painted Match Body	41
90-30-5115	1		> Folding Tank Provided By, Body Builder SD	41
44-01-1450	1		-- Body Trim, Front Compt, Height of Side Compts, Alum T/P	41
44-01-6000	1		> -- Catwalks, Top of Side Compts, Door Header, Alum Treadplate	41
44-01-4000	1		-- Body Trim, Entire Rear Body, Smooth for Chevron Stripe	41
38-90-2050	1		-- Access Ladder, Rosenbauer EZ Climb, Left Rear	41
33-70-1500	1		> -- Handrails - Rear Step - Vertical - 48" - (2) on EZ Climb & (1) Oppos	42
33-70-2100	1		-- Handrails - Below Hosebed - Horizontal - up to 48"	42
44-02-1100	1		-- Rub Rails, Lower Body, Extruded Alum	42
44-02-2000	1		-- Rub Rails, Spacers, Nylon	42
80-22-1504	1		Body Paint, Single Axle, Pumper/Tanker - Single Color	42
80-06-1100	1		< -- Apparatus Color	43
			--Body to match chassis Red; L0762EY MED RED ELITE EY	
80-30-1100	1		Compt Finish, Spatter Coat, Up to 6 Compts	43
80-40-1100	1		Wheels, Aluminum, By the Chassis Manufacturer	
80-42-1500	1		Body Paint, Touch Up, 2 oz. Bottle, One Color	43
80-50-1100	1		Lettering Supplied by Dealer	43
80-70-1300	1		> Stripe, Single Reflective, 4", Straight Design	43
80-75-1600	1		-- Reflective Stripe Material, White	44
80-72-1100	1		> Stripe, Reflective 3M, Chevron Pattern Entire Rear	44
80-75-1500	1		-- Reflective Stripe Material, Red	44
80-75-1800	1		-- Reflective Stripe Material, Yellow	44
80-72-2030	1		< > Stripe, Reflective, Cab Door Interiors	44
			Commercial Cab	
80-79-1000	1		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	44
90-25-2500	2		-- Suction Hose, Flex, PVC, 4"x10'	44
90-25-6100	2		-- Suction Hose Couplings, Aluminum, LH FM x RLM	44
90-30-1300	1		> Folding Water Tank, 2100 Gallon Alum Frame, 22 Oz Vinyl	45
90-35-1900	1		Emergency Road Kit - DOT Required	45