

QUOTATION

Heiman

Heiman Stock CP230

19429 Heiman Stock CP230 4 Dr S/M Bdy PROD W_CO
OK EH_EO
9/12/2024

Exp. Date: 05/22/2024
Quote No: 10029-0004
Job/Order No: 19429 OK W_CO1
PUMPER: C0-00-0100 ROSENBAUER FX/FL SNGL AXL PMPR/TNKR
BID PREP: C0-01-0010 Pumper/Tanker Bid Prep Forms
WARRANTY: C0-01-1010 Pumper/Tanker Warranties
CHASSIS: RBM CHASSI Use Drop Down to Add RBM Chassis
ELEC-DC: C0-50-0000 Pumper/Tanker-DC Electrical System
CHS MODS: C0-02-0000 Pumper/Tanker-Chassis Modifications
PLUMBING: C0-20-0000 Midship Pumper/Tanker Pump & Plumbing
PUMP COMPT: C0-26-0000 Pumper/Tanker-Side Mount Pump Compt
BODY-PMPR: C0-30-1400 HLHD/HRHD Single Axle Pumper/Tanker
BODY-CMMN: C0-44-0000 Pumper/Tanker-Common Body Parts
ELEC-AC: C0-60-0000 Pumper/Tanker-AC Electrical System
EQUIP-SYST: C0-70-0000 Pumper/Tanker-Equipment Systems
PAINT: C0-80-0000 Pumper/Tanker - Single Axle - Pnt/Ltr/St
EQUIP-LSE: C0-90-0000 Pumper/Tanker - Loose Equipment

09/18/2024

Page 1

PART NO	QTY	S	DESCRIPTION	PG
00-00-0120	1	>	-- CONFIGURATION ID: 2021B-XXXXX	
00-00-1300	1		Fire Department Name	1
00-00-1499	1		Overall Height Restriction, NONE	2
00-00-1509	1		Overall Length Restriction, NONE	2
00-00-1519	1		Overall Width Restriction, NONE	2
00-00-1529	1		Wheelbase Restriction, NONE	2
00-00-1539	1		Angle of Approach, NFPA Minimum, 8 Degrees	2
00-00-1549	1		Angle of Departure, NFPA Minimum, 8 Degrees	2
00-00-1610	1		NFPA Pumper Equipment Allowance 2500#	2
00-00-3220	1		Contract Change Notice	2
01-06-0500	1		Calculated Center of Gravity	3
01-07-0060	1		-- Representative Technical Drawings (3-View) (Left/Right/Rear)	3
01-07-1100	1		Change Orders	4
01-16-0100	1	>	-- Apparatus, Body Warranty, 1 Year	4
01-19-0250	1		-- Aluminum Body Warranty, 5 Years	4
01-19-2800	1		-- Galvanized Subframe Warranty, Lifetime	5
01-17-0700	1		-- Waterous Pump Warranty, 7 Years	6
01-17-1050	1		-- Stainless Steel Plumbing Warranty, 10 Years	6
01-18-0050	1		-- G3 Foam Tank Warranty	6
01-18-0900	1		-- G3 Water Tank Warranty	6
01-33-3100	1		-- Body Manuals Complete, 1 Set Printed	7
02-90-1200	1	>	Freightliner M2 4 Door Chassis	7
50-03-1000	1	>	Electrical Base, Standard, W/O Load Management	7
50-05-1510	1		-- Electrical Junction Box, Weather Resistant	10
50-12-1120	1		Switch Panel/Electrical Console, Between Cab Seats, Black LineX	10
50-15-1100	1		Batteries, With Supl'd Chs	11
50-15-3100	1		Battery Switch, Master Disconnect , Chassis Sppld	11
50-15-7700	1		Battery Charger/Compressor, KUSS, Pump Plus 1000 PLC 51-21-1100	11
50-20-1610	1	>	Shore Power Inlet, KUSS Super Auto-Eject 20 Amp, Bar Graph Display 091-55-234	11
50-20-1124	1		-- Shore Power Inlet, Below Left Front Cab Door, Commercial	11

PART NO	QTY	S	DESCRIPTION	PG
51-00-1700	1	<	-- 12V Power/Ground, 30A, Radio Location --install a labeled loop of wire in the center console for radio installation	11
51-00-4000	1		-- Switched Power, Thru Master	12
51-05-6290	1		Light, Engine Compt, Chassis Supplied	
51-05-6400	1		Light, Pump Compt, 12 Volt LED w/Switch	12
51-05-9000	1		-- Switch on Light Head	12
52-01-1200	1		Back Up Alarm	12
52-02-4000	1		Back Up Camera, Zone Defense, Rear Camera System EZ-ZD.323.1	12
52-15-1200	1	>	Radio Antenna Base, Supply and Install, Ea	12
53-01-1200	1		Marker Lts, LED, DOT Requirements	12
53-02-1250	1		License Plate Bracket, Cast Products, LP0005-1-C w/ LED Light	12
53-03-0065	1		Whelen Rear DOT LED Lighting Package M6	
53-03-2750	1		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	12
53-04-2750	1		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	12
53-06-3550	1		-- Backup Lights, Whelen, LED, M62BU (Pair)	13
53-07-1210	1		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	13
53-05-1800	1		Turn Signals, Mid Body, LED Marker Light (Pair)	13
54-02-1500	1		-- Ground Lights, Cab, 4 Door, LED Four	13
54-02-2340	1		-- Step Lights, Cab, (4) Pair LED Eight Lights	13
54-03-1200	1		-- Ground Lights, Pump Panel, LED, Pair	13
54-03-1600	1		-- Ground Lights, Rear Step, LED, Pair	13
54-04-1999	1		-- Light Switch, Ground Lights w/ Park Brake	13
54-10-1300	2		Step Light, Fixed /Folding Step, LED, Ea	14
54-10-1450	2		Step Light, Rear Tailboard, LED, Ea	14
54-11-2100	1		Light Switch, Step/Walkway Lights Wired Park Brake Switch	14
54-12-1918	1		Deck Lights, Rear Of Hosebed	14
54-12-1320	1		-- Deck Lights, Code 3, LED, 1-Spot #CW2450 & 1-Flood #CW2451, Black	14
54-15-5924	1		-- Scene Light - Body Left Side	14
54-15-1297	1	>	-- Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	14
54-15-6400	1		-- Scene Light Switch, Left Scene Lights, Cab Switch Panel	14
54-15-5928	1		-- Scene Light - Body Right Side	14
54-15-1297	1	>	-- Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	15
54-15-6500	1		-- Scene Light Switch, Right Scene Lights, Cab Switch Panel	15
54-15-5932	1		-- Scene Light - Rear Body	15
54-15-1297	1	>	-- Scene Light, Whelen, M92SLC LED, w/Chrome Bezel	15
54-15-6600	1		-- Scene Light Switch, Rear Scene Lights, Cab Switch Panel	15
54-15-6700	1		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	15
55-11-2100	1		Door Open/Hazard Warning Light, Flashing LED Whelen OS (OSROOFCR)	15
56-01-1400	1		Siren, Electronic, Fed-Sig PA-300-012MSC w/Hi-Lo #690010	16
56-02-1600	1		Speaker, Fed Sig Dynamax, ES100C 100 Watt	16
56-02-1650	1		-- Speaker Grille, SST, "R"	16
56-03-1100	1		-- Speaker Location, Bumper, Recessed, Center	16
57-02-1900	1	>	-- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	16
57-10-0600	1		-- Warning Light Control, with E-Master Warning Switch	17
58-71-1820	1		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N L31*F	17
57-20-8100	1		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	17
57-20-8101	1		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	17
58-74-5200	1		-- Mounting, Rear Warning Light, Body Compartment	17
58-03-2100	1		-- Warning Lights, Whelen, Low Front, (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	17
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	17
58-09-2100	1	>	-- Warning Lights, Whelen, Intersection, (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	18
58-26-2100	1		-- Warning Lights, Whelen, Lower Mid Body (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18

PART NO	QTY	S	DESCRIPTION	PG
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	18
58-36-2100	1		-- Warning Lights, Whelen, Lower Rear Side (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	18
58-81-2000	1		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	18
57-20-1200	1		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	19
57-20-1201	1		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	19
10-02-1100	1		-- Label, Data, Fluid Levels	19
10-02-1300	1		-- Label, Data, "No Ride" Rear Step	19
10-02-1500	1		-- Label, Data, Height x Length, Weight - Seating	19
10-02-2500	1		-- Label, "Caution: Do Not Wear Helmet While Seated"	19
10-03-6000	1		-- Tow Plates (2), Rear Frame Rail, Under Step	20
80-43-2400	1		-- Painting, Tow Plates, Black	20
10-04-0002	1		-- Bumper, Existing Commercial Bumper	20
10-04-2110	1		-- Bumper Extension, None, With Chassis, Commercial	
10-04-3560	1		-- Bumper, w/Chassis	
10-06-1110	1		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle	20
10-06-1600	1	>	-- Tire Pressure Indicator, Single Axle, Commercial, RWTG1235	20
10-07-0100	1		-- Exhaust, Horizontal Supplied With Chassis	
10-07-1500	1		-- Exhaust Heat Shield, Under Body Compartments	20
10-08-2100	1		-- Mud Flaps, Rear Wheels, Black, w/ Body	20
10-10-0600	1	>	-- Cab Step Overlay, 4 Door Driver Side	20
10-10-0700	1	>	-- Cab Step Overlay, 4 Door Passenger Side	20
10-12-6610	4		-- SCBA Bracket, Cab Seat, IMMI Smart Dock	20
20-25-1600	1	< >	-- Pump, Waterous, CXVK, PTO, 1 Stage	21
			All Pump Manufactures recommend that their Pumps are drained after every use and be stored dry. End user is responsible to follow this recommendation.	
20-25-1520	1	>	-- Pump Flow Rating, Waterous, CXK, 1250 GPM	22
22-03-1600	1		-- Intake, Ungated, 6", LH Side	22
22-41-5700	1		-- Cap, 6", Chrome Long Handle	22
22-03-2600	1		-- Intake, Ungated, 6", RH Side	22
22-41-5700	1		-- Cap, 6", Chrome Long Handle	22
20-26-2200	1		-- Pump Seal, Mech, Waterous	22
20-26-2300	1		-- Pump Impeller, Waterous, Standard Hubs	22
20-26-3400	1	>	-- Pump Shift, Waterous, PTO, Pump and Roll	22
27-03-1800	1	S >	--	23
20-29-1200	1	>	-- Primer, Trident Air Primer, Automatic	23
20-29-1250	1		-- Primer Control - Main Pump Rocker Switch	24
27-10-3100	1	>	-- Pressure Governor, FRC, Pump Boss 400 Series, w/Body	24
21-00-2000	1		-- Screens/Anodes, Pump	25
21-00-3300	1		-- Piping, SST - 1250 GPM & Up	25
21-01-0200	1	>	-- Pump Drain, Master, Manifold, Push Pull Type	25
21-01-5500	1		-- Intake Manifold, Stainless Steel	25
21-01-6500	1		-- Discharge Manifold, Stainless Steel	26
21-01-7100	1		-- Painting, Pump & Piping, Silver	26
21-01-8100	1		-- Threads, National Hose (NST)	26
22-51-5110	1	>	-- Tank-To-Pump, Water Tank, 3" Valve/4" Piping, PTO/Crossmount	26
22-50-0100	1		-- Single Tank to Pump Control - Pump Operator's Panel	26
24-62-1300	1		-- Valve, AKR, 8000, (3")	26
22-55-4012	1		-- Intake Valve Control, Pull Rod, 1/4 Turn, AKR - IC	26
23-02-1300	1		-- Tank Fill/Cooling Line, Water Tank, 2"	27
24-62-1200	1		-- Valve, AKR, 8000, (2")	27
22-55-4012	1		-- Intake Valve Control, Pull Rod, 1/4 Turn, AKR - IC	27
20-30-3200	1		-- Pump Installation, Midship PTO, By Body Builder	27
20-31-3600	1		Dump-Relief Valve, Suction Side, TFT A18	27
20-31-4100	1		Pump Cooler, Bypass-To-Tank, 3/8"	27
20-31-5100	1	>	Heat Exchanger, Engine, Hook-Up Only	27

PART NO	QTY	S	DESCRIPTION	PG
20-31-1000	1		-- Fire Pump Testing - Pumpers/Tankers	
20-31-1100	1		-- Pump Test, Pumper, UL	28
20-31-1500	1		-- Pump Test, Label	28
22-12-1100	1		Intake, Auxiliary, Gated, 2-1/2", NST, Left Side	28
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	28
22-41-1100	1		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	29
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	29
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	29
23-06-2200	1		-- Crosslay Discharges, (2) 1-1/2", Over Pump Panel, NST w/divider	29
21-00-4000	1		-- 200-ft of 1-3/4-in Hose Capacity	29
21-01-2502	2		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	29
24-61-1200	2		-- Valve, AKR, 8000, (2")	29
24-53-0020	2	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	29
27-02-1500	2	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	30
23-08-3300	1		-- Crosslay Cover, Alum T/P, Single, W/Vinyl End Flaps (Non NFPA Walking Surface)	30
29-20-5600	1		-- Vinyl Cover, Color, RED	30
23-08-4130	1		-- Crosslay Trim, Alum Angles, Both Sides	30
23-08-5019	1		-- Crosslay Discharges, Over Pump Panel, Normal Height	30
23-09-4100	2		Discharge, 2-1/2", Left Side, Pump Panel, NST	30
21-01-2502	2		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	30
24-02-1200	2		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	30
24-03-1400	2		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	30
24-61-1250	2		-- Valve, AKR, 8000, (2-1/2")	31
24-53-0020	2	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	31
27-02-1500	2	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	31
23-10-4100	1		Discharge, 2-1/2", Right Side, Pump Panel, NST	31
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	31
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	31
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	31
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	31
24-53-0020	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	32
27-02-1500	1	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	32
23-10-5200	1		Discharge, 3" x 4"NST, Right Side, Pump Panel, NST	32
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	32
24-02-2600	1		-- Elbow, LW Alum, 5" Storz x 4"F	32
24-03-2200	1		-- Cap, LW Alum, 5" Storz, w/Cable	32
24-61-1300	1		-- Valve, AKR, 8000, (3")	32
24-53-0300	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR Slow Close - IC w/Gauge	32
27-02-1500	1	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	32
23-13-3200	1		Discharge, 2-1/2", Right Rear, NST	33
21-01-2502	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn - Spec Only	33
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	33
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	33
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	33
24-53-0020	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	33
27-02-1500	1	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	33
24-11-3200	1	<	Monitor Discharge, 3", Over Midship Pump Enclosure, NPT --cap discharge pipe, provision only	33
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	34
24-61-1300	1		-- Valve, AKR, 8000, (3")	34
24-53-0300	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR Slow Close - IC w/Gauge	34
27-02-1500	1	>	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	34
25-01-0010	1	>	Foam System Provisions, Future Installation, Dept or Dealer Installed	34
25-01-0019	1	<	-- Provisions are for 1600 Foam Pro - Plumb to (2) Crosslays + Front Bumper Dischar --both crosslays and forward left side 2.5" discharge to be foam capable	

PART NO	QTY	S	DESCRIPTION	PG
25-20-1200	1		-- Foam Plumbing, Single Class A Tank, 1" Manual Valve	34
25-21-1300	1		-- Foam Tank, Integral Poly, 20 Gallon, Class A	34
25-22-9350	1		-- Foam Tank, G3	35
25-23-1000	1		-- Foam Tank Drain, 1" Gate Valve, Under Tank	35
27-36-1100	1	< >	-- Foam Tank Gauge, FRC TankVision Pro 300, Class A, Pump Panel	35
			#WLA360-A00	
			--foam tank gauge to be installed.	
			== Pumper/Tanker-Side Mount Pump Compt - 901.023 10/03/23 ==	36
26-02-2200	1	>	Pump Enclosure, Side Mount, Extruded Alum, 40-49"W, Crosslays	36
26-30-1100	1		Running Board, LH Pump Panel, Alum T/P, SM	37
26-30-1150	1		Running Board, RH Pump Panel, Alum T/P, SM	37
26-31-1300	1		Pump Side Access Door, Upper RH, SST	37
26-35-3200	1		Pump Panel, SST, LH/RH, SM	37
26-35-1100	1		-- Pump Panel, Bolted, LH	37
26-35-1200	1		-- Pump Panel, Bolted, RH	38
26-50-1010	1	>	Heater, Pump Enclosure, 35,000BTU, w/Switch on Pump Operator's Panel	38
26-50-1230	1		-- Heater Fan Switch, Pump Operator's Panel	38
26-50-3100	1		Heat Pan, Pump Enclosure, Midship, Slide Out Panel, Galvanized Steel	38
26-50-4100	1		Gasket, Rubber, Pump Enclosure/Body Flex Joint	38
26-55-1100	1		Labels, Test Data and Safety Placards	38
26-55-2400	1		Labels, Innovative Controls Color Coded	39
26-56-1125	1		Pump Panel LED Lights, (3) Tecniq E10-W0001-1, Midship LH w/Switch on Operator P	39
26-56-1225	1		Pump Panel LED Lights (2), Midship RH, Tecniq E10-W0001-1	39
26-56-2000	1		Pump Panel Light (1), Actuated w/Pump Engagement	39
27-01-1500	1	>	-- Master Gauges, IC, 4" PSI, Pair	39
27-01-4100	1	>	Gauge, Test Taps	40
27-35-1100	1	>	Water Tank Gauge, FRC, TankVision Pro 300, Pump Panel WLA300-A00	40
27-35-1300	1		-- Water Tank Gauge, FRC, TankVision, Mini, In-Cab	40
47-01-0500	1		G3 Water Tank, Base Specs	40
47-01-1000	1		-- Water Tank, 1000 Gallon	41
47-01-1900	1		-- Water Tank, "T" Tank	41
29-10-1000	1		Hosebed, Grating, Extruded Alum, <180" Long	42
29-10-5100	1		-- Hosebed Storage Capacity, 55 Cubic Feet, Minimum	42

PART NO	QTY	S	DESCRIPTION	PG
29-10-8100	1		Hosebed Divider, 1/4" Alum	42
29-20-2000	1		> Hosebed Cover, Vinyl, <180" L, <74" W, Velcro	42
29-20-5600	1		-- Vinyl Cover, Color, RED	42
30-00-0299	1		Raw Material Surcharge - Single Axle	
30-01-1800	1		Body Construction - Rosenbauer FX - 1/8" Alum - SA Pumper/Tanker	42
30-01-2250	1		-- Electrolysis Corrosion Control	43
30-02-2200	1		-- Smooth Alum Compt Floors	44
30-10-1100	1		-- Sub-Frame, Hot-Dip Galv	44
31-01-1100	1		-- Body, Formed Alum, Pumper/Tanker, Up to 144"	45
44-06-2200	1		-- Wheel Well Panel, Alum Painted, Single Axle - Alum	45
44-06-4100	1		-- Fenderette, Polished Aluminum	45
31-01-2135	1		102" OAW, 13-26" Half Depth Both Sides, SA HL/HR	45
29-00-1300	1		-- Hosebed, Pumper, <180" L, 74" Wide	45
32-03-0070	1		> -- Compt Height, 72" High Left	45
32-03-1070	1		> -- Compt Height, 72" High Right	46
32-04-1230	1		Roll Up Doors, HL/HR	
30-02-1150	7		> -- Roll-Up Doors - ROM Mfg	46
30-02-1260	7		> -- Door Strap, EZ-Pull Down, Ea	46
32-05-1120	1		-- Ahead Rear Wheels - Full Height Comp't - Roll Up Door - Natural Finish	47
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	47
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	47
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	47
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	47
32-05-1355	1		-- Upper High Side - Single Comp't - Roll Up Door - Natural Finish	47
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	47
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	47
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	48
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	48
32-05-1720	1		-- Behind Rear Wheels - Full Height Comp't - Roll Up Door - Natural Finish	48
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	48
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	48
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	48
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	48
32-06-1120	1		-- Ahead Rear Wheels - Full Height Comp't - Roll Up Door - Natural Finish	48
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	49
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	49
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	49
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	49
32-06-1455	1		-- Upper High Side - Single Comp't - Roll Up Door - Natural Finish	49
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	49
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	49
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	49
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	50
32-06-1720	1		-- Behind Rear Wheels - Full Height Comp't - Roll Up Door - Natural Finish	50
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	50
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	50
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	50
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	50
33-60-1100	1		Rear Body - Flat Back	50
32-08-0210	1		-- Rear Center Comp't - Full Height Roll Up/Trans- Natural Finish	50
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	51
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum	51
55-01-1250	1		-- Wall Light, ROM,V3 LED Track Light, (2) Ea Compartment	51
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	51
33-61-1400	1		-- Rear Step - Pumper/Tanker Body - Bolt-On - 14"	51
90-02-3500	1		Ladder Storage, Vertical Slide In, Passenger Rear Body	51
90-02-2900	1		-- Compartment Door, Alum Treadplate	51
90-02-5310	1		Ladder Mounting, Folding Attic, Internal	52
90-03-0225	1		Ladders, Ground, Provided By Body Builder, SD	52
90-16-5400	2		Pike Pole Mounting, In Ladder Tunnel, Ea	52

PART NO	QTY	S	DESCRIPTION	PG
90-16-6115	1		> Pike Pole Provided By, Body Builder SD	52
90-25-7750	1		Suction Hose Compt, Above Comp'ts, Driver Side Painted Smooth (Ea)	52
90-02-2900	1		-- Compartment Door, Alum Treadplate	52
90-25-7850	1		Suction Hose Compt, Above Comp'ts, Pass Side Painted Smooth (Ea)	52
90-02-2900	1		-- Compartment Door, Alum Treadplate	52
90-25-9115	1		> Suction Hose Provided By, Body Builder, SD	52
44-01-1450	1		-- Body Trim, Front Compt, Height of Side Compts, Alum T/P	53
44-01-6020	1		-- Catwalks Top of Side Compts, Door Header Painted	53
44-01-4000	1		-- Body Trim, Entire Rear Body, Smooth for Chevron Stripe	53
33-62-4200	1		-- Step - Folding - Rear - Right Hand - Integral LED Lights	53
38-90-2050	1		-- Access Ladder, Rosenbauer EZ Climb, Left Rear	53
33-70-1500	1		> -- Handrails - Rear Step - Vertical - 48" - (2) on EZ Climb & (1) Oppos	53
33-70-2100	1		-- Handrails - Below Hosebed - Horizontal - up to 48"	54
44-02-1100	1		-- Rub Rails, Lower Body, Extruded Alum	54
44-02-2000	1		-- Rub Rails, Spacers, Nylon	54
44-11-5100	1		Wheel Well Provisions, Ahead of Wheels Left Side	54
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP	54
			7.5" diameter opening	
			101 body 26" deep	
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	55
44-11-5300	1		Wheel Well Provisions, Behind Wheels Left Side	55
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP	55
			7.5" diameter opening	
			101 body 26" deep	
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	55
44-11-5500	1		Wheel Well Provisions, Ahead of Wheels Right Side	55
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP	55
			7.5" diameter opening	
			101 body 26" deep	
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	56
44-11-5700	1		Wheel Well Provisions, Behind Wheels Right Side	56
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP	56
			7.5" diameter opening	
			101 body 26" deep	
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	56
80-22-1504	1		Body Paint, Single Axle, Pumper/Tanker - Single Color	56
80-06-1100	1	<	-- Apparatus Color	57
			--Body to match chassis Red; L0762EY MED RED ELITE EY	
80-30-1200	1		Compt Finish, Spatter Coat, Up to 8 Compts	57
80-40-1100	1		Wheels, Aluminum, By the Chassis Manufacturer	
80-42-1500	1		Body Paint, Touch Up, 2 oz. Bottle, One Color	57
80-50-1100	1		Lettering Supplied by Dealer	58
80-70-1300	1	>	Stripe, Single Reflective, 4", Straight Design	58

PART NO	QTY	S	DESCRIPTION	PG
80-75-1600	1		-- Reflective Stripe Material, White	58
80-72-1100	1		> Stripe, Reflective 3M, Chevron Pattern Entire Rear	58
80-75-1500	1		-- Reflective Stripe Material, Red	58
80-75-1800	1		-- Reflective Stripe Material, Yellow	58
80-72-1800	1		> Stripe, Reflect, Chevron Pattern, Rear Roll Up Door	58
80-75-1500	1		-- Reflective Stripe Material, Red	58
80-75-1800	1		-- Reflective Stripe Material, Yellow	59
80-72-2030	1		< > Stripe, Reflective, Cab Door Interiors	59
			Commercial Cab	
80-79-1000	1		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	59
90-03-1400	1		-- Ladder, Roof, Alco-Lite, 14' Aluminum PRL-14	59
90-06-1500	1		-- Ladder, Extension, Alco-Lite, 24' Aluminum, 2-Section PEL-24	59
90-08-1500	1		-- Ladder, Attic, Alco-Lite, 10' Aluminum, Folding FL-10	59
90-16-2600	1		-- Pike Pole, 8' Fiberglass, Round Handle	59
90-16-2800	1		-- Pike Pole, 10' Fiberglass, Round Handle	59
90-25-3100	2		-- Suction Hose, Flex, PVC, 6"x10'	60
90-25-6100	2		-- Suction Hose Couplings, Aluminum, LH FM x RLM	60
90-35-1900	1		Emergency Road Kit - DOT Required	60