

QUOTATION

Heiman

Heiman Stock WK236 2k tanker

22543_Heiman Stock WK236 2k tanker PROD W_CO1,2
OK EH_EO
8/12/2025

Exp. Date: 03/27/2025
Quote No: 10002-0021
Job/Order No: 22543 OK W_CO1,2
BID PREP: C0-01-0010 Pumper/Tanker Bid Prep Forms
WARRANTY: C0-01-1010 Pumper/Tanker Warranties
CHASSIS: RBM CHASSI Use Drop Down to Add RBM Chassis
ELEC-DC: C0-50-0000 Pumper/Tanker-DC Electrical System
CHS MODS: C0-02-0000 Pumper/Tanker-Chassis Modifications
PLUMBING: C0-20-0000 Midship Pumper/Tanker Pump & Plumbing
PUMP COMPT: C0-26-0000 Pumper/Tanker-Side Mount Pump Compt
BODY-PMPR: C0-30-1100 SA LL/LR Pumper/Tanker
BODY-CMMN: C0-44-0000 Pumper/Tanker-Common Body Parts
ELEC-AC: C0-60-0000 Pumper/Tanker-AC Electrical System
EQUIP-SYST: C0-70-0000 Pumper/Tanker-Equipment Systems
PAINT: C0-80-0000 Pumper/Tanker - Single Axle - Pnt/Ltr/St
EQUIP-LSE: C0-90-0000 Pumper/Tanker - Loose Equipment

08/27/2025

Page 1

PART NO	QTY	S	DESCRIPTION	PG
00-00-1300	1		Fire Department Name	1
00-00-1499	1		Overall Height Restriction, NONE	2
00-00-1509	1		Overall Length Restriction, NONE	2
00-00-1519	1		Overall Width Restriction, NONE	2
00-00-1529	1		Wheelbase Restriction, NONE	2
00-00-1539	1		Angle of Approach, NFPA Minimum, 8 Degrees	2
00-00-1549	1		Angle of Departure, NFPA Minimum, 8 Degrees	2
00-00-1640	1		NFPA Mobile Water Equipment Allowance 1000#	2
00-00-1799	1			2
00-00-3220	1		Contract Change Notice	2
01-06-0650	1		Tilt Angle Testing	3
01-07-0060	1		-- Representative Technical Drawings (3-View) (Left/Right/Rear)	3
01-07-1100	1		Change Orders	4
			== Pumper/Tanker Warranties - 1242.024 12/04/24 ==	4
01-16-0100	1	>	-- Apparatus, Body Warranty, 1 Year	4
01-19-0250	1		-- Aluminum Body Warranty, 5 Years	4
01-19-2800	1		-- Galvanized Subframe Warranty, Lifetime	5
01-20-0250	1		-- PPG Paint Warranty, 5 Years	6
01-21-0150	1		-- Lettering and Striping Warranty, 1 Year	7
01-17-0700	1		-- Waterous Pump Warranty, 7 Years	7
01-17-1050	1		-- Stainless Steel Plumbing Warranty, 10 Years	7
01-18-0900	1		-- G3 Water Tank Warranty	7
01-33-3100	1	S <	-- Body Manuals Complete, 1 Set Printed	7
			--ship manual materials loose. Dealer to assemble manual.	
02-90-1100	1	>	Freightliner M2, 2-Door Chassis	8
			== Use Drop Down to Add RBM Chassis - 1242.024 12/04/24 ==	8
			== Pumper/Tanker-DC Electrical System - 1242.024 12/04/24 ==	8

PART NO	QTY	S	DESCRIPTION	PG
50-03-1000	1		> Electrical Base, Standard, W/O Load Management	8
50-05-1510	1		-- Electrical Junction Box, Weather Resistant	11
50-12-1100	1		< Switch Panel/Electrical Console, Between Cab Seats, Natural Finish -G3 console	11
50-15-1100	1		Batteries, With Supl'd Chs	11
50-15-3100	1		Battery Switch, Master Disconnect, Chassis Sppld	12
50-20-1210	1		< Shore Power Inlet, 120V, Manual --terminate wiring in center console receptacle	12
50-20-1130	1		-- Shore Power Inlet, Left Side, Pump Panel	12
51-00-1700	1	S	-- 12V Power/Ground, 30A, Right body electrical box	12
51-00-4000	1		-- Switched Power, Thru Master	12
51-05-6290	1		Light, Engine Compt, Chassis Supplied	
52-01-1200	1		Back Up Alarm	12
52-02-4000	1		Back Up Camera, Zone Defense, Rear Camera System EZ-ZD.323.1	12
52-08-1009	1		-- Hand Lights, NFPA Compliance - Spl'd/Instl'd by DEPT	12
53-01-1200	1		Marker Lts, LED, DOT Requirements	12
53-02-1300	1		License Plate Bracket, SST, No Light, Rear	13
53-03-0060	1		Whelen Rear DOT LED Lighting Package (4x6) 600's	
53-03-2600	1		-- Tail/Brake Lights, Whelen, 600's 4"x6" (Pair) 604BTT	13
53-04-2600	1		-- Turn Signals, Whelen, 600's LED w/ Arrow, 4"x6" (Pair) 604T	13
53-06-3500	1		-- Backup Lights, Whelen, 600's LED, 4"x6" (Pair) 604BU	13
53-07-1200	1		> -- (4) Light Bezel, Tail Lights (Pair)	13
53-05-1800	1		Turn Signals, Mid Body, LED Marker Light (Pair)	13
54-02-1400	1		-- Ground Lights, Cab, 2 Door, LED Pair	13
54-02-2320	1		-- Step Lights, Cab, (2) Pair LED Four	13
54-03-1200	1		-- Ground Lights, Pump Panel, LED, Pair	14
54-03-1600	1		-- Ground Lights, Rear Step, LED, Pair	14
54-04-1999	1		-- Light Switch, Ground Lights w/ Park Brake	14
54-10-1450	2		Step Light, Rear Tailboard, LED, Ea	14
54-11-2100	1		Light Switch, Step/Walkway Lights Wired Park Brake Switch	14
54-15-5924	1		-- Scene Light - Body Left Side	14

PART NO	QTY	S	DESCRIPTION	PG
54-15-1290	1	>	-- Scene Light, Whelen, M9LZC LED, w/Chrome Bezel	14
54-15-1460	1		-- Scene\Warn Light, Mounting Plate, Tread Plate	14
54-15-6400	1		-- Scene Light Switch, Left Scene Lights, Cab Switch Panel	14
54-15-5928	1		-- Scene Light - Body Right Side	15
54-15-1290	1	>	-- Scene Light, Whelen, M9LZC LED, w/Chrome Bezel	15
54-15-1460	1		-- Scene\Warn Light, Mounting Plate, Tread Plate	15
54-15-6500	1		-- Scene Light Switch, Right Scene Lights, Cab Switch Panel	15
54-15-5932	1		-- Scene Light - Rear Body	15
54-15-1290	1	>	-- Scene Light, Whelen, M9LZC LED, w/Chrome Bezel	15
54-15-6600	1		-- Scene Light Switch, Rear Scene Lights, Cab Switch Panel	16
54-15-6700	1		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	16
55-11-2100	1		Door Open/Hazard Warning Light, Flashing LED Whelen OS (OSROOFCR)	16
56-01-1380	1		Siren, Electronic, Fed-Sig PA300-100	16
56-02-1750	1		Speaker, Whelen SA315P, 100 Watt	16
56-03-1800	1		-- Speaker Location, To Be Determined by Body Mfg	16
57-02-1900	1	>	-- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	17
57-10-0600	1		-- Warning Light Control, with E-Master Warning Switch	17
58-71-1820	1		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N L31*F	17
57-20-8100	1		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	17
57-20-8101	1		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	17
58-74-5100	1		-- Stanchions, Rear Warning Light, Cast Alum	17
58-03-2100	1		-- Warning Lights, Whelen, Low Front, (2) LINZ6 LED	17
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-09-2100	1	>	-- Warning Lights, Whelen, Intersection, (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-26-2100	1		-- Warning Lights, Whelen, Lower Mid Body (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-36-2100	1		-- Warning Lights, Whelen, Lower Rear Side (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-81-1520	1		-- Warning Lights, Whelen, Lower Rear Body (2) #600 S-LED	18
57-20-4010	1		-- Warn Light, Driver, Whelen, 600 Red LED, Color Lens, Ea	19
57-20-4011	1		-- Warn Light, Officer, Whelen, 600 Red LED, Color Lens, Ea	19

PART NO	QTY	S	DESCRIPTION	PG
== Pumper/Tanker-Chassis Modifications - 1242.024 12/04/24 ==				19
09-90-9901	1	S	Dealer supplied chassis	19
10-02-1100	1		-- Label, Data, Fluid Levels	19
10-02-1300	1		-- Label, Data, "No Ride" Rear Step	19
10-02-1500	1		-- Label, Data, Height x Length, Weight - Seating	19
10-02-2500	1		-- Label, "Caution: Do Not Wear Helmet While Seated"	20
10-03-6000	1		-- Tow Plates (2), Rear Frame Rail, Under Step	20
80-43-2400	1		-- Painting, Tow Plates, Black	20
10-04-0002	1		-- Bumper, Existing Commercial Bumper	20
10-04-2110	1		-- Bumper Extension, None, With Chassis, Commercial	
10-04-3560	1		-- Bumper, w/Chassis	
10-06-1110	1		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle	20
10-06-1660	1	S >	-- S.O.R./ Tire Pressure Indicator,By Dealer	20
10-07-0100	1		-- Exhaust, Horizontal Supplied With Chassis	
10-08-2100	1		-- Mud Flaps, Rear Wheels, Black, w/ Body	20
10-19-3100	1	< >	-- Air Inlet, Manual - Specify Location --install on driver pump panel near 120v shoreline inlet	20
== Midship Pumper/Tanker Pump & Plumbing - 1242.024 12/04/24 ==				21
20-25-1400	1	>	-- Pump, Waterous, CGVK, PTO, 1 Stage	21
20-25-1310	1	>	-- Pump Flow Rating, Waterous, CGVK, 750 GPM	22
22-03-1500	1		-- Intake, Ungated, 5", LH Side	22
22-41-5600	1		-- Cap, 5", Chrome Long Handle	22
20-26-2200	1		-- Pump Seal, Mech, Waterous	22

PART NO	QTY	S	DESCRIPTION	PG
20-26-2300	1		-- Pump Impeller, Waterous, Standard Hubs	22
20-26-2600	1		-- Pump Anode, Waterous, Removable	22
20-26-3400	1	>	-- Pump Shift, Waterous, PTO, Pump and Roll	22
27-03-1700	1	S >	--	23
20-29-1100	1	>	-- Primer, Trident Air Primer, Manual	23
20-29-1252	1		-- Primer Control - Main Pump Manual Push Button	23
27-10-3112	1	>	-- Pressure Governor, FRC, Pump Boss Max PBA500-A00 Series, w/Body Dual Sensor	23
21-00-2000	1		-- Screens/Anodes, Pump	25
21-00-3200	1		-- Piping, SST - Up to 1000 GPM	25
21-01-0200	1	>	-- Pump Drain, Master, Manifold, Push Pull Type	25
21-01-5500	1		-- Intake Manifold, Stainless Steel	25
21-01-6500	1	<	-- Discharge Manifold, Stainless Steel --includes additional 2.5" and 2" ports capped	25
21-01-7300	1		-- Unpainted, Pump & Piping	26
21-01-8100	1		-- Threads, National Hose (NST)	26
22-51-5110	1	>	-- Tank-To-Pump, Water Tank, 3" Valve/4" Piping, PTO/Crossmount	26
22-50-0100	1		-- Single Tank to Pump Control - Pump Operator's Panel	26
24-62-1300	1		-- Valve, AKR, 8000, (3")	26
22-55-4080	1		-- Intake Valve Control, AKR, Cable, 1/4 Turn T-style, IC	26
23-02-1300	1		-- Tank Fill/Cooling Line, Water Tank, 2"	27
24-62-1200	1		-- Valve, AKR, 8000, (2")	27
22-55-4012	1		-- Intake Valve Control, Pull Rod, 1/4 Turn, AKR - IC	27
20-30-3200	1		-- Pump Installation, Midship PTO, By Body Builder	27
20-31-3600	1		Dump-Relief Valve, Suction Side, TFT A18	27
20-31-4100	1		Pump Cooler, Bypass-To-Tank, 3/8"	27
20-31-1000	1		-- Fire Pump Testing - Pumpers/Tankers	
20-31-1400	1	>	-- Pump Test, Factory Test Only	27
22-12-1100	1		Intake, Auxiliary, Gated, 2-1/2", NST, Left Side	28
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	28
22-41-1100	1		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	28
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	28
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	28
23-09-4100	1		Discharge, 2-1/2", Left Side, Pump Panel, NST	28
21-00-3500	1		-- NON Foam Capable Discharge	28
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	28
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	28
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	29
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	29
24-53-0800	1		-- Discharge Valve Control, AKR, Manual Swing Type-Adjacent, Locking	29
27-02-1500	1	S	-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	29
23-10-4100	1		Discharge, 2-1/2", Right Side, Pump Panel, NST	29
21-00-3500	1		-- NON Foam Capable Discharge	29
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	29
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	29
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	29
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	29
24-55-0010	1		-- Push-Pull Control, 1/4 Turn, Innovative Controls, Side Mount	29

PART NO	QTY	S	DESCRIPTION	PG
27-02-1500	1		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	30
			== Pumper/Tanker-Side Mount Pump Compt - 401.025 04/01/25 ==	30
26-02-4100	1		< > Pump Enclosure, Side Mount, Front Compt Tanker Style	30
			--allow room when installing pump house components in upper right corner for future catwalk discharge on driver's side and utilize a 5" header	
			--cut driver side stainless pump panel for future valve control and gauge	
26-35-3200	1		Pump Panel, SST, LH/RH, SM	30
26-35-1100	1		-- Pump Panel, Bolted, LH	31
26-35-1200	1		-- Pump Panel, Bolted, RH	31
26-50-1020	1		> Heater, Pump Enclosure, 20,000BTUI	31
26-50-1230	1		-- Heater Fan Switch, Pump Operator's Panel	31
26-55-1100	1		Labels, Test Data and Safety Placards	31
26-55-2400	1		Labels, Innovative Controls Color Coded	31
26-56-1125	1		Pump Panel LED Lights, (3) Tecniq E10-W0001-1, Midship LH w/Switch on Operator P	32
27-01-1500	1		> -- Master Gauges, IC, 4" PSI, Pair	32
27-01-4100	1		> Gauge, Test Taps	32
27-35-4300	1		Water Tank Gauge, IC, Soft Glo, Pump Panel #3050684	32
27-36-5353	1		-- Gauge, Bezel, Blue	33
			== SA LL/LR Pumper/Tanker - 1242.024 12/04/24 ==	33
47-01-0500	1		G3 Water Tank, Base Specs	33

PART NO	QTY	S	DESCRIPTION	PG
47-01-1055	1		-- Water Tank, 2000-Gallon	34
47-01-1900	1		-- Water Tank, "T" Tank	34
25-50-2500	1		> Direct Tank Fill, 2-1/2" Right Rear	34
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	34
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	34
25-50-2670	1		> -- NH 2-1/2" Swivel, Plug & Screen	34
25-62-1200	1		< -- Quick Dump, Rear 10", External Mount	34
			--provide cut out in rear body to accommodate change to electric dump valve	
			--trim around quick dump assembly to be dealer supplied	
25-62-2100	1		-- Quick Dump, Rear 10", Manual Open/Close Controls	35
25-62-2600	1		-- Quick Dump, Rear 10", SST	35
25-62-3300	1	S	--	35
29-10-1000	1		Hosebed, Grating, Extruded Alum, <180" Long	35
29-10-5100	1		-- Hosebed Storage Capacity, 55 Cubic Feet, Minimum	35
30-01-1800	1		Body Construction - Rosenbauer FX - 1/8" Alum - SA Pumper/Tanker	35
30-01-2250	1		-- Electrolysis Corrosion Control	36
30-02-2200	1		-- Smooth Alum Compt Floors	37
30-10-1100	1		-- Sub-Frame, Hot-Dip Galv	37
31-01-1300	1		-- Body, Formed Alum, Pumper/Tanker, Up to 220"	37
44-06-2200	1		-- Wheel Well Panel, Alum Painted, Single Axle - Alum	38
44-06-4100	1		-- Fenderette, Polished Aluminum	38
31-01-2105	1		102" OAW, 26" Lower Depth Both Sides, SA LL/LR	38
29-00-1300	1		-- Hosebed, Pumper, <180" L, 74" Wide	38
32-03-0033	1		-- Compt Height, 33" High Left	38
32-03-1033	1		-- Compt Height, 33" High Right	38
32-04-1200	1		Roll Up Doors, LL/LR	
30-02-1150	2		> -- Roll-Up Doors - ROM Mfg	38
32-05-1030	1		-- Ahead Rear Wheels - Low Comp't - Roll Up Door	39
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	39
55-01-1152	1		-- Wall Light, ROM, V5 LED Track Light, (1) Ea Compartment	39
55-06-1400	1		-- Compartment Light, Door Switch, Magnetic, Ea	40
32-06-1030	1		< -- Ahead Rear Wheels - Low Comp't - Roll Up Door	40
			--80" door opening	
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	40
55-01-1152	1		-- Wall Light, ROM, V5 LED Track Light, (1) Ea Compartment	40
55-06-1400	1		-- Compartment Light, Door Switch, Magnetic, Ea	40
33-60-1100	1		Rear Body - Flat Back	40
32-08-0600	1		-- No Rear Compt	40
33-61-1400	1		< -- Rear Step - Pumper/Tanker Body - Bolt-On - 14"	40
			--NO drop tailboard	
== Pumper/Tanker-Common Body Parts - 1242.024 12/04/24 ==				41
44-01-1450	1		-- Body Trim, Front Compt, Height of Side Compts, Alum T/P	41
44-01-6000	1		> -- Catwalks, Top of Side Compts, Door Header, Alum Treadplate	41

PART NO	QTY	S	DESCRIPTION	PG
44-01-4000	1		-- Body Trim, Entire Rear Body, Smooth for Chevron Stripe	41
44-02-1100	1		-- Rub Rails, Lower Body, Extruded Alum	41
44-02-2000	1		-- Rub Rails, Spacers, Nylon	41
== Pumper/Tanker-AC Electrical System - 1242.024 12/04/24 ==				41
60-17-0001	1			41
== Pumper/Tanker-Equipment Systems - 1242.024 12/04/24 ==				41
== Pumper/Tanker - Single Axle - Pnt/Ltr/St - 1242.024 12/04/24 ==				42
80-22-1504	1		Body Paint, Single Axle, Pumper/Tanker - Single Color	42
80-06-1100	1	<	-- Apparatus Color --body to match chassis red	42
80-30-1100	1	S	Compt Finish, Spatter Coat, Up to 6 Compts	42
80-40-1100	1		Wheels, Aluminum, By the Chassis Manufacturer	43
80-42-1500	1		Body Paint, Touch Up, 2 oz. Bottle, One Color	43
80-50-1100	1		Lettering Supplied by Dealer	43
80-70-1100	1	>	Stripe, Reflective, Supplied by Dealer	43
80-72-1200	1	>	Stripe, Reflective, Chevron Pattern Inner Rear Red/Yellow	43

[illegible]