

QUOTATION

Heiman

Heiman Fire Equipment Stock CT244
25814 Rudolph Circle
Sioux Falls, South Dakota 57107
605-543-5098

19543_Heiman Stock CT244 2k Maverick PROD W_CO
OK EH_EO
8/14/2025

Exp. Date: 06/07/2025
Quote No: 10296-0006
Job/Order No: 19543OK W_CO1,2
MAVERICK: C0-00-7000 ROSENBAUER MAVERICK PUMPER/TANKERS
BID PREP: C0-01-0300 Maverick Bid Prep Forms
WARRANTY: C0-01-1010 Pumper/Tanker Warranties
ELEC-DC: C0-50-0000 Pumper/Tanker-DC Electrical System
CHS MODS: C0-02-0000 Pumper/Tanker-Chassis Modifications
PLUMBING: C0-21-3000 PTO Pump/Plumbing Maverick
PUMP COMPT: C0-26-4000 Maverick-Side Mount Pump Compt
BODY-MAV: C0-38-0000 Single Axle MAVERICK
BODY-CMMN: C0-45-0000 MAVERICK-Common Body Parts
ELEC-AC: C0-61-1000 MAVERICK-AC Electrical System
EQUIP-SYST: C0-71-0000 Maverick-Equipment Systems
PAINT: C0-80-0000 Pumper/Tanker - Single Axle - Pnt/Ltr/St
EQUIP-LSE: C0-90-0000 Pumper/Tanker - Loose Equipment

08/14/2025

Page 1

PART NO	QTY	S	DESCRIPTION	PG
00-00-1300	1	S	Heiman 2K Maverick	1
00-00-1499	1		Overall Height Restriction, NONE	2
00-00-1509	1		Overall Length Restriction, NONE	2
00-00-1519	1		Overall Width Restriction, NONE	2
00-00-1529	1		Wheelbase Restriction, NONE	2
00-00-1539	1		Angle of Approach, NFPA Minimum, 8 Degrees	2
00-00-1549	1		Angle of Departure, NFPA Minimum, 8 Degrees	2
00-00-1605	1	>	NFPA Pumper Equipment Allowance 2000#	2
00-00-3220	1		Contract Change Notice	2
01-06-0560	1	>	Electronic Stability Control	3
01-07-0060	1		-- Representative Technical Drawings (3-View) (Left/Right/Rear)	3
01-07-1100	1		Change Orders	4
01-16-0100	1	>	-- Apparatus, Body Warranty, 1 Year	4
01-19-0250	1		-- Aluminum Body Warranty, 5 Years	4
01-19-2800	1		-- Galvanized Subframe Warranty, Lifetime	5
01-20-0250	1		-- PPG Paint Warranty, 5 Years	6
01-21-0150	1		-- Lettering and Striping Warranty, 1 Year	6
01-17-0850	1	>	-- Rosenbauer Pump Warranty	7
01-17-1050	1		-- Stainless Steel Plumbing Warranty, 10 Years	8
01-18-0050	1		-- G3 Foam Tank Warranty	8
01-18-0900	1		-- G3 Water Tank Warranty	8
01-33-3100	1		-- Body Manuals Complete, 1 Set Printed	8
02-90-1100	1	>	Freightliner M2, 2-Door Chassis	9
50-03-1000	1	>	Electrical Base, Standard, W/O Load Management	9
50-05-1510	1		-- Electrical Junction Box, Weather Resistant	12
50-12-1120	1		Switch Panel/Electrical Console, Between Cab Seats, Black LineX	12
50-15-1100	1		Batteries, With Supl'd Chs	12
50-15-3100	1		Battery Switch, Master Disconnect, Chassis Sppld	12
50-15-7700	1		Battery Charger/Compressor, KUSS, Pump Plus 1000 PLC 51-21-1100	12
50-20-1610	1	>	Shore Power Inlet, KUSS Super Auto-Eject 20 Amp, Bar Graph Display 091-55-234	13
50-20-1120	1		-- Shore Power Inlet, Left Front Cab Door, Commercial	13

PART NO	QTY	S	DESCRIPTION	PG
51-00-1700	1	<	-- 12V Power/Ground, 30A, Radio Location --install a labeled loop of wire in the center console	13
51-00-4000	1		-- Switched Power, Thru Master	13
51-05-6290	1		Light, Engine Compt, Chassis Supplied	
51-05-6400	1		Light, Pump Compt, 12 Volt LED w/Switch	13
51-05-9000	1		-- Switch on Light Head	13
52-01-1200	1		Back Up Alarm	13
52-02-1100	1		Back Up Camera, Install Chassis Supl'd	14
52-15-1200	1	< >	Radio Antenna Base, Supply and Install, Ea --install a labeled loop of coax in the center console	14
53-01-1200	1		Marker Lts, LED, DOT Requirements	14
53-02-1200	1		License Plate Bracket, SST w/ LED Light, Rear	14
53-03-0065	1		Whelen Rear DOT LED Lighting Package M6	
53-03-2750	1		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	14
53-04-2750	1		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	14
53-06-3550	1		-- Backup Lights, Whelen, LED, M62BU (Pair)	14
53-07-1210	1		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	14
53-05-1800	1		Turn Signals, Mid Body, LED Marker Light (Pair)	15
54-02-1420	1		-- Ground Lights, Cab, 2-Door, LED, Whelen 3SC0CDCR Pair	15
54-02-2320	1		-- Step Lights, Cab, (2) Pair LED Four	15
54-03-1220	1		-- Ground Lights, Pump Panel, LED, Pair Whelen 3SC0CDCR	15
54-03-1620	1		-- Ground Lights, Rear Step, LED, Whelen 3SC0CDCR, Pair	15
54-04-1999	1		-- Light Switch, Ground Lights w/ Park Brake	16
54-10-1300	2		Step Light, Fixed /Folding Step, LED, Ea	16
54-10-1470	2		Step Light, Rear Tailboard, Fed Sig Commander 10 LED (ea)	16
54-11-2100	1		Light Switch, Step/Walkway Lights Wired Park Brake Switch	16
54-15-5924	1		-- Scene Light - Body Left Side	16
54-15-1295	1	>	-- Scene Light, Whelen, 904SLC LED, w/Chrome Bezel	16
54-15-1460	1		-- Scene\Warn Light, Mounting Plate, Tread Plate	16
54-15-6400	1		-- Scene Light Switch, Left Scene Lights, Cab Switch Panel	16
54-15-5928	1		-- Scene Light - Body Right Side	16
54-15-1295	1	>	-- Scene Light, Whelen, 904SLC LED, w/Chrome Bezel	17
54-15-1460	1		-- Scene\Warn Light, Mounting Plate, Tread Plate	17
54-15-6500	1		-- Scene Light Switch, Right Scene Lights, Cab Switch Panel	17
54-15-5932	1		-- Scene Light - Rear Body	17
54-15-1295	1	>	-- Scene Light, Whelen, 904SLC LED, w/Chrome Bezel	17
54-15-6600	1		-- Scene Light Switch, Rear Scene Lights, Cab Switch Panel	17
54-15-6700	1		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	17
55-11-2100	1		Door Open/Hazard Warning Light, Flashing LED Whelen OS (OSROOFCR)	18
56-01-1380	1		Siren, Electronic, Fed-Sig PA300-100	18
56-02-1600	1		Speaker, Fed Sig Dynamax, ES100C 100 Watt	18
56-02-1650	1		-- Speaker Grille, SST, "R"	18
56-03-1200	1		-- Speaker Location, Bumper, Recessed, Left Side	18
57-02-1900	1	>	-- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	18
57-10-0600	1		-- Warning Light Control, with E-Master Warning Switch	19
58-71-1820	1		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N L31*F	19
57-20-8100	1		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	19
57-20-8101	1		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	19
58-74-5100	1		-- Stanchions, Rear Warning Light, Cast Alum	19
58-03-2100	1		-- Warning Lights, Whelen, Low Front, (2) LINZ6 LED	19
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	19
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	19
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	19
58-09-2100	1	>	-- Warning Lights, Whelen, Intersection, (2) LINZ6 LED	19
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	20
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	20
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	20

PART NO	QTY	S	DESCRIPTION	PG
58-26-2100	1		-- Warning Lights, Whelen, Lower Mid Body (2) LINZ6 LED	20
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	20
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	20
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	20
58-36-2100	1		-- Warning Lights, Whelen, Lower Rear Side (2) LINZ6 LED	20
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	20
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	20
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	20
58-81-2000	1		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	21
57-20-1200	1		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	21
57-20-1201	1		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	21
09-90-9901	1		Commercial Chassis Prep	
10-02-1100	1		-- Label, Data, Fluid Levels	21
10-02-1300	1		-- Label, Data, "No Ride" Rear Step	21
10-02-1500	1		-- Label, Data, Height x Length, Weight - Seating	21
10-02-2500	1		-- Label, "Caution: Do Not Wear Helmet While Seated"	22
10-03-6000	1		-- Tow Plates (2), Rear Frame Rail, Under Step	22
80-43-2400	1		-- Painting, Tow Plates, Black	22
10-04-0002	1		-- Bumper, Existing Commercial Bumper	22
10-04-2110	1		-- Bumper Extension, None, With Chassis, Commercial	
10-04-3560	1		-- Bumper, w/Chassis	
10-06-1110	1		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle	22
10-06-1600	1	>	-- Tire Pressure Indicator, Single Axle, Commercial, RWTG1235	22
10-07-0100	1		-- Exhaust, Horizontal Supplied With Chassis	
10-07-1500	1		-- Exhaust Heat Shield, Under Body Compartments	22
10-08-2100	1		-- Mud Flaps, Rear Wheels, Black, w/ Body	22
10-10-1440	1		-- Cab Step Enclosure, Freightliner, 2 Door Driver Side	22
10-10-1460	1		-- Cab Step Enclosure, Freightliner, 2 Door Passenger Side	23
20-27-1250	1	< >	-- Pump, Rosenbauer, NH-1250 GPM, NPHP, Mid-ship PTO --NP/HP switch to be located in cab and pump panel	23
20-27-0150	1	< >	-- Rosenbauer Pump Body & Impeller Light Alloy Fire Pump must be completely drained and keep dry between uses. Warranty implications apply	24
20-27-5400	1		-- UL Listing for Rosenbauer Pumps	24
20-29-1200	1	>	-- Primer, Trident Air Primer, Automatic	25
20-29-1250	1		-- Primer Control - Main Pump Rocker Switch	25
27-10-3112	1	>	-- Pressure Governor, FRC, Pump Boss Max PBA500-A00 Series, w/Body Dual Sensor	25
20-28-3400	1	>	-- Pump Shift, Rosenbauer, PTO, Pump and Roll	27
20-28-4100	1	>	-- High Pressure Plumbed to Bumper Turret	27
20-28-4200	1	>	-- High Pressure Plumbed to Hose Reel	27
21-00-2000	1		-- Screens/Anodes, Pump	27
21-00-3300	1		-- Piping, SST - 1250 GPM & Up	27
21-01-0200	1	>	-- Pump Drain, Master, Manifold, Push Pull Type	28
21-01-5500	1		-- Intake Manifold, Stainless Steel	28
21-01-6500	1		-- Discharge Manifold, Stainless Steel	28
21-01-7300	1		-- Unpainted, Pump & Piping	28
21-01-8100	1		-- Threads, National Hose (NST)	29
22-03-1600	1		-- Intake, Ungated, 6", LH Side	29
22-41-5700	1		-- Cap, 6", Chrome Long Handle	29
22-03-2600	1		-- Intake, Ungated, 6", RH Side	29
22-41-5700	1		-- Cap, 6", Chrome Long Handle	29
22-51-5210	1	>	-- Tank-To-Pump, Water Tank, 3" Valve/4" Piping, Midship, Pumper/Tanker	29
22-50-0120	1	>	-- Dual Tank to Pump Controls - Pump Operator's Panel & Chassis Cab (2) Controllers	29
24-62-1310	1		-- Valve, AKR, 8000, (3"), Electric	29
22-55-4810	1		-- Intake Valve Control, AKR, 3" Elec, #9327 Navigator Mini Pro	29
23-02-1300	1		-- Tank Fill/Cooling Line, Water Tank, 2"	30

PART NO	QTY	S	DESCRIPTION	PG
24-62-1200	1		-- Valve, AKR, 8000, (2")	30
22-55-4012	1		-- Intake Valve Control, Pull Rod, 1/4 Turn, AKR - IC	30
25-08-1200	1	>	-- Foam System, RBA HP, Fix Mix, Pump Panel and Cab Control	30
25-08-1312	1		-- HP-FIXMIX, Foam Supply	30
25-08-1332	1		-- Proportioning Rate, HP-FIXMIX, 1%	30
25-20-1200	1		-- Foam Plumbing, Single Class A Tank, 1" Manual Valve	30
25-21-1300	1		-- Foam Tank, Integral Poly, 20 Gallon, Class A	30
25-22-9350	1		-- Foam Tank, G3	31
25-23-1000	1		-- Foam Tank Drain, 1" Gate Valve, Under Tank	31
20-30-3200	1		-- Pump Installation, Midship PTO, By Body Builder	31
20-31-3600	1		Dump-Relief Valve, Suction Side, TFT A18	31
20-31-4100	1		Pump Cooler, Bypass-To-Tank, 3/8"	32
20-31-5100	1	>	Heat Exchanger, Engine, Hook-Up Only	32
20-31-1000	1		-- Fire Pump Testing - Pumpers/Tankers	
20-31-1100	1		-- Pump Test, Pumper, UL	32
20-31-1500	1		-- Pump Test, Label	32
22-12-1100	1		Intake, Auxiliary, Gated, 2-1/2", NST, Left Side	33
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	33
22-41-1100	1		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	33
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	33
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	33
23-08-2510	1		Speedlay Discharges, (2) 2" x 1-1/2", Above Pump Compt, Tanker Style, NST	33
21-00-3500	2		-- NON Foam Capable Discharge	33
21-00-4000	1		-- 200-ft of 1-3/4-in Hose Capacity	34
21-01-2200	2		-- Drain/Bleeder, Class 1, Automatic	34
23-08-8100	2		-- Speedlay, 1-3/4", Removable Hose Tray, Alum	34
24-61-1200	2		-- Valve, AKR, 8000, (2")	34
24-53-0020	2	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	34
27-02-1500	2		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	34
23-08-3750	1		Speedlay Cover, Cargo Web End Flaps	34
23-09-4100	2		Discharge, 2-1/2", Left Side, Pump Panel, NST	34
21-00-3500	2		-- NON Foam Capable Discharge	34
21-01-2500	2		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	35
24-02-1200	2		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	35
24-03-1200	2	S	--	35
24-03-1400	2		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	35
24-61-1250	2		-- Valve, AKR, 8000, (2-1/2")	35
24-53-0020	2	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	35
27-02-1500	2		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	35
23-10-4100	2		Discharge, 2-1/2", Right Side, Pump Panel, NST	35
21-00-3500	2		-- NON Foam Capable Discharge	35
21-01-2500	2		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	36
24-02-1200	2		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	36
24-03-1400	2		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	36
24-61-1250	2		-- Valve, AKR, 8000, (2-1/2")	36
24-53-0020	2	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	36
27-02-1500	2		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	36
23-13-3100	1		Discharge, 2-1/2", Left Rear, NST	36
21-00-3500	1		-- NON Foam Capable Discharge	36
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	36
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	37
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	37
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	37
24-53-0020	1	>	-- Discharge Valve Control, Pull Rod, 1/4 Turn, SM, AKR - IC w/Gauge	37
27-02-1500	1		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	37
24-11-1100	1		Monitor Discharge, 2", Front Bumper, Cab Controlled, NPT	37
21-00-3504	1		-- FOAM Capable Discharge	37
21-01-2200	2		-- Drain/Bleeder, Class 1, Automatic	37
24-15-3520	1	< >	-- Monitor, ELK, Front Bumper, EXM2HD Package, #71X2NH6CIM, High Pressure	38
			--locate air blow out control at pump panel	

PART NO	QTY	S	DESCRIPTION	PG
27-03-1750	1		> -- Gauge, Discharge, 2-1/2" 600#, In Cab, Pump and Roll	39
27-37-3200	1		-- Air Blow Out, Discharge, Manual 1/4 Turn Valve	39
24-30-3800	1		-- Hose Reel, HAN, Upper Rear Compt, Elec, Steel Painted	39
21-00-3504	1		-- FOAM Capable Discharge	40
24-31-2100	1		-- Hose Reel, Rewind Control, Weatherproof Push Button	40
24-32-1200	1		-- Discharge, Hose Reel, 1"	40
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	40
24-32-1800	1		-- Discharge, Hose Reel, Plumbed to High Pressure	40
24-61-1115	1		-- Valve, AKR, 8000, (1"), KZCO Electric	40
24-53-6020	1		-- Valve Control, AKR, 1" Elec, KZCO, Rocker Switch	40
27-03-1600	1		> -- Gauge, Discharge, 2-1/2" 600#, High Pressure Pumps, Mounted on Pump Panel	40
24-33-1700	1		-- Hose, Water, 800#, 1-in x 150-ft, Three (3) 50-ft Lengths	40
24-33-5240	1		-- Nozzle, TTF, BH-BGT, 1", High Pressure	40
24-33-8000	1		-- Nozzle, Mounting, Hose Reel	41
24-33-9600	1		> -- Roller, Hose Reel, Captive, Four Sided	41
27-37-3150	1		> -- Air Blow Out, Hose Reel, Chassis Air, Manual 1/4 Turn Valve	41
80-43-1600	1		-- Painting, Hose Reel, Silver Gray	41
26-02-4200	1		> Pump Enclosure, Side Mount, Forward Body, Maverick	41
26-30-1100	1		Running Board, LH Pump Panel, Alum T/P, SM	42
26-30-1150	1		Running Board, RH Pump Panel, Alum T/P, SM	42
26-31-1300	1		Pump Side Access Door, Upper RH, SST	42
26-35-3200	1		Pump Panel, SST, LH/RH, SM	42
26-35-1100	1		-- Pump Panel, Bolted, LH	43
26-35-1200	1		-- Pump Panel, Bolted, RH	43
26-36-5100	1		Trim Panels, SST, Intakes and Discharges	43
26-50-1010	1		> Heater, Pump Enclosure, 35,000BTU	43
26-50-1230	1		-- Heater Fan Switch, Pump Operator's Panel	43
26-50-3100	1		Heat Pan, Pump Enclosure, Midship, Slide Out Panel, Galvanized Steel	43
26-55-1100	1		Labels, Test Data and Safety Placards	43
26-55-2400	1		Labels, Innovative Controls Color Coded	44
26-56-2000	1		Pump Panel Light (1), Actuated w/Pump Engagement	44
27-01-2610	1		> -- Master Gauges BEZEL Assembly w/Test Taps, IC, 4" PSI(600) #3101813	44
27-35-4024	1		Water/Foam Gauge, IC, 10-LED Dual Display , Pump Panel (Straight) 3030359-04	44
25-26-1900	1		-- Water Tank, 2000 Gallon, Pumper/Tanker, Poly	45
25-25-0060	1		-- Water Tank, "T" Tank	45
25-44-1400	1		-- Water Tank, Fill Tower, 10" x 10", <3500 Gals	45
25-42-1100	1		-- Water Tank, Base Specs, Poly	45
25-42-1190	1	S	-- S.O.R./ Water Tank, Manufacturer, G3, Poly	47
25-50-2500	1		> Direct Tank Fill, 2-1/2" Right Rear	47
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	47
22-55-4050	1		-- Intake Valve Control, AKR, Manual Swing Type-Adjacent	47
25-50-2670	1		> -- NH 2-1/2" Swivel, Plug & Screen	47
25-62-1260	1		Quick Dump, Rear 10", External Mount w/Swivel Dump	47
25-62-2300	1		-- Quick Dump, Rear 10", Single Elec Open/Close Control	47
25-62-2650	1		-- Quick Dump, Rear 10", SST	47
25-62-4300	1		-- Quick Dump Chute, Rear, Swivel Dump, Rosenbauer	47
25-62-4310	1		-- Handle, Cast, Lower Chute, Swivel Dump	48
29-10-1000	1		Hosebed, Grating, Extruded Alum, <180" Long	48
29-10-5100	1		-- Hosebed Storage Capacity, 55 Cubic Feet, Minimum	48
29-10-8100	1		Hosebed Divider, 1/4" Alum	48
29-20-2000	1		Hosebed Cover, Vinyl, <180" L, <74" W, Velcro	49
29-20-5600	1		-- Vinyl Cover, Color, RED	49
30-01-1820	1		Body Construction - Rosenbauer FX - 1/8" Alum - Maverick	49
30-01-2250	1		-- Electrolysis Corrosion Control	50
30-02-2200	1		-- Smooth Alum Compt Floors	50
30-10-1100	1		-- Sub-Frame, Hot-Dip Galv	50
31-01-1300	1		-- Body, Formed Alum, Pumper/Tanker, Up to 220"	51
44-06-2200	1		-- Wheel Well Panel, Alum Painted, Single Axle - Alum	51
44-06-4100	1		-- Fenderette, Polished Aluminum	51

PART NO	QTY	S	DESCRIPTION	PG
31-01-3115	1		102" OAW, 13-26" Half Depth/26" Lower Depth, SA HL/LR	52
29-00-1300	1		-- Hosebed, Pumper, <180" L, 74" Wide	52
32-03-0066	1		-- Compt Height, 66" High Left	52
32-03-1030	1		-- Compt Height, 30" High Right	52
32-04-8210	1		-- Roll Up Doors, HL/LR	
30-02-1150	5	>	-- Roll-Up Doors - ROM Mfg	52
30-02-1230	5		-- Door Finish Natural	53
32-05-1120	1		-- Ahead Rear Wheels - Full Height Comp't - Roll Up Door	53
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	53
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	53
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	53
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	53
32-05-1355	1		-- Upper High Side - Single Comp't - Roll Up Door	54
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	54
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	54
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	54
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	54
32-05-1630	1		-- Behind Rear Wheels - Low Comp't - Roll Up Door	54
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	54
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	54
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	55
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	55
32-06-1030	1		-- Ahead Rear Wheels - Low Comp't - Roll Up Door	55
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	55
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	55
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	55
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	55
32-06-1630	1		-- Behind Rear Wheels - Low Comp't - Roll Up Door	55
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	56
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	56
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	56
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	56
33-60-1150	1		Rear Body - Flat Back	56
33-61-1300	1		-- Rear Step - Pumper/Tanker Body - Bolt-On - 12"	56
90-02-4100	1		Ladder Storage, In Hosebed, With Door	56
90-03-0226	1		-- Ladders, Ground, Provided By Manufacturer, RSD	57
90-03-3300	1		-- Ladder, Roof, Duo-Safety, 14' Aluminum 775-A	57
90-06-4600	1		-- Ladder, Extension, Duo-Safety, 24' Aluminum, 2 Section 900-A	57
90-08-2600	1		-- Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	57
90-03-0236	1		-- Ladders, Folding Attic, Provided By Manufacturer, RSD	57
90-02-5310	1		Ladder Mounting, Folding Attic, Internal	57
90-16-2600	1		Pike Pole, 8' Fiberglass, Round Handle	57
90-16-2800	1		Pike Pole, 10' Fiberglass, Round Handle	57
90-16-5400	2		Pike Pole Mounting, In Ladder Tunnel, Ea	58
90-16-6115	1	>	Pike Pole Provided By, Body Builder SD	58
90-25-7100	2		Suction Hose Tray, Driver Side Over Compts (Ea)	58
90-25-9115	1	>	Suction Hose Provided By, Body Builder, SD	58
90-25-3120	2	>	-- Suction Hose, Flex, Kochek PVC, 6"x10'	58
90-25-6100	2		-- Suction Hose Couplings, Aluminum, LH FM x RLM	58
90-30-3400	1	>	Folding Tank Mounting, Fold Down Enclosed, Passenger Side, Painted Match Body	58
90-30-5115	1	>	Folding Tank Provided By, Body Builder SD	59
44-01-1450	1		-- Body Trim, Front Compt, Height of Side Compts, Alum T/P	59
44-01-6000	1	>	-- Catwalks, Top of Side Compts, Door Header, Alum Treadplate	59
44-01-4000	1		-- Body Trim, Entire Rear Body, Smooth for Chevron Stripe	59
33-62-5300	1		-- Step - Bolted - Treadplate - Rear Intermediate - up to 48"	59
38-90-2050	1		-- Access Ladder, Rosenbauer EZ Climb, Left Rear	59
33-70-1500	1	>	-- Handrails, Rear Step, Vertical, 48" (2) on EZ Climb & (1) Oppos	60
33-70-2100	1		-- Handrails, Below Hosebed, Horizontal, up to 48"	60
44-02-1100	1		-- Rub Rails, Lower Body, Extruded Alum	60
44-02-2000	1		-- Rub Rails, Spacers, Nylon	60

PART NO	QTY	S	DESCRIPTION	PG
44-11-5100	1		Wheel Well Provisions, Ahead of Wheels Left Side	60
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP 7.5" diameter opening 101 body 26" deep	60
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	61
44-11-5300	1		Wheel Well Provisions, Behind Wheels Left Side	61
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP 7.5" diameter opening 101 body 26" deep	61
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	61
44-11-5500	1		Wheel Well Provisions, Ahead of Wheels Right Side	61
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP 7.5" diameter opening 101 body 26" deep	61
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	62
44-11-5700	1		Wheel Well Provisions, Behind Wheels Right Side	62
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP 7.5" diameter opening 101 body 26" deep	62
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	62
80-22-1504	1		Body Paint, Single Axle, Pumper/Tanker - Single Color	63
80-06-1100	1	<	-- Apparatus Color --body to match chassis Red L0762EY MED RED ELITE EY	63
80-30-1100	1		Compt Finish, Spatter Coat, Up to 6 Compts	64
80-40-1100	1		Wheels, Aluminum, By the Chassis Manufacturer	64
80-42-1500	1		Body Paint, Touch Up, 2 oz. Bottle, One Color	64
80-50-1100	1		Lettering Supplied by Dealer	64
80-70-1300	1	>	Stripe, Single Reflective, 4", Straight Design	64
80-75-1600	1		-- Reflective Stripe Material, White	64
80-72-1100	1	>	Stripe, Reflective 3M, Chevron Pattern Entire Rear, Body Only	64
80-75-1500	1		-- Reflective Stripe Material, Red	64
80-75-1800	1		-- Reflective Stripe Material, Yellow	64
80-79-1000	1		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	64
90-47-0099	1	S	Folding Water Tank, 2100 Gallon Alum Frame 22 Oz Vinyl 90-30-1300	65