

QUOTATION

Heiman

Heiman Fire Equipment
25814 Rudolph Circle
Sioux Falls, South Dakota 57107
605-543-5098

19568 Heiman Stock CP246 2-Dr TM PROD W_CO1
OK EH_EO
9/3/2025

Exp. Date:	07/03/2025	
Quote No:	10306-0010	
Job/Order No:	19568 OK W_CO1	
PUMPER:	C0-00-0100	ROSENBAUER FX/FL SNGL AXL PMPR/TNKR
BID PREP:	C0-01-0010	Pumper/Tanker Bid Prep Forms
WARRANTY:	C0-01-1010	Pumper/Tanker Warranties
CHASSIS:	RBM CHASSI	Use Drop Down to Add RBM Chassis
ELEC-DC:	C0-50-0000	Pumper/Tanker-DC Electrical System
CHS MODS:	C0-02-0000	Pumper/Tanker-Chassis Modifications
PLUMBING:	C0-20-0000	Midship Pumper/Tanker Pump & Plumbing
PUMP COMPT:	C0-26-1000	Pumper/Tanker-Top Mount Pump Compt
BODY-PMPR:	C0-30-1400	SA HLHD/HRHD Pumper/Tanker
BODY-CMMN:	C0-44-0000	Pumper/Tanker-Common Body Parts
ELEC-AC:	C0-60-0000	Pumper/Tanker-AC Electrical System
EQUIP-SYST:	C0-70-0000	Pumper/Tanker-Equipment Systems
PAINT:	C0-80-0000	Pumper/Tanker - Single Axle - Pnt/Ltr/St
EQUIP-LSE:	C0-90-0000	Pumper/Tanker - Loose Equipment

09/03/2025

Page 1

PART NO	QTY	S	DESCRIPTION	PG
00-00-1300	1	S	Heiman Stock Two Door Top Control CP246	1
00-00-1499	1		Overall Height Restriction, NONE	2
00-00-1509	1		Overall Length Restriction, NONE	2
00-00-1519	1		Overall Width Restriction, NONE	2
00-00-1529	1		Wheelbase Restriction, NONE	2
00-00-1539	1		Angle of Approach, NFPA Minimum, 8 Degrees	2
00-00-1549	1		Angle of Departure, NFPA Minimum, 8 Degrees	2
00-00-1605	1	>	NFPA Pumper Equipment Allowance 2000#	2
00-00-3220	1		Contract Change Notice	2
01-06-0500	1		Calculated Center of Gravity	3
01-07-0060	1		-- Representative Technical Drawings (3-View) (Left/Right/Rear)	3
01-07-1100	1		Change Orders	4
02-13-7400	1		Toll Free Service Number	4
01-16-0100	1	>	-- Apparatus, Body Warranty, 1 Year	5
01-19-0250	1		-- Aluminum Body Warranty, 5 Years	5
01-19-2800	1		-- Galvanized Subframe Warranty, Lifetime	6
01-20-0250	1		-- PPG Paint Warranty, 5 Years	6
01-21-0150	1		-- Lettering and Striping Warranty, 1 Year	7
01-17-0700	1		-- Waterous Pump Warranty, 7 Years	7
01-17-1050	1		-- Stainless Steel Plumbing Warranty, 10 Years	7
01-18-0900	1		-- G3 Water Tank Warranty	8
01-33-3100	1		-- Body Manuals Complete, 1 Set Printed	8
02-90-1100	1	>	Freightliner M2, 2-Door Chassis	8
50-03-1000	1	>	Electrical Base, Standard, W/O Load Management	8
50-05-1510	1		-- Electrical Junction Box, Weather Resistant	11
50-12-1100	1		Switch Panel/Electrical Console, Between Cab Seats, Natural Finish	11
50-15-1100	1		Batteries, With Supl'd Chs	12
50-15-3100	1		Battery Switch, Master Disconnect, Chassis Sppld	12

PART NO	QTY	S	DESCRIPTION	PG
50-15-5600	1		Battery Charger, KUSS, Autocharge 1000 091-215-12	12
50-16-1100	1		-- Display, Bar Graph, Single Battery Bank 091-199-001	12
50-20-1210	1		Shore Power Inlet, 120V, Manual	12
50-20-1120	1		-- Shore Power Inlet, Left Front Cab Door, Commercial	12
51-00-1700	1		-- 12V Power/Ground, 30A, Radio Location	12
51-00-4000	1		-- Switched Power, Thru Master	13
51-05-6290	1		Light, Engine Compt, Chassis Supplied	
51-05-6400	1		Light, Pump Compt, 12 Volt LED w/Switch	13
51-05-9000	1		-- Switch on Light Head	13
52-01-1200	1		Back Up Alarm	13
52-02-1100	1		Back Up Camera, Install Chassis Supl'd	13
52-15-1200	1	< >	Radio Antenna Base, Supply and Install, Ea	13
			--terminate a coiled loop of coax in the center console	
53-01-1200	1		Marker Lts, LED, DOT Requirements	13
53-02-1200	1		License Plate Bracket, SST w/ LED Light, Rear	13
53-03-0065	1		Whelen Rear DOT LED Lighting Package M6	
53-03-2750	1		-- Tail/Brake Lights, Whelen, LED, M62BTT (Pair)	13
53-04-2750	1		-- Turn Signals, Whelen, LED w/ Arrow, M62T (Pair)	14
53-06-3550	1		-- Backup Lights, Whelen, LED, M62BU (Pair)	14
53-07-1210	1		-- (4) Light Bezel, Tail Lights, Whelen M6 (Pair), ABS Chrome	14
53-05-1800	1		Turn Signals, Mid Body, LED Marker Light (Pair)	14
54-02-1400	1		-- Ground Lights, Cab, 2 Door, LED Pair	14
54-02-2320	1		-- Step Lights, Cab, (2) Pair LED Four	14
54-03-1200	1		-- Ground Lights, Pump Panel, LED, Pair	14
54-03-1600	1		-- Ground Lights, Rear Step, LED, Pair	14
54-04-1999	1		-- Light Switch, Ground Lights w/ Park Brake	15
54-10-1300	2		Step Light, Fixed /Folding Step, LED, Ea	15
54-10-1450	2		Step Light, Rear Tailboard, LED, Ea	15
54-11-2100	1		Light Switch, Step/Walkway Lights Wired Park Brake Switch	15
54-12-1918	1		Deck Lights, Rear Of Hosebed	15
54-12-1420	1		-- Deck Lights, Code 3, LED, 2-Floodlights #CW2451, Black	15
51-20-3620	1	>	-- Mounting Location, Top Mount Pump Enclosure	15
51-15-3580	2		-- Telelight, Whelen, Pioneer Plus PFH1, Single Light, SM Top Raise	15
51-20-4100	2		-- Tele Light Switch, On Light Head	15
54-15-5932	1		-- Scene Light - Rear Body	16
54-15-1295	1	>	-- Scene Light, Whelen, 904SLC LED, w/Chrome Bezel	16
54-15-6670	1		-- 3-Way Control Switch, Rear Scene Lights, Cab Dash/Pump Panel	16
54-15-6700	1		-- Scene Light Switch, Rear Scene Lights, Auto w/ Reverse	16
55-11-2100	1		Door Open/Hazard Warning Light, Flashing LED Whelen OS (OSROOFCR)	16
56-01-1820	1		Siren, Electronic, Whelen 295SL100	16
56-02-1600	1		Speaker, Fed Sig Dynamax, ES100C 100 Watt	16
56-02-1650	1		-- Speaker Grille, SST, "R"	17
56-03-1100	1		-- Speaker Location, Bumper, Recessed, Center	17
56-05-1600	1		-- Siren Control, Horn/Electronic Siren Switch	17
57-02-1900	1	>	-- Light Bar, Whelen, Justice, LED, 56" JE2NFPA	17
57-10-0600	1		-- Warning Light Control, with E-Master Warning Switch	17
58-71-1820	1		-- Warning Lights, Whelen, Upper Rear Body (2) S-LED Rotary L31 P/N	17
			L31*F	
57-20-8100	1		-- Warn Light, Driver, Whelen, L31 LED Rotator Red Color Lens, Ea	18
57-20-8101	1		-- Warn Light, Officer, Whelen, L31 LED Rotator Red Color Lens, Ea	18
58-74-5100	1		-- Stanchions, Rear Warning Light, Cast Alum	18
58-03-2100	1		-- Warning Lights, Whelen, Low Front, (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	18
58-09-2100	1	>	-- Warning Lights, Whelen, Intersection, (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	18
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	18

PART NO	QTY	S	DESCRIPTION	PG
58-26-2100	1		-- Warning Lights, Whelen, Lower Mid Body (2) LINZ6 LED	18
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	19
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	19
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	19
58-36-2100	1		-- Warning Lights, Whelen, Lower Rear Side (2) LINZ6 LED	19
57-20-2000	1		-- Warn Light, Driver, Whelen, LINZ6, Red LED, Clear Lens, Ea	19
57-20-2001	1		-- Warn Light, Officer, Whelen, LINZ6, Red LED, Clear Lens, Ea	19
58-01-2200	2		-- Flange, Chrome, Warning Light, Whelen, LINZ6FC, Ea	19
58-81-2000	1		-- Warning Lights, Whelen, Lower Rear Body (2) M6 LED	19
57-20-1200	1		-- Warn Light, Driver, Whelen, M6, Red LED, Color Lens, Ea	19
57-20-1201	1		-- Warn Light, Officer, Whelen, M6, Red LED, Color Lens, Ea	19
09-90-9901	1		Commercial Chassis Prep	
10-02-1100	1		-- Label, Data, Fluid Levels	19
10-02-1300	1		-- Label, Data, "No Ride" Rear Step	20
10-02-1500	1		-- Label, Data, Height x Length, Weight - Seating	20
10-02-2500	1		-- Label, "Caution: Do Not Wear Helmet While Seated"	20
10-03-6000	1		-- Tow Plates (2), Rear Frame Rail, Under Step	20
80-43-2400	1		-- Painting, Tow Plates, Black	21
10-04-0002	1		-- Bumper, Existing Commercial Bumper	21
10-04-2110	1		-- Bumper Extension, None, With Chassis, Commercial	
10-04-3560	1		-- Bumper, w/Chassis	
10-06-1110	1		-- Wheel Trim, SST Hub/Lug Covers, Front/Rear, Single Axle	21
10-06-1600	1	>	-- Tire Pressure Indicator, Single Axle, Commercial, RWTG1235	21
10-07-0100	1		-- Exhaust, Horizontal Supplied With Chassis	
10-07-1500	1		-- Exhaust Heat Shield, Under Body Compartments	21
10-08-2100	1		-- Mud Flaps, Rear Wheels, Black, w/ Body	21
10-10-1440	1		-- Cab Step Enclosure, Freightliner, 2 Door Driver Side	21
10-10-1460	1		-- Cab Step Enclosure, Freightliner, 2 Door Passenger Side	21
10-19-4000	1		-- Air Inlet, Manual, Cab Exterior, Driver Step	22
20-25-1600	1	>	-- Pump, Waterous, CXVK, PTO, 1 Stage	22
20-25-1520	1	>	-- Pump Flow Rating, Waterous, CXK, 1250 GPM	23
22-03-1600	1		-- Intake, Ungated, 6", LH Side	23
22-41-5700	1		-- Cap, 6", Chrome Long Handle	23
22-03-2600	1		-- Intake, Ungated, 6", RH Side	23
22-41-5700	1		-- Cap, 6", Chrome Long Handle	23
20-26-2200	1		-- Pump Seal, Mech, Waterous	23
20-26-2300	1		-- Pump Impeller, Waterous, Standard Hubs	23
20-26-3400	1	>	-- Pump Shift, Waterous, PTO, Pump and Roll	23
27-03-1800	1	>	-- Gauge, Discharge, Digital, In Cab, Pump and Roll	24
20-29-1200	1	>	-- Primer, Trident Air Primer, Automatic	24
20-29-1250	1		-- Primer Control - Main Pump Rocker Switch	25
27-10-3112	1	>	-- Pressure Governor, FRC, Pump Boss Max PBA500-A00 Series, w/Body	25
			Dual Sensor	
21-00-2000	1		-- Screens/Anodes, Pump	26
21-00-3300	1		-- Piping, SST - 1250 GPM & Up	26
21-01-0200	1	>	-- Pump Drain, Master, Manifold, Push Pull Type	26
21-01-5500	1		-- Intake Manifold, Stainless Steel	27
21-01-6500	1		-- Discharge Manifold, Stainless Steel	27
21-01-7300	1		-- Unpainted, Pump & Piping	27
21-01-8100	1		-- Threads, National Hose (NST)	27
22-51-5110	1	>	-- Tank-To-Pump, Water Tank, 3" Valve/4" Piping, PTO/Crossmount	27
22-50-0100	1		-- Single Tank to Pump Control - Pump Operator's Panel	28
24-62-1300	1		-- Valve, AKR, 8000, (3")	28
22-55-4060	1		-- Intake Valve Control, Swing Type Manual, Locking, TM, AKR - IC	28
23-02-1300	1		-- Tank Fill/Cooling Line, Water Tank, 2"	28
24-62-1200	1		-- Valve, AKR, 8000, (2")	28
22-55-4060	1		-- Intake Valve Control, Swing Type Manual, Locking, TM, AKR - IC	28
20-30-3200	1		-- Pump Installation, Midship PTO, By Body Builder	28
20-31-3600	1		Dump-Relief Valve, Suction Side, TFT A18	28
20-31-4100	1		Pump Cooler, Bypass-To-Tank, 3/8"	29

PART NO	QTY	S	DESCRIPTION	PG
20-31-5100	1		> Heat Exchanger, Engine, Hook-Up Only	29
20-31-1000	1		-- Fire Pump Testing - Pumpers/Tankers	
20-31-1100	1		-- Pump Test, Pumper, UL	29
20-31-1500	1		-- Pump Test, Label	29
22-12-1100	1		Intake, Auxiliary, Gated, 2-1/2", NST, Left Side	30
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	30
22-41-1100	1		-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain	30
24-62-1250	1		-- Valve, AKR, 8000, (2-1/2")	30
22-55-4060	1		-- Intake Valve Control, Swing Type Manual, Locking, TM, AKR - IC	30
23-07-7200	1		-- Speedlay Discharges, (2) 1-1/2", Behind Chassis Cab, NST	30
21-00-3500	1		-- NON Foam Capable Discharge	30
21-00-4000	1		-- 200-ft of 1-3/4-in Hose Capacity	31
21-01-2200	2		-- Drain/Bleeder, Class 1, Automatic	31
24-61-1200	2		-- Valve, AKR, 8000, (2")	31
24-53-0730	2		-- Discharge Valve Control, Swing Type Manual, Locking, TM, AKR - IC	31
27-02-1500	2		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	31
23-08-3750	1		-- Speedlay Cover, Cargo Web End Flaps	31
23-08-3800	1		-- Speedlay Cover, Alum T/P, Single, Top	31
23-08-4630	1		> -- Speedlay Trim, Alum Angle, Both Sides	31
23-09-4100	2		Discharge, 2-1/2", Left Side, Pump Panel, NST	31
21-00-3500	2		-- NON Foam Capable Discharge	31
21-01-2500	2		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	32
24-02-1200	2		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	32
24-03-1400	2		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	32
24-61-1250	2		-- Valve, AKR, 8000, (2-1/2")	32
24-53-0730	2		-- Discharge Valve Control, Swing Type Manual, Locking, TM, AKR - IC	32
27-02-1500	2		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	32
23-10-4100	2		Discharge, 2-1/2", Right Side, Pump Panel, NST	32
21-00-3500	2		-- NON Foam Capable Discharge	32
21-01-2500	2		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	32
24-02-1200	2		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	33
24-03-1400	2		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	33
24-61-1250	2		-- Valve, AKR, 8000, (2-1/2")	33
24-53-0730	2		-- Discharge Valve Control, Swing Type Manual, Locking, TM, AKR - IC	33
27-02-1500	2		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	33
23-13-3200	1		Discharge, 2-1/2", Right Rear, NST	33
21-00-3500	1		-- NON Foam Capable Discharge	33
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	33
24-02-1200	1		-- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome	33
24-03-1400	1		-- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain	33
24-61-1250	1		-- Valve, AKR, 8000, (2-1/2")	33
24-53-0730	1		-- Discharge Valve Control, Swing Type Manual, Locking, TM, AKR - IC	34
27-02-1500	1		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	34
24-11-3200	1		Monitor Discharge, 3", Over Midship Pump Enclosure, NPT	34
21-00-3500	1		-- NON Foam Capable Discharge	34
21-01-2500	1		-- Drain/Bleeder, IC Lift-Up, Manual 1/4 Turn	34
24-61-1300	1		-- Valve, AKR, 8000, (3")	34
24-53-0740	1		-- Discharge Valve Control, Swing Type Manual, Locking, TM, AKR Slow Close - IC	34
27-02-1500	1		-- Gauge, Discharge, IC, 2-1/2" (0-400 PSI), WF	34
26-16-1100	1		Pump Enclosure, Top Mount, E/Alum, 40-49"W, T/P Walkway	35
26-31-4000	1		-- Front Access Pump Panel, Alum T/P, Removable, D-Ring Latches, Single Door	35
26-26-3100	1		Pump Enclosure Compt, TM, Dunnage Over Pump, Open	36
26-30-1200	1		Running Board, LH Pump Panel, Alum T/P, TM	36
26-30-1250	1		Running Board, RH Pump Panel, Alum T/P, TM	36
26-31-1100	1		Pump Side Access Door, Upper LH, SST	36
26-31-1300	1		Pump Side Access Door, Upper RH, SST	36
26-35-3300	1		Pump Panel, SST, LH/RH/Top, TM	37
26-35-1100	1		-- Pump Panel, Bolted, LH	37

PART NO	QTY	S	DESCRIPTION	PG
26-35-1200	1		-- Pump Panel, Bolted, RH	37
26-36-5100	1		Trim Panels, SST, Intakes and Discharges	37
26-50-1010	1		> Heater, Pump Enclosure, 35,000BTU	37
26-50-1230	1		-- Heater Fan Switch, Pump Operator's Panel	37
26-50-3200	1		Heat Pan, Pump Enclosure, Midship, Slide Out Panel, Alum	37
26-50-4100	1		Gasket, Rubber, Pump Enclosure/Body Flex Joint	38
26-55-1100	1		Labels, Test Data and Safety Placards	38
26-55-2400	1		Labels, Innovative Controls Color Coded	38
26-56-1325	1		Pump Panel LED Lights (6), Tecniq E10-W0001-1, Top Mount, w/Swtch, 6x top, 2x si	38
26-56-2000	1		Pump Panel Light (1), Actuated w/Pump Engagement	38
27-01-1200	1		> -- Master Gauges, Class 1, 4-1/2" PSI, WF, Pair	38
27-01-4100	1		> Gauge, Test Taps	39
27-35-4300	1		Water Tank Gauge, IC, Soft Glo, Pump Panel #3050684	39
27-36-5353	1		-- Gauge, Bezel, Blue	39
47-01-0500	1		G3 Water Tank, Base Specs	40
47-01-1000	1		-- Water Tank, 1000-Gallon	41
47-01-1900	1		-- Water Tank, "T" Tank	41
29-10-1000	1		Hosebed, Grating, Extruded Alum, <180" Long	41
29-10-5100	1		-- Hosebed Storage Capacity, 55 Cubic Feet, Minimum	41
29-10-8100	1		Hosebed Divider, 1/4" Alum	41
29-20-2000	1		Hosebed Cover, Vinyl, <180" L, <74" W, Velcro	41
29-20-5600	1		-- Vinyl Cover, Color, RED	42
30-01-1800	1		Body Construction - Rosenbauer FX - 1/8" Alum - SA Pumper/Tanker	42
30-01-2250	1		-- Electrolysis Corrosion Control	43
30-02-2100	1		-- Alum Treadplate Compt Floors	43
30-10-1100	1		-- Sub-Frame, Hot-Dip Galv	43
31-01-1200	1		-- Body, Formed Alum, Pumper/Tanker, Up to 160"	44
44-06-2200	1		-- Wheel Well Panel, Alum Painted, Single Axle - Alum	44
44-06-4100	1		-- Fenderette, Polished Aluminum	44
31-01-2130	1		96" OAW, 13-23" Half Depth Both Sides, SA HL/HR	44
29-00-1200	1		-- Hosebed, Pumper, <180" L, 68" Wide	44
32-03-0066	1		-- Compt Height, 66" High Left	45
32-03-1066	1		-- Compt Height, 66" High Right	45
32-04-1230	1		Roll Up Doors, HL/HR	
30-02-1150	7		> -- Roll-Up Doors - ROM Mfg	45
30-02-1230	7		-- Door Finish Natural	45
LEFT SIDE COMPARTMENTS				46
32-05-1120	1		-- Ahead Rear Wheels - Full Height Comp't - Roll Up Door	46
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	46
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	46
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	46
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	46
32-05-1355	1		-- Upper High Side - Single Comp't - Roll Up Door	46
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	46
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	46
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	47
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	47
32-05-1720	1		-- Behind Rear Wheels - Full Height Comp't - Roll Up Door	47
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	47
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	47
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	47
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	47
RIGHT SIDE COMPARTMENTS				48
32-06-1120	1		-- Ahead Rear Wheels - Full Height Comp't - Roll Up Door	48
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	48
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	48
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	48
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	48
32-06-1455	1		-- Upper High Side - Single Comp't - Roll Up Door	48

PART NO	QTY	S	DESCRIPTION	PG
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	48
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	48
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	49
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	49
32-06-1720	1		-- Behind Rear Wheels - Full Height Comp't - Roll Up Door	49
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	49
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	49
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	49
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	49
33-60-1100	1		Rear Body - Flat Back	50
32-08-0210	1		-- Rear Center Comp't - Full Height Roll Up/Trans- Natural Finish	50
44-40-1100	1		-- Vents, Compts, Louvers, Includes Filters (Ea)	50
45-01-1050	1		-- Shelving Tracks, (2) Unistrut, Alum, Vertical	50
55-01-1252	1		-- Wall Light, ROM, V5 LED Track Light, (2) Ea Compartment	50
55-06-1100	1		-- Compartment Light, Door Switch, Auto, Ea	50
33-61-1400	1		-- Rear Step - Pumper/Tanker Body - Bolt-On - 14"	50
90-02-3500	1		Ladder Storage, Vertical Slide In, Passenger Rear Body	51
90-02-2900	1		-- Compartment Door, Alum Treadplate	51
90-03-0226	1		-- Ladders, Ground, Provided By Manufacturer, RSD	51
90-03-3300	1		-- Ladder, Roof, Duo-Safety, 14' Aluminum 775-A	51
90-06-4600	1		-- Ladder, Extension, Duo-Safety, 24' Aluminum, 2 Section 900-A	51
90-08-2600	1		-- Ladder, Attic, Duo-Safety, 10' Aluminum, Folding 585-A	51
90-03-0236	1		-- Ladders, Folding Attic, Provided By Manufacturer, RSD	51
90-02-5310	1		Ladder Mounting, Folding Attic, Internal	51
90-03-0225	1		Ladders, Ground, Provided By Rosenbauer	51
90-16-5400	2		Pike Pole Mounting, In Ladder Tunnel, Ea	52
90-16-6100	1		Pike Poles - Provided by Rosenbauer	52
90-16-2300	1		-- Pike Pole, 6' Fiberglass, Round Handle	52
90-16-2800	1		-- Pike Pole, 10' Fiberglass, Round Handle	52
90-25-7100	1		Suction Hose Tray, Driver Side Over Compts (Ea)	52
90-25-7200	1		Suction Hose Tray, Passenger Side Over Compts (Ea)	52
90-25-9115	1		> Suction Hose Provided By, Body Builder, SD	52
90-25-3120	2		> -- Suction Hose, Flex, Kochek PVC, 6"x10'	52
90-25-6100	2		-- Suction Hose Couplings, Aluminum, LH FM x RLM	52
33-62-9006	1		-- Left Front Steps	53
33-62-9100	4		-- Step - Folding - Chrome - Integral LED Lights	53
44-01-1450	1		-- Body Trim, Front Compt, Height of Side Compts, Alum T/P	53
44-01-6000	1		> -- Catwalks, Top of Side Compts, Door Header, Alum Treadplate	53
44-01-4000	1		-- Body Trim, Entire Rear Body, Smooth for Chevron Stripe	53
38-90-2050	1		-- Access Ladder, Rosenbauer EZ Climb, Left Rear	53
33-70-1500	1		> -- Handrails, Rear Step, Vertical, 48" (2) on EZ Climb & (1) Oppos	54
33-70-2100	1		-- Handrails, Below Hosebed, Horizontal, up to 48"	54
44-02-1100	1		-- Rub Rails, Lower Body, Extruded Alum	54
44-02-2000	1		-- Rub Rails, Spacers, Nylon	54
44-11-5100	1		Wheel Well Provisions, Ahead of Wheels Left Side	54
44-10-9160	1		< > -- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP	54
			7.5" diameter opening	
			95 body 23" deep	
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	55
44-11-5300	1		Wheel Well Provisions, Behind Wheels Left Side	55
44-10-9160	1		< > -- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP	55
			7.5" diameter opening	
			95 body 23" deep	
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	55

PART NO	QTY	S	DESCRIPTION	PG
44-11-5500	1		Wheel Well Provisions, Ahead of Wheels Right Side	55
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP 7.5" diameter opening 95 body 23" deep	56
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	56
44-11-5700	1		Wheel Well Provisions, Behind Wheels Right Side	56
44-10-9160	1	< >	-- Wheel Well Provisions, Single SCBA Tube, Alum Door, Push Button Latch, Seal CP 7.5" diameter opening 95 body 23" deep	56
44-10-6000	1		-- Wheel Well Provisions, SCBA Compt Straps	57
80-22-1504	1		Body Paint, Single Axle, Pumper/Tanker - Single Color	57
80-06-1100	1	<	-- Apparatus Color --body to match chassis L0762EY MED RED ELITE EY	57
80-30-1200	1		Compt Finish, Spatter Coat, Up to 8 Compts	58
80-40-1100	1		Wheels, Aluminum, By the Chassis Manufacturer	
80-42-1500	1		Body Paint, Touch Up, 2 oz. Bottle, One Color	58
80-50-1100	1		Lettering Supplied by Dealer	58
80-70-1300	1	>	Stripe, Single Reflective, 4", Straight Design	58
80-75-1600	1		-- Reflective Stripe Material, White	58
80-72-1100	1	>	Stripe, Reflective 3M, Chevron Pattern Entire Rear, Body Only	58
80-75-1500	1		-- Reflective Stripe Material, Red	58
80-75-1800	1		-- Reflective Stripe Material, Yellow	58
80-72-1800	1	>	Stripe, Reflect, Chevron Pattern, Rear Roll Up Door	59
80-75-1500	1		-- Reflective Stripe Material, Red	59
80-75-1800	1		-- Reflective Stripe Material, Yellow	59
80-79-1000	1		NFPA Standing / Walking Surfaces Yellow Safety Tape (NFPA 1901 15.7.1.6)	59