

STANDARD FINISHES

Finishes That Deliver Maximum Impact

Maximum brand impact comes from creating a long-lasting customer impression. Around the world, companies rely on Reynobond® and Reynolux® panels to amplify the visual impact of their brands. Offering long-term, cost-effective, consistent solutions for retail chains and their designers, these panels are durable, weather resistant, lightweight, flexible, and easy to fabricate and maintain. They're available in a nearly limitless array of stock and custom finish options. And of crucial importance to any brand, Reynobond and Reynolux panels showcase consistent program colors from one location to the next.

Use this color chart for a closer look at our standard color offerings (stocked as Reynobond panel inventory, pre-finished coil* and 0.40" Reynolux flat sheet), and envision a world of possibilities for your retail project. Plus, if you don't immediately see the color you need, our custom color matching will get you exactly where you need to be.

Duragloss® 3000 Finishes

Our Duragloss paint system delivers flexibility that enables architects and designers to explore the most imaginative and eye-catching solutions to enhance the brand of retail image programs. These paint finishes are formulated for high UV resistance with the capability of bright vibrant colors, with high- or low-gloss levels. These features help reduce maintenance costs over the life of a brand image, making this an ideal paint finish for all retail applications. Custom colors can be mixed to ensure a precise color match for any retail program.

Colorweld® 300 Finishes

Leveraging a unique proprietary resin system that incorporates 70% polyvinylidene fluoride (PVDF), Colorweld 300 paint finishes offer high-gloss ranges between 30% and 70% opacity, using pure, non-reactive thermoplastic and fluoropolymer technology. Available in a variety of colors, including metallic and exotic, Colorweld 300 finishes incorporate high-quality exterior-grade, durable, colorfast ceramic pigments. Our special base resin provides a durable finish that protects from weathering, abrasion and fading.

Natural Metal Offerings

Our natural metal composite panels give you all the functional benefits of Reynobond panels along with the aesthetic impact that can come only from nature's finest elements. Our brushed aluminum, zinc, stainless and copper give you bold options for interior and exterior walls and accents, while allowing you to incorporate curves, angles and other design elements not possible with heavy plate and sheet.

Colorweld® 500/500XL Finishes

High-performing, coil-coated Colorweld 500 and Colorweld 500XL finishes allow color matching at the highest uniformity and quality. They feature 70% Kynar 500®/Hylar 5000® polyvinylidene fluoride (PVDF) resins with fluoropolymer technology, providing excellent flexibility and film adhesion for forming, with superior resistance to humidity, impact, salt spray, pollution and abrasion. With a 30-year finish warranty, they're considered the premier architectural coatings for metal. And, because Colorweld 500XL finishes are compatible with PPG's DURAPREP® Prep™ 400 graffiti remover system, your designs can be protected from graffiti and vandalism in any environment.

PrismFX[™] Color-Shifting Finishes

PrismFX finishes can give your building a look as dynamic as your design. This 3-coat innovative coating creates subtle color shifts in different lighting conditions when viewed from different angles, so a building that appears green, blue or silver in the morning can shift to copper, violet or gold in the afternoon. Excellent flexibility and film adhesion for forming are delivered by this high-performance paint system, while also being resistant to humidity, impact, salt spray, pollution and abrasion, making it suitable for all outdoor architectural applications and a wide range of other specialty uses.

Design Line™ Nature-Inspired Finishes

Inspired by Mother Nature, our Design Line finish system offers a variety of striking, natural-material-based design choices that feature all the benefits of Reynobond aluminum composite material. These 3-coat advanced polymer coatings resist sun, extreme temperatures and even saltwater, making them ideal for outdoor applications.



Finish Performance Properties

| Property | Test Method | Duragloss° 1000 | Duragloss° 3000 | Colorweld® 300 | Colorweld [®] LF | Colorweld® 500 Opaque/Mica | Colorweld° 500XL Metallic | PrismFX [™] (Duragloss° PFX) | Design Line [™] (Duragloss° DL) |
|--|----------------|-------------------------------------|------------------------------------|-------------------------------------|----------------------------|------------------------------------|--|---|---|
| Specular Gloss (60) | ASTM D523 | 10–80 | 10–80 | 30–65 | <10–80 | 15–55 | 25–35 | 20–60 | 20–60 |
| Gloss Retention | ASTM D523 | N/A | 5 yrs FLA >50% | >50% | 20 yrs FLA >80% | N/A | N/A | N/A | N/A |
| Pencil/Film Hardness | ASTM D3363 | F-2H | F min | F–2H | F-2H | F-2H | F-2H | F min | F min |
| Coating Flexibility (T-bend) | ASTM D4145 | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off | 1-T to 2-T; No pick off |
| Reverse Impact (1.5 thickness) | ASTM B2794 | | Passes | Passes | Passes | Passes | Passes | Passes | Passes |
| Salt Spray Resistance 5% Salt Fog @ 95° F | ASTM B117 | Passes 1000 hrs | Passes 1000 hrs | Passes 4000 hrs | Passes 4000 hrs | Passes 4000 hrs | Passes 4000 hrs | Passes 3000 hrs | Passes 3000 hrs |
| Humidity Resistance 100% RH @ 100° F | ASTM D2247 | Passes 1000 hrs | Passes 1000 hrs | Passes 1000 hrs | Passes 4000 hrs | Passes 4000 hrs | Passes 4000 hrs | Passes 1000 hrs | Passes 1000 hrs |
| Color Retention @ 45°, South Florida | ASTM D2244 | | 5 years, Max 5 fade | 10 years, Max 5 fade | 10 years, Max 5 fade | 10 years, Max 5 fade | 10 years, Max 5 fade | 5 years, Max 5 fade | 5 years, Max 5 fade |
| Chalk Resistance @ 45°, South Florida | ASTM D4214 | | 5 years, >8 chalk | 10 years, >8 chalk | N/A | 10 years, >8 chalk | 10 years, >8 chalk | 5 years, >8 chalk | 5 years, >8 chalk |
| Film Thickness | ASTM D1400 | 0.2 mil primer 0.75 mil top coat | 0.2 mil primer 0.8 mil top coat | 0.2 mil primer 0.75 mil top coat | 0.6-0.7 mil clear coat | 0.2 mil primer 0.8 mil top coat | 0.2 mil primer 0.8 mil color coat 0.5 mil clear coat | 0.6 mil primer 0.8 mil base coat 0.7 mil top coat | 0.6 mil primer 0.8 mil base coat 0.7 mil top coat |

Stay Up to Date on Stock

Visit **reynobond.com/stockinglist** for our current listing of standard color offerings. Check back often as we adjust our finishes and sizes to meet your demands.

Custom Color Matching Services

Don't see the color you're looking for?
We can help match any color you desire.
Email your custom color match request to
color.matching@alcoa.com and see the
possibilities of high-performing color matches
for Reynobond and Reynolux panels.

Request a Sample


To receive a sample of any of the finishes shown within this booklet, please call 800.841.7774 and ask for our Sample & Literature Department. If you prefer, you can email your request to samples.literature@alcoa.com.

Duragloss 1000

5-year warranty



Eastman White 25*



Oyster 25*

Duragloss[°] 3000

10-year warranty AAMA 2604




Brite Blue 75*




Brite Green 50*




Brite Yellow 55*



Brite White/Yellow Stripe




Brite White 45*



Classic Red 80*



Classic White 35*



Program Blue 80*



Program White 75*



Program Red 80*



Program Teal 75*




Program Teal/Yellow Stripe 70*




Program Yellow 80*




Program Pearl 80*



Program Black 80*



Matte Blue 75*



Matte White 75*




Patriot Blue 75*



Patriot Blue/White Stripe 75*



Patriot Red/White Stripe




Patriot Red 80*



Sapphire Blue 70*



Shamrock Green 60*



Scarlet Red 80*



Outrageous Green 45–55*



Eastman Red 40*

Colorweld® 300


20-year warranty AAMA 2605



Brilliant Red 55-65*



Cobble Brown 30-40*



Elegant Black 55-65*




Midnight Blue 25-35*



Orange Orange 40-50*




Portabella



Winter White 45-55*



30-40*



Natural Metals

Premium Metals The appearance of our Natural Metals may vary with the lot of production.



Zinc




Stainless Steel



Copper

Anodized Premium Coating

The appearance of our Anodized panels may vary with the lot of production.




Clear Anodized

Colorweld® LF (Clear Coat)


20-year warranty

Compatible with PPG's DURAPREP® Prep™ 400 graffiti-resistant coating.


The appearance of our Colorweld LF finishes may vary with lot of production.



Long Brushed Aluminum 30*



Natural Brushed Aluminum 30*



Natural Brushed Aluminum Gray 30*

Colorweld® Brite (Clear Coat)

10-year reflection warranty



Brite Mirror 87% Reflectivity

Colorweld® 500


30-year warranty AAMA 2605

SERIES ONE Standard Solid Finishes


All Colorweld 500 Series One finishes, with the exception of Eastman Blue, are stocked in 62" wide coil and are available in 0.040" x 48" Reynolux flat sheet.



Bone White **1 6 6 6 6 8 . 7 1 , 8 2 2 . 7 4 3**



Brite Red **7** 25–35* 39.4¹, 42², 10³




Cadet Gray **7** 25–35* 35¹, 36², 34³




Castle Gray **7** 25–35* 49.4¹, 56², 41³



Pueblo Tan **7** 25–35* 51.7¹, 60², 48³




Deep Black 20-30* 4.5¹, 0², 5³




Frisco White **1**25–35*
69.1¹, 83², 75³



Eastman Blue 45–55* 37¹, 36.2², 17³




Oyster White **1**25–35*
67.4¹, 81², 67³



Classic Bronze 20-30* 9.8¹, 2², 7³



Pure White • 25–35* 69.4¹, 83², 75³



Charcoal 25–35* 28.6¹, 28², 8³



Limestone 25–35* 66¹, 56.5², 73.99³



Sandstone 25–35* 82¹, 68.6², 73.7³

Colorweld® 500

30-year warranty AAMA 2605

SERIES TWO

Premium Mica Finishes

All Colorweld 500 Series Two finishes are stocked in 62" wide coil and are available in 0.040" x 48" Reynolux flat sheet.



Pewter • 15–25* 14.6¹, 10², 19³



Platinum **7** • 20–30* 59.3¹, 70², 57³



Silversmith **1** 15–30* 58.1¹, 68², 52³





Daybreak Mica 15–25* 35.9¹, 38², 38³



Medium Bronze 15–25* 63¹, 75², 57³



Champagne Mica 15-25* 29.5¹, 30², 21³



Driftwood Mica 15–25* 9.2¹, 3², 7³



Anodic Satin **7** 20–30* 53.6¹, 61², 39³



Anodic Clear **1 6** 20–30* 56.2¹, 65², 54³



Anodic Bronze **1** 15–25* 42.9¹, 47², 23³

Colorweld® 500XL

30-year warranty AAMA 2605

SERIES THREE


Premium 3-coat Metallic Finishes

Compatible with PPG's DURAPREP® Prep™ 400 graffiti-resistant coating.

All Colorweld 500XL Series Three finishes are stocked in 62"-wide coil and are available in 0.040" x 48" Reynolux flat sheet.



Copper Penny **7** 25-35* 44.4¹, 48², 24³



Nightfall Metallic **7** 20–30* 11.1¹, 2², 8³





Champagne Metallic **6** 25–35* 54.3¹, 61², 52³



Titanium **7** 25–35* 44.2¹, 47², 44³

- ♦ Available with the EcoClean[™] self-cleaning coating.
- 1 Environment-friendly cool-pigment finish.
- ¹ Solar Reflectivity Value (SRV); ASTM C1549
- ² Solar Reflective Index (SRI); ASTM E1980 ³ Light Reflectance Value (LRV); ASTM E1477

$\mathsf{PrismFX}^{\scriptscriptstyle\mathsf{TM}}$

Premium Finishes


20-year warranty AAMA 2604



Autumn Wind Indian Summer







Silver Gold



Spring Lake

Design Line™ (Duragloss® DL)

20-year warranty AAMA 2604

WOOD

Premium Finishes



Colonial Red



Embala Brown 🜢



Italian Walnut



Mahogany Brown



Scottish Oak



Sunny Pear 🌢



Zebra 🜢

MINERAL Premium Finishes



Terra di Siena



Terra Cotta Mineral

PATINA Premium Finishes



Copper Patina



Rust Patina



Zinc Patina

STONE Premium Finishes



Aciero Corten



Apollo Stone





Alcoa Architectural Products

50 Industrial Boulevard Eastman, GA 31023-4129 Tel. 800 841 7774

reynobond.com or reynolux.com

©2016 Alcoa Architectural Products. Reynobond®, Reynolux®, Colorweld® and Duragloss® are registered trademarks and Design Line™, PrismFX™ and EcoClean™ are trademarks of Alcoa Inc. Kynar 500® is a registered trademark of Arkema Group. Hylar 5000® is a registered trademark of Solvay Solexis. DuraPrep® is a registered trademark and Prep™ is a trademark of PPG Architectural Finishes, Inc.