PPE CATALOGUE





Product Code: BD75

Available in Sizes: S - XXXXXL

Unit of Measure: Each

Available in Colours:

Saturn Yellow BD75SY

Cat 2 - Intermediate Risk

Conforms to the correct EN standards Garments conforms to EN ISO 20471

Garment comes with a



Garment has a pocket for easy ID access Garment has a mobile phone pocket



Garment is weather proof

SUPER BOMBER JACKET

- 300 Denier Heavyweight polyester with PU coating. Two-way heavy duty zip front with storm flap.

Fleece lined collar.

- 2 lower bellows pockets with flaps.
- Security and phone pockets.
- Rear hem access for ease of logo applications.
- Knitted storm cuffs.
- Concealed Hood.
- Retro-Reflective tape.
- Conforms to EN ISO 20471 Class 3
- Conforms to EN343 Class 3 Resistance to Water Penetration Class 1 Air Permeability









BEESWIFT FOCUSED ON SAFETY

CBJFL

Available in Sizes: S-6XL

Unit of Measure:

Available in Colours:



Saturn Yellow CBJFLSY



Cat 2 - Intermediate Risk



Conforms to the correct EN standards Garments conforms to EN ISO 20471



Garment comes with a hood



Garment has welded or reinforced seams Garment is weather proof



HIGH VISIBILITY FLEECE LINED BOMBER JACKET

- Heavyweight Polyester Oxford outer shell with PU coating.
- Fleece lining, including fleece collar
 Press stud flap.
- Fully taped seams.
- 2 Lower front pockets with flaps.
 Internal breast pocket plus separate phone pocket
- · Concealed hood/drawcord in collar.
- EN ISO20471 Class 3 High Visibility
- EN 343

Class 3 Resistance to Water Penetration Class 1 Air Permeability











Product Code: CBJTT

Available in Sizes: S - 4XL

Unit of Measure: Each

Available in Colours: Saturn Yellow / Navy CBJTTSYN

TWO TONE CONSTRUCTOR BOMBER JACKET

- Heavyweight two tone Polyester Oxford outer shell with PU coating.
 Press stud flap.
- Fully taped seams.
- 2 Lower front pockets with flaps.
- Internal breast pocket plus separate phone pocket
- Concealed hood/drawcord in collar.
- External phone pocket
- EN ISO20471 Class 3 High Visibility
- Class 3 Resistance to Water Penetration Class 1 Air Permeability







RAILSPEC COVERALL



- Teflon treatment for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
 Double sewn seams for extra strength
- 2 cargo pockets
- Knee pad pockets3M retro reflective tape
- Conforms to ISO 20471 Class 3 High Visibility
 RIS-3279-TOM Railway use certified.



Garment conforms to GO/RT 3279 Garment has welded or reinforced seams













Product Code: CARF

Available in Sizes: S -5L

Unit of Measure: Each

Available in Colours:



Orange CARFOR





Cat 2 - Intermediate Risk Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Fully interactive with another garment

Garment conforms to GO/ RT 3279

CARNOUSTIE FLEECE JACKET

- High density 300gm polyester fabric. Angled hand warmer pockets.
- Retro Reflective tape.
- Drawcord at hip.
- Fully interchangable with 'CAR' Carnoustie Jacket (sold separately).
- · Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM Railway use certified.











- PU coated polyester.
- Fleece lined.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
 2 x Lower pockets with flaps.
 Right hand chest pocket with flap.

- Inside breast pocket.
- Knitted storm cuffs.Internal 'Wicking' strip.
- Fully taped seams.
 Retro-Reflective Tape.
- EN ISO20471:2013 Class 3.EN343:2003 + A1:2007 Class 3. 1.







BEESWIFT

FOCUSED ON SAFETY

Product Code: **CTJFL**







Product Code: ET40

Available in Sizes: S - 6XL

Unit of Measure: Each

Available in Colours: Orange / Black ET41OR



Garment has breathable fabric Cat 2 - Intermediate Risk

Saturn Yellow / Navy ET40SY



Conforms to the correct EN standards



ETON HI-VIZ SOFT SHELL JACKET

- · Hi-Vis "Soft shell" Jacket.
- Windproof.
- Fleece backed, breathable fabric.2 hand warmer front pockets.
- Adjustable cuffs.
- 6 cm retro-reflective tape.
- Retro-reflective piping.
 Spiral wound front zip to neck.
 Hip draw cord.
- · Lightweight, stylish & comfortable.
- · Conforms to EN ISO 20471 Class 3 high visibility











Product Code: JJ15

Available in Sizes: S - 4XL

Unit of Measure:

Available in Colours:



Garment has breathable fabric



Garments conforms to EN ISO 20471 Garment comes with a hood



Garment has a mobile phone pocket

Cat 2 - Intermediate Risk

JUBILEE ECONOMY JACKET

JUBILEE JACKET (ECONOMY)

- Concealed hood in collar.
 Two-way heavy duty zip front with storm flap
 Two lower hip pockets with hook and loop fastening flap.
 Grey mesh lining with mobile phone pocket.
 Internal zip closure and pen pockets.

- Self colour press studs.
- Knitted storm cuffs.
- Internal wicking strip.
- Fully taped seams,Retro-Reflective tape, twin needle sewn.
- EN ISO20471 Class 3
- EN343 Class 3. 3. Breathable.











Product Code: RSJ


Available in Sizes: 38" - 56'

Unit of Measure: Each

Available in Colours: Orange RSJ



Garment has 3M Scotchlite tape



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment comes in a Euroslot retail bag Garment conforms to GO/RT 3279



Garment has welded or reinforced seams

RAILSPEC JACKET

- 280gsm 80-20 Polyester cotton. Teflon coated for improved soil release.
- Durable hard wearing whilst remaining soft and comfortable.
- Retro reflective tape. Two breast pockets with flaps.
- Two hip pockets.
- EN ISO20471 2013 Class 3 High Visibility
- RIS-3279-TOM Railway use certified.











Product Code: TJ8

Available in Sizes: S - 6XL

Unit of Measure:

Available in Colours:





Cat 2 - Intermediate Risk



Conforms to the correct EN standards Garment conforms To EN471



Garment comes in a Euroslot retail bag



Fully interactive with another garment



Garment has welded or reinforced seams Taped Seams



Garment is weather proof

- PVC coated 150D polyester.
- Concealed hood.
- Two-way heavy duty zip front with studded storm flap.
 2 Lower pockets with flaps.
 Knitted storm cuffs.

- Fully taped seams.Retro Reflective Tape.
- EN ISO20471 Class 3 High Visibility
- Class 3 Resistance to Water Penetration Class 1 Air Permeability









Product Code: HVTT010

Available in Sizes: S-4XL

Unit of Measure: Each

Available in Colours: Orange / Black HVTT010ORBL

Saturn Yellow / Navy HVTT010SYN

HIVIS TWO TONE POLO SHIRT SHORT SLEEVE

- 100% polyester "Bird Eye" fabric.3 Button placket.
- Retro-Reflective tape
- Certification Code: BPKTTSS
 Conforms to EN ISO20471 Class 2 high visibility
- RIS-3279-TOM Railway use certified.
- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
 Improves the washing durability on stitched tape
 Improved breathability by using segmented, heat applied tape

- Produces a modern, comfortable garment











Product Code: HVTT015

Available in Sizes: S-4XL

Unit of Measure:

Available in Colours:



Saturn Yellow / Navy HVTT015SYN

- 100% polyester "Bird Eye" fabric.

- 100% polyester bitd Eye rabito.
 3 Button placket.
 Retro-Reflective tape.
 Certification Code: BPKTTLS
 Conforms to EN ISO20471 Class 3 high visibility
 RIS-3279-TOM Railway use certified.
- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
- Improves the washing durability on stitched tape Improved breathability by using segmented, heat applied tape Produces a modern, comfortable garment







LADIES HIVIZ L/S POLO



Product Code: LPK22

Available in Sizes: XS - XXL

Unit of Measure: Each

Available in Colours:

Saturn Yellow LPK22SY

Cat 2 - Intermediate Risk







HI-VISIBILITY SWEATSHIRT



BEESWIFT FOCUSED ON SAFETY

Product Code: **BSSEN**

Available in Sizes: S - 6XL

Unit of Measure: Each

Available in Colours:



Orange BSSENOR



Cat 2 - Intermediate Risk



Conforms to the correct EN standards Garments conforms to EN ISO 20471



Garment conforms to GO/ RT 3279

- Hi Vis sweatshirt

- Part Vis Sweatshirt
 280 gsm fleece fabric
 100% polyester
 Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
 Retro-reflective sew on tape
 2 band & brace

- Conforms to EN ISO 20471 Class 3 high visibility
- RIS-3279-TOM Railway use certified.









Product Code: HVTT025

Available in Sizes:

Unit of Measure: Each

Available in Colours: Orange / Black HVTT025ORBL



HIVIS TWO TONE HOODY

- Hooded sweatshirt

- 280 gsm fleece fabric
 100% polyester
 Anti pill (the fabric has been treated to prevent little balls (or pills) of thread appearing on the surface of the fabric)
- Handwarmer pockets.
- Retro-reflective tape
 2 bands around chest and arms with shoulder accents
 Certification Code: BSHEXEC
 Conforms to EN ISO 20471 Class 3 high visibility
 RIS-3279-TOM Railway use certified.

- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
 Improves the washing durability on stitched tape
 Improved breathability by using segmented, heat applied tape
 Produces a modern, comfortable garment











Product Code: **BSCNTSEN**

Available in Sizes: S - 5XL

Unit of Measure:

Available in Colours:



Saturn Yellow BSCNTSENSY

Cat 2 - Intermediate Risk

- High visibility tee shirt
- 100% Bird Eye Polyester fabric
- Reflective tape
- Left breast pocket
- •Conforms to EN ISO 20471 Class 2









Product Code: HVTT005

Available in Sizes:

Unit of Measure: Each

Available in Colours:

Orange / Black HVTT005ORBL Saturn Yellow / Navy HVTT005SYN

HIVIS TWO TONE LONG SLEEVE T SHIRT

- Two Tone High visibility long sleeve t-shirt

 100% Bird Eye Polyester fabric

 Policeting to the control of the

- Reflective tape
 Certification Code: BSCNT05
- Conforms to EN ISO 20471 Class 3
- By using segmented, heat applied tape, the garment is less restrictive than garments where traditional stitched tape has been used
 Improves the washing durability on stitched tape
 Improved breathability by using segmented, heat applied tape
 Produces a modern, comfortable garment








CONTRAST HI VIZ TROUSERS



- Breathable fabric
- Waterproof, fully taped seams
 7 Belt loop part elasticated waistband, stud button closure
- Zip fly
- Zip and hook and loop ankle closure2 Storm zipped hip pockets
- 2 concealed rear pockets under yoke
- Retro-reflective tape
- EN ISO 20471 Class 1 high visibility







BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: S - 4XL

Unit of Measure:

Available in Colours:

BD85





Product Code: BSJB

Available in Sizes: S - 4XL

Unit of Measure: Each

Available in Colours:



Orange BSJBOR



Saturn Yellow BSJBSY



Cat 2 - Intermediate Risk



Garments conforms to EN ISO 20471 Garment has a Fully Elasticated Waistband



Garment conforms to GO/

HI VIZ JOGGING BOTTOMS

Rail Specification Hi Visibility Jogging Bottoms / Trousers

Comfortable, warm anti pill fleece jogging bottoms provide temperature relief from cold environments and allows a much more free range of movement compared to standard trousers. Various pockets, some with zips are available to store valuables such as mobile phones and wallets safely without fear of loss.

- 280gsm Anti pill fleece fabric. Fully elasticated waist, with drawcord. 2 Hip pockets with zip closure.
- Cargo pocket with hook and loop flap on both legs.
- 1 rear patch pocket with hook and loop flap.
- Re-inforced nylon knee patches
- 2 bands retro reflective tape to mid thigh.
- Elasticated ankles.
- Comfortable to wear allowing maximum movement without restriction.
- EN ISO 20471 CLASS 1.
- RIS-3279-TOM Railway use certified.







BEESWIFT

POLY COTTON TROUSERS EN471



FOCUSED ON SAFETY

Product Code: **PCTENSY**

Available in Sizes: 28" - 48" (Tall Leg Available)

Unit of Measure: Each

Available in Colours:







Garments conforms to EN ISO 20471 Garment has welded or reinforced seams



- 80-20 polyester cotton
- Seven loop belt waistband
- 2 x hip pockets1 x left leg cargo pocket
- 1 x rear jetted pocket Knee pad pouch pockets Hard wearing and durable
- Triple sewn main seams for extra strength
- Teflon treatment to aid soil release when washing
- 3M Scotchlite retro reflective hi vis tape
- Available in regular, short and tall leg fit (T)
- EN ISO 20471 Class 1 high visibility









Product Code: PUT471


Available in Sizes:

Unit of Measure: Each

Available in Colours: Saturn Yellow PUT471SY



Garment has breathable fabric



Conforms to the correct EN standards



Garments conforms to EN ISO 20471 Garment is weather proof

BSEEN PU OVERTROUSERS

- Breathable fabric
- Polyester with PU coating
 Overtrousers with elasticated waist
- Studded ankles
- 3M retro-reflective tape
- EN ISO 20471 Class 1 high visibility

Class 3 resistance to water penetration Class 2 breathability







RAILSPEC TROUSERS



Product Code: **RST**

Available in Sizes: 30" - 46"

Unit of Measure:

Available in Colours:



Garment has 3M Scotchlite



Cat 2 - Intermediate Risk



Conforms to the correct EN standards Garments conforms to EN ISO 20471



Garment comes in a Euroslot retail bag



Garment has pockets for knee pad access Garment conforms to GO/RT 3279



Garment has welded or reinforced seams

- "Railspec" trousers
- 280gsm 80-20 polyester cotton
- Teflon treatment coated for improved soil release
- Durable hard wearing whilst remaining soft and comfortable
- Triple sewn seams for extra strength 7 Belt loop waistband 2 x cargo pockets

- Knee pad pockets
 3 x 3M Scotchlite Retro-reflective leg bands
- Tall and short leg option available
- EN ISO 20471 Class 2 high visibility
- RIS-3279-TOM Railway use certified.









Product Code: 4520

Available in Sizes: M - 4XL

Unit of Measure: Each

Available in Colours:

White 4520W

3M 4520 PROTECTIVE COVERALL

The 4520 is made from extremely lightweight and breathable material and is designed to offer protection against hazardous dusts and limited liquid splashes.

- Elasticated hood, ankles and waist.
- 2 way zip with sealable tab on storm flap.
 3- panel hood.
- Knitted cuffs.
- · Low linting.







CN4013E DISPOSABLE COVERALL TYPE 5/6



FOCUSED ON SAFETY Product Code: COCN4013E

Available in Sizes: S-XXL


Unit of Measure:


Available in Colours: White COCN4013EW













ClickOnce Retail Bag

Protects against:

- Chemical & Viral agents (including Coronavirus)
- Bloodborne pathogens
- Sulphuric acid
- Contaminated liquidsRadioactive Contamination
- For fine dust particles, reduced spray and limited splash
- Anti-static
- 2 way zip front with storm flap
- Elasticated cuffs, ankles, waist and hood
 Microporous fabric 54% polypropylene + 46%
- polyethylene
- Individually packaged

EN 13034: 2005 + A1: 2009 EN13982-1: 2005 + A1: 2010 EN 1149-5: 2008 Anti-Static – Material Performance and

Design Requirements
EN 1073-2: 2002 Protective Clothing against radioactive

contamination (no rays)
EN 14126: 2003 + AC:2004 Protective clothing against Infective agents (Type 5B, 6B)







BEESWIFT









FOCUSED ON SAFETY

Product Code:

Available in Sizes: One Size

Unit of Measure: Each

Available in Colours: Black B

Cat 1 - Minimal Risk

BALACLAVA

- Acrylic material
 Offers good insulation
 Ideal for winter use.
 Available in a 3M Lines Thinsulate version (THBBL)







WINTER HAT



FOCUSED ON SAFETY

BEESWIFT

Product Code: WHOR

Unit of Measure: Each

Available in Colours:



CAT.I

Cat 1 - Minimal Risk

- 100% soft touch acrylic.
- Double layer knit.Cuffed design for optimal decoration









BBKP08

Unit of Measure:

Available in Colours:

Cat 1 - Minimal Risk

As Shown BBKP08



- Moulded EVA Foam
- Universal sizing.
- Ergonmic design.
- Easily moulds around knee and can be trimmed to size.
- For use with all knee pad type work trousers.

FOLDABLE KNEE PADS







HEAVY DUTY GEL KNEE PAD



Product Code: BBKP05

Unit of Measure: Each

Available in Colours: As Shown BBKP05



Cat 2 - Intermediate Risk

- Heavy duty nylon construction to resist abrasion and tear.
- Adjustable clip buckle and hook and loop closure.
- Hard shell cap to aid swivelling.
 Gel foam centre to cap for even weight distribution when worn
- for long periods.
- An all round superior Knee Pad.
- Fully CE approved
 Conforms to EN14404:2004 Type 1 Level 1









BPKEXECLSOR

Available in Sizes:

Unit of Measure: Each

Available in Colours: Orange BPKEXECLSOR

Cat 2 - Intermediate Risk

HIVIZ EXECUTIVE LONG SLEEVE POLO

- 100% polyester "Bird Eye" fabric.3 Button placket.
- Grey trim to collar and cuffs.
- Mesh underarms.
- Retro-reflective Dynamic stripe tape
- UV Protection
- SCOTCHGARD Moisture Management
- Anti-Bacterial
- Insect Repellent
- Conforms to EN ISO20471 Class 3 high visibility
- RIS-3279-TOM Railway use certified.
- Conforms to EN 13758-2 (40+ UV Protection)











Product Code BPKEXECLSSY

Available in Sizes: S-6XL

Unit of Measure:

Available in Colours: Saturn Yellow BPKEXECLSSY



- 100% polyester "Bird Eye" fabric.
- 3 Button placket.

- Grey trim to collar and cuffs.
 Mesh underarms.
 Retro-reflective Dynamic stripe tape
- UV Protection
- SCOTCHGARD Moisture Management
- Anti-Bacterial
- Insect Repellent
- Conforms to EN ISO20471 Class 3 high visibility
- Conforms to EN 13758-2 (40+ UV Protection)









Product Code: BBAMG

Unit of Measure: Each

Available in Colours:



Clear BBAMG



Cat 2 - Intermediate Risk

ANTI-MIST GOGGLE

- Polycarbonate lens.Direct vent.
- Soft pvc frame.
- Fits over most prescription glasses.
- Adjustable strap.

- Conform to EN166:Optical Class:1B T (Medium impact energy at extreme temperatures)
 • 2C-1.2 - UV Filter

- Fields of use:
 4 Large dust particles
 9 Molten metal and hot solids







COMFORT FIT GOGGLES



Product Code: **BBCFG**

Unit of Measure: Each

Available in Colours:



Clear BBCFG



Cat 2 - Intermediate Risk

- Wide vision goggle
- Blue tint pvc frame
- Indirect vent
- Wrap around style provides excellent panoramic vision
 Foam surround for extra comfort and improved seal
- Adjustable strap
- Conform to EN166:Optical Class:1
- B T (Medium impact energy at extreme temperatures)
 • 2C-1.2 - UV Filter

Fields of use:

- 3 Liquids4 Large dust particles9 Molten metal and hot solids









Product Code: BBFS

Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk

FLORIDA SPECTACLES

- Red mirror lens
- High performance eyewear
 Anti-fog lens
 Ventilated nose and temple

- Contrasting santoprene tips
 Comfortable nosebridge
 Low impact and 99.9% UV protected

- Conform to EN166:
 Optical Class:1
 F (Low impact energy)
 5-3 UV Filter
 N Fog Resistant







HAMILTON GOGGLE & VISOR PACK



Product Code: BBHAMCV1

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:





- Protective Safety Goggles. Indirect ventilation.

- Comfortable face seal & nose bridge.
 Wide adjustable elastic.
 Excellent field of vision
 Goggle lens & face visor both polycarbonate
- Conform to EN166:
- Optical Class:1
- B T (Medium impact energy at extreme temperatures)
 • 2C-1.2 - UV Filter













Product Code: BBPS

Unit of Measure: Each

Available in Colours:





PORTLAND SAFETY SPECTACLES

- Wrap around spectacle.Adjustable side arms.
- Nylon frame.
- Conform to EN166:
- Optical Class:1F (Low impact energy)2C-1.2 UV Filter











10 Curve single Poly Carbonate lens
Fully adjustable side arms with temple ratchet.
Adjustable Neck Cord.

- Conform to EN166:
- Optical Class:1
 F T (Low impact energy at extreme temperatures)
 2C-1.2 UV Filter







BEESWIFT





Product Code: BBYS

Unit of Measure:

Available in Colours:



Clear BBYS

Grey BBYSS2GY

Yellow BBYSS2Y



Cat 2 - Intermediate Risk



- Ultra lightweight Wrap around design
- Contoured shape
- Polycarbonate lens (PC lens)
- Soft nose bridge Non slip coloured rubber tips
- Conform to EN166:
- Optical Class:1
 F (Low impact energy)
 2C-1.2 UV Filter











Product Code BOPSSRUSP073

Unit of Measure: PK 20

Available in Colours:



Clear BOPSSRUSP073

- Upper protection
- Platinum scratch and fog resistant coating
 Co-injected, ultra-flex temples
 Sustainable packaging

- Lens marking 2C-1.2 1 FT KNFrame marking EN166 FT

Eco packaging - guaranteed plastic free. The product is wrapped in tissue paper and stored in recycled and recyclable cardboard boxes

The user instructions are printed with vegetable ink directly onto the packaging to reduce waste









Product Code: CNS54

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:

As Shown CNS54

VISOR CARRIER

- Helmet Mounted Face Protection Face Screen Carrier
 For All Centurion Helmets with Connect and Combi accessory slots
- Supplied with connect and Euro clips
- Euro clips (\$565) fit all helmets except Vulcan and Reduced Peak 1125
 Connect clips (\$570) fit all helmets except Nexus and Vision Plus











Product Code: CNS590

Available in Sizes: ONE SIZE

Unit of Measure:

Available in Colours:



Clear CNS590

- Face Screen Only for S54 Carrier
- 225mm Polycarbonate Clear
- Impact protection B Medium Energy
 EN166
 Optical Class 1
 Liquid Droplets 3
 Molten Metal Splash 9







FOCUSED ON SAFETY Product Code:

HW1002346

Unit of Measure:

Available in Colours:



Grey HW1002346



- Browguard with elasticated headband, which forms part of the Clearways face shield
 Clearways combination offers strength and durability.
 Lightweight, it is comfortable to wear all day
 Visors are available to purchase as a

- separate item







Honeywell

CLEARWAYS POLYCARBONATE CLEAR VISOR



Product Code: HW1002353

Unit of Measure: Each

Available in Colours:



- 200mm clear polycarbonate visor, which forms part of the Clearways face

- Clearways combination offers strength and durability.
 Lightweight, it is comfortable to wear all day
 The browguard is available to purchase as a separate item





FOCUSED ON SAFETY Product Code:

HW1002369

Unit of Measure:

Available in Colours:



CLEARWAYS ACETATE GREEN SHD 3 VISOR

- 200mm green acetate shade 3 visor, which forms part of the Clearways face shield
- Clearways combination offers strength and durability.
- · Lightweight, it is comfortable to wear all day
- The browguard is available to purchase as a separate item





Honeywell

UVEX SPORTSTYLE SPEC



Product Code: UV9193265

Unit of Measure: PK 5

Available in Colours:



- Style without compromise!

- Style without compromise:
 Close fitting athletic design
 Low weight 23g incredible comfort
 Permenant anti-fog coating on inside of lens
 Scratch resistant coating on outside
 Contoured lens fits all facial shapes including narrow faces
 Soft grip side arms, nose bridge and brow non slip comfort

- Adjustable nose bridge
 Conforms to EN166 1F KN CE









LCS

Unit of Measure: Each

Available in Colours:

LENS CLEAN STATION 83735

1500 tissues 16 o/z bottle cleaning fluid







CLEANING TOWELETTES 100/BOX

BEESWIFT FOCUSED ON SAFETY

Product Code: UV9963000

Unit of Measure: Each

Available in Colours:

Box of 100 moist silicone free cleaning tissues Individually sealed Suitable for all lenses Can be used as a standalone item, or as an alternative to 9991-000 in the 9990-000 cleaning station









Product Code: UV997007

Unit of Measure:

Available in Colours: As Shown UV997007

UVEX COMPLETE CLEANING STATION

Uvex Lens Cleaning Station for eyewear, ideal for workplaces where there are multiple workers.

Dimensions: W 340mm x L 480mm x H 165mm.

Comes with:

- Cleaning tissues (4 boxes of 450) non-abrasive & highly absorbing
 1 x 16oz bottle of cleaning fluid (specially designed for anti-fog & scratch-resistant coatings)

- Mounting screws





uvex

UVEX CLEANING FLUID 16FLOZ

Uvex Lens Cleaning Fluid 16oz

Specifically designed for polycarbonate lenses.

Can be bought to use individually or as a replacement bottle for the uvex lens cleaning station 9990-000.







Each

Available in Colours: White UV9972101





EY6842

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours:



Black EY6842BL



TWO LAYER FLEECE WINTER LINER

- Shell: 100% 150D oxford polyester
 Lining: 100% polyester fleece
 Warming pack pockets for added warmth
 Hook & loop chin strap and hard hat attachments











Product Code: **BBEVSH**

Unit of Measure: Each

Available in Colours:



Blue BBEVSHB



Green BBEVSHG



Red BBEVSHRE



Yellow BBEVSHY



Cat 2 - Intermediate Risk

- Modern Stylish Design
- ABS Shell
- Vents to crown
- LightweightPlastic harness c/w sweatbandSlots for attachments
- Conforms to EN397









Product Code: BBSBCOR

Unit of Measure:

Available in Colours:

Orange BBSBCOR

Cat 2 - Intermediate Risk

B-BRAND SFTY BASEBALL CAP WITH RETRO REFLECTIVE

- Stylish fashionable baseball cap with mesh side panels & ventilation holes.
 Fitted over an ABS durable plastic shell, providing lightweight head protection.
 65/35% Polyester cotton hi viz cap with reflective tape

- Fits 54cm 59cm Circumference
 Conforms to EN812: 2012
- Does not conform to EN ISO 20471











Product Code: **BBVSH**

Unit of Measure: Each

Available in Colours:



Blue BBVSHB



Green BBVSHG Orange BBVSHO



Red BBVSHRE



White BBVSHW



Yellow BBVSHY



Cat 2 - Intermediate Risk

- Modern Stylish Design ABS Shell
- Vents to crown
- Lightweight

- 6 point webbing harness
 Slip-ratchet headband adjustment
- Slots for attachments
- Complete with terry towelling sweatband Available in 7 colours
- Conforms to EN397









Product Code: BBVSHRH

Unit of Measure:

Available in Colours:



Blue BBVSHRHB



White BBVSHRHW



Cat 2 - Intermediate Risk

WHEEL RATCHET VENTED SAFETY HELMET

- Modern Stylish DesignABS Shell
- Vents to crown
- LightweightWheel ratchet adjustment harnesss .
- Slots for attachments
 Complete with terry towelling sweatband
 Conforms to EN397











BEESWIFT

FOCUSED ON SAFETY Product Code: CNS03OA

Unit of Measure: Each

Available in Colours:



Orange CNS03OA

- General purpose HDPE helmet
- Slip headband and Terylene Cradle
 Approved to EN 397









Product Code: CNS16EKFMR

Unit of Measure:

Available in Colours: Black CNS16EKFMR

NEXUS HEIGHTMASTER SAFETY HELMET

- Optimised 'micro' peak providing maximum upward visibility without compromising safety
 High performance lightweight liner with innovative ventilation channels for extra airflow
- Premium Twist2fit Ratchet headband for easy adjustment
- Stickers shown are an optional extra
 Approved to EN 12492 (The standard for Mountaineers & industrial work at heights)
 Conforms to EN 397 in respect of shock absorption, penetration, LD & -40°C, EN











- Plastic Chin Cup
- Easy to connect
- Fits all Centurion Safety Helmets excluding Vulcan







CNS30EN

Unit of Measure: PK 10

Available in Colours:



BEESWIFT **FOCUSED ON SAFETY**

Product Code: PF3000-H2SB11

Unit of Measure:

Available in Colours: As Shown PF3000-H2SB11

PAPR WITH FACE SHIELD AND HARD HAT

- The PureFlo 3000 is a modular, lightweight PAPR that provides a lower total cost of ownership in light-to-medium duty environments. An all-in-one respirator optimised for maximum mobility, the PureFlo 3000 integrates head, face, eye, and hearing protection solutions for a range of light-to-medium duty environments. A breakthrough in head-borne weight, comfort, and durability, the PureFlo 3000 is designed to keep industrial workforces safe, while simultaneously enhancing productivity.

 No hoses or leads reduces snag hazards when working in tight
- No belt mounted blower unit required thereby improving user comfort, ideal for use with a range of protective workwear No requirement for face fit testing, can be used safely with Modern, industrial design - EN Approved
 LED low battery and airflow indicators
 Quick change P3 HEPA filter with optional pre-filter

- Assigned Protection Factor (APF) 40
- Compact, fast-charging Lithium Ion battery
- Optional hearing protection and communications











Product Code PF3000-H2WD11

Unit of Measure: Each

Available in Colours: Black PF3000-H2WD11

- The PureFlo 3000 (Welding) is a modular, lightweight PAPR that provides a lower total cost of ownership in light-to-
- An all-in-one respirator optimised for maximum mobility, the PureFlo 3000 (Welding) integrates head, face, eye, hearing protection and ADF lens for use in welding environments.
 A breakthrough in head-borne weight, comfort, and
- durability, the PureFlo 3000 is designed to keep industrial workforces safe, while simultaneously enhancing productivity. The auto-darkening welding filters are designed for Arc
- welding or cutting applications.

 The unit is suitable for all Arc welding processes such as MIG, MAG, TIG, SMAW, Plasma Arc and Carbon Arc.
- No hoses or leads reduces snag hazards when working in
- No belt mounted blower unit required thereby improving user comfort, ideal for use with a range of protective workwear
- No requirement for face fit testing, can be used safely with beards and/or prescription spectacles
- Pro ADF Deluxe (Variable shade 4-8/8-12)

- Modern, industrial design EN Approved
 LED low battery and airflow indicators
 Quick change P3 HEPA filter with optional pre-filter
- Assigned Protection Factor (APF) 40
- Compact, fast-charging Lithium Ion battery
- Optional hearing protection and communications

ADF NOT INCLUDED - MUST BE PURCHASED SEPARATELY













Product Code: 3FF3V

Unit of Measure: Bx 20

Available in Colours:

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: S - L

Unit of Measure:

Available in Colours:

3M6100S

FOLD FLAT P3 MASK WITH VALVE

- Maintenance free particulate respirator.
 Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP3 NR V

For Hazard Type: Fine Toxic dusts, fumes and water-based

Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding.









The 6000 Series Reusable Half Masks are economical, lowmaintenance, simple to handle and extremely lightweight.

- 6000 series half masks by 3M can also be used with 3M? Supplied Air Systems for your increased convenience and flexibility.

 • Head harness with cradle suspension for comfortable fit
- · Lightweight elastomeric material for comfort during long periods of work.
- · Low profile design minimises interference with field of
- Twin filter design provides lower breathing resistance.









Product Code: 3MD3138

Unit of Measure:

Available in Colours: As Shown 3MD3138

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Unit of Measure:

Available in Colours: As Shown 501

501

Each

3M D3138 SECURE CLICK P3 R FILTER

3M™ Secure Click™ Particulate Filter P3 R D3138 is CE approved for environments containing certain particles. Our filter can also be used for nuisance level organic vapour relief and for ozone protection up to 10 x WEL.

- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates with nuisance level organic Protection against particulates with must be level organic vapour/acid gas relief
 Protection against ozone up to 10 x Workplace Exposure
- Limit
- Quick, simple connection. Simply align the connections and push until you hear a click

 • Use with 3M™ Secure Click™ Reusable Respirators 800
- Series · Swept-back design allows an enhanced field of view and
- Use for protection in hazardous environments
- CE approved
- 1 BOX = 20 FILTERS (NOT PAIRS)











3M 501 FILTER RETAINER

3M 5000 Series Filter Retainer (501)

The 3M 501 Filter retainer is used to keep the 5911, 5925 and 5935 filters in place at the front of the respirator.

Can be used with 3M 5000 Series filters to add particulate protection to the gas and vapour filters.









Product Code: CFRASBBS

Available in Sizes: 36 - 58

Unit of Measure: Each

Available in Colours: Navy Blue CFRASBBSN

Orange CFRASBBSOR

Garment is anti-static

Cat 2 - Intermediate Risk Garment is fire retardant

Half Elasticated

Garment is suitable for

FR BURGAN BOILERSUIT ANTI-STATIC

- 220 gram 99% Cotton, 1% Anti-static fibre
 Flame retardant/Anti static
- FR retro-reflective tape. (Nordic Design)
- Concealed zip front to neck
- Two breast pockets, brass zip closure
- Two hip pockets, vertical access
 One rear hip patch pocket with flap
 One plain patch hip pocket
- Rule pocket
- Half elasticated waist
- Plain cuffs and ankles

- ISO 11611: 2007 Class 1 A1 Protective clothing for use in welding
 EN ISO 11612: 2008 A1, B1, C1 Protection against heat and flame
 EN 1149-5: 2008 (EN 1149-3: 2004) Anti Static Material performance and design requirements
- Does NOT conform to EN ISO 20471









BEESWIFT FOCUSED ON SAFETY

Product Code: **CFRBS**

Available in Sizes: 36" - 60"

Unit of Measure:

Available in Colours:





Royal Blue CFRBSR



Cat 2 - Intermediate Risk



Conforms to the correct EN Standards Garment is fire retardant



Garment is suitable for welding

FIRE RETARDANT BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hips
- Embroidered 'FR' logo to upper left sleeve

ISO 11611:2007 Class 1 A1 - Protective clothing for use in welding ISO 11612:2008 A1, B1, C1 - Protection against heat and flame

garment per polybag. 10 garments per carton.









CFRBSND

Available in Sizes: 36" - 60"

Unit of Measure: Each

Available in Colours:



Navy Blue CFRBSNDN Orange CFRBSNDOR



Red CFRBSNDRE



Royal Blue CFRBSNDR



Cat 2 - Intermediate Risk Conforms to the correct EN Standards



Garment is fire retardant



Garment is suitable for welding

FIRE RETARDANT NORDIC DESIGN BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
 FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- · One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips

ISO11611: 2007 Class 1 A1 - Protective clothing for use in welding ISO11612: 2008 A1, B1, C1 - Protection against heat and flame

Does NOT conform to EN ISO 20471







FOCUSED ON SAFETY Product Code:

CFRLR55

Available in Sizes: S - 5XL

Unit of Measure:

Available in Colours:



Garment has anti static fabric



Cat 2 - Intermediate Risk Garment conforms To EN471



Garment is fire retardant



Garment is weather proof

FIRE RETARDANT ANTI-STATIC JACKET

- EN 343 2003 + A1:2007

- EN 343 2003 + A1:2007 EN 471 2003 + A1:2007 EN ISO 14116 : 2008 Index 1 EN 1149-5:2008 EN 1149-3:2004 Flame retardent Anti Static Hi Vis High frequency welded seams Fixed hood with drawstring

- Concealed stud front zip fastening
- Adjustable press stud on sleeves
- 2 Lower Patch pockets









Product Code: HYD066850

Available in Sizes:

Unit of Measure: Each

Available in Colours:



Orange HYD066850OR Saturn Yellow HYD066850SY



Anti-static



Heat Resistant

Hi Vis EN ISO 20471

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: 38" - 54"

Unit of Measure:

Available in Colours:

Saturn Yellow CARC7SY

CARC7



Waterproof

NORFOLK MULTI HYDROSOFT FLAME RETARDANT ANTI-STATIC WATERPROOF LINED PARKA


- Concealed zip front with double storm flap cover using hook and loop fastening
- Hood in collar
- Detachable FR AS lining, Weesp HYD060350 to be ordered separately
- Side pockets with hook and loop closure
- Knit cuff in sleeves
- Adjustable elastic cuffs using press stud closure
- Flame retardant and anti-static
- 170 gsm 53% PU / 47% PES (FR Trevira CS Polyester)
- Conforms to the following standards:
- EN ISO 14116:2015 Index 1 Protection against limited flame spread
- EN 1149-5:2008 Anti Static- Material performance and design requirement
- EN ISO 20471:2013+A1:2016 Class 3 High Visibility
- EN 343:2003+A1:2007 Class 3 Water Penetration Class 1 Breathability
- EN ISO 13688:2013 General Requirements for protective clothing







ARC FLASH COVERALL



- 300gsm 60/40 Modacrylic/cotton blend.
- Triple stitch construction.
- 2 hip pockets.
- Large bellows pocket to each leg with hook and loop closure flap.
 Right leg mobile phone pocket with hook and loop closure flap.
 All pocket flaps with Retro-reflective tape feature.
- Internal knee pad pouches.
- Large qualifying icons on left leg pocket.

- EN ISO 13688:2013 General requirements for protective clothing
 EN ISO 20471:2013 Class 3 Test method for high visibility
 EN 1149-3:2004 Anti Static Test methods for measurements of charge decay
 EN 1149-5:2008 Anti Static Material performance and design requirements
 EN ISO 11611:2015 (Class 1 A1 A2) Protective clothing for use in welding
 EN ISO 11612:2015 (A1 A2 B1 C1) Protection against heat and flame

ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testing EN 61482-1-1:2009 (ATPV = 10.8 Cal/cm2) - Open Arc testing

- Each garment style is independently tested to both box and open ARC standards.
- Click ARC production is covered by article 11B certification.











Product Code: KLG

Available in Sizes: S-XL

Unit of Measure: Each

Available in Colours: As Shown



Cat 2 - Intermediate Risk



Mechanical Handling



- 40% reinforced fiber + 60% Latex
- Reinforced knitted glove latex coated palm
- High cut resistancy.
- Comfortable, allows hand to breathe through back.
- · Excellent grip.

- EN388: 2016
 Level 3 Abrasion
 Level X Cut Resistance (Glove blunted the blade, ISO)
- 13997 test required)
- Level 4 Tear Resistance
- Level 4 Puncture
- Level D ISO 13997 Cut Resistance











Product Code: KS14

Unit of Measure: Each

Available in Colours: As Shown



Cat 2 - Intermediate Risk



Mechanical Handling

- 14" (35cm) Reinforced sleeve with thumb slot.
- 100% reinforced fiber
- Excellent cut resistance.
- Soft and comfortable against the arm during use.
- Extremely lightweight elasticated style allows the sleeve to remain in place during the most rigorous tasks.
 Thumb slot is added to further ensure that the product remains
- Ideal in industries where laceration risks to the arms are prominent.
- Sold as singles.
- EN388: 2016 Level 1 Abrasion
- Level X Cut Resistance (Glove blunted the blade, ISO 13997 test required)
- Level 4 Tear Resistance
 Level X Puncture
- Level B ISO 13997 Cut Resistance







BEESWIFT FOCUSED ON SAFETY

Product Code: KS15

Available in Sizes: S - 2XL

Unit of Measure: Each

Available in Colours:



Cat 2 - Intermediate Risk

KUTSTOP MICRO FOAM NITRILE GREEN CUT LEVEL 5

- Kutstop system
 15g HPPE plus glass fibre and spandex liner
 Black nitrile coated palm
- Excellent dexterity and comfort
- Ideal for the construction industry, automotive industry, electrical industry and handling glass or sheet metal
- EN388: 2016
- Level 4 Abrasion
 Level X Cut Resistance

- Level 4 Tear Resistance
 Level 4 Puncture
 Level C ISO 13997 Cut Resistance











Product Code: DGVC

Available in Sizes: S - XL

Unit of Measure: Each

Available in Colours: As Shown



Cat 2 - Intermediate Risk



Mechanical Handling

- High quality soft grain leather. knitted cotton back.
- Hook and loop cuff fastening.
- EN388: 2016Level 3 AbrasionLevel X Cut Resistance
- Level 2 Tear Resistance
 Level 1 Puncture

- Level A ISO 13997 Cut Resistance









Product Code: QLDG

Available in Sizes:

Unit of Measure: Bx 10

Available in Colours:



Yellow QLDGN

QUALITY LINED DRIVERS GLOVES

- Soft grain leather.Gun pattern design.Half elastication to back of cuff.
- Fleece lined.
- Colour co-ordinated sized cuffsL Green CuffXL Blue Cuff

- EN388: 2016
- Level 3 Abrasion
 Level X Cut Resistance
 Level 4 Tear Resistance
 Level 4 Puncture
- Level B ISO 13997 Cut Resistance











Product Code: EC9N

Available in Sizes: S-XL

Unit of Measure: Bx 10

Available in Colours: Black EC9NBL

Cat 2 - Intermediate Risk

Mechanical Handling

- 35% polyester + 65% PU
- Polyurethane coated palm
- Machine knittedIntegrated elasticated wrist
- EN388: 2016

- Level 4 Abrasion
 Level X Cut Resistance
 Level 2 Tear Resistance
 Level 1 Puncture
 Level A ISO 13997 Cut Resistance









Product Code: PUG

Available in Sizes: S-XL

Unit of Measure: Each

Available in Colours:



Grey PUGGY



Cat 2 - Intermediate Risk



Mechanical Handling

PU COATED GLOVES

- Nylon Glove.Polyurethane palm coated.
- Machine Knitted.
- · Integral elasticated wrist.
- Ideal for handling light components.

- EN388: 2016
 Level 4 Abrasion
 Level X Cut Resistance
 Level 3 Tear Resistance
 Level 1 Puncture
- Level A ISO 13997 Cut Resistance









Product Code: **BFHQWN**

Unit of Measure: Each



Cat 2 - Intermediate Risk



Mechanical Handling

CAT2 BLUE GOLD HQ 16" WELDERS GAUNTLET

- Nylon Glove.
- Polyurethane palm coated.
- Machine Knitted.Integral elasticated wrist.
- Ideal for handling light components.
- EN388: 2016

- Level 4 Abrasion
 Level X Cut Resistance
 Level 3 Tear Resistance
 Level 1 Puncture
 Level A ISO 13997 Cut Resistance









Product Code: BFPGW

Unit of Measure: Bx 10

Available in Colours:





Cat 2 - Intermediate Risk

PREMIUM GOLDEN WELDERS GAUNTLET

- Gold/Black cow split leather
- Fully lined
- Reinforced stichingHand lining 100% cotton
- Outer in split leather

- EN388: 2016
 Level 4 Abrasion
 Level X Cut Resistance
 Level 4 Tear Resistance
 Level 4 Puncture
- Level C ISO 13997 Cut Resistance
- EN 407:2004
- Level 4 Burning Behaviour
 Level 3 Contact Heat
 Level 3 Convective heat

- Level X Radiant heat
 Level 4 Small splashes of Molten Metal
- Level X Large splashes of Molten Metal
- EN12477: 2001+A1:2005 Type A







· Chrome leather palm

Rubberized cuff.Lined palm & fingers.

· Chrome leather thumb & first finger. Cotton drill back.Chrome leather knuckle strip...

CANADIAN CHROME HIGH QUALITY GLOVE



Product Code: **CANCHQ**

Available in Sizes:

Unit of Measure: Bx 10

Available in Colours: As Shown CANCHQN



Cat 1 - Minimal Risk

Minimal Risk

• Minimal Risk.







BEESWIFT FOCUSED ON SAFETY

Product Code: CANDPP

Available in Sizes:

Unit of Measure: Bx 10

Available in Colours:



Cat 2 - Intermediate Risk



Minimal Risk

CANADIAN DOUBLE PALM HIGH QUALITY RIGGER GLOVE

- Heavy duty double palm rigger style glove.
 Generous hand size.
- Robust yet supple.
- Part fleece lined.
- Cotton drill back.
- Knuckle strap.Pasted cuff with vein patch.
- EN388: 2003

- Level 4 Abrasion
 Level 2 Cut Resistance
 Level 3 Tear Resistance
 Level 4 Puncture







 4 D-Ring Chukka Boot Dual density PU 200 Joule steel toe cap

Shock absorber heel





Product Code: **CDDCBL**

Available in Sizes: 4 - 12

Unit of Measure:

Available in Colours: Black CDDCBL

















- Oil restistant sole
- Slip resistant

Anti-static

- Leather upper
- Conforms to EN ISO 20345:2011 S1 SRC









Product Code: CDDTBBL

Available in Sizes:

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

CLICK TRAINER BOOT

- Dual density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil restistant sole
- Slip resistantLeather upper
- Conforms to EN ISO 20345:2011 S1P









BEESWIFT FOCUSED ON SAFETY

Product Code: CF11BL

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Leather Upper Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S3 SRC

CLICK DUAL DENSITY SITE BOOT S3

- 4 'D' Ring Boot with scuff cap
- Dual density PU
 200 Joule steel toe cap
 Steel midsole protection
- Shock absorber heelWater resistant upper
- Anti-static
- Oil resistant sole
- Slip resistant
- Conforms to EN ISO 20345:2011 S3 SRC









Product Code: CF2

Available in Sizes: 6 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Cat 2 - Intermediate Risk



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap



Conforms to EN ISO 20345 S1P SRC

CLICK SMOOTH LEATHER 6 INCH BOOT

- Smooth leather 6 inch boot
- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant soleSlip resistant
- Leather upper
- TPU heel support
 Conforms to EN ISO 20345:2011 S1P SRC









Product Code: 142

Available in Sizes: 03 - 13

Unit of Measure:

Available in Colours:



Green 142VP



Energy Absorbing



Fuel Oil Resistant Sole



200 Joule Steel Toecap



Various Chemical Resistant

Steel Midsole



Water Resistant

PROTOMASTER FULL SAFETY PVC WELLINGTON

- Steel Toe Cap
- Steel Mid-Sole Oil Resistant Outsole
- Antistatic
- Energy Absorbing Sole
- WaterproofEN ISO 20345 S5 SRA









Product Code: B440631

Available in Sizes: 06 - 13

Unit of Measure: Each

Available in Colours:



Anti Slip Sole



Fuel Oil Resistant Sole



Shock Absorber Heel



Various Chemical Resistant Water Resistant



Dunlop has improved its Acifort® Agri Range. The Acifort Heavy Duty now features a dark green shaft, black outer sole with a third, yellow intermediate layer (NEW) for immediate safety recognition. The boot is certified according to the most recent European standards.

A practical and durable work boot for farm work. Excellent resistance to various liquids and materials and a good life span. Ideal for less intensive and general tasks on the farm.

- Anti-Static
- Energy Absorbing
- Resistance to minerals, animal and plaint oils and fats, fertilizer, acids, disinfectants, various chemicals
 Waterproof

EN ISO 20347:2011.O4.FO.SRA







DUNLOP PRICEMASTER NON SAFETY WELLINGTON

A standard boot for less intensive farming applications.

- No steel components
- Colour: Black
- Standard: CE
- Non safety100% Waterproof



Available in Sizes: 3 - 12

BEESWIFT

FOCUSED ON SAFETY

Unit of Measure:

Available in Colours:



Green BBG



Waterproof



Cat 1 - Minimal Risk









PUROFORT+RUGGED FULL SAFETY RIGGER BOOT

The Dunlop® Rugged offers all the benefits of Purofort® and a superior outsole, making it an ideal boot for everyday construction work.

This is the only footwear to combine comfort and flexibility with durability under all weather conditions.

- 100% waterproof (no stitched seams)
 Keeping feet dry and warm
 Stays flexible and supple, with every step and movement
 Anatomically designed foot bed, offering support all day
- Easy to maintain and clean

- Does not dry out and crack
 Cut resistant upper
 Outsole with optimal grip on uneven and wet surfaces
 Steel toecap and midsole, offering full safety
 Cold insulation down to -20°C,

- · Resists minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals EN ISO 20345:2011 S5 CI CR SRC









BEESWIFT **FOCUSED ON SAFETY**

Product Code: EZAR

Unit of Measure: Each

Available in Colours:



EZAR AUTO RETRACTABLE SAFETY CUTTER

- EZAR Auto Retractable Safety Cutter
- One safe & easy tool for your cutting needs
- Auto-retracting blade to prevent product damage & personal injury
- Ambidextrous 3 button blade activation
- Ergonomic handle. Tape splitter. Spare blade storage compartment
- Top Cut: Extend blade and pull across top corner of box for a perfect top cut
- Plastic Straps: Always cut at a 45 degree angle for maximum productivity
 Tape Cut: Poke splitter into tape and pull. DO NOT use blades to cut tape. Protects the contents of the box











Product Code: S5-FC

Unit of Measure:

Available in Colours:

S5 FILM CUTTER PK 3

The S5FC Film Cutter is a replaceable component for the S5 Safety Cutter It is easily replaced with the push of a pen and extends the film cutting capabilities during the long lifespan of the durable S5 Safety Cutter.

Features

- Fits S5 Safety Cutter only
- Easily replaced
- Comes in pack of 3











Product Code: 3M1161611

Available in Sizes: EXTRA LARGE

Unit of Measure:

Available in Colours:
Black / Red
3M1161611

3M PROTECTA VEST PASS THROUGH FALL ARREST HARNESS XL

3M™ PROTECTA® Standard Vest Style Fall Arrest Harness is our sleek and modern safety harness with upgraded features. It has water and stain resistant webbing which keeps it clean and dry, and protected labels that stay readable in the long term for simple and easy inspection.

- Stain and water-resistant webbing keeps the harness cleaner and dryer
- Conveniently placed front D-ring helps you stay balanced and centred
- Auto-resetting lanyard keeper provides easy parking and release of snap hooks or carabiners
 Impact indicators make it simple to inspect the harness
- for damage and help ensure it's safe to use
- Easy and clear identification of fall arrest anchorage points
- Quick-connect buckles for faster donning
- No loose web ends help you stay comfortable and tanglefree
- Weight Capacity: 140 kg

EN361:2002 EN365:2004









Product Code: HSFA10106

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: As Shown HSFA10106

2 POINT RESCUE HARNESS

Body harness with 2 attachment points and 1 extension rescue strap

• Attachment elements - 1 sternal attachment D-Ring and a dorsal attachment D-Ring for fall arrest; Extension rescue strap with top D-Ring for rescue.

• Adapatbility - Adjustable shoulder and thigh-straps.

• Convenience - Shoulder and thigh-straps differentiated by a dual colour scheme.

Ergonomics Ideally positioned sit-strap for extended comfort.
 Conforms to EN361:2002 and EN1497:1996







3M PROTECTA TWIN LEG ROPE RESTRAINT LANYARD 1.3MTR 🚌



Our 3M™ Protecta® rope connecting lanyards are an ideal solution for the connecting element in a restraint system. Made from polyamide braided rope with safety stitching. Rope diameter 10.5mm.

- Use a 3M™ Protecta® Rope Restraint Lanyard as part of a restraint system to prevent the user from moving into an area where they may be exposed to a fall

 • Sewn terminations with heat shrink tube
- protection provide greater durability and long product service life


Twin Leg (Y-Type)

- Anchor connection type: Snap Hook
- Harness connection type: Snap Hook
- Length: 1.30 m

EN354:2010 EN365:2004







Available in Colours: As Shown 3MAL4321

BEESWIFT

FOCUSED ON SAFETY

Product Code:

Available in Sizes: 1.3 METRE

Unit of Measure:

3MAL4321





Product Code: HSFA3030418

Unit of Measure:

Available in Colours: As Shown HSFA3030418

BEESWIFT FOCUSED ON SAFETY

Product Code HSFA4090120

Unit of Measure:

Available in Colours: As Shown HSFA4090120

Each

1.8MTR LANYARD + SCAFF HOOK

SHOCK ABSORBING WEBBING LANYARD • 1.8 mtr (Model: FA 30 304 18)

- 30mm wide webbing lanyard
 35mm webbing shock absorber
- Karabiner at one end and scaffold hook at the other end
- Loops protected by abrasion resistant tubular webbing


Conforms to EN 355:2002 and tested as per VG 11 of PPE Directive 89/686/EEC







2MTR ADJUSTABLE WEBBING LANYARD



- Work Positioning Webbing Lanyard with Ring Adjuster
 Loops protected by an abrasion resistant tubular webbing
 Steel Karabiner at one end and steel snap hook at the other end
 Made up of 30mm diam polyester webbing
 Length 2.00 metres maximum
 Webbing: Polyester
 Connector Steel
 Ring Adjuster Forged Alloy Steel
 Conforms to: EN 358:1999









Product Code: MSA10185600

Unit of Measure:

Available in Colours: As Shown MSA10185600

BEESWIFT

FOCUSED ON SAFETY

Product Code:

NWWSOFT2

Each

Unit of Measure:

Available in Colours: White NWWSOFT2

1.5M WEBBING RESTRAINT LANYARD

A fall restraint lanyard connection is used between the anchor point and the body harness to prevent the user from reaching the fall area and work positioning applications. MSA restraint lanyards are available in web and kernmantel rope.

- The loops at the ends are protected by an abrasion resistant covering Prevents the webbing from being damaged by the metallic contact of the connector
- 30mm Polyester Webbing
- Galvanized alloy steel screwgate carabiner
 The screwgate carabiner has a minimum breaking strength of 25 kN with a gate opening of 18mm
 Conforms to EN 354:2010 Personal fall protection equipment. Lanyards







WHISPER SOFT LUXURY TOILET ROLL 2PLY

Old code - ESTR007

- Colour: White
- Ply: 2Roll length: 22MWidth: 104mm
- Average sheets per roll: 200
- Rolls per case: 40
- 100% Pure extra soft Premium Tissue
- Packed in individual packs of 4
- CHSA certified









Product Code: BR500

Available in Sizes: 500ML

Unit of Measure: Each

Available in Colours: As Shown BR500

BREAKOUT SANITIZER SPRAY 500ML

- Kills 99.9% bacteria
- Independently examined using the EN 14476 2013 + A2 2019 standard method
- Keep out of reach of children

Spray onto surface to be treated and allow 1 minute to work.







Product Code: OSKS

Available in Sizes: 125 LITRE

Unit of Measure:

Available in Colours:

OIL & FUEL WHEELIE BIN SPILL KIT

- Wheelie bin spill Kit.
- High mobility for quick response.
- Absorb hydraulic oil, engine oil, lubricating oil, fuel and solvents.
 Hydrophobic properties give superior oil sorbency without taking on
- Can be used outdoors in wet conditions to absorb hydrocarbons.
 Fast acting sorbent pads and socks.
- Absorbs up to 125 litres.
- Disposal bags and ties included.
 Conforms to BS7959









Product Code: OB200

Available in Sizes: ONE SIZE

Unit of Measure: Each

Available in Colours: As Shown OB200

OIL & FUEL ABSORBENT PADS

- For use on oil, fuel and solventsPlain finish for maximum economy
- Strong wicking action
 Absorbs liquids quickly
 Reduces clean up time

- Water repellent properties
 Absorbs hydrocarbons without absorbing rainwater
 Ideal for easy clean-up of everyday spills and leaks
 Fits easily under and around machinery
- 50cm x 40cm
- Pack quantity: 200











Product Code: EVOS20

Unit of Measure: Each

Available in Colours:

- · Absorbs oil, coolant, water and common workshop fluids.
- Environmentally friendly recycled natural fibres.

- 8cm x 120cmPack of 20Fits at base of machinery.
- Absorbs liquid on contact.
- Prevents leaks spreading into walkways.
 Conforms to BS7959









Product Code: LED500771

Unit of Measure:

Available in Colours: As Shown LED500771

LEDLENSER IH3 LED HEAD LAMP

- Battery operated Three AAA alkaline batteries are used
 Excellent Ledlenser lighting quality Brightness, beam distance and lighting duration are ideally coordinated for the energy source
 Optimised operational time Up to 60 hours in the lowest setting
 Solid lighting performance Up to 100 meters beam distance with up to 120 lumen in the highest setting
 Cost effective lightweight Only 133 grams with batteries

- Convenient and ergonomic Optimum weight distribution
- Infinite dimming down to 5 lumen Can be adjusted using the regulator on the battery box











Product Code: LED8701R

Unit of Measure: Each

Available in Colours: As Shown LED8701R

Ledlenser F1R Rechargeable Torch

- Powerful rechargeable torch with tactical styling
- Integrated roll protection and interchangeable glass-breaking ring
- Removable stainless-steel ring cap

- Tentovalie statifies state in the cap
 Dual direction pocket -clip
 Energy-efficient CREE Xtreme Power LED Light Chip
 Smart Light Technology (SLT) two light programmes and three light functions (High Power, Power, Low Power)
 Single end cap tactical switch controls light options
- · Robust, yet lightweight aircraft-grade aluminium housing
- User-friendly modular design
- Corrosion resistant gold-plated contacts for better conductivity
 Water and dust resistant. IPX8
- · Small USB recharging station with charging indicator
- Supplied with: Two-way clip, Glass
 Breaking Front-ring, Lanyard, Cleaning
 Cloth & Brush, USB Charge Holder, 18650
 Li-ion Battery
- Power Boost: 1000 lumens; Power: 250 lumens; Low Power: 10 lumens

 • Distance - Boost: 160 metres; Power: 80
- metres; Low Power: 60 metres







CAT. I	Cat 1 - Minimal Risk	CAT. II	Cat 2 - Intermediate Risk
	Mechanical Handling	C€	Minimal Risk
	Mechanical Handling	ЗМ	Garment has 3M Scotchlite tape
* * * *	Garment has breathable fabric	CAT. II	Cat 2 - Intermediate Risk
CE	Conforms to the correct EN standards		Garments conforms to EN ISO 20471
	Garment conforms To EN471		Garment comes in a Euroslot retail bag
$\wedge \wedge \wedge \wedge \wedge$	Garment has a Fully Elasticated Waistband		Fully interactive with another garment
	Garment comes with a hood	ID	Garment has a pocket for easy ID access
0	Garment has pockets for knee pad access		Garment has a mobile phone pocket
2	Garment conforms to GO/RT 3279		Garment has welded or reinforced seams
	Taped Seams	(1)	Garment is weather proof
CAT.I	Cat 1 - Minimal Risk	CAT. II	Cat 2 - Intermediate Risk
4	Anti Static		Garment has breathable fabric
CAT. III	Cat 3 - High Risk	Œ	Conforms to the correct EN standards
	Chemical Hazzards		Limited Chemical Splash Protection
	Noxious Dust	3	ClickOnce Retail Bag
CAT. I	Cat 1 - Minimal Risk	4	Anti Static
	Arc Flash Protection	CAT. III	Cat 3 - High Risk
	Fire Retardant		Hi Visibility
	Protection for Welding and Allied Processes	CAT. I	Cat 1 - Minimal Risk
444	Antistatic	2	Chemical resistant
*	Cold insulation		Superior comfort
	Energy absorbing		Oil resistant outsole
X	Protective toecap + midsole	SRC	Slip resistant outsole SRC
	Waterproof	CE	CE
S5	S5	m	Anti Slip Sole
*	Anti Static Sole	CAT. II	Cat 2 - Intermediate Risk
	Energy Absorbing		Leather Upper
7	Fuel Oil Resistant Sole		Shock Absorber Heel
S	Steel Midsole	2001	200 Joule Steel Toecap
X	Various Chemical Resistant	moral,	Water Resistant
S1 SRC	Conforms to EN ISO 20345 S1 SRC	S1P SRC	Conforms to EN ISO 20345 S1P SRC
S3 SRC	Conforms to EN ISO 20345 S3 SRC	4	Garment is anti-static

Pictogram Key

CAT. II

Cat 2 - Intermediate Risk



Garment is fire retardant



Garment is suitable for welding



Garment is fire retardant



Heat Resistant



Waterproof



Conforms to the correct EN Standards



Half Elasticated



Garment has anti static fabric



Anti-static



Hi Vis EN ISO 20471

PPE CATALOGUE

