eadamec@erikadamec.com

Call or Text 901.487.7573



ERIK ADAMEC Works

Email Examples

Web Ads

Print Ads

EMAIL

Email outreach is a critical means of outreach for Psychiatrist.com and CMEInstitute.com.

Nearly 100 CME Institute activities rely heavily on email outreach to meet a quota of 100 participants per month.

CMEInstitute.com Emails

The Journal of Clinical Psychiatry
Emails

Primary Care Companion Emails

Main Menu

Browse


EMAIL EXAMPLES

Click Images to view in browser

Evolution: Before & After




New Layout accommodates series title and both activities are situated equally. Visit Activity buttons have been added.




EMAIL EXAMPLES

CMEInstitute

Click Images to view in browser





CMEInstitute

CMFInstitute.com

Click Images to view in browser




in the Myasthenia Gravis Treatment Landscape'

Supported by an educational grant from argenx.

Discover more free CME activities at CMEInstitute.com

Follow us on social media



Share this Email





JCP ELERT


PSYCHIATRIST.COM

THE JOURNAL OF CLINICAL PSYCHIATRY

THE OFFICIAL IOURNAL OF THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY

JCP Weekly

PUBLISHED THIS WEEK




JCP CME: Academic Highlights | Credits: 1.00 | Expires 8/31/2023
Treatment-Resistant Schizophrenia:

Definition, Predictors, and Therapy Options

Christoph U. Correll and Oliver D. Howes

Two experts offer a refresher on predictors and identification of treatment-resistant schizophrenia. Drs Correll and Howes also review therapeutic strategies.

J Clin Psychiatry. 2021;82(5):my20096ah1c




Original Research

Childhood Trauma and Perinatal Depression: Data From the IGEDEPP Cohort

Sarah Tebeka, Yann Le Strat, Bruno Etain, Margaux Ray, Jimmy Mullaert, and Caroline Dubertret, for the IGEDEPP Study Group

Although childhood trauma (CT) is associated with a higher risk of major depression, little is known about the impact of CT on depression during pregnancy and the postpartum period. This study assessed whether CT is associated with perinatal depression.

J Clin Psychiatry 2021;82(5):20m13664



Original Research

A Moving Target:

How We Define Avoidant/Restrictive Food Intake Disorder Can Double Its Prevalence

Stephanie G. Harshman, Jenny Jo, Megan Kuhnle, Kristine Hauser, Helen Burton Murray, Kendra R. Becker, Madhusmita Misra, Kamryn T. Eddy, Nadia Micali, Elizabeth A. Lawson, and Jennifer J. Thomas

DSM-5 criteria for avoidant/restrictive food intake disorder (ARFID) include ambiguities that can affect access to treatment. This study looked at how differing definitions affect the number of individuals who are eligible for the ARFID diagnosis.

J Clin Psychiatry 2021;82(5):20m13831

JCP ELERT



THE IOURNAL OF CLINICAL PSYCHIATRY

THE OFFICIAL JOURNAL OF THE AMERICAN SOCIETY OF CLINICAL PSYCHOPHARMACOLOGY

Insights Videos

Short videos about topics of importance to clinicians.



AR19, a Manipulation-Resistant Formulation of Amphetamine Sulfate, in Adult ADHD

Stephen V. Faraone

AR19, a manipulation-resistant formulation of amphetamine sulfate, was created to address the problem of non-oral use of stimulant medications (eg, smoking, injecting). In this video, Dr Faraone highlights the findings and implications of a recent randomized controlled trial of AR19 in adult ADHD.

For more articles, visit JCP at Psychiatrist.com.

Follow us on social media









■ PSYCHIATRIST.COM ■ JCP ■ PCC □ CME INSTITUTE

To receive Elerts from both The Journal of Clinical Psychiatry and The Primary Care Companion for CNS Disorders, visit our Manage Elerts page.

Having trouble reading this Elert? Try viewing it in a web browser.

You are receiving this update as a benefit of your Psychiatrist.com membership.

If you are having trouble with your Psychiatrist.com membership, contact our circulation department. Direct any other questions or comments to the web administrator.

If you would not like to receive further Elerts, unsubscribe from this list.

Please do not reply directly to this email. Neither Psychiatrist.com nor any of its family of websites will ask you to send us profile information via email.

Physicians Postgraduate Press, Inc. | PO Box 752870 | Memphis, TN 38175

@ Copyright 2021, Physicians Postgraduate Press, Inc. All rights reserved.





THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Peer-reviewed articles for primary care physicians who treat patients with neurologic and psychiatric disorders.

Fully indexed in MEDLINE/PubMed | Exclusively Online

PCC Weekly

PUBLISHED THIS WEEK

Narrative Review

Caring for Adults With Eating Disorders in Primary Care

Diana C. Lemly, Melissa J. Dreier, Shana Birnbaum, Kamryn T. Eddy, and Jennifer J. Thomas

Here, read the most up-to-date screening and treatment guidelines and relevant studies concerning the care of adult patients with eating disorders, including concise guidance regarding the outpatient management of these patients in primary care.

Prim Care Companion CNS Disord 2022;24(1):20nr02887

Duestkonesire	No. of Items	Which Esting DisorderSt Can # Screen For?
CDFF Quartier sales ¹⁶	5	Americal nervous, bullimis nervous, other specified feeding or eating clooder (may serven for binge- cating disorder, although it has not been as lideted for this use)
arting Attitucies Test-25 ¹⁷	26	Anoresia nervosa, ballinia nervosa, bingo-esting disorder, other specified leading or eating disorder
line-toen Avoidam' lestrictive Food Intake Noorder Screen's	0	Avoidam/restrictive food ir take cikoeder

Case Series

"The World Will End and No One Can Save Us":

A Case Series of COVID-Related Exacerbation of Psychosis During the COVID-19 Pandemic

Samuel Rothman, Souparno Mitra, and Panagiota Korenis

Anxiety and fear have been elevated during the COVID-19 pandemic, requiring psychiatric intervention in some patients. Here, read about 3 cases of exacerbation of psychiatric illness leading to psychiatric hospitalization that were related to COVID-19.

Prim Care Companion CNS Disord 2022;24(1):21cr03121

Case Report

HHV-6 and Schizophrenia:

An Unusual Presentation or an Unproven Etiology?

Apoorva Deshpande, Zachary Herrmann, Jennifer Hsu, and A. John Rush

Primary psychosis is the result of an underlying psychiatric disorder, while secondary psychosis is due to a medical cause. Here, the authors present a case of HHV-6 infection with an unusual neuropsychiatric presentation in an immunocompetent patient.

Prim Care Companion CNS Disord 2022;24(1):21cr02944

Case Repor

Management of the Psychiatric Manifestations in Dravet Syndrome

Mayank Gupta, Vivek Jain, and Priyal Khurana

Dravet syndrome is a rare autosomal recessive genetic epileptic encephalopathy. In this case report, the authors discuss the management of neurodevelopmental and psychiatric symptoms of Dravet syndrome.

Prim Care Companion CNS Disord 2022;24(1):21cr02940

PCC ELERT



THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Peer-reviewed articles for primary care physicians who treat patients with neurologic and psychiatric disorders.

Fully indexed in MEDLINE/PubMed | Exclusively Online

PCC Weekly

PUBLISHED THIS WEEK



Rounds From Banner Alzheimer's Institute Do Not Drink, Do Not Drive:

Alcohol Use Disorder in the Elderly

Ganesh Gopalakrishna and Nisha Patel

When older patients present with cognitive decline, it is important to rule out any organic, mood-related, or substance-induced etiology, such as alcohol use disorder.

Prim Care Companion CNS Disord 2021;23(5):21alz03101




Original Research

Impact of Adjuvant Anticonvulsant Medications on Benzodiazepine Use and Delirium in Alcohol Withdrawal Syndrome

Farshid Fargahi, Ritesh Shrestha , Himanshu Rawal, Bernard G. Jaar, Allison A. Chilipko, Daryn K. Norwood, Christine Ji, and Eskandar Alex Yazaji

In this study, the authors assessed the benefits of anticonvulsant medications on benzodiazepine use and delirium in patients with alcohol dependence at risk of alcohol withdrawal and admitted to the hospital without delirium. Read on to find out more.

Prim Care Companion CNS Disord 2021;23(5):20m02860



Original Research

Impact of the COVID-19 Pandemic on Consultation-Liaison Psychiatry Services:

An Exploratory Study From a Tertiary Care Center in North India

Sandeep Grover, Swapnajeet Sahoo, and Subho Chakrabarti

COVID-19 has affected all aspects of psychiatric care, including consultationliaison psychiatry services. This study assessed demographic and clinical profiles of psychiatric referrals during the pandemic compared to the previous year in India.

Prim Care Companion CNS Disord 2021;23(5):21m02973





THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Peer-reviewed articles for primary care physicians who treat patients with neurologic and psychiatric disorders. Fully indexed in MEDLINE/PubMed | Exclusively Online



PCC CME: Original Research | Credits: 1.00 | Expires 8/31/2023

Barriers and Pathways to Changing Smoking and Risky Drinking in Primary Care Patients With Chronic Conditions Who Failed to Respond to Brief Advice

Julie C. Gass, Jennifer S. Funderburk, and Stephen A. Maisto

Many individuals who smoke tobacco or consume alcohol at hazardous levels have chronic conditions that are caused or exacerbated by these behaviors. How might you help these patients to change?

Prim Care Companion CNS Disord 2021;23(4):20m02836



PCC CME: Original Research | Credits: 1.00 | Expires 6/30/2023 Detecting and Addressing

Trauma-Related Sequelae in Primary Care

Kim A. Coon, Julie Miller-Cribbs, Frances Wen, Martina Jelley, and Ginger

Adoption of trauma-informed care practices shows promise for improving patient engagement, treatment adherence, and health outcomes. Read this CME offering

Prim Care Companion CNS Disord 2021;23(3):20m02781



PCC CME: Rounds in the General Hospital | Credits: 1.00 | Expires 4/30/2023 A Patient-Centered Approach to Opioid Use Disorder

James K. Rustad, Theodore A. Stern, and Spencer Eth

In this CME offering, explore the neurobiological, psychological, psychosocial, and cultural determinants of opioid use disorder and review approaches to integrated, culturally competent care.

Prim Care Companion CNS Disord. 2021;23(2):20f02749

These PCC CME articles will expire before long—get your credit before they do!



PCC CME: Rounds From Banner Alzheimer's Institute Credits: 1.00 | Expires 10/31/2021

No MMSE for You!


A Case of an "Uncooperative" Patient With Early-Onset Dementia

PCC ELERT



THE PRIMARY CARE COMPANION FOR CNS DISORDERS

Peer-reviewed articles for primary care physicians who treat patients with neurologic and psychiatric disorders. Fully indexed in MEDLINE/PubMed | Exclusively Online



PCC CME: Original Research | Credits: 1.00 | Expires 8/31/2023

Barriers and Pathways to Changing Smoking and Risky Drinking in Primary Care Patients With Chronic Conditions Who Failed to Respond to Brief Advice

Julie C. Gass, Jennifer S. Funderburk, and Stephen A. Maisto

Many individuals who smoke tobacco or consume alcohol at hazardous levels have chronic conditions that are caused or exacerbated by these behaviors. How might you help these patients to change?

Prim Care Companion CNS Disord 2021;23(4):20m02836



A Psychological-Behavioral Intervention to Improve Physical Activity in Midlife Adults With Low Baseline Physical Activity

Jeff C. Huffman, Christina N. Massey, Wei-Jean Chung, Lauren E. Harnedy, Alba Carrillo, Emily H. Feig, and Christopher M. Celano

Many middle-aged adults struggle to be physically active in the context of diminished psychological well-being and multiple stressors. This study assessed a 12-week positive psychology-motivational interviewing intervention to promote physical activity.

Prim Care Companion CNS Disord 2021;23(4):20m02876



Superior Temporal Gyrus Volumes in Patients With Social Anxiety Disorder

Murad Atmaca, Mustafa Koc, Sabriye Aslan, Osman Mermi, Sevda Korkmaz, Mehmet Gurkan Gurok, and Hanefi Yildirim

Are superior temporal gyrus volumes altered in patients with a social anxiety disorder? Read on to find out more about this important study.

Prim Care Companion CNS Disord 2021;23(5):20m02815

Psychiatrist.com leverages remnant ad space to increase awareness and drive traffic to CMEInstitute.com.

Frequently these ads have a print counterpart that appears in *The Journal of Clinical Psychiatry*.

Main Menu

Browse

728×90

Time to shine a light on binge eating.

CONTROLLING AND COPING WITH
BINGE EATING DISORDER:
THE PATIENT'S PERSPECTIVE




300×250



160×600





728×90

NEW


Screening for EDS and Diagnosing Narcolepsy

by John W. Winkelman



NEW

300×250



160×600

Screening for Excessive Daytime Sleepiness and Diagnosing Narcolepsy by John W. Winkelman FREE CME Brief Report | Credits: 0.5 300×600

NEW Screening for **Excessive Daytime Sleepiness** and Diagnosing Narcolepsy

by John W. Winkelman

Which patients need evaluation for excessive daytime sleepiness and central hypersomnias?

How do the diagnoses of narcolepsy type 1 and type 2 differ?

Dr Winkelman shares his expertise in this brief CME activity.



MEINSTITUTE.com

728×90


NEW

Treating Excessive Daytime Sleepiness in Patients With Narcolepsy


by Thomas Roth

FREE CME Brief Report | Credits: 0.5 CM=INSTITUTE.com


300×250



160×600




300×600



social, and occupational consequences but also dangerous driving or other accidents, meaning that effective treatment is critical.

Here, review the evidence on treatment strategies.



FREE CME | Brief Report | Credits: 0.5




728×90


Maybe?
NO. Take the guesswork out of patient care.

DIAGNOSIS AND MANAGEMENT OF DEPRESSION IN BIPOLAR DISORDER





300×250











728×90

What Psychiatric Nurses Need to Know About Bipolar Disorder



What Psychiatric Nurses Need to Know About Bipolar Disorder



What Psychiatric Nurses Need to Know About Bipolar Disorder



160×600

What
Psychiatric Nurses
Need to Know
About
Bipolar
Disorder


Game Case Series





What **Psychiatric Nurses** Need to Know About Bipolar Disorder Game Case Series Play your way to CME credit! **CM** EINSTITUTE

What **Psychiatric Nurses** Need to Know About Bipolar Disorder Game Case Series Play your way to CME credit! **CM** EINSTITUTE



728×90

Help your patients rise above the fog.

COGNITION IN THE DEPRESSED PATIENT



300×250

Help your patients rise above the fog.

COGNITION IN THE DEPRESSED PATIENT

160×600

Help your patients
rise above
the fog.

COGNITION IN THE DEPRESSED PATIENT









728×90

Cognitive Tests
Vs
Patient History

Doctors Who Perform Cognitive Tests


Should they do both?

COGNITIVE IMPAIRMENT (COGNITIVE IMPAIRMENT)


No Patient History


Should they do both?

300×250



160×600





728×90

Schizophrenia: When First-Line Treatment FAILS

Most patients will not respond to initial treatment.



300×250





160×600



Section Start

300×250





Treatment-Resistant Schizophrenia: Definition, Predictors, and Therapy Options An Online Academic Highlights CME Activity Learn how to: Use current criteria and practical assessment tools for recognizing TRS Provide evidence-based therapy for TRS Use appropriate dose optimization and monitoring according to guidelines **Visit Activity**

New CME Series

Earlier Diagnosis and Expanded Treatment Options for Parkinson Disease

Stuart H. Isaacson, MD



Dr Isaacson describes diagnostic criteria and assessment tools for Parkinson disease and offers strategies to address multiple challenges posed by the illness.

2 Brief Reports | Credits: 1.5 | Expires December 31, 2021







PRINT ADS

Print ads created for *The Journal of Clinical Psychiatry* and companion publications strive to bridge the so-called "print to online" divide.

Full-Page Ads

Fractional Ads

Main Menu

Browse

The essentials of our marijuana research... ... now in one place!

THE **CANNABIS** COLLECTION



a Psychiatrist.com Curated Collection

- 3 Review Articles
- 5 Original Research Articles
- 1 Case Report
- 3 Commentaries

Purchase the entire collection for only \$50 (over \$400 value)!

Visit PSYCHIATRIST.COM

Enter Keyword CANNABIS

Cannabis Use and Use Disorders Among US Youth

Cannabis laws have changed significantly in the United States over the past 20 years. How have these changes affected patterns of cannabis use?

This study uses data from the National Surveys on Drug Use and Health to look at past-year cannabis use and use disorders among youth, as well as factors associated with these trends.

Cannabis Use and Cannabis Use Disorders Among Youth in the United States, 2002-2014

Beth Han, Wilson M. Compton, Christopher M. Jones, and Carlos Blanco

Also, don't miss...

The essentials of our marijuana research...

... now in one place!



The Cannabis Collection

a Psychiatrist.com Curated Collection

- 3 Review Articles
- 1 Case Report
- 5 Original Research Articles
 3 Commentaries

Purchase the entire collection for only \$50 (over \$400 value)!

Visit PSYCHIATRIST.COM Enter Keyword CANNABIS

Could you spot the warning signs?



Unmasking Suicide in Youths

a Psychiatrist.com Curated Collection

From this collection of 16 articles. you'll be able to:

- Identify clinical characteristics of young patients who are likely to attempt suicide
- Spot the warning signs in specific behaviors
- Determine if patients' thought processes, and even their personalities, may put them at an elevated risk for suicide
- Consider whether other medical or mental factors play a role in risk
- Know what tools are helpful in diagnosing and preventing suicide

Purchase the collection for only \$75!

Visit PSYCHIATRIST.COM Enter Keyword SUICIDE

Curated Collections

from Psychiatrist.com

Each collection on topics of pressing clinical importance includes articles that have been specifically selected for their relevance. Collections may derive from any of our offerings: The Journal of Clinical Psychiatry and The Primary Care Companion for CNS Disorders, both indexed by PubMed, and the ever popular CMEInstitute.com, which encompasses all subjects on mental health and neurologic disorders.

As requested by our readers, a PDF of each collection is available online.

Visit PSYCHIATRIST.COM Enter Keyword CURATED

The most recent additions to Curated Collections



Unmasking Suicide IN YOUTHS

Among 15- to 29-year-olds, suicide is the second leading cause of death in the United States and the third leading cause worldwide. This collection was curated to help clinicians unmask risk factors for suicide in youths and intervene appropriately.

- Identify clinical characteristics of young patients who are likely to attempt suicide
- Determine if patients' thought processes, and even their personalities, may put them at an elevated risk for suicide
- Know what tools are helpful in diagnosing and preventing suicide



The essentials of our marijuana research-all in one place!

In nearly all US states, marijuana has been legalized for use in some form. With this increased availability comes a responsibility for the medical community to understand the existing research and to share with patients any risks associated with marijuana use.

- 3 Review Articles
- 5 Original Research Articles
- 1 Case Report
- 3 Commentaries



Call for Papers for JCP's Special Sections



The Journal of Clinical Psychiatry is currently inviting submissions of

- Systematic reviews and meta-analyses focusing on current, clinically relevant topics
- Papers describing novel methods and treatments that would be of interest to clinicians and clinical researchers
- Original research focusing on clinical innovations

Focus on Childhood and Adolescent Mental Health




Karen D. Wagner, Section Editor

Encourages research into the mental health of children and adolescents, including biological and psychosocial aspects, Conditions include mood, anxiety, and 既確 psychotic disorders; conduct disorders; ADHD; and pervasive developmental disorders.

Focus on Women's Mental Health





Focus on Suicide





Focus on Geriatric Psychiatry

Jordan F. Karp and Gary W. Small,



Addresses psychosocial, economic, and health services aspects of mental health in older adults, including preventive and lifestyle-related factors, nursing home care, and end-of-life care. Manuscripts with a clinical focus are especially encouraged.

Early Career Psychiatrists

Joseph F. Goldberg, Section Edit



Spotlights excellent work from the next generation of researchers in psychiatry. (To view author eligibility criteria, scan the QR code.)

Focus on Psychosis





Focuses on the clinical care of individuals with psychotic disorders and related conditions, especially pharmacologic, somatic, psychosocial, cognitive, and complementary therapies.

Visit each of these special sections by scanning the QR code in their respective descriptions.



and genomic studies.

To learn more, visit **PSYCHIATRIST.00M** and select **ABOUT**, or hover your camera over the QR code, and touch the link to Psychiatrist.com.

To inquire about a potential submission, please send an abstract or brief description of the proposed manuscript to jclinpsych@psychiatrist.com.

Call for Papers



THE JOURNAL OF **CLINICAL PSYCHIATRY**

The Journal of Clinical Psychiatry is currently inviting submissions of

- Systematic reviews and meta-analyses focusing on current, clinically relevant topics in psychiatry
- Papers describing novel methods that would be of interest to clinicians and clinical researchers
- Original research focusing on clinical innovations

Visit PSYCHIATRIST.COM/JCP

and select **ABOUT** at the top of the page to learn more about submitting a manuscript to JCP.

To inquire about a potential submission, please send an abstract or brief description of the proposed manuscript to jclinpsych@psychiatrist.com.

COVID-19 A Worldwide Crisis Inform yourself beyond the news.

Coverage includes:

- Impact of COVID-19 on mental health
- International voices from the front lines
- Role of psychiatry in addressing the crisis
- COVID-19 treatment updates

Visit PSYCHIATRIST.COM and find COVID-19 under TOPICS







Ad concept with routinely updated content



PSYCHIATRIST.COM

ONLINE-ONLY CONTENT IN THE JULY/AUGUST ISSUE OF THE JOURNAL OF CLINICAL PSYCHIATRY

Volume 82 • 2021 • Number 4

Get the **most** out of this issue!

Enjoy these articles online for free.

Visit PSYCHIATRISTCOM and select JCP Current Issue under JOURNALS.

ORIGINAL RESEARCH

Reproductive Safety of Second-Generation Antipsychotics: Updated Data From the MGH National Pregnancy Registry for Atypical Antipsychotics [CME]

· With commentary by Burt and Rasminsky

Response and Remission With DR/ER-MPH in Children With ADHD: Data From an Open-Label Treatment-Optimization Phase [FREE]

ACADEMIC HIGHLIGHTS [FREE CME]

Treatment Challenges and the Hope of Emerging Therapies in Early-Stage Alzheimer Disease

EDUCATIONAL ACTIVITIES [FREE CME]

Challenges in Managing Insomnia in Older People

Optimizing Treatment for Insomnia

Diagnosis and Pharmacotherapy of Bipolar Depression in Pediatric Patients

Diagnosis and Pharmacotherapy of Bipolar Depression in Adults

CLINICAL AND PRACTICAL PSYCHOPHARMACOLOGY (FREE)

Anesthesia for ECT: A Niche Role for Sevoflurane

Predictors of 6- and 12-Month Relapse After Stopping ECT: Critical Considerations, Including Overfitting in Regression and Confounding in Follow-up Studies

CASE SERIES (FREE)

Six Cases of Perforated Appendicitis During Clozapine Treatment

LETTERS TO THE EDITOR (FREE)

Antidepressant Effects of Combined Mood Stabilizers May Account for High Placebo Response Rates

With replies by Ghaemi and Goldberg

For Paid Subscribers

Take advantage of your membership and read these additional articles.

Nationwide Cohort Study of Parasomnias Among Adolescents

Predictors of Response to Prolonged Exposure, Sertraline, and Their Combination for Military PTSD

Sex Differences in Recovery Outcomes and Needs for Psychiatric Rehabilitation in People With Schizophrenia Spectrum Disorder

. With commentary by Shinn and Carol

Get full access to every issue of JCP!

Subscribe Today! PSYCHIATRIST.COM/subscribe



PSYCHIATRIST.COM

ONLINE-ONLY CONTENT IN THE SEPTEMBER/OCTOBER ISSUE OF THE JOURNAL OF CLINICAL PSYCHIATRY

Volume 82 • 2021 • Number 5

Enjoy these articles online for free.

Get the most out of this issue! Visit PSYCHIATRIST.COM and select JCP Current Issue under JOURNALS.

META-ANALYSIS

Measurement-Based Care for Depressive Disorders: Systematic Review and Meta-Analysis of RCTs [CME]

ACADEMIC HIGHLIGHTS [FREE CME]

Treatment-Resistant Schizophrenia: Definition, Predictors, and Therapy Options

CLINICAL AND PRACTICAL PSYCHOPHARMACOLOGY [FREE]

Major Congenital Malformations Associated With Exposure to Second-Generation Antipsychotics During Pregnancy

Gestational and Neurodevelopmental Outcomes Associated With Antipsychotic Exposure During Pregnancy

BRIEF REPORTS [FREE]

Clozapine Is Associated With Higher COVID-19 Infection Rate in Veterans With Schizophrenia or Schizoaffective Disorder

Impact of Childhood Trauma Histories vs Recent Trauma Symptoms on Affective Lability in Adult Bipolar Disorder

LETTERS TO THE EDITOR (FREE)

Can You Teach Resilience?

. With replies by Peccoralo et al and Sim and Chew

An Evidence-Based Response to Dr Andrade's Commentary on Our Review of the ECT Efficacy

· With reply by Andrade

For Paid Subscribers Take advantage of your membership and read these additional articles.

ORIGINAL RESEARCH

Major Depressive Episodes in Individuals With Substance Use Disorders: Survival Probabilities and Predictors

A Moving Target: How We Define Avoidant/Restrictive Food Intake Disorder Can Double Its Prevalence

Amyloid Burden and Depressive Symptom Trajectories in Older Adults at Risk of Developing Cognitive Decline

Inflammation and Cognitive Functioning in Depressed Older Adults Treated With ECT

Risks of Coaggregation of Major Psychiatric Disorders in First-Degree Relatives of Patients With Bipolar I and Bipolar II Disorder: Evidence From a Nationwide Population-Based Study

Effectiveness of Internet-Based Self-help Therapy for Suicidal Ideation With Follow-up at 6 Months: Results of an RCT

Subscribe today and get full access to every issue of JCP! PSYCHIATRIST.COM/subscribe



Past

Access issues and supplements from the previous 21 years.

Present

Read every article in this issue, including those published exclusively online twice as many as the print edition!

Future!

Enjoy the next 12 months knowing you have access to everything the Journal publishes!

Complete your lifelong learning with the Journal.

Visit PSYCHIATRIST.COM | Enter Keyword | SUBSCRIBE

The clinician's resource for all time.





Could you spot the warning signs?



UNMASKING SUICIDE IN YOUTHS

a Psychiatrist.com Curated Collection

Don't let the smile on your young patient's face fool you—it could be a mask.

In our collection Unmasking Suicide Among Youths (only \$75 for 16 articles), you'll learn whether you should delve deeper.

Visit PSYCHIATRIST.COM

Enter Keyword SUICIDE

Could you spot the warning signs?



Unmasking Suicide in Youths

a Psychiatrist.com Curated Collection

From this collection of 16 articles, you'll be able to

- Identify clinical characteristics of young patients who are likely to attempt suicide
- Spot the warning signs in specific behaviors
- Determine if patients' thought processes, and even their personalities, may put them at an elevated risk for suicide
- Consider whether other medical or mental factors play a role in risk
- Know what tools are helpful in diagnosing and preventing suicide

Purchase the collection for only \$75!

Visit PSYCHIATRIST.COM | Enter Keyword | SUICIDE





Recognizing and Treating Excessive Daytime Sleepiness in Patients With Narcolepsy

How do excessive daytime sleepiness (EDS) and narcolepsy affect patient functioning? What should you use for screening, diagnosis, and monitoring? In this CME series, learn from 2 exp about the impact of these conditions, diagnostic strategies, and evidence-based treatment practices so that you can help patients to improve their daily functioning.

Supported by an educational grant from Harmony Biosciences, LLC.



Screening for EDS and Diagnosing Narcolepsy

John W. Winkelman, MD, PhD

Brief Report | Credits: 0.50 | Expires: 7/31/2022

Treating EDS in Patients With Narcolepsy

Thomas Roth, PhD

Brief Report | Credits: 0.50 | Expires: 8/31/2022

Recognizing and Treating EDS in Patients With Narcolepsy

Thomas Roth, PhD, and John W. Winkelman, MD, PhD Academic Highlights | Credits: 1.00 | Expires: 12/31/2022

Visit CINSTITUTE.COM Enter Keyword SLEEP

Screening for Excessive Daytime Sleepiness and Diagnosing Narcolepsy

by John W. Winkelman



Which patients need evaluation for excessive daytime sleepiness and central hypersomnias? How do the diagnoses of narcolepsy type 1 and type 2 differ?

Dr Winkelman shares his expertise in this brief CME activity.

FREE CME | Brief Report | Credits: 0.5

Visit WEINSTITUTE.COM | Enter Keyword | SLEEP

Treating Excessive Daytime Sleepiness in Patients With Narcolepsy

by Thomas Roth, PhD



Individuals with narcolepsy may experience not only academic, social, and occupational consequences but also dangerous driving or other accidents, meaning that effective treatment is critical.

Review the evidence on treatment strategies.

FREE CME | Brief Report | Credits: 0.5

Part of the CME series

"Recognizing and Treating Excessive Daytime Sleepiness in Patients With Narcolepsy" Supported by an educational grant from Harmony Biosciences, LLC.

Visit CMEINSTITUTE.com Enter Keyword SLEEP

Early recognition is key to managing TD.

> How are your screening skills?

WHAT YOU SHOULD KNOW **ABOUT**

TARDIVE DYSKINESIA

SCREENING, CAUSES, AND NEW TREATMENT OPTIONS



Visit PSYCHIATRIST.COM

Enter Keyword

Supported by an educational grant from Neurocrine Continental, Inc., a wholly-owned subsidiary of Neurocrine Biosciences, Inc.

Early recognition is key to managing TD.

> How are your screening skills?

WHAT YOU SHOULD KNOW **ABOUT**

TARDIVE DYSKINESIA


SCREENING, CAUSES, AND NEW TREATMENT OPTIONS




Visit PSYCHIATRIST.COM Enter Keyword

Supported by an educational grant from Neurocrine Continental, Inc., a wholly-owned subsidiary of Neurocrine Biosciences, Inc.





This Academic Highlights is supported by an educational grant from Sunovion Pharmaceuticals Inc.



Evolution. This ad received an update.

The old ad:





Revisiting the Fundamentals of Diagnosing and Treating Tardive Dyskinesia

How does treatment for tardive dyskinesia make a difference in patients' lives? Here, find comments from actual patients, and follow along as Drs Correll and Citrome share best practices for the evaluation and therapy of TD.

Supported by an educational grant from Neurocrine Biosciences, Inc.



Diagnostic and Treatment Fundamentals for Tardive Dyskinesia Christoph U. Correll, MD, and Leslie Citrome, MD, MPH ArcheMedX Activity | Credits: 1.00 | Expires 11/30/2022



Measurement-Based Diagnosis and Treatment for Tardive Dyskinesia

Christoph U. Correll, MD, and Leslie Citrome, MD, MPH JCP CME | Credits: 1.00 | Expires 8/31/2023

Visit WEINSTITUTE.com and enter NU20016



The old ad placed:

- Northygal MM, Harlins News, Avanness
 Metter Disord, 2015;173:54-52.
 Mette and Sestiticial Manual for Mental Disorders. Fifth
 Edition. Weishington, C.C. American Psychiatric
 Association, 2013.
 Associati
- al. IGEDEPP Groups. J Psychiatr Res. 2021;138:366–374.
- 56. Bernstein DP, Stein JA, Newcomb MD, et al. Child Abuse Negl. 2003;27(2):169–190.

 57. Nurnberger JI Jr, Blehar MC, Kaufmann CA, et al;
- NIMH Genetics Initiative. Arch Gen Psychiatry. 1994-\$1/11)-849_859 discussion 863_864 58. Preisig M, Fenton BT, Matthey ML, et al. Eur Arch
 Psychiatry Clin Neurosci. 1999;249(4):774–179.
 Psychiatry Clin Neurosci. 1999;249(4):774–179.
 Psychiatry Res. 2019;28(4):e1803.

- 48. Edwards B, Galledy C, Semmler Booth T, et al.

 Anst NZ / Psychiatry 2008-021045-50

 Dops n. 1 (revenit. Chrydru M. et al. PlacSine. Co. 2016;99(a)2742-2.

 O. Tois NX, Sakama KJ. Tourne Violence-Abuse.

 O. Nois NX, Sakama KJ. Tourne Violence-Abuse.

 O. Nois NX, Sakama KJ. Tourne Violence-Abuse.

 O. Nois NX, Sakama KJ. Tourne Violence-Abuse.

 Name of the Name of
- Ment Health, 2016;19(2):337–342.

 So. Norhayati MN, Hazilna NHN, Azranea AR, et al.

 63. van der Waerden JE, Hoefnagels C, Hosman

 - EDEN Mother-Child Cohort Study Group. J Affect Disord. 2012;137(1-3):165-169.
 - 68. van der Waerden J, Galéra C, Saurel-Cubizolles MJ, et al; EDEN Mother-Child Cohort Study Group. Psychol Med. 2015;45(9):1999-2012. 69. Levis B. Benedetti A. Riehm KE, et al. Br.J. Pourhiatry 2018:212(6):377_381
- 2016;175;9427-453. A-L, et al. J. Affect Disord. 2020;272:465-473. Abuse Negl. 1999;23(7):659-670.
 51. De Venter M, Smets J, Raes F, et al. Arch Women 62. Boekhorst MGBM, Beerthuizen A, Endendijk JJ, 74. Chung EK, Mathew L, Elo IT, et al. Ambul Pediatr. 2008;8(2):109–116.
 75. Dennis C-L, Vigod S. Violence Against Women
 - 2013;19(4):503-517. 76. Grote NK, Spieker SJ, Lohr MJ, et al. Depress

Childhood Trauma and Perinatal Depression

- Anxiety. 2012;29(7):563–573.

 Atzl VM, Narayan AJ, Rivera LM, et al. J Fam
- Psychol. 2019;33(3):304-314. Schmidt MR, Narayan AJ, Atzl VM, et al. J Aggress Maltreat Trauma. 2020;29(1):38–56.
- Pereira AD, Soares MJ, Bos S, et al. Insight Afr. 2014;6(1):1–13.
 Milgrom J, Gemmill AW. Best Pract Res Clin Obstet Gynaecol. 2014;28(1):13-23.

Editor's Note: We encourage authors to submit papers for consideration as a part of our Focus on Women's Mental Health section. Please contact Marlene P. Freeman, MD, at mfreeman@psychiatrist.com.





Revisiting the Fundamentals of Diagnosing and Treating Tardive Dyskinesia

How does treatment for tardive dyskinesia make a difference in patients' lives? Here, find comments from actual patients, and follow along as Drs Correll and Citrome share best practices for the evaluation and therapy of TD.

Supported by an educational grant from Neurocrine Biosciences, Inc.



Diagnostic and Treatment Fundamentals for Tardive Dyskinesia Christoph U. Correll, MD, and Leslie Citrome, MD, MPH ArcheMedX Activity | Credits: 1.00 | Expires 11/30/2022



Measurement-Based Diagnosis and Treatment for Tardive Dyskinesia

Christoph U. Correll, MD, and Leslie Citrome, MD, MPH JCP CME | Credits: 1.00 | Expires 8/31/2023

Visit WIEINSTITUTE.com and enter NU20016 Q



J Clin Psychiatry 82:5, September/October 2021

PSYCHIATRISTOM 1 67



Evolution. This ad received an update.

The updated ad:



Christoph U. Correll, MD Zucker School of Medicine at Hofstra/Northwell. Hempstead, New York; Charité Universitätsmedizin Berlin, Germany



Leslie Citrome, MD, MPH New York Medical College, Valhalla

Revisiting the Fundamentals of **Diagnosing and Treating** Tardive Dyskinesia

How does treatment for tardive dyskinesia make a difference in patients' lives? In these activities, find comments from actual patients, and follow along as Drs Correll and Citrome share best practices for the evaluation and therapy of TD.

A free series at CMEINSTITUTE.COM. Supported by an educational grant from Neurocrine Biosciences, Inc.

Series Activities

Diagnostic and Treatment Fundamentals for Tardive Dyskinesia ArcheMedX Activity | Credits: 1.00 | Expires 11/30/2022

Measurement-Based Diagnosis and Treatment for Tardive Dyskinesia

JCP CME | Credits: 1.00 | Expires 8/31/2023

Visit WEINSTITUTE.com and enter NU20016



The updated ad placed:

Stanley et al

Published online: September 14, 2021. Potential conflicts of interest: Dr Anestis receives personal income in the form of royalties receives consulting and speaking fees on this topic, and is also the principal investigator on an externally funded randomized controlled trial action and the countries of the countrie

Funding/support: Dr Stanley was supported by a grant from the National Institute of Mental Health (T32MH019836). This work was supported in part by the Military Suicide Research Consortium (MSRC), an effort supported by the Office of the Assistant Secretary of Defense for Health Affairs under Award No.

Role of the sponsor: The supporters had no role in the design, analysis, interpretation, or publication of this study.

Disclaimer: Opinions, interpretation those of the authors and are not necessarily endorsed by the MSRC, Department of Defense, Department of Veterans Affairs, or the United States Government.

REFERENCES

- 1. Annual Suicide Report Calendar Year 2018. US Department of Defense. Published 2019. Accessed October 1, 2019. https:// www.dspo.mil/Portals/113/2018%20 DoD%20Annual%20Suicide%20Report FINAL 25%205EP%2019 508c.pdf
- Bryan CJ, Clemans TA. Ropetitive traumatic brain injury, psychological symptoms, and suicide risk in a clinical sample of deployed military personnel.
- JAMA Psychiatry. 2013;70(7):686–691.

 Daugherty J, Waltzman D, Sarmiento K, et al. Traumatic brain injury-related deaths

mechanism or injury—United States, 2000–2017. MMWR Morb Mortal Wkly Rep. 2019:68(46):1050-1056.

- 4. Mann II Michel CA Prevention of firearm Mann JJ, Michel CA. Provention of Insarm suicide in the United States: what works and what is possible. Am J Psychiatry. 2016;173(10):969–979.
 Anestis MD, Green BA. The impact of
- varying levels of confidentiality on disclosure of suicidal thoughts in a sample of United States National Guard personnel. JClin Psychol. 2015;71(10):1023–1030.
- 6. Brenner LA. Homaifar BY, Olson-Madden JH. Brenner LA, Hornalfar BY, Olson-Maddon JI, et al. Prevalence and screening of traumati brain injury among veterans seeking ment-health services. J Head Trauma Rehabil. 2013;28(1):21–30.
 Stanley IH, Horn MA, Marx BP, et al. Post-
- Stanley IH, Horn Ma, Mark BY, et al. Post-traumatic stress disorder and firearm ownership, access, and storage practices: a systematic review. Clin Psychol Sci Proct. 2020;27(3):e12358.

Diagnosing and Treating Tardive Dyskinesia How does treatment for tardive dyskinesia make

Christoph U. Correll, MD

Zucker School of Medicine at Hofstra/Northwell, Hempstead, New York; Charité Universitätsmedizin Berlin Germany



Leslie Citrome, MD, MPH New York Medical College.

a difference in patients' lives? In these activities, find comments from actual patients, and follow along as Drs Correll and Citrome share best practices for the evaluation and therapy of TD.

Revisiting the Fundamentals of

A free series at WEINSTITUTE.com. Supported by an educational grant from Neurocrine Biosciences, Inc.

Series Activities

Diagnostic and Treatment Fundamentals for Tardive Dyskinesia ArcheMedX Activity | Credits: 1.00 | Expires 11/30/2022

Measurement-Based Diagnosis and Treatment for Tardive Dyskinesia

JCP CME | Credits: 1.00 | Expires 8/31/2023

Visit WIEINSTITUTE.com and enter NU20016

36 PSYCHIATRISTCOM

J Clin Psychiatry 82:6, November/December 2021



Evolution. This ad received an update.

The old ad (fractional):





Diagnosis of Early-Stage Alzheimer Disease and How Emerging Treatments May Address Unmet Needs

What do experts say about diagnosing and treating Alzheimer disease in the early stage of illness? Watch Drs Burke and Apostolova discuss common clinical challenges and describe how they resolve unmet needs. Supported by an educational grant from Biogen.



Early-Stage Alzheimer Primer: Pathophysiology, Diagnosis, and Assessment Liana Apostolova, MD, MSc

Webcast | Credits: 0.50 | Expires 4/30/2023



Talking With Patients and Care Partners About Treatment Goals and Challenges in Early-Stage Alzheimer Disease Anna D. Burke, MD, and Liana Apostolova, MD, MSc

Webcast | Credits: 1.00 | Expires 4/30/2023



Can Emerging Therapies Resolve Unmet Needs With Current Treatment in Early-Stage Alzheimer Disease? Anna D. Burke, MD

Webcast | Credits: 0.50 | Expires 5/31/2023



Treatment Challenges and the Hope of Emerging Therapies in Early-Stage Alzheimer Disease Anna D. Burke, MD, and Liana Apostolova, MD, MSc

JCP CME | Credits: 1.00 | Expires 8/31/2023

Visit STITUTE.com and enter BG20044 Q



The updated ad (full-page):





Liana Anostolova MD MSc Indiana University School of Medicine, Indianapolis

Diagnosis of Early-Stage Alzheimer Disease and How Emerging Treatments May Address Unmet Needs

What do experts say about diagnosing and treating Alzheimer disease in the early stage of illness? Drs Burke and Apostolova discuss common clinical challenges and describe how they resolve unmet needs.

A free series at WEINSTITUTE.com. Supported by an educational grant from Biogen.

Series Activities

Early-Stage Alzheimer Primer: Pathophysiology, Diagnosis, and Assessment Webcast | Credits: 0.50 | Expires 4/30/2023

Talking With Patients and Care Partners **About Treatment Goals and Challenges** in Early-Stage Alzheimer Disease Webcast | Credits: 1.00 | Expires 4/30/2023

Can Emerging Therapies Resolve Unmet Needs With Current Treatment in Early-Stage Alzheimer Disease? Webcast | Credits: 0.50 | Expires 5/31/2023

Treatment Challenges and the Hope of Emerging Therapies in Early-Stage Alzheimer Disease JCP CME | Credits: 1.00 | Expires 8/31/2023

Visit CMEINSTITUTE.com and enter BG20044



Example of an ad placed in publication.



Ad placed:

Veraart et al.

- negative symptoms, cognition, and functional capacity. Schurophr Res. 2015;165(1):76–82. 23. Helfer B, Samara MT, Huhn M, et al. Efficacy and safety of antidepressants added to antipsychotics for schizophrenia: a systematic review and meta-analysis. Am J Psychiatry:
- 2016;173(9):876-886. Lally N, Nugont AC, Luckenbaugh DA, et al.
 Anti-anhedonic effect of ketamine and its neural correlates in treatment-resistant bipola depression. *Transl Psychiatry*. 2014;4619.
 Ishihara H, Kudo H, Murakawa T, et al.
- Inneventful total intravenous anaesthesia with ketamine for schizophrenic surgical patients. Eur J Anaesthesiol. 1997;14(1):47–51.
 Lahti AC, Weiler MA, Tamara Michaelidis BA, et
- al. Effects of ketamine in normal and schizophrenic volunteers. Neuropsychopharmacology. 2001;25(4):455–467. 27. Pennybaker SJ, Luckenbaugh DA, Park LT, et al.
- Ketamine and psychosis history: antidepressant efficacy and psychotomimetic effects postinfusion. Biol Psychiatry.
- 2017;82(5):e35—e36.

 28. Medeiros da Frota Ribeiro C, Sanacora G,
 Hoffman R, et al. The use of ketamine for the treatment of depression in the context of psychotic symptoms: to the editor. Biol

- Psychiatry. 2016;79(9):e65-e66. 29. Medeiros da Frota Ribeiro C, Sanacora G, Ostroff R. Reply to: ketamine and psychosis Ostroff K. Reply to: ketamine and psychosis history: antidepressant efficacy and psychotomimetic effects postinfusion. Biol Psychiatry. 2017;82(5):e37. 30. Ajub E, Lacerda ALT. Efficacy of esketamine in
- the treatment of depression with psychotic features: a case series. Biol Psychiatry.
- 2018;83(1):e15-e16. Zaminnegar P, Kothari J, Cheng K. Successful use of ketamine for the treatment of
- us of katamina for the treatment of psychotic depression in a tensogar. J. Thild Adolesc Psychopharmacol. 2019;59:661–73. Signific Millenkovic L et al. 2019;59:661–73. Signific Millenkovic L et al. 2019;59:661–73. Signific antidepressant effect of 5° batamine in chrisphynnia. En Mexopophydharmacol. 2018;28(6):590–592. 31 Fe Li La R. Amp D, et al. Adjanct Lustamine depressiva symptome in chronic treatment-resistant schiophyrnia galactic viesticated depressiva symptome in chronic treatment-resistant schiophyrnia galactic are schiort-term and disassociated from regional homogeneity changes in la by bran regiona: a 2019;79(4):593–595. 31 Psychopharmacol. 2019;79(4):593–595. 34 Thun CA-OX Lin X Tian Het al Adjunct

- unsatisfactory in pilot and secondary follow-up studies, 2020;10(5):e01600.
- mes MV, Adelino MPM, Ajub E, et al. Efficacy of esketamine in the treatment of negative symptoms in schizophrenia: a case series. Schizophr Res. 2018;202:394–396.
- Ostroff R, Gonzales M, Sanacora G.
 Antidepressant effect of ketamine during ECT.
 Am J Psychiatry. 2005;162(7):1385–1386.
 Grott Zanicotti C, Perez D, Glue P. Case report:
- long-term mood response to repeat dose intramuscular ketamine in a depressed patient with advanced cancer. J Palliat Med. 2013;16(7):279-720. 38. Krystal J.H., D'Souza DC, Karper L.P, et al. Interactive effects of subanesthetic ketarnine
- Interactive effects of subanesthetic ketamine and haloperidol in healthy humans. Psychopharmacology (Berl). 1999;145(2):193–204. Shcherbinin S, Doyle O, Zelaya FO, et al. Modulatory effects of ketamine, risperidone
- and lamotrigine on resting brain perfusion in healthy human subjects. Psychopharmacology (Berl). 2015;232(21–22):4191–4204. 40. Malhotra AK, Adler CM, Kennison SD, et al.
- Clazapine blunts N-methyl-D-aspartate antagonist-induced psychosis: a study with ketamine. Biol Psychiatry. 1997;42(8):664–668



Example of an ad placed in publication.



Russell P. Rosenberg, PhD Atlanta School of Sleep Medicine and Technology and NeuroTrials Research, Inc., Georgia



Andrew D. Krystal, MD Department of Psychiatry and Behavioral Sciences, University of California San Francisco

Current Management Approaches for Insomnia

In this CME series, learn about ways to recognize and safely treat sleep-onset and/or sleep-maintenance insomnia, including in older people.

A free series at CMEINSTITUTE.COM. Supported by an educational grant from Eisai Inc.

Series Activities

Diagnosing and Treating Insomnia in Adults and Older Adults JCP CME | Credits: 1.00 | Expires 12/31/2023 Read it in this issue, beginning on the next page

Challenges in Managing Insomnia in Older People Brief Report | Credits: 0.50 | Expires 6/30/2023

Optimizing Treatment for Insomnia Brief Report | Credits: 1.00 | Expires 6/30/2023

Prevalence, Impact, and Burden of Insomnia and Discussing It With Patients Brief Report | Credits: 0.50 | Expires 2/28/2023

The Bidirectional Relationship Between Insomnia and Comorbid Disorders Brief Report | Credits: 0.50 | Expires 2/28/2023

Visit CMEINSTITUTE.COM and enter El20008



Ad placed:

Graat et al

- 2017;22(6):931–934. 6. Mantione M, Nieman DH, Figee M, et al.
- Cognitive-behavioural therapy augments the effects of deep brain stimulation in obsessivecompulsive disorder. Psychol Med. 2014;44(16):3515–3522. 7. Goodman WK, Price LH, Rasmussen SA, et al.
- The Yale-Brown Obsessive Compulsive Scale, I: development, use, and reliability, Arch Gen
- gevelopment, use, and reliability. Archiven Psychiatry, 1989;46(1):1006–1011. 8. Hamilton M. A rating scale for depression. J Neurol Neurosurg Psychiatry, 1960;23(1):56–62. 9. Eisen JL, Phillips KA, Baer L, et al. The Brown Assessment of Beliefs Scale: reliability and validity. Am J Psychiatry. 1998;155(1):102–108.

 10. Hamilton M. The assessment of anxiety states by rating. Br J Med Psychol. 1959;32(1):50–55.
- Lobbestael J, Leurgans M, Arntz A. Inter-rater reliability of the Structured Clinical Interview for DSM-IV Axis I Disorders (SCID I) and Axis II Disorders (SCID II). Clin Psychol Psychother. 2011;1(1):25-70.
- 12. Maffei C, Fossati A, Agostoni I, et al, Interrater

- reliability and internal consistency of the structured clinical interview for DSM-IV axis II personality disorders (SCID-II), version 2.0.
- personality disorders (Sciul-II), version 2.0.

 J Pers Disord. 1997;11(3):279–284.

 13. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders.

 Fourth Edition, Text Revision. Washington, DC: American Psychiatric Association; 2000:34.
- Schmand B, Bakker D, Saan R, et al. The Dutch Reading Test for Adults: a measure of premorbid intelligence level [in Dutch]. Tijdschr Gerontol Geriatr. 1991;22(1):15–19. 15. Gueorguieva R, Krystal JH. Move over ANOVA progress in analyzing repeated-measures data and its reflection in papers published in the Archives of General Psychiatry. Arch Gen
- Psychiatry, 2004;61(3):310-317. 16. Anholt GE, Aderka IM, van Balkom AJLM, et al Age of onset in obsessive-compulsive disorder: admixture analysis with a large sample. Psychol Med. 2014;44(1):185–194.
- 17. Hazari N, Narayanaswamy JC, Arumugham SS

- Predictors of response to serotonin reuptak inhibitors in obsessive-compulsive disorder Expert Rev Neurother, 2016;16(10):1175-1191.
- Expert new neurotner, 2010;10(1):175–191.
 18. Fals-Stewart W, Lucente S. An MCMI cluster typology of obsessive-compulsives: a measure of personality characteristics and its relationship to treatment participation, compliance and outcome in behavior therapy
- J Psychiatr Res. 1993:27(2):139-154. Goodman WK, Foote KD, Greenberg BD, et al. Deep brain stimulation for intractable obsessive compulsive disorder; pilot study using a blinded, staggered-onset design, Biol Psychiatry, 2010;67(6):535-542.

Editor's Note: We encourage authors to submit papers for consideration as a part of our Early Career Psychiatrists section. Please contact Joseph F. Goldberg, MD, at

Current Management Approaches for Insomnia



Russell P. Rosenberg, PhD Atlanta School of Sleep Medicine and Technology and NeuroTrials Research, Inc.,



Andrew D. Krystal, MD Department of Psychiatry and Behavioral Sciences, University of California

In this CME series, learn about ways to recognize and safely treat sleep-onset and/or sleep-maintenance

insomnia, including in older people. A free series at WEINSTITUTE.com. Supported by an educational grant from Eisai Inc.

Series Activities

Diagnosing and Treating Insomnia in Adults and Older Adults JCP CME | Credits: 1.00 | Expires 12/31/2023 Read it in this issue, beginning on the next page

Challenges in Managing Insomnia in Older People Brief Report | Credits: 0.50 | Expires 6/30/2023

Optimizing Treatment for Insomnia Brief Report | Credits: 1.00 | Expires 6/30/2023

Prevalence, Impact, and Burden of Insomnia and Discussing It With Patients Brief Report | Credits: 0.50 | Expires 2/28/2023

The Bidirectional Relationship Between Insomnia and Comorbid Disorders Brief Report | Credits: 0.50 | Expires 2/28/2023

Visit WEINSTITUTE.com and enter El20008



58 PSYCHIATRIST.COM

J Clin Psychiatry 82:6, November/December 2021

Example of an ad placed in publication.



Kamil Detyniecki, MD University of Miami, Florida



Patricia Penovich, MD Minnesota Epilepsy Group, St. Paul

Today's Options in **Epileptic Seizure Rescue Treatment**

Patients at risk for seizure clusters need both an emergency plan and medication that they will actually use. In this CME series, experts Drs Detyniecki and Penovich share practical tips to address these needs.

A free series at CVEINSTITUTE.COM.

Supported by educational grants from UCB, Inc., and Neurelis, Inc.

Visit WEINSTITUTE COM and enter MS20093



Ad placed:

Cegla-Schvartzman et al

- 13. Chen YR, Swann AC, Johnson BA. Stability of diagnosis in bipolar disorder. J Nerv Ment Dis. 1998:186(1):17-23.
- Fennig S, Kovasznay B, Rich C, et al. Six-month stability of psychiatric diagnoses in first-admission patients with psychosis. Am J Psychiatry. 1994;151(8):1200–1208. 15. Marneros A, Deister A, Rohde A. Stability of
- diagnoses in affective, schizoaffective and schizophrenic disorders cross-sectional versus longitudinal diagnosis. Eur Arch Psychiatry Clin Neurosci. 1991;241(3):187–192. 16. Schimmelmann BG, Conus P, Edwards J, et al.
- Schimmermann BS, Conus P, Edwards J, et al. Diagnostic stability 18 months after treatment initiation for first-episode psychosis. J Clin Psychiatry. 2005;66(10):1239–1246.
 Schwartz JE, Fennig S, Tanenberg-Karant M, et
- al. Congruence of diagnoses 2 years after a first-admission diagnosis of psychosis. Arch Gen Psychiatry. 2000;57(6):593–600.

 18. Tsuang MT, Woolson RF, Winokur G, et al. Stability of psychiatric diagnosis, Schizophrenia and affective disorders followed
- up over a 30- to 40-year period. Arch Gen Psychiatry. 1981;38(5):535–539.

 19. Veen ND, Selten J-P, Schols D, et al. Diagnostic stability in a Dutch psychosis incidence cohort. Br J Psychiatry, 2004:185(6):460-464
- 20. Cegla-Schvartzman FB, Ovejero S, López-Castroman J, et al. Diagnostic stability in bipolar disorder: a narrative review. Harv Rev Psychiatry, 2019;27(1):3-14. 21. Ratheesh A. Cotton SM. Betts JK. et al.
- Prospective progression from high-prevalence disorders to bipolar disorder: exploring characteristics of pre-illness stages. J Affect Disord. 2015;183:45–48. 22. Amini H. Alaohband-rad J. Omid A. et al.
- Diagnostic stability in patients with first-episode psychosis. Australas Psychiatry. 2005;13(4):388–392. 23. Baldwin P, Browne D, Scully PJ, et al.
- Epidemiology of first-episode psychosis: illustrating the challenges across diagnostic boundaries through the Cavan-Monaghan study at 8 years, Schizophr Bull. 2005:31(3):624-638.
- 24. Rufino ACTBE Uchida RR. Vilela IAA. et al. Stability of the diagnosis of first-episode psychosis made in an emergency setting. Gen Hosp Psychiatry. 2005;27(3):189–193.

- 25. Parker G. Borderline personality disorder and Black. J Nery Ment Dis. 2015;203(1):13-14.
- Moore PJ, Little MA, McSharry PE, et al. Forecasting depression in bipolar disorder. IEEE Trans Biomed Eng. 2012;59(10):2801–2807. 27. Padrón continuo 1996. Total Comunidad de Madrid [Internet]. Available from: http://www. madrid.org/iestadis//fiias/estructu/
- Comparison of mental health treatment adequacy and costs in public hospitals in Boston and Madrid. J Behav Health Serv Res 2019;46(3):464–474.

 29. Wang PS, Demler O, Kessler RC. Adequacy of
- treatment for serious mental illness in the United States. Am J Public Health. 2002-92/11-92-98 30. BOE. BOE - Ley 14/2007 [Internet]. 2007.
- Available from: https://www.boe.es/boe/ dias/2007/07/04/ Benchimol El. Smeeth L. Guttmann A. et al:
- RECORD Working Committee. The Reporting of studies Conducted using Observational Routinely-collected health Data (RECORD) statement. PLoS Med. 2015;12(10):e1001885. 32 eCIF-Mans - CIF-9-MC (Internet) (cited 2020)
- Settle-Maps CIE-9-MC [Internet]. [cited 20. Sep 28]. Available from: https://cicemaps.mscbs.gob.es/ecieMaps/browser/index_9_mc.html
 Pierce K, Gazestani VH, Bacon E, et al.
- Herce K, Gazestani VH, Bacon L, et al.
 Evaluation of the diagnostic stability of the early autism spectrum disorder phenotype in the general population starting at 12 months. JAMA Pediotr. 2019;17(6):578–587.
 Pettit JW, Morgan S, Paukert AL. The stability of
- Pettt Tw, Morgan S, Paukert AL. The stability-axis I diagnoses in youth across multiple psychiatric hospitalizations. Child Psychiatry Hum Dev. 2005;36(1):53–71.
 Baca-Garcia E, Perez-Rodriguez MM, Basurte-
- Villamor I, et al. Diagnostic stability and evolution of bipolar disorder in clinical practice: a prospective cohort study. Acta Psychiatr Scand. 2007;115(6):473–480. 36. Alonso J, Angermeyer MC, Lépine JP; European
- Study of the Epidemiology of Mental Disorders (ESEMED) Project. The European Study of the Epidemiology of Mental Disorders (ESEMED) project: an epidemiological basis for informing mental health policies in Europe. Acta Psychiatr

- Scand suppl. 2004;109(420):5-7.

 Bijl RV, Ravelli A, van Zessen G. Prevalence of psychiatric disorder in the general population esults of The Netherlands Mental Health Survey and Incidence Study (NEMESIS). Soc Psychiatry Psychiatr Epidemiol. 1998;33(12):587–595.
- 38. Blacker D, Tsuang MT, Contested boundaries of bipolar disorder and the limits of categorical diagnosis in psychiatry. Am J Psychiatry. 1992;149(11):1473–1483. 39. Ghaemi N, Sachs GS, Goodwin FK. What is to be
- done? controversies in the diagnosis and doner controversies in the diagnosis and treatment of manic-depressive illness. World J Biol Psychiatry, 2000;1(2):65–74. 40. Kessing LV. Diagnostic stability in bipolar disorder in clinical practise as according to
- ICD-10. J Affect Disord. 2005;85(3):293-299 Lopez-Castroman J, Leiva-Murillo JM, Cegla-Schvartzman F, et al. Onset of schizophrenia diagnoses in a large clinical cohort. Sci Rep.
- 42. Hirschfeld RMA, Lewis L. Vornik LA, Perception and impact of bipolar disorder: how far have we really come? results of the National Depressive and Manic-Depressive Association 2000 Survey of Individuals With Bipolar
- Disorder. J Clin Psychiatry. 2003;64(2):161–174. 43. Lish JD, Dime-Meenan S, Whybrow PC, et al. The National Depressive and Manic-depressiv Association (DMDA) survey of bipolar members. J Affect Disord. 1994;31(4):281–294.
- 44. Ghaemi SN, Sachs GS, Chiou AM, et al. Is Graems NY, Sachs GS, Chiou AWI, et al. B bipolar disorder still underdiagnosed? are antidepressants overutilized? J Affect Disord. 1999;52(1-3):135–144.
 Weeke A. Admission pattern and diagnostic
- stability among unipolar and bipolar manic
- depressive patients. Acta Psychiatr Scand. 1984;70(6):603–613. Mattanah JJ, Becker DF, Levy KN, et al. Diagnostic stability in adolescents followed up 2 years after hospitalization, Am J Psychiatry
- 1995;152(6):889–894.
 Baldessarini RJ, Tondo L, Hennen J. Treatment delays in bipolar disorders. Am J Psychiatry. 1999:156(5):811-812.
- 48. Moreno C, Laje G, Blanco C, et al. National



Kamil Detyniecki, MD



Patricia Penovich, MD

Today's Options in Epileptic Seizure Rescue Treatment

Patients at risk for seizure clusters need both an emergency plan and medication that they will actually use. In this CME series, experts Drs Detyniecki and Penovich share practical tips to address these needs.



Supported by educational grants from UCB, Inc., and Neurelis, Inc.

Visit WEINSTITUTE.com and enter MS20093



44 PSYCHIATRIST.COM

J Clin Psychiatry 82:6, November/December 2021

Example of an ad placed in publication.



Dr. Faraone discusses highlights of this article in a new feature at PSYCHIATRIST.COM.

Duration: 3:32

Introducing:

Insights Videos

Short videos about topics of importance to clinicians.



More Insights Videos:

Association of Pain With Irritability and Depression: Findings from EMBARC, STRIDE, and the VitalSign6 Project

Madhukar H. Trivedi

In this video, Dr Trivedi discusses 3 studies that used a brief self-report measure of pain (the P-FIBS) and investigated the relationships among pain, depression, and irritability. Duration: 4:16

Complex Polypharmacy in Bipolar Disorder

Joseph F. Goldberg

Which bipolar disorder patients are more likely to receive more than 2 medications, and why? In this video, Dr Goldberg discusses the findings of his recent systematic review focusing on polypharmacy in bipolar disorder. Duration: 5:05

View all of the Insights Videos at PSYCHIATRIST.COM Select Insights Videos under COLLECTIONS or scan this QR code with your phone.



Ad placed:

for administration via nonoral routes bioequivalence to reference racemic amphetamine sulfate, dose proportionality, and food effect. J Child Adoles

- and rood effect. J Child Adolesc Psychopharmacol. 2003/012/59-80.

 15. Childress AC, Brams M, Cutler AJ, et al. The efficacy and safety of Evekeo, racemic amphetamine sulfate, for treatment of attention-deficit/hyperactivity disorder symptoms: a multicenter, dose-optimized, double-blind, randomized, placebo-controlled crossover laboratory classroom study. J Child Adolesc Psychopharmacol. 2015;25(5):402–414. 16. Epstein JN, Johnson D, Conners CK, Conners'
- Adult ADHD Diagnostic Interview for DSM-IV. North Tonawanda, NY: Multi-Health Systems Inc: 2000.
- 17. Spencer TJ. Adler LA. Meihua Oiao, et al. Validation of the adult ADHD Investi Validation of the adult AUHD Investigator Symptom Rating Scale (AISRS). J Atten Disord. 2010;14(1):57–68.

 18. Guy W. Clinical Global Impressions (CGI) Scale, Modified. In: Rush JA, Task Force for the
- Handbook of Psychiatric Measures, eds. Handbook of Psychiatric Measures. 1st ed Washington, DC: American Psychiatric Association; 2000.
 - 19. Roth R. Isquith P. Gioia G. Behavior Rating
- inventory of Executive Function—Adult Versio [BRIEF-A]. Lutz, FL: Psychological Assessmen Resources: 2005.
- 20. Posner K. Brown GK. Stanley B. et al. The Positive R., Brown GR., Stanley B., et al. The Columbia-Suicide Severity Rating Scale: initial validity and internal consistency findings from three multisite studies with adolescents and adults. Am J Psychiatry. 2011;168(12):1266–1277.
- 21. Faraone SV. The pharmacology of amphetamine and methylphenidate: relevat to the neurobiology of attention-deficit/ hyperactivity disorder and other psychiatric omorbidities, Neurosci Biobehav Rei 2018:87:255-270.



Dr. Faraone discusses highlights of this article in a new feature at PSYCHIATRIST.COM

Introducing:

Insights Videos Short videos about topics of importance to clinicians.



More Insights Videos:

Association of Pain With Irritability and Depression: Findings from EMBARC, STRIDE, and the VitalSign6 Project

Madhukar H. Trivedi

In this video, Dr Trivedi discusses 3 studies that used a brief self-report measure of pain (the P-FIBS) and investigated the relationships among pain, depression, and irritability.

Complex Polypharmacy in Bipolar Disorder Joseph F. Goldberg

Which bipolar disorder patients are more likely to receive more than 2 medications, and why? In this video, Dr Goldberg discusses the findings of his recent systematic review focusing on polypharmacy in bipolar disorder.

View all of the Insights Videos at PSYCHIATRIST.COM Select Insights Videos under COLLECTIONS

or scan this QR code with your phone.



34 PSYCHIATRIST.COM

LClin Psychiatry 82:5. September/October 2021

Example of an ad placed in publication.

WEBINAR

Disease Mechanisms and the Changing Treatment Landscape for Generalized Myasthenia Gravis

January 27, 2022 at 10:00 AM EST

FREE CREDIT

1.00 AMA PRA Category 1 Credit™

FACULTY



Vera Bril, MD, FRCPC Division of Neurology, University of Toronto and University Health Network



Nicholas J. Silvestri, MD, FAAN University at Buffalo Jacobs School of Medicine and Biosciences, New York



Carolina Barnett-Tapia, MD, PhD Division of Neurology, University of Toronto and University Health Network



Learn more.





Register Today!

Supported by an educational grant from argenx.

Ad placed:

- Nielsen G, Stone J, Matthews A, et al. Physiotherapy for functional moto disorders: a consensus recommendation. J Neurol Neurosung Psychiatry. 2015;86(10):1113–1119.
 Sharpe M, Walker J, Williams C, et al. Guided self-help for functional
- Shappe M, Walker J, Williams C, et al. Guided sett-neigh for functional (psychogenic) symptoms: a randomized controlled efficacy trial. Neurology. 2011;77(6):564–572.
 Freud S. A. Case of Fysteria, Three Essays on Sexuality and Other Works. In: The Complete Psychological Works of Sigmund Freud, vol. 7. Hogarth Press;
- 31 Griffith II Polles & Griffith MF Pseudoseinures families and unsneakable Van der Feltz-Cornelis CM, Allen SF, Van Eck van der Sluijs JF. Childhood
- sexual abuse predicts treatment outcome in conversion disorder/ functional neurological disorder: an observational longitudinal study.
- Brain Behav. 2020;10(3):e01558.

 33. Keynejad RC, Frodl T, Kanaan R, et al. Stress and functional ne
- asoraers: mechanistic insignts. J Meuror Neurosurg Psychiatry. 2019;90(7):813-821. 34. Rawlings GH, Reuber M. What patients say about living with psyc nonepileptic seizures: a systematic synthesis of qualitative studie Seizure, 2016:41:100-111
- Nielsen G, Buszewicz M, Edwards MJ, et al. A qualitative study of the experiences and perceptions of patients with functional motor disor Disabil Rehabil. 2020;42(14):2043–2048.
- Flihbane M. Healing intergenerational wounds: an integrative relation terror of the properties of the prope
- Perez DL. The CODES trial for dissociative seizures: a landmark study and inflection point. Lancet Psychiatry. 2020;7(6):464–465.

WEBINAR

Disease Mechanisms and the Changing Treatment Landscape for Generalized Myasthenia Gravis



January 27, 2022 at 10:00 AM EST

FREE CREDIT

1.00 AMA PRA Category 1 Credit™

FACULTY



Vera Bril, MD, FRCPC vision of Neurology, University of Toronto nd University Health Network



Nicholas J. Silvestri, MD, FAAN niversity at Buffalo Jacobs School of Medicine and Biosciences, New York



Carolina Barnett-Tapia, MD, PhD vision of Neurology, University of Toronto nd University Health Network



Learn more.

Visit WEINSTITUTE.com and enter MYASTHENIA Q



Register Today!

Supported by an educational grant from arger

52 ■ PSYCHIATRISTCOM

J Clin Psychiatry 82:6. November/December 2021

Back to Print Ads Section

Back to Main Menu