

Date	Microcysti		n	
Sampled	Label	(ug/L)	Site	
7/31/2024	Α	0.334	Hawthorn Ramp	
	В	0.346	North Slalom Course	
	C	0.422	Boater's Beach	
	D	0.441	Dam	
	E	0.348	Mid Lake	
	F	0.383	NE Inlet	
8/1/2024	G	0.352	ASHA Marina Beach	

Method: ELISA Microcystin SAES Method detection limit 0.05 ug/L

2.3 Cyanotoxin Thresholds for Recreational Waters

Numerous risk assessment frameworks, exposure assumptions, and toxicity values from state, national, and primary literature sources were considered prior to developing the cyanotoxin thresholds. The following thresholds were established based on the best scientific information, guidance, and public policy available at the time, and are based on incidental ingestion only (Table 2).

While protective of human exposures based on current information, the thresholds given here may or may not be protective of animals such as dogs or livestock. The United States Environmental Protection Agency (U.S. EPA) issued final recommended recreational swimming advisories for two cyanotoxins, microcystins and cylindrospermopsin in June 2019 which were subsequently adopted by the State of Ohio in this document.

For a toxicity review of various cyanotoxins, exposure assumptions and threshold calculations, see Appendix D.

Table 2 — Numeric Thresholds for Cyanotoxins in Recreational Water.

Threshold (µg/L)	Microcystins*	Anatoxin-a	Cylindrospermopsin	
Recreational Public Health Advisory	8	8	15	0.8

*Microcystins and saxitoxin thresholds are intended to be applied to total concentrations of all reported congeners, variants, or analogs of those cyanotoxins.