

If you're ever in crisis and need to talk with someone right away, call the Veterans Crisis Line at **988**. Then select 1.

COMPREHENSIVE METABOLIC PANEL

If you have questions about these results, send a secure message to your care team.

Details about this test

Date and time collected: July 13, 2026, 12:24 p.m. EDT

Type of test: Chemistry and hematology

Site or sample tested: SERUM

Ordered by: BENJAMIN D GOODRICH

Location: ATLANTA VAMC

Results

Your provider will review your results. If you need to do anything, your provider will contact you. If you have questions, send a message to the care team that ordered this test.

Note: If you have questions about more than 1 test ordered by the same care team, send 1 message with all of your questions.

AST (SGOT)

Result: 15.0 IU/L

Reference range: 13 - 39 IU/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

ALK PHOS (TOTAL)

Result: 133.0 IU/L

Interpretation: High

Reference range: 34 - 104 IU/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

ALT (SGPT)

Result: 19.0 IU/L

Reference range: 7 - 52 IU/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

TOTAL BILIRUBIN

Result: 0.6 mg/dL

Reference range: 0.3 - 1.2 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

PROTEIN, TOTAL

Result: 7.5 g/dL

Reference range: 6.4 - 8.9 g/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

ALBUMIN

Result: 4.7 g/dL

Reference range: 3.5 - 5.2 g/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

CALCIUM

Result: 10.0 mg/dL

Reference range: 8.6 - 10.3 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

GLOBULIN

Result: 2.8 g/dL

Reference range: 2.6 - 4 g/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

ALB/GLOB

Result: 1.68 Ratio

Interpretation: High

Reference range: 0.95 - 1.59 Ratio

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

SODIUM

Result: 139.0 mmol/L

Reference range: 136 - 145 mmol/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

POTASSIUM

Result: 4.9 mmol/L

Reference range: 3.6 - 5.1 mmol/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIMONT RD DECATUR, GA 30033-4004

CHLORIDE

Result: 102.0 mmol/L

Reference range: 99 - 111 mmol/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIMONT RD DECATUR, GA 30033-4004

CO2

Result: 27.0 mmol/L

Reference range: 22 - 32 mmol/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIMONT RD DECATUR, GA 30033-4004

GLUCOSE

Result: 86.0 mg/dL

Reference range: 70 - 110 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

UREA NITROGEN

Result: 13.0 mg/dL

Reference range: 7 - 25 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

CREATININE

Result: 0.9 mg/dL

Reference range: 0.5 - 1.2 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]
1670 CLAIRMONT RD DECATUR, GA 30033-4004

UREA NITROGEN/CREATININE RATIO

Result: 14.4 RATIO

Reference range: 12 - 20 RATIO

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

CHOLESTEROL

Result: 304.0 mg/dL

Interpretation: High

Reference range: 100 - 200 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

DIRECT HDL

Result: 41.0 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

TRIGLYCERIDE

Result: 187.0 mg/dL

Interpretation: High

Reference range: 0 - 149 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

VLDL-CHOLESTEROL(CALC)

Result: 37.0 mg/dL

Reference range: 5 - 50 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

LDL-CHOL(CALCULATED)

Result: 226.0 mg/dL

Interpretation: High

Reference range: 65 - 160 mg/dL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

LDL/HDL RATIO

Result: 6.0 RATIO

Interpretation: High

Reference range: 0 - 2.5 RATIO

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

EGFR CKD-EPI

Result: 94.0 mL/min

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

PROSTATIC SP. Ag.

Result: 74.09 ng/mL

Interpretation: High

Reference range: 0 - 4 ng/mL

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒
1670 CLAIRMONT RD DECATUR, GA 30033-4004

ANION GAP

Result: 10.0 mmol/L

Reference range: 5 - 12 mmol/L

Status: Final

Body site tested: SERUM

Site or sample tested: SERUM

Lab comments: Ordering Provider: Benjamin D Goodrich RPH Report Released Date/Time: Jul 13, 2026@19:48☒

Performing Lab: ATLANTA VAMC [CLIA# 11D0987706]☒

1670 CLAIRMONT RD DECATUR, GA 30033-4004
