(855) 734-6640 /www.phs-lab.com/ Lic# C8-0000022-LIC

1 of 1

Bella Petite Blanc Sparkling Wine Lab ID: 220628-537-ZOBI-3

METRC Batch: : METRC Sample: Sample ID: 2206PHS0632.1623 Strain: Bella Petite Blanc Sparkling Wine Matrix: Ingestible Type: Beverage Sample Size: 1 units; Batch:

Produced: 06/22/2022 Collected: 06/28/2022 Received: 07/07/2022 Completed: 07/07/2022 Batch#: 012268BR

Producer **Z&O Bottling Innovations** Lic.# 12782 Monarch Ave. Garden Grove, CA 92841

Summary

Test

Batch

Cannabinoids

Date Tested

07/07/2022

Result Complete Complete

Complete



Cannabinoids

ND 60.000 mg/unit 60.000 mg/unit **Total THC** Total CBD **Total Cannabinoids** Analyte LOD 100 Results Results Results Results mg/g mg/g % mg/g mg/mL mg/unit THCa 0.005 ND ND ND ND ∆9-THC 0.006 ND ND ND ND ∆8-THC 0.005 ND ND ND ND THCVa 0.006 0.100 ND ND ND ND THCV 0.007 0.100 ND ND ND ND CBDa ND ND ND ND CBD 0.005 0.001 0.0080 0.080 0.080 60.000 CBDVa 0.006 0.100 ND ND ND ND 0.008 0.100 ND CBDV ND ND ND CBN ND ND ND ND CBGa 0.006 0.100 ND ND ND ND CBG 0.009 0.100 ND ND ND ND 0.006 0.100 ND ND ND CBC ND (6aR,9S)-d10-THC ND ND ND ND (6aR,9R)-d10-THC 0.006 ND ND ND ND Total THC NR NR NR NR Total CBD 0.008 0.080 0.080 60.000 Total 0.0080 0.080 60.000

Notes:

Total THC = (THCa * 0.877) + Δ 9-THC; Total CBD = (CBDa * 0.877) + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeleds

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Raquel Keledjian Lab Director 07/07/2022

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian