Mine questioner list (Underground)

Nº	Date:	
1	Country, Mine name	
	·	Name:
	Contact Information:	Title:
		O Hardness
3	Geological Conditions	Fracture
		Abrasively
		Bit №1: diameter
		○ Flat ○ Drop Center
		Convex Concave
	Current drilling Bits	Thread type:
		\bigcirc R25 \bigcirc R35 \bigcirc T38 \bigcirc T51 \bigcirc T60
	1.Manufacturer:	\bigcirc R32 \bigcirc T45 \bigcirc ST58 \bigcirc ST68
4	Part Number:	Bit №2: diameter
		Flat Drop Center
	2.Manufacturer:	Convex Concave
	Part Number:	Thread type:
		\bigcirc R25 \bigcirc R35 \bigcirc T38 \bigcirc T51 \bigcirc T60
		○R32 ○T45 ○ ST58 ○ST68
		Bit №1: pc.
5	Rock tools monthly consumption:	Bit №2: pc.
		Bit №1
		Wear-off rate:
_		Actual durability:
6	Wear-off rate	Bit №2
		Wear-off rate:
		Actual durability: м.
7	Wilest associate to obtain for	Bit №1: M.
	What results to strive for.	Bit №2:
		Bit
		Carbide buttons (Dropping out)
8	The main reason for the failure of the tool.	Carbide buttons (Wear-off) Body wash
		Carbide buttons (breakdown) Other
	Y	○ YES ○ NO
9	Is the tool sharpened?	Roller Cup
	What equipment and tools are used for sharpening?	Atlas Sandvik China
10	Tunneling	
	Drilling rig:	Manufacturer №1:
		Quantity: unit. Model:
1.1		Manufacturer №2:
11		Quantity: unit. Model:
		Manufacturer №3:
		Quantity: unit. Model:
12	Drilling plan for one rig (months)	M.
		Feed pressure (BAR):
13	Drilling mode:	Feed Rotation (BAR):
		Pressure / water (BAR):

14	Shank	pc./month
	Manufacturer:	Wear-off rate:
	Part Number:	Actual durability: м.
	The main reason for the failure.	☐ Thread wear-off ☐ Other
	Coupling	pc./month
	Manufacturer:	Wear-off rate:
	Part Number:	Actual durability: м.
	The main reason for the failure.	○ Thread wear-off ○ Other
	D 2012 D 1	pc./month
	Drilling Rod	Wear-off rate:
16	Manufacturer:	Actual durability: м
	Part Number:	O Deformation O Nipple breakage
	The main reason for the failure.	Other
17	Long Hole Drill	ing
18		
		Manufacturer №1:
	Drilling rig:	Quantity: unit. Model:
		Manufacturer №2:
		Quantity: unit. Model:
		Manufacturer №3:
		Quantity: unit. Model:
19	Drilling plan for one rig (months)	M.
		Feed pressure (BAR):
20		Feed Rotation (BAR):
		Pressure / water (BAR):
	Shank	pc./month
21	Manufacturer:	Wear-off rate:
	Part Number:	Actual durability: м.
	The main reason for the failure.	☐ Thread wear-off ☐ Other
		pc./month
	Reamer	Wear-off rate:
22	Manufacturer:	Actual durability: м.
	Part Number:	Carbide buttons (Dropping out)
	The main reason for the failure.	Carbide buttons (breakdown)
		Other Body wash
	Drilling Rod	pc./month
	Manufacturer:	Wear-off rate: M.
23	Part Number:	Actual durability: м.
	The main reason for the failure.	O Deformation Nipple breakage
		Other
	Consent to conduct comparative tests.	○ YES ○ NO
	Estimated date for testing.	
26	What documents are required to access the mine.	
27	Accommodation terms	
28	Date and period of the tender.	1 Year 3 Years 5 Years
		ICLI Tear CLO Tears CLO Tears