

HARDSCAPE CATALOGUE

PAVERS | WALLS | SLABS | STEPS | CURBS | ACCESSORIES



 **BROOKLIN**
CONCRETE PRODUCTS



Designed to create
lasting impressions.

Inversa Stone Tumbled Finish, Pewter Blend














Contents

About Brooklin	9
Paving Stones	10
Winchester	12
Remington	13
Lakeridge	14
Banff	16
Inversa Stone Standard Finish	17
Inversa Stone Tumbled Finish	18
Pelee	20
Traditional	22
Double Traditional	23
Patio Slabs	24
Barnboard	26
Peninsula Stone	28
Ledgerock®	30
Random Brick	32
Diamond Texture	34
Santa Fe	36
Quarry Stone®	37
Walls	38
Quick Wall® Standard Finish	40
Quick Wall® Tumbled Finish	41
Stone Manor	42
Stone Manor II	43
Design Wall Plus Standard Finish	44
Design Wall Plus Tumbled Finish	45
Landmark	46
Steps & Curbs	47
Prostack Steps	48
Peninsula Steps	49
Landscape Curb	50
Cobble Scape Edging	50
Outdoor Accessories	51
Outdoor Pizza Oven	52
Stone Manor Fire Pit	53
Quick Wall® Fire Pit	53
Deckfoot®	54
Splash Pads	54
Precast Catch Basins	54
Hardscape Accessories	55
Quick Reference Bundle Guide	56





About Brooklin

Since 1952, homeowners, landscapers and architects have trusted Brooklin to help them transform their outdoor projects and create timeless, enduring spaces. Our precast concrete landscaping products combine reliable durability with inspiring beauty and designs to satisfy every landscaping need.




Brooklin products are appreciated for their quality, value and ease of installation. We are committed to providing you with the trusted high-performance hardscape products you rely on for your projects – and we stand behind our products with a lifetime warranty.



PAVING STONES

DURABLE | TIMELESS | UNLIMITED DESIGNS





FEATURING

Winchester

Remington

Lakeridge

Banff

Inversa Stone

Pelee

Traditional

Double Traditional

Winchester 60 & 80

Winchester's large-scale and multiple subtle textures emulate a natural stone appearance. It is available in a 60mm thickness that is ideal for pedestrian use on walkways, patios and pool decks, as well as an 80mm thickness which is ideal for light vehicular traffic use on driveways or parking areas.

MIXED BUNDLE



Rectangle

190 x 380 x 60 mm [or 80mm]
(7-1/2 x 15 x 2-3/8 in [or 3-1/8 in])



Square

380 x 380 x 60 mm [or 80mm]
(15 x 15 x 2-3/8 in [or 3-1/8 in])



Large Rectangle

380 x 570 x 60 mm [or 80mm]
(15 x 22-1/2 x 2-3/8 in [or 3-1/8 in])



Rectangle

190 x 380 x 80mm
(7-1/2 x 15 x 3-1/8 in)

Note: Rectangle bundle only available in 80mm.



Border shown is Inversa large rectangle Onyx.

COLOURS

Suggestion: For Winchester 60 use Inversa Rectangle for Soldier Course.



Fieldstone Beige



Pewter



Sunrise Sand



Onyx*

*Onyx is only available in the 80mm Rectangle bundle.

Remington 60 & 80

Remington's large format, simple chamfered edge and smooth modern surface give this paving series a unique architectural appeal when laid in random or linear designs. It is available in a 60mm thickness that is ideal for pedestrian use on walkways, patios and pool decks as well as an 80mm thickness which is ideal for light vehicular traffic use on driveways or parking areas.

MIXED BUNDLE



Rectangle

190 x 380 x 60 mm [or 80mm]
(7-1/2 x 15 x 2-3/8 in [or 3-1/8 in])



Square

380 x 380 x 60 mm [or 80mm]
(15 x 15 x 2-3/8 in [or 3-1/8 in])



Large Rectangle

380 x 570 x 60 mm [or 80mm]
(15 x 22-1/2 x 2-3/8 in [or 3-1/8 in])



Rectangle

190 x 380 x 80mm
(7-1/2 x 15 x 3-1/8 in)

Note: Rectangle bundle only available in 80mm.



COLOURS

Suggestion: For Remington 60 use Inversa Rectangle or Traditional for Soldier Course.



Fieldstone Beige



Pewter



Sunrise Sand



Onyx*

*Onyx is only available in the 80mm Rectangle bundle.

Lakeridge

Lakeridge offers the natural look and texture of cut stone right from the quarry. This paver is packaged in a mixed sizes bundle which allows you to create random patterns or the rectangle bundle that can be installed on its own or used for soldier coursing the random pattern. Its 80mm thickness means this large format paver is suited not only for patios and walkways but also driveways.

MIXED BUNDLE



Rectangle

124 x 248 x 80 mm
(4-7/8 x 9-3/4 x 3-1/8 in)



Square

248 x 248 x 80 mm
(9-3/4 x 9-3/4 x 3-1/8 in)



Large Rectangle

248 x 372 x 80 mm
(9-3/4 x 14-5/8 x 3-1/8 in)



Rectangle

186 x 248 x 80 mm
(7-3/8 x 9-3/4 x 3-1/8 in)

RECTANGLE BUNDLE



COLOURS



Ashburn Brown



Mineral Grey



Sierra Sandstone



Onyx*

*Onyx is only available in the Rectangle bundle.



Banff

The newest trend in architectural hardscapes, Banff pavers offer multiple distinctly textured stone surfaces to replicate the texture of natural stones. This paver is packaged in a mixed sizes bundle which allows you to create random patterns or the rectangle bundle that can be installed on its own or used for soldier coursing the random pattern. Its large format sizing in a 70mm thickness make it an ideal choice for creating a unique outdoor entertainment area or driveway.

MIXED BUNDLE



Rectangle

150 x 300 x 70 mm
(5-7/8 x 11-7/8 x 2-3/4 in)



Square

300 x 300 x 70 mm
(11-7/8 x 11-7/8 x 2-3/4 in)



Large Rectangle

300 x 450 x 70 mm
(11-7/8 x 17-5/8 x 2-3/4 in)



Rectangle

150 x 300 x 70 mm
(5-7/8 x 11-7/8 x 2-3/4 in)



RECTANGLE BUNDLE

COLOURS



Slate



Sandstone



Shale



Onyx*

*Onyx is only available in the Rectangle bundle.

Inversa Stone

STANDARD FINISH

A consistent subtle texture with sharp clean edges gives this paver a very sophisticated appearance. The medium to large sizes in a 60 mm thickness make this paver suitable for both pedestrian and light vehicular traffic. The multiple sizes are packaged separately making it is one of the most versatile products with unlimited design pattern possibilities. Combined with other Brooklin pavers of similar thickness this paver makes any hardscape project truly unique.

EACH SIZE SOLD
SEPARATELY



Rectangle

100 x 200 x 60 mm
(3-7/8 x 7-7/8 x 2-3/8 in)



Square

200 x 200 x 60 mm
(7-7/8 x 7-7/8 x 2-3/8 in)



Large Rectangle

200 x 300 x 60 mm
(7-7/8 x 11-7/8 x 2-3/8 in)



COLOURS



Char-Brown



Chestnut Blend



Colonial Buff Blend



Pewter Blend



Terra Cotta Blend



Onyx

Inversa Stone

TUMBLED FINISH

Applying a unique secondary manufacturing process to the Inversa Stone transforms the consistent subtle texture and sharp edges of the Standard Finish into a rugged rounded edge paver that has the appearance of a hand-crafted granite paver. One of the most unique features of this paver is that you can simply flip it over and use the smooth surface on its own or in combination with the subtly textured surface. The medium to large sizes in a 60 mm thickness make this paver ideal for walkways, patios and driveways. The multiple sizes are packaged separately making it is one of the most versatile products with unlimited design pattern possibilities.

EACH SIZE SOLD SEPARATELY



Rectangle

100 x 200 x 60 mm
(3-7/8 x 7-7/8 x 2-3/8 in)



Square

200 x 200 x 60 mm
(7-7/8 x 7-7/8 x 2-3/8 in)



Large Rectangle

200 x 300 x 60 mm
(7-7/8 x 11-7/8 x 2-3/8 in)



COLOURS



Char-Brown



Chestnut Blend



Colonial Buff Blend



Pewter Blend



Terra Cotta Blend



Pelee

The Pelee Stone offers a truly contemporary appearance. With its smooth surface and finely chamfered edges this paving series endures the test of time. This surface also meets the ADA Standards for wheelchair accessibility. Small to medium stone sizes in a 60mm thickness are packaged separately, offering complete design flexibility for your walkways, patios and driveway.

EACH SIZE SOLD SEPARATELY



Small Rectangle
75 x 150 x 60 mm
(2-7/8 x 5-7/8 x 2-3/8 in)



Square
150 x 150 x 60 mm
(5-7/8 x 5-7/8 x 2-3/8 in)



Rectangle
150 x 225 x 60 mm
(5-7/8 x 8-7/8 x 2-3/8 in)



Large Rectangle
225 x 300 x 60 mm
(8-7/8 x 11-7/8 x 2-3/8 in)



COLOURS



Chestnut Blend



Colonial Buff Blend



Pewter Blend



Terra Cotta Blend



Traditional

This is the paver shape that defines interlocking stone. When laid in a herringbone pattern there is no stronger pavement on the market today. As history has shown, this paver has outperformed both asphalt and ridged concrete pavements in longevity, appearance and maintenance. It is available in a 60mm thickness that is suitable for both pedestrian and light vehicular traffic. It is also available in an 80mm thickness, on a custom ordered basis, that is suitable for heavy vehicular traffic making it ideal for residential streets and parking lots.



Full Stone

100 x 200 x 60 mm
(3-7/8 x 7-7/8 x 2-3/8 in)



Half Stone

100 x 100 x 60 mm
(3-7/8 x 3-7/8 x 2-3/8 in)



COLOURS



Antique Red Blend



Charcoal



Chestnut Blend



Colonial Buff Blend



Natural



Pewter Blend



Red



Terra Cotta Blend

Note: The Traditional Paver is also available in an 80 mm thickness *Custom Order*

Double Traditional

Just like Traditional, this paver has a long history of performance. The Double Traditional has been an architectural favourite on many commercial projects. It can be installed on its own in a stacked or running bond pattern and installed with the Traditional paver to create more random patterns. At 60mm thick it is suitable for both pedestrian and light vehicular traffic.



Square

200 x 200 x 60 mm
(7-7/8 x 7-7/8 x 2-3/8 in)



COLOURS



Antique Red Blend



Pewter Blend



Terra Cotta Blend

PATIO SLABS

PRECISION FIT | DURABLE | EASY TO CLEAN | SLIP RESISTANT





FEATURING

Barnboard

Peninsula Stone

Ledgerock®

Random Brick

Diamond Texture

Santa Fe

Quarry Stone®

Barnboard

Natural-looking or beautifully rustic, concrete barnboard offers the colour, texture and appearance of wood, combined with the durability of concrete, making it ideal for inventing new, imaginative outdoor spaces.



Walnut

250 x 890 x 45 mm
(9-7/8 x 35 x 1-3/4 in)



Limestone

250 x 890 x 45 mm
(9-7/8 x 35 x 1-3/4 in)



COLOURS



Walnut



Limestone



Peninsula Stone

Peninsula Stone Slabs are the most authentic replica of natural stone available on the market today. A variety of sandstone textures, subtle colouring and the hand sculpted undercut edges make it difficult to tell that it is a manmade slab. These slabs can help you create beautiful outdoor spaces quickly and cost effectively.



Rectangle

295 x 590 x 43 mm
(11-5/8 x 23-1/4 x 1-5/8 in)



Square

295 x 295 x 43 mm
(11-5/8 x 11-5/8 x 1-5/8 in)



Large Square

590 x 590 x 43 mm
(23-1/4 x 23-1/4 x 1-5/8 in)



COLOURS



Ashburn



Limestone



Ledgerock®

STANDARD FINISH

With a flagstone texture enhancing the natural appearance, Ledgerock® slabs blend easily into any landscape setting.



450 x 450 x 45 mm
(17-3/4 x 17-3/4 x 1-3/4 in)



610 x 610 x 45 mm
(24 x 24 x 1-3/4 in)



COLOURS



Brown



Chamois



Charcoal



Natural

Ledgerock®

SHOT BLAST FINISH

To enhance the appearance of the Ledgerock Standard Finish slab, a specialized secondary process known as shot blasting is applied to the surface of the stone. This is a high-pressure treatment using small steel beads to lightly rupture the surface of the concrete exposing the fine aggregates. The result is a uniquely coloured and uniform 'roughened' texture that provides a high degree of protection against slipping under wet conditions.



450 x 450 x 45 mm
(17-3/4 x 17-3/4 x 1-3/4 in)



610 x 610 x 45 mm
(24 x 24 x 1-3/4 in)

Note: Shot blast finish is only available on a custom order basis.



COLOURS



Brown



Chamois



Charcoal



Natural

Random Brick

STANDARD FINISH

Our Random Brick paving slabs are exceptionally easy to install and well suited to garden paths, distinctive walkways and other creative landscapes. Each slab is embossed with a pattern resembling a random installation of rectangular paving stones.



450 x 450 x 45 mm
(17-3/4 x 17-3/4 x 1-3/4 in)



610 x 610 x 45 mm
(24 x 24 x 1-3/4 in)



COLOURS



Brown



Charcoal



Natural



Red

Random Brick

SHOT BLAST FINISH

To further enhance the appearance of the Random Brick Standard Finish slab, a specialized secondary process known as shot blasting is applied to the surface of the stone. This is a high-pressure treatment using small steel beads to lightly rupture the surface of the concrete exposing the fine aggregates. The result is a uniquely coloured and uniform 'roughened' texture that provides a high degree of protection against slipping under wet conditions.



450 x 450 x 45 mm
(17-3/4 x 17-3/4 x 1-3/4 in)



610 x 610 x 45 mm
(24 x 24 x 1-3/4 in)

Note: Shot blast Finish is only available on a custom order basis.



COLOURS



Brown



Charcoal



Natural



Red

Diamond Texture

STANDARD FINISH

With their diamond-texture finish, these patio slabs are a welcomed addition to any patio or walkway. Combine different sizes to create an infinite variety of striking patterns.



305 x 610 x 45 mm
(12 x 24 x 1-3/4 in)



450 x 450 x 45 mm
(17-3/4 x 17-3/4 x 1-3/4 in)



610 x 762 x 45 mm
(24 x 30 x 1-3/4 in)



610 x 610 x 45 mm
(24 x 24 x 1-3/4 in)



610 x 914 x 48 mm
(24 x 36 x 1-7/8 in)



COLOURS



Natural

Diamond Texture

SHOT BLAST FINISH

To further enhance the appearance of the Diamond Texture Standard Finish slab, a specialized secondary process known as shot blasting is applied to the surface of the stone. This is a high-pressure treatment using small steel beads to lightly rupture the surface of the concrete exposing the fine aggregates. The result is a uniquely coloured and uniform 'roughened' texture that provides a high degree of protection against slipping under wet conditions.



305 x 610 x 45 mm
(12 x 24 x 1-3/4 in)



450 x 450 x 45 mm
(17-3/4 x 17-3/4 x 1-3/4 in)



610 x 762 x 45 mm
(24 x 30 x 1-3/4 in)



610 x 610 x 45 mm
(24 x 24 x 1-3/4 in)



610 x 914 x 48 mm
(24 x 36 x 1-7/8 in)



COLOURS



Natural

Note: Shot blast Finish is only available on a custom order basis.

Santa Fe

With enhanced colours and unique textures, our Santa Fe patio slabs lend a true southwestern feel to your pathway, patio or outdoor gathering space.



300 x 300 x 45 mm
(11-7/8 x 11-7/8 x 1-3/4 in)



400 x 400 x 45 mm
(15-3/4 x 15-3/4 x 1-3/4 in)

Note: 300 x 300 bundle only available in natural, sand & smoke colours. 400 x 400 bundle only available in pewter blend.



COLOURS

300 x 300 x 45 mm



Natural



Sand



Smoke

400 x 400 x 45 mm



Pewter Blend

Quarry Stone®

Quarry Stone® adds textured, rustic appeal to any landscape setting. These uniquely shaped slabs are laid in a specific pattern to resemble natural flagstone.



406 x 330 x 45 mm
(16 x 13 x 1-3/4 in)
Coverage: 1.3 sq. ft.



COLOURS




Sand




Smoke

WALLS

EASY-TO-BUILD | PRECISION FIT | VERSATILE DESIGN





FEATURING

Quick Wall® Standard Finish

Quick Wall® Tumbled Finish

Stone Manor

Stone Manor II

Design Wall Plus Standard Finish

Design Wall Plus Tumbled Finish

Landmark

Quick Wall®

STANDARD FINISH

Quick Wall® is ideal for small garden walls and edgings up to 2' tall. Create straight walls, as well as very tight inside or outside curves without any cutting. This split-face product comes ready to install and is suitable for do-it-yourself projects.

SIZE



Tapered Reversible

100 x (200 or 150) x 175 mm
(3-7/8 x (7-7/8 or 6) x 6-7/8 in)

Note: 23 units creates a 59"
outside diameter circle and 45"
inside diameter circle.



COLOURS



Antique Red Blend



Chestnut Blend



Colonial Buff Blend



Natural



Pewter Blend



Terra Cotta Blend

Quick Wall®

TUMBLED FINISH

Create beautiful garden walls with the enhanced, rustic look of natural stone. This product offers superior results when combined with our tumbled paving stone products.

SIZE



Tapered Reversible

100 x (200 or 150) x 175 mm
(3-7/8 x (7-7/8 or 6) x 6-7/8 in)

Note: 23 units creates a 59" outside diameter circle.
Stone Manor Tumbled Coping can be used with Quick Wall®.



COLOURS



Antique Red Blend



Chestnut Blend



Colonial Buff Blend



Natural



Pewter Blend



Terra Cotta Blend

Stone Manor

Stone Manor garden walls feature one-size modular blocks that make for virtually maintenance-free, easy installation.

SIZES



Straight Unit Tumbled
100 x 300 x 200 mm
(3-7/8 x 11-7/8 x 7-7/8 in)



Tumbled Coping Unit
75 x 325 x 225 mm
(2-7/8 x 12-7/8 x 8-7/8 in)



TUMBLLED FINISH COLOURS



Chestnut Blend



Colonial Buff Blend



Pewter Blend



Terra Cotta Blend

Stone Manor II

Stone Manor II offers a split-face wall option that can be laid in a random pattern for a distinct effect.

SIZE



Straight Unit Standard
100 x 300 x 200 mm
(3-7/8 x 11-7/8 x 7-7/8 in)



Straight Unit Tumbled
100 x 300 x 200 mm
(3-7/8 x 11-7/8 x 7-7/8 in)



Tumbled Coping Unit
75 x 325 x 225 mm
(2-7/8 x 12-7/8 x 8-7/8 in)



STANDARD FINISH COLOURS



Chestnut



Colonial Buff



Pewter



Terra Cotta



Onyx

TUMBLLED FINISH COLOURS



Chestnut Blend



Colonial Buff Blend



Pewter Blend



Terra Cotta Blend

Design Wall Plus

STANDARD FINISH

Our most versatile retaining wall, Design Wall Plus has a symmetrically classic appearance to suit any landscape design. It's unique locking feature makes it easy to build set-back gravity retaining walls up to 4' or vertical walls for steps, driveway edging, pillars and planters. It is also ideal for constructing engineered walls over 4' using Geo Grid reinforcing.

SIZES



Straight Unit

150 x 200 x 300 mm
(5-7/8 x 7-7/8 x 11-7/8 in)



Tapered Unit

150 x 200 x 300 mm
(5-7/8 x 7-7/8 x 11-7/8 in)



Corner Unit

150 x 200 x 300 mm
(5-7/8 x 7-7/8 x 11-7/8 in)



Split-Face Coping Unit

75 x 600 x 325 mm
(2-7/8 x 23-5/8 x 12-7/8 in)



COLOURS



Chestnut Blend



Colonial Buff Blend



Natural



Pewter Blend



Terra Cotta Blend

Design Wall Plus

TUMBLLED FINISH

Design Wall Plus with a tumbled finish option creates a vintage weathered appearance that replicates the rustic look of natural stone. It has the great features of Design Wall Plus and is a perfect complement to all of our Tumbled Finish paving stone lines.

SIZES



Straight Tumbled Unit
150 x 200 x 300 mm
(5-7/8 x 7-7/8 x 11-7/8 in)



Tapered Tumbled Unit
150 x 200 x 300 mm
(5-7/8 x 7-7/8 x 11-7/8 in)



Corner Tumbled Unit
150 x 200 x 300 mm
(5-7/8 x 7-7/8 x 11-7/8 in)



Tumbled Coping Unit
75mm x 600mm x 325mm
(2-7/8" x 23-5/8" x 12-7/8")



COLOURS



Chestnut Blend



Colonial Buff Blend



Pewter Blend



Terra Cotta Blend

Landmark

The ideal solution for your most challenging retaining wall scenarios. Landmark's classic smooth-faced appearance and clean lines make it a favourite of architects, engineers and property owners alike. Whether you need a small gravity wall or a large geogrid reinforced wall, the size and unique locking design will enable you to complete your project quickly and efficiently.

600 SERIES SIZES (KEYED OR FLAT UNITS)



600 x 1800 x 550 mm (23.6 x 71 x 21.7 in)
600 x 1200 x 550 mm (23.6 x 47 x 21.7 in)
600 x 900 x 550 mm (23.6 x 35.5 x 21.7 in)
600 x 600 x 550 mm (23.6 x 23.6 x 21.7 in)

90 Degree Corner Unit

600 x 1500 x 550 mm (23.6 x 59 x 21.7 in)

300 SERIES SIZES (KEYED OR FLAT UNITS)



300 x 1800 x 550 (11-7/8 x 71 x 21.7 in)
300 x 1200 x 550 (11-7/8 x 47 x 21.7 in)
300 x 900 x 550 (11-7/8 x 35.5 x 21.7 in)
300 x 600 x 550 (11-7/8 x 23.6 x 21.7 in)

Consult our in-house design team for more information



STEPS & CURBS

ECONOMICAL | VERSATILE | STABLE



Prostack Steps

Prostack Steps are a solid choice for constructing all step applications. The 4' length and 7-1/4" rise make it fast and easy to install. It is the ideal product for elevated or terraced walkways, as well as steps to any door of your home.



COLOURS & SIZES



Colonial Buff Blend
1200 x 185 x 500mm
(47-1/4 x 7-1/4 x 20 in)



Chestnut Blend
1200 x 185 x 500mm
(47-1/4 x 7-1/4 x 20 in)



Pewter Blend
1200 x 185 x 500mm
(47-1/4 x 7-1/4 x 20 in)

Peninsula Steps

Our Peninsula Steps have the look and feel of natural stone but are lightweight and easy to install anywhere around your home or garden. Pair with our Peninsula Slab or any one of the other pavers, walls or patio slabs we offer.



SMALL STEP

Tread depth is 13" (330mm). Depth to the front of the embossed face is plus or minus 14" (356mm).



Charcoal
1200 x 180 x 356 mm
(47-1/4 x 7-1/8 x 14 in)



Vintage Buff
1200 x 180 x 356 mm
(47-1/4 x 7-1/8 x 14 in)



Brown
1200 x 180 x 356 mm
(47-1/4 x 7-1/8 x 14 in)



Small Step Block
330 x 180 x 100 mm
(13 x 7-1/8 x 3-7/8 in)

LARGE STEP

Note: Use step blocks as end fillers when creating multi-rise steps.



Charcoal
1828 x 155 x 500mm
(72 x 6-1/8 x 19-5/8 in)



Vintage Buff
1828 x 155 x 500mm
(72 x 6-1/8 x 19-5/8 in)



Brown
1828 x 155 x 500mm
(72 x 6-1/8 x 19-5/8 in)



Large Step Block
451 x 155 x 76 mm
(17 3/4 x 6 1/8 x 3-3/4 in)

Landscape Curb

Brooklin landscape curbs are designed for the do-it-yourselfer. They're available in a convenient length and are quick and easy to install.



COLOURS & SIZES



Brown Landscape Curb
1000 x 150 x 140 mm
(39-1/2 x 6 x 5-1/2 in)



Charcoal Landscape Curb
1000 x 150 x 140 mm
(39-1/2 x 6 x 5-1/2 in)



Natural Landscape Curb
1000 x 150 x 140 mm
(39-1/2 x 6 x 5-1/2 in)



Red Landscape Curb
1000 x 150 x 140 mm
(39-1/2 x 6 x 5-1/2 in)

Cobble Scape Edging

Our edging product offers an economical solution for creating that finishing touch around gardens and trees.



COLOURS & SIZES



**Pewter Cobble
Scape Edging**
400 x 150 x 89 mm
(15-3/4 x 6 x 3-1/2 in)



**Vintage Buff Cobble
Scape Edging**
400 x 150 x 89 mm
(15-3/4 x 6 x 3-1/2 in)



**Chestnut Cobble
Scape Edging**
400 x 150 x 89 mm
(15-3/4 x 6 x 3-1/2 in)

OUTDOOR ACCESSORIES

EASY TO USE | ECONOMICAL | UNLIMITED DESIGNS



Outdoor Pizza Oven

WITH STONE MANOR BASE UNIT

Cook the perfect pizza every time. Our pizza ovens offer a combination of Italian wood-fired cooking with today's modern style and design. This functional system is a beautiful addition to your outdoor living area.



Our pizza ovens offer a lightweight modular design. Their stainless steel construction with electrostatically applied powder coating provides superior durability and rust resistance. A compact cooking chamber allows you to achieve the desired cooking temperature in 10-15 minutes. Cook two personal-sized pizzas at once, and bake the perfect thin crust pizza in less than two minutes.

SIZES

Oven Size

36.8" w x 23.2" d x 52" h
(93.5cm x 59cm x 132cm)
Including chimney

Colours

Red/Stainless

Cooking Space

31.5" w x 15.75" d
(80cm x 40cm)

Heat-Up Time

10-15 minutes

BASE UNIT

The base unit is constructed using Brooklin's Stone Manor concrete blocks, which are covered by a lifetime warranty. They are available in four earth-tone colours to match any desired outdoor decor. The Brooklin Pizza Oven is designed to fit any size backyard or patio at home or the cottage. It is also a great addition to any outdoor kitchen.

INCLUDED

Pizza Oven Base assembly instructions, insulated oven dome, refractory fire rock floor, chimney, oven door, oven thermometer, fire separator, pizza peel, pizza cutter and pizza lift.




Stone Manor Fire Pit

Our Stone Manor Fire Pit kit makes it easy to create a perfect outdoor gathering spot that will provide years of cozy nights. Kits are available in various colours and are lined with an easy-to-assemble steel frame.



FIRE PIT SIZE



Outside Dimension

1,100mm x 1,100mm
(43-1/4" x 43-1/4")

Inside Dimension

700mm x 700mm
(27-1/2" x 27-1/2")


Note: 12 blocks per row
and typically three rows
will make a fire pit.

Quick Wall® Fire Pit

An easy solution for a backyard or cottage fire pit, this circular system assembles to a 45" inside diameter radius, providing ample area to build your fires for your outdoor entertainment needs.



FIRE PIT SIZE



Outside Diameter

1,498mm
(59")

Inside Diameter

1,143mm
(45")

Note: 23 blocks per row
and typically three rows
will make a fire pit.

Deckfoot®

This easy-to-use concrete deck footing is designed to be both stackable and reversible, and its tan colour blends in naturally with your landscape.



SIZES



4" x 4" Post Deckfoot®
300 x 300 x 135 mm
(11-7/8 x 11-7/8 x 5-1/3 in)



6" x 6" Post Deckfoot®
300 x 300 x 130 mm
(11-7/8 x 11-7/8 x 5 in)

Splash Pads

Concrete splash pads direct water away from your basement and prevent possible soil erosion. They're ideal for draining downspouts in areas where there's no connection to the storm sewer.



SIZE



Natural
610 X 305 X 64 mm
(24 x 12 x 2-1/2 in)

Precast Catch Basins

Sturdy precast catch basins install right into your driveway or around your yard to drain water away from your home.



SIZES



Circular Residential Catch Basin
460mm (18") Inside diameter
610mm (24") Outside diameter
762mm (30") Height



Driveway Catch Basin
1980 x 165 x 305 mm
(78 x 16 x 12 in)
grate and 100mm (4") drain holes

100%

Quick Reference Bundle Guide

PAVING STONES

	SIZES LxWxH		UNIT SPECS	
	metric	imperial	sq. ft.	weight lbs.
Remington & Winchester 60				
Rectangle	190 x 380 x 60 mm	7-1/2 x 15 x 2-3/8 in	0.78	22.23
Square	380 x 380 x 60 mm	15 x 15 x 2-3/8 in	1.55	44.18
Large Rectangle	380 x 570 x 60 mm	15 x 22-1/2 x 2-3/8 in	2.33	66.41
Mixed Bundle	-	-	-	-
Remington & Winchester 80				
Rectangle	190 x 380 x 80 mm	7-1/2 x 15 x 3-1/8 in	0.78	28.86
Square	380 x 380 x 80 mm	15 x 15 x 3-1/8 in	1.55	57.35
Large Rectangle	380 x 570 x 80 mm	15 x 22-1/2 x 3-1/8 in	2.33	86.21
Mixed Bundle	-	-	-	-
Rectangle Bundle	190 x 380 x 80 mm	7-1/2 x 15 x 3-1/8 in	0.78	22.23
Lakeridge				
Rectangle	124 x 248 x 80 mm	4-7/8 x 9-3/4 x 3-1/8 in	0.33	12.25
Square	248 x 248 x 80 mm	9-3/4 x 9-3/4 x 3-1/8 in	0.66	24.5
Large Rectangle	248 x 372 x 80 mm	9-3/4 x 14-5/8 x 3-1/8 in	0.99	36.78
Mixed Bundle	-	-	-	-
Rectangle Bundle	186 x 248 x 80 mm	7-3/8 x 9-3/4 x 3-1/8 in	0.497	18.46
Banff				
Rectangle	150 x 300 x 70 mm	5-7/8 x 11-7/8 x 2-3/4 in	0.483	15.5
Square	300 x 300 x 70 mm	11-7/8 x 11-7/8 x 2-3/4 in	0.966	31
Large Rectangle	300 x 450 x 70 mm	11-7/8 x 17-5/8 x 2-3/4 in	1.45	46.5
Mixed Bundle	-	-	-	-
Rectangle Bundle	150 x 300 x 70 mm	5-7/8 x 11-7/8 x 2-3/4 in	0.48	15.5
Inversa Stone (Standard or Tumbled Finish)				
Rectangle	100 x 200 x 60 mm	3-7/8 x 7-7/8 x 2-3/8 in	0.215	6.13
Square	200 x 200 x 60 mm	7-7/8 x 7-7/8 x 2-3/8 in	0.43	12.26
Large Rectangle	200 x 300 x 60 mm	7-7/8 x 11-7/8 x 2-3/8 in	0.646	18.39
Pelee				
Small Rectangle	75 x 150 x 60 mm	2-7/8 x 5-7/8 x 2-3/8 in	0.121	3.45
Square	150 x 150 x 60 mm	5-7/8 x 5-7/8 x 2-3/8 in	0.242	6.9
Rectangle	150 x 225 x 60 mm	5-7/8 x 8-7/8 x 2-3/8 in	0.363	10.35
Large Rectangle	225 x 300 x 60 mm	8-7/8 x 11-7/8 x 2-3/8 in	0.726	20.7
Traditional				
Full Stone	100 x 200 x 60 mm	3-7/8 x 7-7/8 x 2-3/8 in	0.215	6.13
Half Stone	100 x 100 x 60 mm	3-7/8 x 3-7/8 x 2-3/8 in	0.107	3.07
Total Bundle	-	-	-	-
Double Traditional				
Square	200 x 200 x 60 mm	7-7/8 x 7-7/8 x 2-3/8 in	0.43	12.26

BUNDLE SPECIFICATIONS					SECTION SPECIFICATIONS			
	sq. ft.	lin. ft.	pieces	weight lbs.	sections	sq. ft.	lin. ft.	weight lbs.
	21.06 (21%)	16.88	27	-	-	-	-	-
	41.85 (40%)	33.75	27	-	-	-	-	-
	41.94 (40%)	33.75	18	-	-	-	-	-
	105	84.38	72	2956	-	-	-	-
	16.5 (20%)	13.13	21	-	-	-	-	-
	32.6 (40%)	26.25	21	-	-	-	-	-
	32.6 (40%)	26.25	14	-	-	-	-	-
	82	66	56	3035	-	-	-	-
	82	66	105	3035	3	27.3	22	1012
	11.58 (17%)	14.22	35	-	-	-	-	-
	23.17 (33%)	28.44	35	-	-	-	-	-
	34.75 (50%)	42.66	35	-	-	-	-	-
	69.5	85.32	105	2582	-	-	-	-
	69.5	85.4	140	2582	4	17.4	21.35	645.5
	11.6 (17%)	11.8	24	-	-	-	-	-
	23.2 (33%)	23.8	24	-	-	-	-	-
	34.8 (50%)	35.2	24	-	-	-	-	-
	69.6	71	72	2232	-	-	-	-
	92.8	94	192	2976	8	11.6	11.75	372
	104.5	159.48	486	2981	6	17.5	26.58	552.17
	116.1	177.18	270	3313	6	19.4	29.53	552.17
	116.1	118.12	180	3313	4	29.1	29.53	552.17
	95.9	194.88	792	2733	8	12	24.36	341.63
	104.5	212.64	432	2981	8	13.1	26.58	372.63
	104.5	141.76	288	2981	8	13.1	17.72	372.63
	104.5	106.32	144	2981	4	26.2	26.58	745.26
	102.5	154	477	-	-	-	-	-
	2	5.5	18	-	-	-	-	-
	104.5	159.5	495	2981	6	17.5	26.58	496.8
	116.1	177.18	270	3313	6	19.4	29.53	552.17

PATIO SLABS

	SIZES L x W x H		UNIT SPECS	
	imperial		sq. ft.	weight lbs.
Barnboard				
250 x 890 x 43mm	9.88 x 35 x 1.7 in		2.39	50
Peninsula Stone				
295 x 590 x 43mm	11.7 x 23.25 x 1.7 in		1.89	36
295 x 295 x 43mm	11.7 x 11.7 x 1.7 in		0.94	18
590 x 590 x 43mm	23.25 x 23.25 x 1.7 in		3.81	71
Ledgerock®				
450 x 450 x 45mm	17.75 x 17.75 x 1.75 in		2.19	44
610 x 610 x 45mm	24 x 24 x 1.75 in		4	80
Random Brick				
450 x 450 x 45mm	17.75 x 17.75 x 1.75 in		2.19	44
610 x 610 x 45mm	24 x 24 x 1.75 in		4	80
Diamond Texture				
305 x 610 x 45mm	12 x 24 x 1.75 in		2	42
450 x 450 x 45mm	17.75 x 17.75 x 1.75 in		2.19	44
610 x 762 x 45mm	24 x 30 x 1.75 in		5	105
610 x 610 x 45mm	24 x 24 x 1.75 in		4	80
610 x 914 x 48mm	24 x 36 x 1.88 in		6	150
Santa Fe				
300 x 300 x 45mm	11.8 x 11.8 x 1.75 in		0.97	19
400 x 400 x 45mm	15.75 x 15.75 x 1.75 in		1.75	38
Quarry Stone®				
330 x 406 x 45mm	13 x 16 x 1.75 in		1.3	30

WALLS

	SIZES H x W x D		UNIT SPECS			
	metric	imperial	units per sq. face ft.	lin. ft.	weight lbs.	
Quick Wall®						
Tapered Unit	100 x (200 or 150) x 175mm	3.94 x (7.87 or 5.9) x 6.89 in	4.65	.66 or .5	17	
Stone Manor						
Straight Unit Tumbled	100 x 300 x 200mm	3.94 x 11.81 x 7.87 in	3.1	0.98	28.5	
Tumbled Coping Unit	225 x 325 x 75mm	8.86 x 12.8 x 2.95 in	3.81	1.07	27	
Stone Manor II - Std. or Tumbled Finish						
Straight Unit	100 x 300 x 200mm	3.94 x 11.81 x 7.87 in	3.1	0.98	28.5	
Tumbled Coping Unit	225 x 325 x 75mm	8.86 x 12.8 x 2.95 in	3.81	1.07	27	
Design Wall Plus® - Std. or Tumbled Finish						
Straight Unit	150 x 200 x 300mm	5.91 x 7.87 x 11.81 in	3.1	0.66	41	
Tapered Unit	150 x 200 x 300mm	5.91 x 7.87 x 11.81 in	3.1	0.66	37	
Corner Unit	150 x 200 x 300mm	5.91 x 7.87 x 11.81 in	1.24	1.64	49	
Split-Face Coping Unit	75 x 600 x 325mm	2.95 x 23.6 x 12.8 in	2.07	1.97	67	
Landmark						
600 x 1800 Unit	600 x 1800 x 550mm	23.6 x 71 x 21.7 in	0.086	5.9	3150	
600 x 1200 Unit	600 x 1200 x 550mm	23.6 x 47 x 21.7 in	0.13	3.9	2100	
600 x 900 Unit	600 x 900 x 550mm	23.6 x 35.5 x 21.7 in	0.17	2.96	1575	
600 x 600 Unit	600 x 600 x 550mm	23.6 x 23.6 x 21.7 in	0.26	1.97	1050	
600 x 90 Degree Corner Unit	600 x 1500 x 550mm	23.6 x 59 x 21.7 in	0.1	6.9	2625	
600 x 45 Degree Corner Unit	600 x 1400 x 550mm	23.6 x 55 x 21.7 in	0.11	6.6	2300	
300 x 1800 Unit	300 x 1800 x 550mm	11.9 x 71 x 21.7 in	0.086	5.9	1575	
300 x 1200 Unit	300 x 1200 x 550mm	11.9 x 47 x 21.7 in	0.13	3.9	1050	
300 x 900 Unit	300 x 900 x 550mm	11.9 x 35.5 x 21.7 in	0.17	2.96	790	
300 x 600 Unit	300 x 600 x 550mm	11.9 x 23.6 x 21.7 in	0.26	1.97	525	

BUNDLE SPECIFICATIONS		
pieces	sq. ft.	weight lbs.
20	47.5	1000
24	45.36	864
48	45.12	864
24	91.44	1704
25	54.75	1100
25	100	2000
25	54.75	1100
25	100	2000
25	50	1050
25	54.75	1100
25	125	2625
25	100	2000
25	150	3750
144	139.68	2736
60	105	2280
72	93.6	2160

BUNDLE SPECIFICATIONS				SECTION/LAYER INFORMATION					
pieces	sq. face ft.	lin. ft.	weight lbs.	layers or sections	pieces	sq. face ft.	lin. ft.	weight lbs.	
180	33.84	103.3	3060	6	30	5.64	17.22	510	
96	32	94.48	2735	4	24	8	23.62	684	
96	33.22	102.72	2592	3	32	11.07	34.24	864	
108	36	106.3	3078	6	18	6	17.71	513	
96	33.22	102.72	2592	3	32	11.07	34.24	864	
80	25.84	52.47	3280	4	20	6.46	13.12	820	
80	25.84	52.47	2960	4	20	6.46	13.12	740	
32	25.9	52.5	1568	4	8	6.48	13.12	612	
32	20.35	63	2144	4	8	5.09	15.75	536	
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
UNITS SOLD SEPARATELY				-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

STEPS & CURBS

	SIZES L x H x D		UNIT SPECS		BUNDLE SPECIFICATIONS			LAYER OR SECTION SPECIFICATIONS		
	metric	imperial	lin. ft.	weight lbs.	pieces	lin. ft.	weight lbs.	# of layers	units	weight lbs.
Prostack Step										
	1200 x 185 x 500mm	47.25 x 20 x 7.25 in	3.94	585	6	-	3510	3	2	1170
Peninsula Steps										
Small Peninsula Step	1200 x 180 x 356mm	47.25 x 7.12 x 14 in	3.94	215	4	-	860	-	-	-
Small Peninsula Step Block	380 x 180 x 100mm	15 x 7.12 x 3.94 in	-	30	22	-	660	1	-	660
Large Peninsula Step	1828 x 155 x 500mm	72 x 6.13 x 19.63 in	6	418	5	-	2090	-	-	-
Large Peninsula Step Block	451 x 155 x 76mm	17.75 x 6.12 x 3.75	-	30	10	-	300	1	-	300
Slab Step Risers										
24" Step Riser	610 x 100 x 150mm	24 x 4 x 6 in	2	60	72	-	4320	6	12	720
30" Step Riser	762 x 100 x 150mm	30 x 4 x 6 in	2.5	72	72	-	5184	6	12	720
Landscape Curb										
	1000 x 150 x 140mm	39.5 x 6 x 5.5 in	3.29	112	18	59.25	2016	3	6	672
Cobble Scape Edging										
	400 x 150 x 89 mm	15.75 x 6 x 3.5 in	1.3	22	81	106.3	1782	3	27	576
Parking Curbs										
LIGHT DUTY CURB 6'	1830 x 150 x 150 mm	72 x 6 x 6 in	6	180	-	-	-	-	-	-
STANDARD PARKING CURB 8'	2438 x 150 x 280mm	96 x 6 x 11 in	8	485	-	-	-	-	-	-
SURESTOP CURB 8'	2438 x 200 x 305mm	96 x 8 x 12 in	8	496	UNITS SOLD SEPARATELY			-	-	-
HEAVY DUTY TRUCK CURB 8'	2438 x 305 x 305mm	96 x 12 x 12 in	8	1202	-	-	-	-	-	-

OUTDOOR ACCESSORIES

	SIZES L x W x H		UNIT SPECS	BUNDLE SPECIFICATIONS		LAYER OR SECTION SPECIFICATIONS		
	metric	imperial		weight lbs.	pieces	weight lbs.	# of layers	units
Pizza Oven								
	660 x 680 x 406mm	26 x 26.8 x 16 in	65	-	-	-	-	-
Fire Pit Inserts								
Square Insert	700 x 700 x 305mm	27.5 x 27.5 x 12 in	33	-	-	-	-	-
Round Insert	1041mm OD x 305mm	41" OD x 12" High	38	-	-	-	-	-
Deckfoot®								
4 x 4 Post Hole Unit	300 x 300 x 135mm	11.88 x 11.88 x 5.33 in	55	72	3960	6	12	660
6 x 6 Post Hole Unit	300 x 300 x 130mm	11.88 x 11.88 x 5 in	48	72	3456	6	12	660
Splash Pad								
	610 x 305 x 64mm	24 x 12 x 2.5 in	48	20	960	2	10	480
Catch Basins								
Driveway Catch Basin	1980 x 165 x 305mm	78 x 16 x 12 in	800	-	-	-	-	-
18" Residential Catch Basin	-	18"ID, 24"OD x 30" High	600	-	-	-	-	-
Footing Slabs								
450 x 450 Unit	450 x 450 x 90mm	17.75 x 17.75 x 3.5 in	105	26	2730	1	-	-
24 x 24" Unit	610 x 610 x 90mm	24 x 24 x 3.5 in	175	14	2450	1	-	-
Marine Anchors								
100 lb. Unit	406 x 508 x 152mm	16 x 20 x 6 in	100	12	1200	2	-	-
155 lb. Unit	406 x 508 x 216mm	16 x 20 x 8.5 in	155	12	1860	2	-	-
335 lb. unit	610mm OD x 229mm	24" OD x 9" High	335	6	2010	2	-	-

For more information on our products, installation or care please visit www.brooklin.com

Please note that Brooklin stones are manufactured to have a weathered, natural look through variations in colour and texture and may not exactly match the product shown in our catalogue. For a wet, lustrous look, we recommend the use of an aftermarket stone and patio sealer available through Brooklin or your local landscape supplier. Colour matching is not guaranteed for replacement. Patterns shown in this catalogue are examples of what can be done with each stone and may not be applicable for every job. For more information, please contact Brooklin or your local dealer.



Lifetime Warranty

Brooklin is committed to providing you with hardscaping products of superior quality and performance. Our products are manufactured to meet or exceed all CSA and ATSM standards. We stand behind our hardscape products with a lifetime warranty to the original purchaser when the products have been used for residential applications and installed according to our manufacturer specifications. This warranty does not extend to colour variances or the appearance of efflorescence, which do not constitute a defective product. Brooklin will replace any defective products under our lifetime warranty; however, transportation costs or replacement labour are not included. Your warranty claim must be made before removing or disposing of the defective product, and approval must be received in writing. This warranty is not transferable. Proof of purchase required.



BROOKLIN OFFICE

brooklinsales@brooklin.com

6760 Baldwin Street,
Brooklin, ON, Canada L1M 1X8

T: 905-655-3311 | 1-800-655-3430
F: 905-655-3847

HUNTSVILLE /HALIBURTON OFFICE

huntsvillesales@brooklin.com

21 Stephenson Road 12 (East of Hwy 11),
Huntsville, ON, Canada P1H 2K8

T: 705-789-2338 | 1-800-264-3302
F: 705-789-9829

WWW.BROOKLIN.COM



25APR20