



• SAFER • FASTER • SUSTAINABLE

Distributed by: Superior Forming Solutions, LLC


t: 307 263 3028 e: sales@super-form.com w: www.super-form.com 1309 Coffeen Avenue, Suite 16858, Sheridan, Wyoming 82801





Super-Form TM Bracket System

The Super-Form TM Bracket System



Copyright Superior Forming Solutions LLC, Patent Pending

• SAFER • FASTER • SUSTAINABLE



Super-Form TM <u>Bracket System</u>

MAIN FEATURES

THE STRONGEST, FASTEST & MOST FLEXIBLE FORMING SYSTEM ON THE MARKET

THE PERFECT ADDITION TO THE SYMONS STEEL PLY SYSTEM

MULTIPLE USES, CAN BE USED AS A FORMWORK SYSTEM ON ITS OWN OR AS AN ADJUSTABLE PROP FOR LUMBER FORMS OR AS A FILLER PANEL AND ADJUSTBLE BRACE WITH SYMONS STEEL PLY, REMOVING THE NEED FOR SNAP TIES

NO BOLTS, SIMPLE CLEVIS PINS WITH CLIPS, SO NO TOOLS NEEDED

FOLDS FLAT FOR STORAGE & FOR LOW COST TRANSPORTATION

ADJUSTABLE PUSH PULL PROP ALLOWS PRE & POST POUR ADJUSTMENT

COMES IN 3 HANDY BRACKET SIZES 16" / 28" & 40" BUT CAN BE JOINED TO MAKE 9 HEIGHTS OVER 6' HIGH

3 BASES SIZES 3" / 9" & 17" TO FIT IN TIGHT SPACES

BASE & UPRIGHTS ARE ALL INTERCHANGEABLE AND SO OFFER HUNDREDS OF COMBINATIONS FOR ANY TYPE OF CONCRETE POUR OR GROUND CONDITION

POUR STRAIGHT OR RADIUS SLABS, BASES, WALLS & SHEET PILE CAPPING BEAMS

BETTER FINISH THAN MOST SYSTEMS, LIGHTER AND MORE FLEXIBLE

STRONG 3/16" THICK ZINC COATED CHANNEL DESIGN, WONT RUST

ABILITY TO ADD RE-USABLE TIE BARS FOR BEAMS AND WALL POURS

EASILY ATTACH SAFETY HANDRAILS ON SLAB EDGE POURS

FIX BASES DOWN WITH CONCRETE BOLTS / WOOD SCREWS OR ROAD PINS

CUTS CARBON USE BY UP TO 80%, CUTS WASTAGE AND LUMBER USE

60% LABOR & COST SAVINGS vs LUMBER FORMWORK OVERALL

USA DEALERS WANTED PLEASE ASK ABOUT OPPORTUNITIES

• SAFER • FASTER • SUSTAINABLE




Super-Form TM Bracket System


MAIN USES

With Symons Steelply, can be used at up to 5' on centre (option to add tiebars & handrails)


Stronger, no uptlift or movement, adjustable propping and no snap ties needed!



On its own at 20.5" ON CENTRE, simply fix down, plumb up and add ply & pour concrete NO Forms to make! Faster than lumber forms with time & cost savings of 60%



Works with lumber forms at up to 4' on centre (option to add tie bars & handrails) allows post pour alignment, stops uplift and faster & more efficient than lumber props



Copyright Superior Forming Solutions LLC, Patent Pending


• SAFER • FASTER • SUSTAINABLE



Super-Form TM Bracket System

EXAMPLES OF USES


Slab edge with handrail with ability to attach 2x4, tube & fitting or Combisafe style handrails




Beams & Walls with Tie Bars over




Radius or irregular shapes



On decking for High Rise



Sheet pile capping beams soffit & sides with handrails



Trenches & tight spaces are easy with small bases and ability to detach bases and props



Copyright Superior Forming Solutions LLC, Patent Pending

• SAFER • FASTER • SUSTAINABLE



Super-Form TM Bracket System

3 UPRIGHTS

Large Upright 38" (40" when on base)

Just 6 main components
3 base sizes (Optional Pin Braces)
3 upright sizes that can be joined to
offer dozens of configurations
and 11 bracket heights



The state of the s

Small base just 3" fits inside upright channel for tight spaces and wall applications



Medium Base 9" (Left) with optional pin brace attachments shown (Right)

Large Base 16"(Left) with optional pin brace attachments shown (Right)

Also used as a joining section between 2 uprights

Copyright Superior Forming Solutions LLC, Patent Pending



• SAFER • FASTER • SUSTAINABLE



Super-Form TM Bracket System

Option to use

Small base

with detached

MUTIPLE CONFIGURATIONS

Fix down with concrete bolts, wood screws or road pins or add additional pin brace attachments

BASE EXAMPLES

Small bases just 3"
can be used on all
uprights with detached prop

Medium bases just 9" used on Small & Medium brackets as standard Large bases just 16" used on Medium & Large brackets as standard








CONFIGURATION EXAMPLES

Option to add additional pin brace attachments
2 or 4 per bracket
Ideal for compacted ground



Option to use Medium base with a detached base with pin braces



Copyright Superior Forming Solutions LLC, Patent Pending

Option to join Uprights (2 x Large uprights shown) Ability to detach bases and use additional props shown



• SAFER • FASTER • SUSTAINABLE



Super-Form TM Bracket System

STANDARD BRACKETS

Small bracket 16" (H) x 9" (D) (Medium base) Medium bracket 28" (H) x 9" (D) (Medium base) Large bracket 40" (H) x 17" (D) (Large base)









TRANSPORTATION

Brackets fold flat for transport Small / Medium & Large shown





Copyright Superior Forming Solutions LLC, Patent Pending

• SAFER • FASTER • SUSTAINABLE